

Christine Ewers-Saucedo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8086928/publications.pdf>

Version: 2024-02-01

23
papers

292
citations

1040056

9
h-index

996975

15
g-index

28
all docs

28
docs citations

28
times ranked

313
citing authors

#	ARTICLE	IF	CITATIONS
1	The evolutionary diversity of barnacles, with an updated classification of fossil and living forms. <i>Zoological Journal of the Linnean Society</i> , 2021, 193, 789-846.	2.3	62
2	The oceanic concordance of phylogeography and biogeography: a case study in <i>Notochthamalus</i> . <i>Ecology and Evolution</i> , 2016, 6, 4403-4420.	1.9	28
3	Growth, mortality, and mating group size of an androdioecious barnacle: implications for the evolution of dwarf males. <i>Journal of Crustacean Biology</i> , 2015, 35, 166-176.	0.8	20
4	Functional morphology of the copulatory system of box crabs with long second gonopods (Calappidae, Eubrachyura, Decapoda, Crustacea). <i>Journal of Morphology</i> , 2015, 276, 77-89.	1.2	19
5	Towards a barnacle tree of life: integrating diverse phylogenetic efforts into a comprehensive hypothesis of thecostracan evolution. <i>PeerJ</i> , 2019, 7, e7387.	2.0	19
6	Examining an Outlier: Molecular Diversity in the Cirripedia. <i>Integrative and Comparative Biology</i> , 2012, 52, 410-417.	2.0	14
7	The unexpected mating system of the androdioecious barnacle <i>Chelonibia testudinaria</i> (Linnaeus 1758). <i>Molecular Ecology</i> , 2016, 25, 2081-2092.	3.9	12
8	First indication of Japanese mitten crabs in Europe and cryptic genetic diversity of invasive Chinese mitten crabs. <i>NeoBiota</i> , 0, 50, 1-29.	1.0	12
9	Evolution of male copulatory organs in box crabs (Decapoda: Eubrachyura: Calappidae De Haan, 1833). <i>Journal of Crustacean Biology</i> , 2016, 36, 804-814.	0.8	11
10	Coming and going – Historical distributions of the European oyster <i>Ostrea edulis</i> Linnaeus, 1758 and the introduced slipper limpet <i>Crepidula fornicata</i> Linnaeus, 1758 in the North Sea. <i>PLoS ONE</i> , 2019, 14, e0224249.	2.5	11
11	Testing adaptive hypotheses on the evolution of larval life history in acorn and stalked barnacles. <i>Ecology and Evolution</i> , 2019, 9, 11434-11447.	1.9	11
12	Microsatellite loci discovery from next-generation sequencing data and loci characterization in the epizoic barnacle <i>Chelonibia testudinaria</i> (Linnaeus, 1758). <i>PeerJ</i> , 2016, 4, e2019.	2.0	10
13	Mitochondrial lineages in <i>Notochthamalus scabrosus</i> as indicators of coastal recruitment and interactions. <i>Ecology and Evolution</i> , 2012, 2, 1584-1591.	1.9	9
14	Predator/Prey-Interactions Promote Decomposition of Low-Quality Detritus. <i>Wetlands</i> , 2012, 32, 931-938.	1.5	8
15	Evaluating reasons for biased sex ratios in Crustacea. <i>Invertebrate Reproduction and Development</i> , 2019, 63, 222-230.	0.8	8
16	First record of the Pacific oyster <i>Magallana gigas</i> (Thunberg, 1793) in the Baltic Sea proper. <i>Marine Biodiversity Records</i> , 2020, 13, .	1.2	8
17	Natural history collections recapitulate 200 years of faunal change. <i>Royal Society Open Science</i> , 2021, 8, 201983.	2.4	8
18	Parallel Patterns of Host-Specific Morphology and Genetic Admixture in Sister Lineages of a Commensal Barnacle. <i>Biological Bulletin</i> , 2017, 232, 171-185.	1.8	6

#	ARTICLE	IF	CITATIONS
19	Complex patterns of secondary spread without loss of genetic diversity in invasive populations of the Asian shore crab <i>Hemigrapsus takanoi</i> (Decapoda) along European coasts. <i>Marine Biology</i> , 2020, 167, 1.	1.5	5
20	An environmental gradient dominates ecological and genetic differentiation of marine invertebrates between the North and Baltic Sea. <i>Ecology and Evolution</i> , 2022, 12, .	1.9	5
21	Phylogeography in an "oyster" shell provides first insights into the genetic structure of an extinct <i>Ostrea edulis</i> population. <i>Scientific Reports</i> , 2021, 11, 2307.	3.3	3
22	Population Connectivity and Phylogeography of Crustaceans. , 2020, , 440-463.		2
23	Genetic and morphological evidence indicates the persistence of Japanese mitten crab mitochondrial DNA in Europe for over 20 years and its introgression into Chinese mitten crabs. <i>NeoBiota</i> , 0, 73, 137-152.	1.0	1