

# Dmitry V Kazakov

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8087738/publications.pdf>

Version: 2024-02-01

135  
papers

3,526  
citations

126708

33  
h-index

189595

50  
g-index

135  
all docs

135  
docs citations

135  
times ranked

2019  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Mucinous Carcinoma of the Skin, Primary, and Secondary. American Journal of Surgical Pathology, 2005, 29, 764-782.  | 2.1 | 164       |
| 2  | Lesions of Anogenital Mammary-like Glands. Advances in Anatomic Pathology, 2011, 18, 1-28.  | 2.4 | 142       |
| 3  | Morphologic Diversity of Malignant Neoplasms Arising in Preexisting Spiradenoma, Cylindroma, and Spiradenocylindroma Based on the Study of 24 Cases, Sporadic or Occurring in the Setting of Brooke-Spiegler Syndrome. American Journal of Surgical Pathology, 2009, 33, 705-719.   | 2.1 | 140       |
| 4  | Hybrid peripheral nerve sheath tumors: schwannoma-perineurioma and neurofibroma-perineurioma. A report of three cases in extradigital locations. Annals of Diagnostic Pathology, 2005, 9, 16-23.  | 0.6 | 92        |
| 5  | Cutaneous Hidradenocarcinoma: A Clinicopathological, Immunohistochemical, and Molecular Biologic Study of 14 Cases, Including Her2/neu Gene Expression/Amplification, TP53 Gene Mutation Analysis, and t(11;19) Translocation. American Journal of Dermatopathology, 2009, 31, 236-247.   | 0.3 | 88        |
| 6  | Apocrine mixed tumor of the skin (â€œmixed tumor of the folliculosebaceous-apocrine complexâ€). Journal of the American Academy of Dermatology, 2007, 57, 467-483.  | 0.6 | 85        |
| 7  | Brooke-Spiegler Syndrome. American Journal of Dermatopathology, 2005, 27, 27-33.  | 0.3 | 75        |
| 8  | Brooke-Spiegler Syndrome and Phenotypic Variants: An Update. Head and Neck Pathology, 2016, 10, 125-130.  | 1.3 | 72        |
| 9  | Photodynamic Therapy of Nonmelanoma Skin Cancer with Topical <i>Hypericum perforatum</i> Extractâ€”A Pilot Study. Photochemistry and Photobiology, 2008, 84, 779-785.   | 1.3 | 71        |
| 10 | Sebaceous Carcinoma Arising in Nevus Sebaceus of Jadassohn: A Clinicopathological Study of Five Cases. American Journal of Dermatopathology, 2007, 29, 242-248.   | 0.3 | 70        |
| 11 | Carcinoid-Like Pattern in Sebaceous Neoplasms. American Journal of Dermatopathology, 2005, 27, 195-203.   | 0.3 | 62        |
| 12 | Mutations in Exon 3 of the CTNNB1 Gene (Î²-Catenin Gene) in Cutaneous Adnexal Tumors. American Journal of Dermatopathology, 2009, 31, 248-255.  | 0.3 | 58        |
| 13 | Desmoplastic melanoma: an updated immunohistochemical analysis of 40 cases with a proposal for an additional panel of stains for diagnosis. Journal of Cutaneous Pathology, 2016, 43, 313-323.  | 0.7 | 58        |
| 14 | Fibroadenoma and Phyllodes Tumors of Anogenital Mammary-like Glands: A Series of 13 Neoplasms in 12 Cases, Including Mammary-type Juvenile Fibroadenoma, Fibroadenoma With Lactation Changes, and Neurofibromatosis-associated Pseudoangiomatous Stromal Hyperplasia With Multinucleated Giant Cells. American Journal of Surgical Pathology, 2010, 34, 95-103. | 2.1 | 57        |
| 15 | Hidradenoma Papilliferum with Oxyphilic Metaplasia. American Journal of Dermatopathology, 2005, 27, 102-110.  | 0.3 | 56        |
| 16 | Tubular Adenoma and Syringocystadenoma Papilliferum: A Reappraisal of Their Relationship. An Interobserver Study of a Series, by a Panel of Dermatopathologists. American Journal of Dermatopathology, 2007, 29, 256-263.   | 0.3 | 51        |
| 17 | Morphologic Diversity of Syringocystadenocarcinoma Papilliferum Based on a Clinicopathologic Study of 6 Cases and Review of the Literature. American Journal of Dermatopathology, 2010, 32, 340-347.  | 0.3 | 50        |
| 18 | Sebaceous Differentiation in Poroid Neoplasms: Report of 11 Cases, Including a Case of Metaplastic Carcinoma Associated With Apocrine Poroma (Sarcomatoid Apocrine Porocarcinoma). American Journal of Dermatopathology, 2008, 30, 21-26.   | 0.3 | 49        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Prostatic-type Tissue in the Lower Female Genital Tract: A Morphologic Spectrum, Including Vaginal Tubulosquamous Polyp, Adenomyomatous Hyperplasia of Paraurethral Skene Glands (Female Prostate), and Ectopic Lesion in the Vulva. <i>American Journal of Surgical Pathology</i> , 2010, 34, 950-955. | 2.1 | 48        |
| 20 | Skin-Type Hidradenoma of the Breast Parenchyma With t(11;19) Translocation: Hidradenoma of the Breast. <i>American Journal of Dermatopathology</i> , 2007, 29, 457-461.   | 0.3 | 47        |
| 21 | Pseudoangiomatous Stromal Hyperplasia in Lesions Involving Anogenital Mammary-Like Glands. <i>American Journal of Surgical Pathology</i> , 2005, 29, 1243-1246.   | 2.1 | 46        |
| 22 | Discordant Architectural and Cytological Features in Cutaneous Sebaceous Neoplasms-A Classification Dilemma: Report of 5 Cases. <i>American Journal of Dermatopathology</i> , 2009, 31, 31-36.  | 0.3 | 42        |
| 23 | Multiple (Familial) Trichoepitheliomas: A Clinicopathological and Molecular Biological Study, Including CYLD and PTCH Gene Analysis, of a Series of 16 Patients. <i>American Journal of Dermatopathology</i> , 2011, 33, 251-265.   | 0.3 | 42        |
| 24 | High-grade Trichoblastic Carcinosarcoma. <i>American Journal of Dermatopathology</i> , 2008, 30, 62-64.   | 0.3 | 41        |
| 25 | Morphological variations of scar-related and spontaneous endometriosis of the skin and superficial soft tissue: A study of 71 cases with emphasis on atypical features and types of allergic differentiations. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, 134-146.               | 0.6 | 40        |
| 26 | Hyperplasia of Hair Follicles and Other Adnexal Structures in Cutaneous Lymphoproliferative Disorders. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1468-1478.   | 2.1 | 38        |
| 27 | High-grade myxoinflammatory fibroblastic sarcoma: a report of 23 cases. <i>Annals of Diagnostic Pathology</i> , 2015, 19, 157-163.  | 0.6 | 38        |
| 28 | Littoral cell angioma of the spleen: a study of 25 cases with confirmation of frequent association with visceral malignancies. <i>Histopathology</i> , 2016, 69, 762-774.   | 1.6 | 37        |
| 29 | Pleomorphic hyalinizing angiectatic tumor with a sarcomatous component recurring as high-grade myxofibrosarcoma. <i>Pathology International</i> , 2007, 57, 281-284.  | 0.6 | 36        |
| 30 | Spitz Tumors With ROS1 Fusions: A Clinicopathological Study of 6 Cases, Including FISH for Chromosomal Copy Number Alterations and Mutation Analysis Using Next-Generation Sequencing. <i>American Journal of Dermatopathology</i> , 2020, 42, 92-102.  | 0.3 | 35        |
| 31 | Castleman Disease of the Subcutis and Underlying Skeletal Muscle. <i>American Journal of Surgical Pathology</i> , 2004, 28, 569-577.  | 2.1 | 34        |
| 32 | Absence of Epstein-Barr Virus, Human Papillomavirus, and Simian Virus 40 in Patients of Central European Origin With Lymphoepithelioma-like Carcinoma of the Skin. <i>American Journal of Dermatopathology</i> , 2007, 29, 365-369.   | 0.3 | 34        |
| 33 | Cutaneous Sebaceous Neoplasms With a Focal Glandular Pattern (Seboapocrine Lesions): A Clinicopathological Study of Three Cases. <i>American Journal of Dermatopathology</i> , 2007, 29, 359-364.   | 0.3 | 34        |
| 34 | Cutaneous Mixed Tumor, Eccrine Variant: A Clinicopathologic and Immunohistochemical Study of 50 Cases, With Emphasis on Unusual Histopathologic Features. <i>American Journal of Dermatopathology</i> , 2011, 33, 557-568.  | 0.3 | 34        |
| 35 | Overexpression of MYB drives proliferation of CYLD-defective cylindroma cells. <i>Journal of Pathology</i> , 2016, 239, 197-205.  | 2.1 | 34        |
| 36 | Spiradenoma and Spiradenocylindroma With an Adenomatous or Atypical Adenomatous Component: A Clinicopathological Study of 6 Cases. <i>American Journal of Dermatopathology</i> , 2008, 30, 436-441.   | 0.3 | 34        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Low-Grade Trichoblastic Carcinosarcoma of the Skin. American Journal of Dermatopathology, 2004, 26, 304-309.   | 0.3 | 33        |
| 38 | Primary Cutaneous Lymphoproliferative Disorders With Dual Lineage Rearrangement. American Journal of Dermatopathology, 2006, 28, 399-409.  | 0.3 | 33        |
| 39 | ALK Gene Fusions in Epithelioid Fibrous Histiocytoma: A Study of 14 Cases, With New Histopathological Findings. American Journal of Dermatopathology, 2018, 40, 805-814.   | 0.3 | 32        |
| 40 | Clear Cell Trichoblastoma. American Journal of Dermatopathology, 2006, 28, 197-201.  | 0.3 | 31        |
| 41 | Adenosis tumor of anogenital mammary-like glands: a case report and demonstration of clonality by HUMARA assay. Journal of Cutaneous Pathology, 2006, 33, 43-46.   | 0.7 | 31        |
| 42 | S100 and CD34 positive spindle cell tumor with prominent perivascular hyalinization and a novel NCOA4â€¦RET fusion. Genes Chromosomes and Cancer, 2019, 58, 680-685.   | 1.5 | 31        |
| 43 | Secretory Carcinoma of the Skin. American Journal of Surgical Pathology, 2019, 43, 1092-1098.  | 2.1 | 30        |
| 44 | Inflammatory leiomyosarcoma shows frequent co-expression of smooth and skeletal muscle markers supporting a primitive myogenic phenotype: a report of 9 cases with a proposal for reclassification as low-grade inflammatory myogenic tumor. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 477, 219-230. | 1.4 | 30        |
| 45 | Hemosiderotic fibrohistiocytic lipomatous lesion: clinical correlation with venous stasis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2005, 447, 103-106.   | 1.4 | 29        |
| 46 | Genital Warts Treated By Photodynamic Therapy. Skinmed, 2007, 6, 295-297.  | 0.0 | 29        |
| 47 | Brookeâ€™Spiegler syndrome: report of a case with a novel mutation in the <i>CYLD</i> gene and different types of somatic mutations in benign and malignant tumors. Journal of Cutaneous Pathology, 2010, 37, 886-890.   | 0.7 | 28        |
| 48 | Hybrid Peripheral Nerve Sheath Tumors, Including a Malignant Variant in Type 1 Neurofibromatosis. American Journal of Dermatopathology, 2013, 35, 641-649.   | 0.3 | 28        |
| 49 | Lipoblasts in spindle cell and pleomorphic lipomas: a close scrutiny. Human Pathology, 2017, 65, 140-146.  | 1.1 | 28        |
| 50 | Sarcoma Arising in Hyaline-Vascular Castleman Disease of Skin and Subcutis. American Journal of Dermatopathology, 2005, 27, 327-332.   | 0.3 | 27        |
| 51 | Tubular Adenoma of the Skin with Follicular and Sebaceous Differentiation. American Journal of Dermatopathology, 2006, 28, 142-146.  | 0.3 | 25        |
| 52 | Human Papillomavirus in Lesions of Anogenital Mammary-Like Glands. International Journal of Gynecological Pathology, 2007, 26, 475-480.  | 0.9 | 25        |
| 53 | Primary signet ring stromal tumor of the testis: a study of 13 cases indicating their phenotypic and genotypic analogy to pancreatic solid pseudopapillary neoplasm. Human Pathology, 2017, 67, 85-93.   | 1.1 | 25        |
| 54 | Solid pseudopapillary neoplasm (SPN) of the testis: Comprehensive mutational analysis of 6 testicular and 8 pancreatic SPNs. Annals of Diagnostic Pathology, 2018, 35, 42-47.  | 0.6 | 25        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Unusual Hyperplasia of Anogenital Mammary-Like Glands. American Journal of Dermatopathology, 2006, 28, 134-137.  | 0.3 | 24        |
| 56 | Melanoma with Prominent Pigment Synthesis (Animal-Type Melanoma). American Journal of Dermatopathology, 2004, 26, 290-297.   | 0.3 | 23        |
| 57 | Low-grade Adnexal Carcinoma of the Skin With Multidirectional (Glandular, Trichoblastomatous,) Tj ETQq1 1 0.784314 rgBT /Overloc   | 0.3 | 23        |
| 58 | Spectrum of Tumors With Follicular Differentiation in a Patient With the Clinical Phenotype of Multiple Familial Trichoepitheliomas: A Clinicopathological and Molecular Biological Study, Including Analysis of the CYLD and PTCH Genes. American Journal of Dermatopathology, 2009, 31, 819-827.                               | 0.3 | 23        |
| 59 | Primary cutaneous follicle center lymphoma with diffuse CD30 expression: A report of 4 cases of a rare variant. Journal of the American Academy of Dermatology, 2014, 71, 548-554.   | 0.6 | 23        |
| 60 | Cutaneous hidradenoma: a study of 21 neoplasms revealing neither correlation between the cellular composition and CRTC1-MAML2 fusions nor presence of CRTC3-MAML2 fusions. Annals of Diagnostic Pathology, 2016, 23, 8-13.   | 0.6 | 23        |
| 61 | Intraneural Dendritic Cell Neurofibroma with Pseudorosettes. American Journal of Dermatopathology, 2004, 26, 72-75.  | 0.3 | 22        |
| 62 | Comparison of the biomarkers for targeted therapies in primary extramammary and mammary Paget's disease. Cancer Medicine, 2020, 9, 1441-1450.  | 1.3 | 22        |
| 63 | Vulvar Syringomas With Deep Extension. International Journal of Gynecological Pathology, 2011, 30, 92-94.  | 0.9 | 21        |
| 64 | Apocrine Mixed Tumors of the Skin With Architectural and/or Cytologic Atypia: A Retrospective Clinicopathologic Study of 18 Cases. American Journal of Surgical Pathology, 2007, 31, 1094-1102.  | 2.1 | 20        |
| 65 | Nodular Hyperplasia of the Bartholin Gland: A Clinicopathological Study of Two Cases, Including Detection of Clonality by HUMARA. American Journal of Dermatopathology, 2007, 29, 385-387.   | 0.3 | 20        |
| 66 | Pseudoangiomatous stromal hyperplasia in a complex neoplastic lesion involving anogenital mammary-like glands. Journal of Cutaneous Pathology, 2009, 36, 1117-1120.  | 0.7 | 20        |
| 67 | A Case of Brooke-Spiegler Syndrome With a Novel Germline Deep Intronic Mutation in the CYLD Gene Leading to Intronic Exonization, Diverse Somatic Mutations, and Unusual Histology. American Journal of Dermatopathology, 2009, 31, 664-673.   | 0.3 | 20        |
| 68 | Cutaneous borreliosis associated with T cell predominant infiltrates: A diagnostic challenge. Journal of the American Academy of Dermatology, 2015, 72, 683-689.   | 0.6 | 20        |
| 69 | Dendritic Cell Neurofibroma with Pseudorosettes Lacks Mutations in Exons 1-15 of the Neurofibromatosis Type 2 Gene. American Journal of Dermatopathology, 2005, 27, 286-289.   | 0.3 | 19        |
| 70 | Reactive Syringofibroadenomatous Hyperplasia in Peristomal Skin with Formation of Hybrid Epidermal-Colonic Mucosa Glandular Structures, Intraepidermal Areas of Sebaceous Differentiation, Induction of Hair Follicles, and Features of Human Papillomavirus Infection. American Journal of Dermatopathology, 2005, 27, 135-141. | 0.3 | 19        |
| 71 | Distinctive renal cell tumor simulating atrophic kidney with 2 types of microcalcifications. Report of 3 cases. Annals of Diagnostic Pathology, 2014, 18, 82-88.   | 0.6 | 19        |
| 72 | Pleomorphic hyalinizing angiectatic tumor revisited: all tumors manifest typical morphologic features of myxoinflammatory fibroblastic sarcoma, further suggesting 2 morphologic variants of a single entity. Annals of Diagnostic Pathology, 2016, 20, 40-43.   | 0.6 | 18        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Small Subset of Adenoid Cystic Carcinoma of the Skin Is Associated With Alterations of the MYBL1 Gene Similar to Their Extracutaneous Counterparts. <i>American Journal of Dermatopathology</i> , 2018, 40, 721-726.  | 0.3 | 18        |
| 74 | Cutaneous Type Adnexal Tumors Outside the Skin. <i>American Journal of Dermatopathology</i> , 2011, 33, 303-315.  | 0.3 | 16        |
| 75 | Skin type spiradenoma of the parotid gland with malignant transformation. <i>Human Pathology</i> , 2009, 40, 1499-1503.   | 1.1 | 15        |
| 76 | Cutaneous Adenolipoma: Extending the Spectrum of Changes in the Lipomatous and Epithelial Components. <i>American Journal of Dermatopathology</i> , 2011, 33, 56-59.  | 0.3 | 15        |
| 77 | Syringocystadenoma Papilliferum of the Anogenital Area and Buttocks: A Report of 16 Cases, Including Human Papillomavirus Analysis and HRAS and BRAF V600 Mutation Studies. <i>American Journal of Dermatopathology</i> , 2019, 41, 281-285.  | 0.3 | 15        |
| 78 | RAF1 Gene Fusions as a Possible Driver Mechanism in Rare BAP1-Inactivated Melanocytic Tumors: A Report of 2 Cases. <i>American Journal of Dermatopathology</i> , 2020, 42, 961-966.   | 0.3 | 15        |
| 79 | Trichoepithelioma With Giant and Multinucleated Neoplastic Epithelial Cells. <i>American Journal of Dermatopathology</i> , 2006, 28, 63-64.   | 0.3 | 14        |
| 80 | Benign Schwannoma With Perineurioma-Like Areas: A Clinicopathologic Study of 11 Cases. <i>International Journal of Surgical Pathology</i> , 2006, 14, 320-325.  | 0.4 | 14        |
| 81 | Syringomatous Structures in Extramammary Paget Disease: A Potential Diagnostic Pitfall. <i>American Journal of Dermatopathology</i> , 2016, 38, 653-657.  | 0.3 | 14        |
| 82 | Human papillomavirus infection and p16 expression in the immunocompetent patients with extragenital/extraungual Bowen's disease. <i>Diagnostic Pathology</i> , 2016, 11, 53.  | 0.9 | 14        |
| 83 | Pancreatic analogue solid pseudopapillary neoplasm arising in the paratesticular location. The first case report. <i>Human Pathology</i> , 2016, 56, 52-56.   | 1.1 | 14        |
| 84 | MAP2K1-Mutated Melanocytic Neoplasms With a SPARK-Like Morphology. <i>American Journal of Dermatopathology</i> , 2021, 43, 412-417.   | 0.3 | 14        |
| 85 | A Cutaneous Adnexal Neoplasm With Features of Adamantinoid Trichoblastoma (Lymphadenoma) in the Benign Component and Lymphoepithelial-Like Carcinoma in the Malignant Component: A Possible Case of Malignant Transformation of a Rare Trichoblastoma Variant. <i>American Journal of Dermatopathology</i> , 2011, 33, 729-732. | 0.3 | 13        |
| 86 | Molecular alterations in lesions of anogenital mammary-like glands and their mammary counterparts including hidradenoma papilliferum, intraductal papilloma, fibroadenoma and phyllodes tumor. <i>Annals of Diagnostic Pathology</i> , 2017, 28, 12-18.   | 0.6 | 13        |
| 87 | Fibroblastic connective tissue nevus: Clinicopathological and immunohistochemical study of 14 cases. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 827-834.   | 0.7 | 13        |
| 88 | Primary Intranodal Cellular Angiolipoma. <i>International Journal of Surgical Pathology</i> , 2005, 13, 99-101.   | 0.4 | 11        |
| 89 | Trichodiscoma with lipomatous metaplasia and pleomorphic stromal cells. <i>Journal of Cutaneous Pathology</i> , 2010, 37, 1110-1111.  | 0.7 | 11        |
| 90 | Apocrine secretion in lacrimal gland cysts (dacryops): a common but underrecognized phenomenon. <i>Journal of Cutaneous Pathology</i> , 2011, 38, 720-723.  | 0.7 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Polypoid Atypical Spitz Tumor With a Fibrosclerotic Stroma, CLIP2-BRAF Fusion, and Homozygous Loss of 9p21. <i>American Journal of Dermatopathology</i> , 2020, 42, 204-207.  | 0.3 | 11        |
| 92  | A Clinicopathological Study of 29 Spitzoid Melanocytic Lesions With ALK Fusions, Including Novel Fusion Variants, Accompanied by Fluorescence In Situ Hybridization Analysis for Chromosomal Copy Number Changes, and Both TERT Promoter and Next-Generation Sequencing Mutation Analysis. <i>American Journal of Dermatopathology</i> , 2020, 42, 578-592. | 0.3 | 11        |
| 93  | Extramammary Paget disease of the vulva. <i>Seminars in Diagnostic Pathology</i> , 2021, 38, 62-70.   | 1.0 | 11        |
| 94  | Lichen sclerosus on the penis associated with striking elastic fibers accumulation (nevus elasticus) and differentiated penile intraepithelial neoplasia progressing to invasive squamous cell carcinoma. <i>JAAD Case Reports</i> , 2015, 1, 163-165.  | 0.4 | 10        |
| 95  | The CYLD p.R758X worldwide recurrent nonsense mutation detected in patients with multiple familial trichoepithelioma type 1, Brooke-Spiegler syndrome and familial cylindromatosis represents a mutational hotspot in the gene. <i>BMC Genetics</i> , 2016, 17, 36.   | 2.7 | 10        |
| 96  | Acquired elastotic hemangioma-like changes and eccrine sweat duct squamous metaplasia in lichen simplex chronicus/prurigo nodularis-like lesions of the knee and elbow. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 605-611.  | 0.7 | 10        |
| 97  | Atypical mitoses in pleomorphic lipomas. <i>Human Pathology</i> , 2017, 70, 143.  | 1.1 | 10        |
| 98  | A case of multiple familial trichoepitheliomas responding to treatment with the Hedgehog signaling pathway inhibitor vismodegib. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 241-246.  | 1.4 | 10        |
| 99  | An unusual hamartoma of the folliculosebaceous-apocrine unit: a case report. <i>Journal of Cutaneous Pathology</i> , 2006, 33, 365-368.   | 0.7 | 9         |
| 100 | Melanocytic "ball-in-mitts" and "microalveolar structures" and their role in the development of cellular blue nevi. <i>Annals of Diagnostic Pathology</i> , 2007, 11, 160-175.  | 0.6 | 9         |
| 101 | Cutaneous Apocrine Mixed Tumor With Intravascular Tumor Deposits: A Diagnostic Pitfall. <i>American Journal of Dermatopathology</i> , 2011, 33, 775-779.  | 0.3 | 9         |
| 102 | Sebaceous Neoplasms With Rippled, Labyrinthine/Sinusoidal, Petaloid, and Carcinoid-Like Patterns: A Study of 57 Cases Validating Their Occurrence as a Morphological Spectrum and Showing No Significant Association With Muir-Torre Syndrome or DNA Mismatch Repair Protein Deficiency. <i>American Journal of Dermatopathology</i> , 2018, 40, 479-485.   | 0.3 | 9         |
| 103 | Unilateral Periocular Intralymphatic Histiocytosis, Associated With Rosacea (Morbihan Disease). <i>American Journal of Dermatopathology</i> , 2020, 42, 452-454.  | 0.3 | 9         |
| 104 | Microcystic Adnexal Carcinoma With Multiple Areas of Follicular Differentiation Toward Germinative Cells and Specific Follicular Stroma (Trichoblastomatous Areas). <i>American Journal of Dermatopathology</i> , 2011, 33, e47-e49.  | 0.3 | 8         |
| 105 | Multiple facial plaque variant of trichoblastoma. <i>Journal of Cutaneous Pathology</i> , 2019, 46, 285-289.  | 0.7 | 7         |
| 106 | Novel insights into the BAP1-inactivated melanocytic tumor. <i>Modern Pathology</i> , 2022, 35, 664-675.  | 2.9 | 7         |
| 107 | Spindle Cell Predominant Trichodiscoma or Spindle Cell Lipoma With Adnexal Induction? A Study of 25 Cases, Revealing a Subset of Cases With RB1 Heterozygous Deletion in the Spindle Cell Stroma. <i>American Journal of Dermatopathology</i> , 2019, 41, 637-643.  | 0.3 | 6         |
| 108 | Stewart-Treves syndrome: Case report and literature review. <i>Reports of Practical Oncology and Radiotherapy</i> , 2020, 25, 934-938.  | 0.3 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Vulvar Pigmented Epithelioid Melanocytoma With a Novel HTT-PKN1 Fusion: A Case Report. American Journal of Dermatopathology, 2020, 42, 544-546.  | 0.3 | 6         |
| 110 | Hyperplasia of Ectopic Sebaceous Glands in the Uterine Cervix. International Journal of Gynecological Pathology, 2010, 29, 605-608.  | 0.9 | 5         |
| 111 | Utility of CD99 Paranuclear Expression in the Differential Diagnosis of Merkel Cell Carcinoma. International Journal of Surgical Pathology, 2016, 24, 293-296.   | 0.4 | 5         |
| 112 | Lichen aureus with pseudolymphomatous infiltrate. Journal of Cutaneous Pathology, 2021, 48, 669-673.   | 0.7 | 5         |
| 113 | VEILND (Video Endoscopic Inguinal Lymph Node Dissection) with Florescence Indocyanine Green (ICG): A Novel Technique to Identify the Sentinel Lymph Node in Men with pT1G2 and cN0 Penile Cancer. Contrast Media and Molecular Imaging, 2021, 2021, 1-6. | 0.4 | 5         |
| 114 | Eosinophil-rich trichoblastic carcinoma with aggressive clinical course in a young man. Journal of Cutaneous Pathology, 2017, 44, 986-990.   | 0.7 | 4         |
| 115 | Multivacuolated mucin-filled cells: a unique cell characteristic of plexiform neurofibroma. A report of 11 cases. Human Pathology, 2017, 60, 167-173.  | 1.1 | 4         |
| 116 | Solid pseudopapillary tumor: a new tumor entity in the testis? Reply. Human Pathology, 2017, 62, 243-245.  | 1.1 | 4         |
| 117 | An Unusual Morphological Presentation of Cutaneous Squamous Cell Carcinoma Mimicking Microcystic Adnexal Carcinoma: A Diagnostic Pitfall. Dermatopathology (Basel, Switzerland), 2018, 5, 64-68.   | 0.7 | 4         |
| 118 | Kaposi Sarcoma in Association With an Extracavitary Primary Effusion Lymphoma Showing Unusual Intravascular Involvement: Report of a Case Harboring a FAM175A Germline Mutation. American Journal of Dermatopathology, 2020, 42, 55-60.                  | 0.3 | 4         |
| 119 | Follicular lymphoma of the skin and superficial soft tissues associated with a prominent follicular dendritic cell proliferation: an unusual pattern which may represent a diagnostic pitfall. Pathology Research and Practice, 2004, 200, 557-565.      | 1.0 | 3         |
| 120 | Lactation adenoma in a supernumerary nipple. Journal of Cutaneous Pathology, 2011, 38, 532-533.  | 0.7 | 3         |
| 121 | Differentiated squamous intraepithelial lesion (dSIL)-like changes in the epidermis overlying anogenital melanocytic nevi: A diagnostic pitfall. Annals of Diagnostic Pathology, 2017, 26, 43-46.  | 0.6 | 3         |
| 122 | Whorling cellular perineurioma: A previously undescribed variant closely mimicking monophasic fibrous synovial sarcoma. Annals of Diagnostic Pathology, 2017, 27, 74-78.   | 0.6 | 3         |
| 123 | A Case of Lymphomatoid Papulosis Type E With an Unusual Exacerbated Clinical Course. American Journal of Dermatopathology, 2018, 40, 145-147.  | 0.3 | 3         |
| 124 | Mummified Cells are a Common Finding in Cutaneous Hodgkin Lymphoma and Can Be Used as a Diagnostic Clue. American Journal of Dermatopathology, 2020, 42, 24-28.  | 0.3 | 3         |
| 125 | Primary Cutaneous Desmoplastic Melanoma With Collagen Rosettes and Pseudoglandular Features. American Journal of Dermatopathology, 2021, 43, 221-224.  | 0.3 | 3         |
| 126 | Sebaceous Tumors of the Skin: A Study of 145 Lesions From 136 Patients Correlating Pathologic Features and DNA Mismatch Repair Staining Pattern. American Journal of Dermatopathology, 2021, 43, 174-181.  | 0.3 | 3         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | A novel germline mutation in the CYLD gene in a Slovak patient with Brooke-Spiegler syndrome. <i>Ceskoslovenska Patologie</i> , 2013, 49, 89-92.   | 0.1 | 3         |
| 128 | Mixed epithelial and stromal tumor of the middle ear. <i>Human Pathology</i> , 2017, 61, 199-204.  | 1.1 | 2         |
| 129 | Mycosis Fungoides Manifesting as Giant Cell Lichenoid Dermatitis. <i>American Journal of Dermatopathology</i> , 2018, 40, 283-285.   | 0.3 | 2         |
| 130 | Facial Follicular Cyst and Cicatricial Alopecia: Answer. <i>American Journal of Dermatopathology</i> , 2018, 40, 778-779.  | 0.3 | 2         |
| 131 | Adolescent Onset of Localized Papillomatosis, Lymphedema, and Multiple Beta-Papillomavirus Infection: Epidermal Nevus, Segmental Lymphedema Praecox, or Verrucosis? A Case Report and Case Series of Epidermal Nevi. <i>Dermatopathology (Basel, Switzerland)</i> , 2014, 1, 1-15. | 0.7 | 1         |
| 132 | Oral presentation of paraneoplastic pemphigus as the first sign of tonsillar HPV associated squamous cell carcinoma. A case report.. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , 2022, 166, 447-450.          | 0.2 | 1         |
| 133 | Reply to letter to the editor: hybrid peripheral nerve sheath tumor. <i>Medical Molecular Morphology</i> , 2010, 43, 254-254.  | 0.4 | 0         |
| 134 | Facial Follicular Cyst and Cicatricial Alopecia: Challenge. <i>American Journal of Dermatopathology</i> , 2018, 40, e130-e131.   | 0.3 | 0         |
| 135 | Lack of Deletion of 1p36 in 8 Cases of Primary Adenoid Cystic Carcinoma of the Skin. <i>American Journal of Dermatopathology</i> , 2019, 41, 781-782.  | 0.3 | 0         |