

# Mwadham M Kabanda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8088567/publications.pdf>

Version: 2024-02-01

53  
papers

2,555  
citations

201575

27  
h-index

189801

50  
g-index

53  
all docs

53  
docs citations

53  
times ranked

1664  
citing authors

#	ARTICLE	IF	CITATIONS
1	Some Quinoxalin-6-yl Derivatives as Corrosion Inhibitors for Mild Steel in Hydrochloric Acid: Experimental and Theoretical Studies. <i>Journal of Physical Chemistry C</i> , 2015, 119, 16004-16019.	1.5	381
2	Experimental and Quantum Chemical Studies of Some Bis(trifluoromethyl-sulfonyl) Imide Imidazolium-Based Ionic Liquids as Corrosion Inhibitors for Mild Steel in Hydrochloric Acid Solution. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 13282-13299.	1.8	188
3	Metronidazole as environmentally safe corrosion inhibitor for mild steel in 0.5M HCl: Experimental and theoretical investigation. <i>Journal of Environmental Chemical Engineering</i> , 2013, 1, 431-439.	3.3	158
4	Experimental and theoretical studies on some selected ionic liquids with different cations/anions as corrosion inhibitors for mild steel in acidic medium. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2016, 64, 252-268.	2.7	145
5	Electrochemical and Quantum Chemical Investigation of Some Azine and Thiazine Dyes as Potential Corrosion Inhibitors for Mild Steel in Hydrochloric Acid Solution. <i>Industrial &amp; Engineering Chemistry Research</i> , 2012, 51, 12940-12958.	1.8	132
6	Quinoxaline derivatives as corrosion inhibitors for mild steel in hydrochloric acid medium: Electrochemical and quantum chemical studies. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2016, 76, 109-126.	1.3	111
7	Adsorption and Corrosion Inhibition Studies of Some Selected Dyes as Corrosion Inhibitors for Mild Steel in Acidic Medium: Gravimetric, Electrochemical, Quantum Chemical Studies and Synergistic Effect with Iodide Ions. <i>Molecules</i> , 2015, 20, 16004-16029.	1.7	109
8	Adsorption, Thermodynamic and Quantum Chemical Studies of 1-hexyl-3-methylimidazolium Based Ionic Liquids as Corrosion Inhibitors for Mild Steel in HCl. <i>Materials</i> , 2015, 8, 3607-3632.	1.3	92
9	Experimental and theoretical studies on the corrosion inhibition of mild steel by some sulphonamides in aqueous HCl. <i>RSC Advances</i> , 2015, 5, 28743-28761.	1.7	92
10	Porphyryns as Corrosion Inhibitors for N80 Steel in 3.5% NaCl Solution: Electrochemical, Quantum Chemical, QSAR and Monte Carlo Simulations Studies. <i>Molecules</i> , 2015, 20, 15122-15146.	1.7	76
11	Investigation of the adsorption characteristics of some selected sulphonamide derivatives as corrosion inhibitors at mild steel/hydrochloric acid interface: Experimental, quantum chemical and QSAR studies. <i>Journal of Molecular Liquids</i> , 2016, 215, 763-779.	2.3	73
12	Weight Loss, Electrochemical, Quantum Chemical Calculation, and Molecular Dynamics Simulation Studies on 2-(Benzylthio)-1,4,5-triphenyl-1H-imidazole as an Inhibitor for Carbon Steel Corrosion in Hydrochloric Acid. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 14315-14327.	1.8	71
13	A study of the intramolecular hydrogen bond in acylphloroglucinols. <i>Computational and Theoretical Chemistry</i> , 2009, 901, 210-219.	1.5	65
14	A Computational Study of the Effects of Different Solvents on the Characteristics of the Intramolecular Hydrogen Bond in Acylphloroglucinols. <i>Journal of Physical Chemistry A</i> , 2009, 113, 15064-15077.	1.1	56
15	Synthesized photo-cross-linking chalcones as novel corrosion inhibitors for mild steel in acidic medium: experimental, quantum chemical and Monte Carlo simulation studies. <i>RSC Advances</i> , 2015, 5, 76675-76688.	1.7	56
16	Model structures for the study of acylated phloroglucinols and computational study of the caespitate molecule. <i>Computational and Theoretical Chemistry</i> , 2007, 805, 39-52.	1.5	51
17	Some Phthalocyanine and Naphthalocyanine Derivatives as Corrosion Inhibitors for Aluminium in Acidic Medium: Experimental, Quantum Chemical Calculations, QSAR Studies and Synergistic Effect of Iodide Ions. <i>Molecules</i> , 2015, 20, 15701-15734.	1.7	51
18	Structural Elucidation of <i>cis</i> / <i>trans</i> Dicafeoylquinic Acid Photoisomerization Using Ion Mobility Spectrometry-Mass Spectrometry. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 1381-1388.	2.1	45

#	ARTICLE	IF	CITATIONS
19	Antioxidant Activity of Rooperol Investigated through Cu (I and II) Chelation Ability and the Hydrogen Transfer Mechanism: A DFT Study. <i>Chemical Research in Toxicology</i> , 2012, 25, 2153-2166.	1.7	42
20	Conformational, electronic and antioxidant properties of lucidone, linderone and methylinderone: DFT, QTAIM and NBO studies. <i>Molecular Physics</i> , 2015, 113, 683-697.	0.8	39
21	The conformational preferences of acylphloroglucinols—a promising class of biologically active compounds. <i>International Journal of Quantum Chemistry</i> , 2012, 112, 3691-3702.	1.0	37
22	A computational study of the carboxylic acid of phloroglucinol in vacuo and in water solution. <i>International Journal of Quantum Chemistry</i> , 2010, 110, 595-623.	1.0	35
23	Computational study of the patterns of weaker intramolecular hydrogen bonds stabilizing acylphloroglucinols. <i>International Journal of Quantum Chemistry</i> , 2012, 112, 2650-2658.	1.0	34
24	Preferential alkali metal adduct formation by <i>cis</i> geometrical isomers of dicaffeoylquinic acids allows for efficient discrimination from their <i>trans</i> isomers during ultra-high performance liquid chromatography/quadrupole time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2016, 30, 1011-1018.	0.7	32
25	A computational study of pyrazinamide: Tautomerism, acid-base properties, micro-solvation effects and acid hydrolysis mechanism. <i>Computational and Theoretical Chemistry</i> , 2014, 1046, 30-41.	1.1	30
26	Antioxidant Properties of Kanakugiol Revealed Through the Hydrogen Atom Transfer, Electron Transfer and M <sup>2+</sup> (M <sup>2+</sup> = Cu(II) or Co(II) Ion) Coordination Ability Mechanisms. A DFT Study In Vacuo and in Solution. <i>Food Biophysics</i> , 2015, 10, 342-359.	1.4	30
27	A computational study of the interactions of the caespitate molecule with water. <i>International Journal of Quantum Chemistry</i> , 2008, 108, 1772-1791.	1.0	29
28	A computational study of the interactions of the phloroglucinol molecule with water. <i>Computational and Theoretical Chemistry</i> , 2008, 852, 36-45.	1.5	29
29	Antioxidant and antimalarial properties of butein and homobutein based on their ability to chelate iron (II and III) cations: a DFT study in vacuo and in solution. <i>European Food Research and Technology</i> , 2016, 242, 71-90.	1.6	27
30	Antioxidant Radical Scavenging Properties of Phenolic Pent-4-En-1-Yne Derivatives Isolated From <i>Hypoxis Rooperi</i> . A DFT Study in vacuo and in Solution. <i>International Journal of Food Properties</i> , 2015, 18, 149-164.	1.3	22
31	Structures, Stabilization Energies, and Binding Energies of Quinoxaline(H <sub>2</sub> O) <sub>n</sub> , Quinoxaline Dimer, and Quinoxaline-Cu Complexes: A Theoretical Study. <i>Journal of Physical Chemistry A</i> , 2013, 117, 1583-1595.	1.1	20
32	A theoretical study on the antioxidant properties of methoxy-substituted chalcone derivatives: A case study of kanakugiol and pedicellin through their Fe (II and III) coordination ability. <i>Journal of Theoretical and Computational Chemistry</i> , 2016, 15, 1650048.	1.8	20
33	A comparative study of the dimers of selected hydroxybenzenes. <i>International Journal of Quantum Chemistry</i> , 2012, 112, 519-531.	1.0	18
34	The Effect of Geometrical Isomerism of 3,5-Dicaffeoylquinic Acid on Its Binding Affinity to HIV-Integrase Enzyme: A Molecular Docking Study. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-9.	0.5	17
35	A theoretical study of the antioxidant properties of phenolic acid amides investigated through the radical-scavenging and metal chelation mechanisms. <i>European Food Research and Technology</i> , 2015, 241, 553-572.	1.6	14
36	Synthesis, crystal structure, thermal and theoretical studies of bis(N-ethyl-N-phenyldithiocarbamate) Ni(II) and (N-ethyl-N-phenyldithiocarbamate) (isothiocyanato) (triphenylphosphine) Ni(II). <i>Journal of Chemical Sciences</i> , 2016, 128, 1081-1093.	0.7	13

#	ARTICLE	IF	CITATIONS
37	An appraisal of the hydrogen atom transfer mechanism for the reaction between thiourea derivatives and $\cdot\text{OH}$ radical: A case-study of dimethylthiourea and diethylthiourea. Computational and Theoretical Chemistry, 2017, 1101, 83-95.	1.1	13
38	A DFT study on the addition and abstraction reactions of thiourea with hydroxyl radical. Journal of Sulfur Chemistry, 2018, 39, 23-46.	1.0	13
39	DFT STUDY OF THE PROTONATION AND DEPROTONATION ENTHALPIES OF BENZOXAZOLE, 1,2-BENZISOXAZOLE AND 2,1-BENZISOXAZOLE AND IMPLICATIONS FOR THE STRUCTURES AND ENERGIES OF THEIR ADDUCTS WITH EXPLICIT WATER MOLECULES. Journal of Theoretical and Computational Chemistry, 2013, 12, 1350070.	1.8	12
40	Adducts of acylphloroglucinols with explicit water molecules: Similarities and differences across a sufficiently representative number of structures. International Journal of Quantum Chemistry, 2010, 110, 2378-2390.	1.0	11
41	Proportional coexistence of okanin chalcone glycoside and okanin flavanone glycoside in Bidens pilosa leaves and theoretical investigation on the antioxidant properties of their aglycones. Free Radical Research, 2020, 55, 1-18.	1.5	11
42	MP2, DFT and DFT-D study of the dimers of diazanaphthalenes: a comparative study of their structures, stabilisation and binding energies. Molecular Simulation, 2014, 40, 1131-1146.	0.9	9
43	LC-MS based validation and DFT investigation on the antioxidant properties of clovamide: $\cdot\text{OH}$ and $\cdot\text{OOH}$ scavenging and Cu(II) chelation mechanisms. Journal of Molecular Structure, 2021, 1236, 130349.	1.8	7
44	Isolation, identification and radical scavenging activity of phlorotannin derivatives from brown algae, Ecklonia maxima: An experimental and theoretical study. Free Radicals and Antioxidants, 2013, , .	0.2	6
45	A DFT mechanistic and kinetic study on the reaction of phloroglucinol with $\cdot\text{OH}$ in different media: Hydrogen atom transfer versus oxidation. Journal of Theoretical and Computational Chemistry, 2019, 18, 1950017.	1.8	6
46	Interplay of intramolecular hydrogen bonds, OH orientations, and symmetry factors in the stabilization of polyhydroxybenzenes. International Journal of Quantum Chemistry, 2011, 111, 3701-3716.	1.0	5
47	A Theoretical study on the degradation of 2-mercaptobenzothiazole and 2-mercaptobenzimidazole by $\cdot\text{OH}$ in vacuo and aqueous media. Computational and Theoretical Chemistry, 2018, 1125, 112-127.	1.1	5
48	A DFT mechanistic, thermodynamic and kinetic study on the reaction of 1, 3, 5-trihydroxybenzene and 2, 4, 6-trihydroxyacetophenone with $\cdot\text{OOH}$ in different media. Journal of Theoretical and Computational Chemistry, 2019, 18, 1950023.	1.8	5
49	Hydrogen bonding between 1-ethyl-3-methyl-imidazolium dicyanamide ionic liquid and selected co-solvents with varying polarity: A DFT study. Journal of Molecular Liquids, 2022, , 119418.	2.3	5
50	Influence of the geometric isomers on the radical scavenging properties of 3,5-dicaffeoylquinic acid: A DFT study in vacuo and in solution. Journal of Theoretical and Computational Chemistry, 2016, 15, 1650052.	1.8	3
51	Influence of temperature and concentration on the molecular interactions of pyrrolidinium-based ionic liquid with water and alcohols: An experimental and DFT studies. Journal of Molecular Liquids, 2022, 360, 119554.	2.3	3
52	A DFT and MP2 mechanistic and kinetic study on hypohalogenation reaction of cysteine and N-acetylcysteine in aqueous solution. Journal of Molecular Liquids, 2022, 349, 118191.	2.3	1
53	A Theoretical Study of the Preferred Reaction Mechanism Between Chloroacetic Acid and Thiourea. Progress in Theoretical Chemistry and Physics, 2020, , 119-142.	0.2	0