
## Martin C Gulliford

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8090314/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a<br>pooled analysis of 2416 population-based measurement studies in 128A·9 million children, adolescents,<br>and adults. Lancet, The, 2017, 390, 2627-2642. | 13.7 | 5,010     |
| 2  | Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19·2 million participants. Lancet, The, 2016, 387, 1377-1396.   | 13.7 | 3,941     |
| 3  | Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19·1 million participants. Lancet, The, 2017, 389, 37-55.   | 13.7 | 1,667     |
| 4  | What does 'access to health care' mean?. Journal of Health Services Research and Policy, 2002, 7, 186-188.  | 1.7  | 687       |
| 5  | Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk<br>factors from 1980 to 2010: a comparative risk assessment. Lancet Diabetes and Endocrinology,the, 2014,<br>2, 634-647.                            | 11.4 | 591       |
| 6  | Patterns of intra-cluster correlation from primary care research to inform study design and analysis.<br>Journal of Clinical Epidemiology, 2004, 57, 785-794.   | 5.0  | 457       |
| 7  | Incidence of common compressive neuropathies in primary care. Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 263-265.   | 1.9  | 282       |
| 8  | Probability of an Obese Person Attaining Normal Body Weight: Cohort Study Using Electronic Health<br>Records. American Journal of Public Health, 2015, 105, e54-e59.  | 2.7  | 277       |
| 9  | Chronic Inflammatory Disorders and Risk of Type 2 Diabetes Mellitus, Coronary Heart Disease, and<br>Stroke. Circulation, 2014, 130, 837-844.  | 1.6  | 236       |
| 10 | Alarm symptoms in early diagnosis of cancer in primary care: cohort study using General Practice<br>Research Database. BMJ: British Medical Journal, 2007, 334, 1040.   | 2.3  | 210       |
| 11 | Prophylactic antibiotics after acute stroke for reducing pneumonia in patients with dysphagia<br>(STROKE-INF): a prospective, cluster-randomised, open-label, masked endpoint, controlled clinical trial.<br>Lancet, The, 2015, 386, 1835-1844.           | 13.7 | 208       |
| 12 | What is 'continuity of care'?. Journal of Health Services Research and Policy, 2006, 11, 248-250.   | 1.7  | 207       |
| 13 | Continued high rates of antibiotic prescribing to adults with respiratory tract infection: survey of 568 UK general practices. BMJ Open, 2014, 4, e006245.  | 1.9  | 207       |
| 14 | Self-monitoring in Type 2 diabetes mellitus: a meta-analysis. Diabetic Medicine, 2000, 17, 755-761.   | 2.3  | 203       |
| 15 | Incidence, Mortality, and Disease Associations of Pyoderma Gangrenosum in the United Kingdom: A<br>Retrospective Cohort Study. Journal of Investigative Dermatology, 2012, 132, 2166-2170.  | 0.7  | 192       |
| 16 | Risk of Diabetes Associated With Prescribed Glucocorticoids in a Large Population. Diabetes Care, 2006, 29, 2728-2729.  | 8.6  | 160       |
| 17 | Systolic Blood Pressure Trajectory, Frailty, and All-Cause Mortality >80 Years of Age. Circulation, 2017, 135, 2357-2368.   | 1.6  | 149       |
| 18 | Headache and migraine in primary care: consultation, prescription, and referral rates in a large population. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 77, 385-387.  | 1.9  | 145       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Pragmatic randomised trials using routine electronic health records: putting them to the test. BMJ:<br>British Medical Journal, 2012, 344, e55-e55.  | 2.3 | 136       |
| 20 | Cardiovascular risk factors and cognitive decline in adults aged 50 and over: a population-based cohort study. Age and Ageing, 2013, 42, 338-345.  | 1.6 | 136       |
| 21 | Methods in health service research: Evaluation of health interventions at area and organisation<br>level. BMJ: British Medical Journal, 1999, 319, 376-379.  | 2.3 | 127       |
| 22 | Why has antibiotic prescribing for respiratory illness declined in primary care? A longitudinal study using the General Practice Research Database. Journal of Public Health, 2004, 26, 268-274.               | 1.8 | 124       |
| 23 | Impact of body mass index on prevalence of multimorbidity in primary care: cohort study. Family<br>Practice, 2014, 31, 38-43.  | 1.9 | 117       |
| 24 | Antidepressant utilisation and incidence of weight gain during 10 years' follow-up: population based cohort study. BMJ: British Medical Journal, 2018, 361, k1951.   | 2.3 | 117       |
| 25 | Availability of primary care doctors and population health in England: is there an association?.<br>Journal of Public Health, 2002, 24, 252-254.   | 1.8 | 116       |
| 26 | Intraclass correlation coefficient and outcome prevalence are associated in clustered binary data.<br>Journal of Clinical Epidemiology, 2005, 58, 246-251.   | 5.0 | 114       |
| 27 | The opportunities and challenges of pragmatic point-of-care randomised trials using routinely collected electronic records: evaluations of two exemplar trials. Health Technology Assessment, 2014, 18, 1-146. | 2.8 | 114       |
| 28 | Validity of cancer diagnosis in a primary care database compared with linked cancer registrations in England. Population-based cohort study. Cancer Epidemiology, 2012, 36, 425-429.                           | 1.9 | 113       |
| 29 | Ethnic Variations in the Prevalence of Diabetic Retinopathy in People with Diabetes Attending Screening in the United Kingdom (DRIVE UK). PLoS ONE, 2012, 7, e32182.   | 2.5 | 113       |
| 30 | Effectiveness of behavioural weight loss interventions delivered in a primary care setting: a systematic review and meta-analysis. Family Practice, 2014, 31, 643-653.   | 1.9 | 112       |
| 31 | Variations in antibiotic prescribing and consultation rates for acute respiratory infection in UK general practices 1995-2000. British Journal of General Practice, 2005, 55, 603-8.                           | 1.4 | 108       |
| 32 | Body Mass Index and Incident Type 1 and Type 2 Diabetes in Children and Young Adults: A Retrospective<br>Cohort Study. Journal of the Endocrine Society, 2017, 1, 524-537.                                     | 0.2 | 106       |
| 33 | Food insecurity, food choices, and body mass index in adults: nutrition transition in Trinidad and<br>Tobago. International Journal of Epidemiology, 2003, 32, 508-516.  | 1.9 | 104       |
| 34 | Safety of reduced antibiotic prescribing for self limiting respiratory tract infections in primary care: cohort study using electronic health records. BMJ, The, 2016, 354, i3410.                             | 6.0 | 103       |
| 35 | Childhood obesity trends from primary care electronic health records in England between 1994 and 2013: population-based cohort study. Archives of Disease in Childhood, 2015, 100, 214-219.                    | 1.9 | 101       |
| 36 | Determinants of healthÂcare costs in the senior elderly: age, comorbidity, impairment, or proximity to<br>death?. European Journal of Health Economics, 2018, 19, 831-842.                                     | 2.8 | 94        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Epilepsy mortality and risk factors for death in epilepsy: a population-based study. British Journal of<br>General Practice, 2011, 61, e271-e278.   | 1.4  | 92        |
| 38 | Hospital inpatients' experiences of access to food: a qualitative interview and observational study.<br>Health Expectations, 2008, 11, 294-303.   | 2.6  | 91        |
| 39 | Access to weight reduction interventions for overweight and obese patients in UK primary care:<br>population-based cohort study. BMJ Open, 2015, 5, e006642-e006642.  | 1.9  | 88        |
| 40 | No Association Between Immunization and Guillain-Barré Syndrome in the United Kingdom, 1992 to 2000. Archives of Internal Medicine, 2006, 166, 1301.  | 3.8  | 86        |
| 41 | Trends in antiepileptic drug utilisation in UK primary care 1993–2008: Cohort study using the General<br>Practice Research Database. Seizure: the Journal of the British Epilepsy Association, 2012, 21, 466-470.                               | 2.0  | 85        |
| 42 | Effectiveness and safety of electronically delivered prescribing feedback and decision support on<br>antibiotic use for respiratory illness in primary care: REDUCE cluster randomised trial. BMJ: British<br>Medical Journal, 2019, 364, l236. | 2.3  | 85        |
| 43 | Use of Antihypertensive Medications and Mortality of Patients With Autosomal Dominant Polycystic<br>Kidney Disease: A Population-Based Study. American Journal of Kidney Diseases, 2011, 57, 856-862.   | 1.9  | 81        |
| 44 | Costs and Outcomes of Increasing Access to Bariatric Surgery: Cohort Study and Cost-Effectiveness Analysis Using Electronic Health Records. Value in Health, 2017, 20, 85-92.   | 0.3  | 80        |
| 45 | Electronic Health Records for Intervention Research: A Cluster Randomized Trial to Reduce Antibiotic<br>Prescribing in Primary Care (eCRT Study). Annals of Family Medicine, 2014, 12, 344-351.   | 1.9  | 79        |
| 46 | Impact of deprivation on occurrence, outcomes and health care costs of people with multiple morbidity. Journal of Health Services Research and Policy, 2013, 18, 215-223.   | 1.7  | 78        |
| 47 | Selective decrease in consultations and antibiotic prescribing for acute respiratory tract infections in UK primary care up to 2006. Journal of Public Health, 2009, 31, 512-520.   | 1.8  | 75        |
| 48 | Increasing socio-economic inequality in type 2 diabetes prevalenceRepeated cross-sectional surveys in<br>England 1994-2006. European Journal of Public Health, 2011, 21, 484-490.   | 0.3  | 73        |
| 49 | Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. The Lancet Global Health, 2020, 8, e123-e133.  | 6.3  | 73        |
| 50 | Physical and psychological coâ€morbidity in irritable bowel syndrome: a matched cohort study using<br>the General Practice Research Database. Alimentary Pharmacology and Therapeutics, 2006, 24, 879-886.                                      | 3.7  | 71        |
| 51 | Food insecurity and low income in an English inner city. Journal of Public Health, 2003, 25, 156-159.   | 1.8  | 70        |
| 52 | Incidence of type 2 diabetes after bariatric surgery: population-based matched cohort study. Lancet<br>Diabetes and Endocrinology,the, 2014, 2, 963-968.  | 11.4 | 70        |
| 53 | Geographical inequalities in lung cancer management and survival in South East England: evidence of variation in access to oncology services?. British Journal of Cancer, 2003, 88, 1025-1031.  | 6.4  | 68        |
| 54 | Patients' perceptions and experiences of 'continuity of care' in diabetes. Health Expectations, 2006, 9, 118-129.   | 2.6  | 68        |

| #  | Article   | IF            | CITATIONS |
|----|---|---------------|-----------|
| 55 | Achievement of metabolic targets for diabetes by English primary care practices under a new system of incentives. Diabetic Medicine, 2007, 24, 505-511.   | 2.3           | 67        |
| 56 | Selection of Medical Diagnostic Codes for Analysis of Electronic Patient Records. Application to Stroke in a Primary Care Database. PLoS ONE, 2009, 4, e7168.   | 2.5           | 67        |
| 57 | Prediction of Cardiovascular Risk Using Framingham, ASSIGN and QRISK2: How Well Do They Predict<br>Individual Rather than Population Risk?. PLoS ONE, 2014, 9, e106455.   | 2.5           | 66        |
| 58 | Socioâ€economic and ethnic inequalities in diabetes retinal screening. Diabetic Medicine, 2010, 27, 282-288.  | 2.3           | 64        |
| 59 | Non-parametric bootstrap confidence intervals for the intraclass correlation coefficient. Statistics in Medicine, 2003, 22, 3805-3821.  | 1.6           | 63        |
| 60 | Foster care, residential care and public care placement patterns are associated with adult life<br>trajectories: population-based cohort study. Social Psychiatry and Psychiatric Epidemiology, 2012, 47,<br>1517-1526.                         | 3.1           | 62        |
| 61 | Experience of continuity of care of patients with multiple long-term conditions in England. Journal of<br>Health Services Research and Policy, 2009, 14, 82-87.   | 1.7           | 60        |
| 62 | Mortality in type 2 diabetic subjects prescribed metformin and sulphonylurea drugs in combination: cohort study. Diabetes/Metabolism Research and Reviews, 2004, 20, 239-245.   | 4.0           | 59        |
| 63 | Is Relative Mortality of Type 2 Diabetes Mellitus Decreasing?. American Journal of Epidemiology, 2008, 169, 455-461.  | 3.4           | 59        |
| 64 | Impact of bariatric surgery on clinical depression. Interrupted time series study with matched controls. Journal of Affective Disorders, 2015, 174, 644-649.  | 4.1           | 59        |
| 65 | Determinants of glycated haemoglobin in the general population: associations with diet, alcohol and cigarette smoking. European Journal of Clinical Nutrition, 2001, 55, 615-623.   | 2.9           | 58        |
| 66 | Leisure-time physical activity over the life course and cognitive functioning in late mid-adult years: a cohort-based investigation. Psychological Medicine, 2013, 43, 2447-2458.   | 4.5           | 58        |
| 67 | Explaining the Decline in Early Mortality in Men and Women With Type 2 Diabetes. Diabetes Care, 2008, 31, 1761-1766.  | 8.6           | 56        |
| 68 | Trends in Type 1 diabetes incidence in the UK in 0†to 14â€yearâ€olds and in 15†to 34â€yearâ€olds, 1991<br>Diabetic Medicine, 2011, 28, 811-814.   | –2008.<br>2.3 | 56        |
| 69 | Explaining inequalities in access to treatment in lung cancer. Journal of Evaluation in Clinical Practice, 2006, 12, 573-582.   | 1.8           | 55        |
| 70 | Alarm symptoms and identification of non-cancer diagnoses in primary care: cohort study. BMJ: British<br>Medical Journal, 2009, 339, b3094-b3094.   | 2.3           | 55        |
| 71 | Effectiveness of interventions to promote healthy diet in primary care: systematic review and meta-analysis of randomised controlled trials. BMC Public Health, 2013, 13, 1203.   | 2.9           | 55        |
| 72 | Fracture risk with use of liver enzyme inducing antiepileptic drugs in people with active epilepsy:<br>Cohort study using the General Practice Research Database. Seizure: the Journal of the British<br>Epilepsy Association, 2013, 22, 37-42. | 2.0           | 55        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Prevalence of depression and utilization of health care in single and multiple morbidity: a population-based cohort study. Psychological Medicine, 2013, 43, 1423-1431.  | 4.5 | 55        |
| 74 | Influences on individuals' decisions to take up the offer of a health check: a qualitative study. Health<br>Expectations, 2015, 18, 2437-2448.   | 2.6 | 55        |
| 75 | Developing a computer delivered, theory based intervention for guideline implementation in general practice. BMC Family Practice, 2010, 11, 90.  | 2.9 | 54        |
| 76 | Incidence and mortality of relapsing polychondritis in the UK: a population-based cohort study.<br>Rheumatology, 2015, 54, kev240.   | 1.9 | 54        |
| 77 | Continuity of care and intermediate outcomes of type 2 diabetes mellitus. Family Practice, 2007, 24, 245-251.  | 1.9 | 53        |
| 78 | Validity of smoking prevalence estimates from primary care electronic health records compared with<br>national population survey data for England, 2007 to 2011. Pharmacoepidemiology and Drug Safety,<br>2013, 22, 1357-1361. | 1.9 | 52        |
| 79 | Population Intermediate Outcomes of Diabetes Under Pay-for-Performance Incentives in England From 2004 to 2008. Diabetes Care, 2009, 32, 427-429.  | 8.6 | 51        |
| 80 | Experiences of food access in hospital. A new questionnaire measure. Clinical Nutrition, 2009, 28, 625-630.  | 5.0 | 51        |
| 81 | Incidence and mortality of fractures by frailty level over 80 years of age: cohort study using UK<br>electronic health records. BMJ Open, 2018, 8, e018836.  | 1.9 | 51        |
| 82 | Reliability and validity of a short form household food security scale in a Caribbean community. BMC<br>Public Health, 2004, 4, 22.  | 2.9 | 50        |
| 83 | The efficiency of cardiovascular risk assessment: do the right patients get statin treatment?. Heart, 2013, 99, 1597-1602.   | 2.9 | 49        |
| 84 | The 18 Household Food Security Survey items provide valid food security classifications for adults and children in the Caribbean. BMC Public Health, 2006, 6, 26.  | 2.9 | 48        |
| 85 | Measuring Continuity of Care in Diabetes Mellitus: An Experience-Based Measure. Annals of Family<br>Medicine, 2006, 4, 548-555.  | 1.9 | 48        |
| 86 | Increased Incidence of Carpal Tunnel Syndrome up to 10 Years Before Diagnosis of Diabetes. Diabetes<br>Care, 2006, 29, 1929-1930.  | 8.6 | 47        |
| 87 | Differences in Health at Age 100 According to Sex: Populationâ€Based Cohort Study of Centenarians<br>Using Electronic Health Records. Journal of the American Geriatrics Society, 2015, 63, 1331-1337.                         | 2.6 | 47        |
| 88 | Relationship of Health-Related Quality of Life to Symptom Severity in Diabetes Mellitus. Journal of<br>Clinical Epidemiology, 1999, 52, 773-780.   | 5.0 | 46        |
| 89 | Recent HbA1c Values and Mortality Risk in Type 2 Diabetes. Population-Based Case-Control Study. PLoS<br>ONE, 2013, 8, e68008.  | 2.5 | 46        |
| 90 | Relational and management continuity survey in patients with multiple long-term conditions. Journal of Health Services Research and Policy, 2011, 16, 67-74.   | 1.7 | 45        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Food insecurity, weight control practices and body mass index in adolescents. Public Health<br>Nutrition, 2006, 9, 570-574.   | 2.2 | 43        |
| 92  | Overweight, obesity and skinfold thicknesses of children of African or Indian descent in Trinidad and<br>Tobago. International Journal of Epidemiology, 2001, 30, 989-998.                        | 1.9 | 42        |
| 93  | Coding, Recording and Incidence of Different Forms of Coronary Heart Disease in Primary Care. PLoS<br>ONE, 2012, 7, e29776.   | 2.5 | 42        |
| 94  | Is Sodium Valproate, an HDAC inhibitor, associated with reduced risk of stroke and myocardial infarction? A nested case–control study. Pharmacoepidemiology and Drug Safety, 2014, 23, 759-767.   | 1.9 | 42        |
| 95  | Antimicrobial stewardship in the UK during the COVID-19 pandemic: a population-based cohort study and interrupted time-series analysis. British Journal of General Practice, 2021, 71, e331-e338. | 1.4 | 40        |
| 96  | Ethnic Variation in the Prevalence of Visual Impairment in People Attending Diabetic Retinopathy<br>Screening in the United Kingdom (DRIVE UK). PLoS ONE, 2012, 7, e39608.                        | 2.5 | 40        |
| 97  | Cigarette smoking, health status, socio-economic status and access to health care in diabetes mellitus: a cross-sectional survey. BMC Health Services Research, 2003, 3, 4.                       | 2.2 | 39        |
| 98  | Non-attendance at diabetic eye screening and risk of sight-threatening diabetic retinopathy: a<br>population-based cohort study. Diabetologia, 2013, 56, 2187-2193.                               | 6.3 | 39        |
| 99  | Changing Epidemiology of Bariatric Surgery in the UK: Cohort Study Using Primary Care Electronic<br>Health Records. Obesity Surgery, 2016, 26, 1900-1905.   | 2.1 | 38        |
| 100 | Socioeconomic inequality in morbid obesity with body mass index more than 40 kg/m2 in the United States and England. SSM - Population Health, 2017, 3, 172-178.                                   | 2.7 | 38        |
| 101 | Place of medical qualification and outcomes of UK General Medical Council "fitness to practise" process: cohort study. BMJ: British Medical Journal, 2011, 342, d1817-d1817.                      | 2.3 | 37        |
| 102 | Multiple health behaviour change interventions for primary prevention of cardiovascular disease in primary care: systematic review and meta-analysis. BMJ Open, 2017, 7, e015375.                 | 1.9 | 37        |
| 103 | The reliability of Cancer Registry records. British Journal of Cancer, 1993, 67, 819-821.   | 6.4 | 36        |
| 104 | Diabetic foot disease and foot care in a Caribbean community. Diabetes Research and Clinical Practice, 2002, 56, 35-40.   | 2.8 | 36        |
| 105 | Area deprivation and oral health in Scottish adults: a multilevel study. Community Dentistry and Oral Epidemiology, 2007, 35, 118-129.  | 1.9 | 36        |
| 106 | Evaluating pancreatitis in primary care: a population-based cohort study. British Journal of General<br>Practice, 2014, 64, e295-e301.  | 1.4 | 36        |
| 107 | Inception and deprescribing of statins in people aged over 80 years: cohort study. Age and Ageing, 2017, 46, 1001-1005.   | 1.6 | 35        |
| 108 | Income, wealth and risk of diabetes among older adults: cohort study using the English longitudinal<br>study of ageing. European Journal of Public Health, 2012, 22, 310-317.                     | 0.3 | 34        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Availability and structure of primary medical care services and population health and health care indicators in England. BMC Health Services Research, 2004, 4, 12.   | 2.2 | 33        |
| 110 | Variations in the organization and delivery of the 'NHS health check' in primary care. Journal of Public<br>Health, 2013, 35, 85-91.  | 1.8 | 33        |
| 111 | Identifying longitudinal clusters of multimorbidity in an urban setting: A population-based cross-sectional study. Lancet Regional Health - Europe, The, 2021, 3, 100047.   | 5.6 | 33        |
| 112 | Epidemiological Transition in Trinidad and Tobago, West Indies 1953–1992. International Journal of<br>Epidemiology, 1996, 25, 357-365.  | 1.9 | 32        |
| 113 | Diabetes Care in Middle-income Countries: A Caribbean Case Study. Diabetic Medicine, 1996, 13, 574-581.   | 2.3 | 32        |
| 114 | Socioeconomic inequality in blood pressure and its determinants: cross-sectional data from Trinidad and Tobago. Journal of Human Hypertension, 2004, 18, 61-70.   | 2.2 | 32        |
| 115 | Age-related changes in consultations and antibiotic prescribing for acute respiratory infections, 1995–2000. Data from the UK General Practice Research Database. Journal of Clinical Pharmacy and Therapeutics, 2006, 31, 461-467. | 1.5 | 32        |
| 116 | Cluster randomized trials utilizing primary care electronic health records: methodological issues in design, conduct, and analysis (eCRT Study). Trials, 2014, 15, 220.   | 1.6 | 31        |
| 117 | Revisiting patient expectations and experiences of antibiotics in an era of antimicrobial resistance:<br>Qualitative study. Health Expectations, 2020, 23, 1250-1258.   | 2.6 | 31        |
| 118 | Comparison of the risk difference, risk ratio and odds ratio scales for quantifying the unadjusted intervention effect in cluster randomized trials. Statistics in Medicine, 2008, 27, 5143-5155.                                   | 1.6 | 30        |
| 119 | Effectiveness of earlier antenatal screening for sickle cell disease and thalassaemia in primary care:<br>cluster randomised trial. BMJ: British Medical Journal, 2010, 341, c5132-c5132.   | 2.3 | 30        |
| 120 | Are healthcare costs from obesity associated with body mass index, comorbidity or depression?<br>Cohort study using electronic health records. Clinical Obesity, 2016, 6, 225-231.  | 2.0 | 30        |
| 121 | Mortality in Individuals Aged 80 and Older with Type 2 Diabetes Mellitus in Relation to Glycosylated<br>Hemoglobin, Blood Pressure, and Total Cholesterol. Journal of the American Geriatrics Society, 2016,<br>64, 1425-1431.      | 2.6 | 30        |
| 122 | Longitudinal Trends in Hypertension Management and Mortality Among Octogenarians. Hypertension, 2016, 68, 97-105.   | 2.7 | 30        |
| 123 | Do health checks improve risk factor detection in primary care? Matched cohort study using electronic health records. Journal of Public Health, 2016, 38, 552-559.  | 1.8 | 30        |
| 124 | Self-administration of a food security scale by adolescents: item functioning, socio-economic position and food intakes. Public Health Nutrition, 2005, 8, 853-860.   | 2.2 | 29        |
| 125 | Severity of obesity and management of hypertension, hypercholesterolaemia and smoking in primary care: population-based cohort study. Journal of Human Hypertension, 2016, 30, 40-45.   | 2.2 | 29        |
| 126 | Are Inflammation and Related Therapy Associated with All-Cause Dementia inÂaÂPrimary Care<br>Population?. Journal of Alzheimer's Disease, 2015, 46, 1039-1047.  | 2.6 | 28        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Estimating the yield of NHS Health Checks in England: a population-based cohort study. Journal of<br>Public Health, 2015, 37, 234-240.  | 1.8 | 28        |
| 128 | Enhanced invitation methods and uptake of health checks in primary care: randomised controlled<br>trial and cohort study using electronic health records. Health Technology Assessment, 2016, 20, 1-92.   | 2.8 | 28        |
| 129 | Declining 1-year case-fatality of stroke and increasing coverage of vascular risk management:<br>population-based cohort study. Journal of Neurology, Neurosurgery and Psychiatry, 2010, 81, 416-422.   | 1.9 | 27        |
| 130 | Point-of-Care Cluster Randomized Trial in Stroke Secondary Prevention Using Electronic Health<br>Records. Stroke, 2014, 45, 2066-2071.  | 2.0 | 27        |
| 131 | Cluster randomised trial in the General Practice Research Database: 1. Electronic decision support to reduce antibiotic prescribing in primary care (eCRT study). Trials, 2011, 12, 115.  | 1.6 | 26        |
| 132 | Variability of antibiotic prescribing in patients with chronic obstructive pulmonary disease exacerbations: a cohort study. BMC Pulmonary Medicine, 2013, 13, 32.   | 2.0 | 26        |
| 133 | Management of diabetes mellitus in three settings in Jamaica. Revista Panamericana De Salud<br>Publica/Pan American Journal of Public Health, 2001, 9, 65-72.   | 1.1 | 26        |
| 134 | Utility of electronic patient records in primary care for stroke secondary prevention trials. BMC<br>Public Health, 2011, 11, 86.   | 2.9 | 25        |
| 135 | Health checks and cardiovascular risk factor values over six years' follow-up: Matched cohort study<br>using electronic health records in England. PLoS Medicine, 2019, 16, e1002863.   | 8.4 | 25        |
| 136 | Antenatal screening for haemoglobinopathies in primary care: a cohort study and cluster randomised<br>trial to inform a simulation model. The Screening for Haemoglobinopathies in First Trimester (SHIFT)<br>trial. Health Technology Assessment, 2010, 14, 1-160. | 2.8 | 25        |
| 137 | A five-year evaluation of intervention in diabetes care in Trinidad and Tobago. Diabetic Medicine, 1999,<br>16, 939-945.  | 2.3 | 24        |
| 138 | Increased Utilization of Primary Care 5 Years Before Diagnosis of Type 2 Diabetes: A matched cohort study. Diabetes Care, 2005, 28, 47-52.  | 8.6 | 24        |
| 139 | A simulation study of odds ratio estimation for binary outcomes from cluster randomized trials.<br>Statistics in Medicine, 2006, 26, 3415-3428.   | 1.6 | 24        |
| 140 | Delay between pregnancy confirmation and sickle cell and thalassaemia screening: a population-based cohort study. British Journal of General Practice, 2008, 58, 154-159.   | 1.4 | 24        |
| 141 | Epidemiology of clinical body mass index recording in an obese population in primary care: a cohort study. Journal of Public Health, 2013, 35, 67-74.   | 1.8 | 24        |
| 142 | Are alarm symptoms predictive of cancer survival?. British Journal of General Practice, 2013, 63, e807-e812.  | 1.4 | 24        |
| 143 | Impact and cost-effectiveness of a universal strategy to promote physical activity in primary care:<br>population-based Cohort study and Markov model. European Journal of Health Economics, 2014, 15,<br>341-351.  | 2.8 | 24        |
| 144 | Effect of Contemporary Bariatric Surgical Procedures on Type 2 Diabetes Remission. A<br>Population-Based Matched Cohort Study. Obesity Surgery, 2016, 26, 2308-2315.  | 2.1 | 24        |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 145 | Implementing multiple health behaviour change interventions for cardiovascular risk reduction in primary care: a qualitative study. BMC Family Practice, 2018, 19, 171.   | 2.9  | 24        |
| 146 | Reducing antibiotic prescribing in primary care in England from 2014 to 2017: population-based cohort study. BMJ Open, 2019, 9, e023989.  | 1.9  | 24        |
| 147 | Diabetes-related inequalities in health status and financial barriers to health care access in a population-based study. Diabetic Medicine, 2004, 21, 45-51.  | 2.3  | 23        |
| 148 | Changes in Detection of Retinopathy in Type 2 Diabetes in the First 4 Years of a Population-Based<br>Diabetic Eye Screening Program. Diabetes Care, 2013, 36, 2663-2669.  | 8.6  | 23        |
| 149 | Process evaluation of a point-of-care cluster randomised trial using a computer-delivered<br>intervention to reduce antibiotic prescribing in primary care. BMC Health Services Research, 2014, 14,<br>594.               | 2.2  | 23        |
| 150 | Realising the full potential of data-enabled trials in the UK: a call for action. BMJ Open, 2021, 11, e043906.  | 1.9  | 23        |
| 151 | Commentary: What is a propensity score?. British Journal of General Practice, 2008, 58, 687-687.  | 1.4  | 22        |
| 152 | Patients' perceptions of error in long-term illness care: Qualitative study. Journal of Health Services<br>Research and Policy, 2012, 17, 181-187.  | 1.7  | 22        |
| 153 | Trends in antihypertensive and lipid-lowering therapy in subjects with type II diabetes: clinical effectiveness or clinical discretion?. Journal of Human Hypertension, 2005, 19, 111-117.                                | 2.2  | 21        |
| 154 | Antihypertensive treatment after first stroke in primary care: results from the General Practitioner<br>Research Database. Journal of Hypertension, 2011, 29, 154-160.  | 0.5  | 21        |
| 155 | Within-person study designs had lower precision and greater susceptibility to bias because of trends<br>in exposure than cohort and nested case–control designs. Journal of Clinical Epidemiology, 2012, 65,<br>384-393.  | 5.0  | 21        |
| 156 | Cardiovascular risk assessment and treatment in chronic inflammatory disorders in primary care.<br>Heart, 2016, 102, 1957-1962.   | 2.9  | 21        |
| 157 | Trajectory of Total Cholesterol in the Last Years of Life Over Age 80 Years: Cohort Study of 99,758<br>Participants. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73,<br>1083-1089. | 3.6  | 21        |
| 158 | Digital health intervention at older ages. The Lancet Digital Health, 2019, 1, e382-e383.   | 12.3 | 21        |
| 159 | Evaluating variations in medical practice between government primary care health centres. Journal of<br>Clinical Epidemiology, 2001, 54, 511-517.   | 5.0  | 20        |
| 160 | Comparison of antibiotic prescribing records in two UK primary care electronic health record systems: cohort study using CPRD GOLD and CPRD Aurum databases. BMJ Open, 2020, 10, e038767.                                 | 1.9  | 20        |
| 161 | Inequalities in developing multimorbidity over time: A population-based cohort study from an urban,<br>multi-ethnic borough in the United Kingdom. Lancet Regional Health - Europe, The, 2022, 12, 100247.                | 5.6  | 20        |
| 162 | Diabetes diagnosis, resource utilization, and health outcomes. American Journal of Managed Care,<br>2008, 14, 32-8.   | 1.1  | 20        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Low rates of detection and treatment of hypertension among current cigarette smokers. Journal of<br>Human Hypertension, 2001, 15, 771-773.   | 2.2 | 19        |
| 164 | Confounderâ€∎djusted estimates of the risk difference using propensity scoreâ€based weighting.<br>Statistics in Medicine, 2010, 29, 3126-3136.   | 1.6 | 19        |
| 165 | Is Illicit Drug Use Harmful to Cognitive Functioning in the Midadult Years? A Cohort-based<br>Investigation. American Journal of Epidemiology, 2012, 175, 218-227.   | 3.4 | 19        |
| 166 | Evolution of the "fourth stage―of epidemiologic transition in people aged 80Âyears and over:<br>population-based cohort study using electronic health records. Population Health Metrics, 2017, 15,<br>18.                                 | 2.7 | 19        |
| 167 | A pragmatic lifestyle modification programme reduces the incidence of predictors of cardio-metabolic disease and dysglycaemia in a young healthy urban South Asian population: a randomised controlled trial. BMC Medicine, 2017, 15, 146. | 5.5 | 19        |
| 168 | Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002–2017:<br>Population-based cohort study and decision analytic model. PLoS Medicine, 2020, 17, e1003202.                                   | 8.4 | 19        |
| 169 | Electronically delivered interventions to reduce antibiotic prescribing for respiratory infections in primary care: cluster RCT using electronic health records and cohort study. Health Technology Assessment, 2019, 23, 1-70.            | 2.8 | 19        |
| 170 | Evaluation of Equity in Diabetes Health Care in Relation to African and Caribbean Ethnicity. Ethnicity and Health, 2003, 8, 121-133.   | 2.5 | 18        |
| 171 | Changing patterns of primary care for diabetes in Trinidad and Tobago over 10 years. Diabetic Medicine, 2005, 22, 619-624.   | 2.3 | 18        |
| 172 | Managing Cancer Pain at the End of Life with Multiple Strong Opioids: A Population-Based<br>Retrospective Cohort Study in Primary Care. PLoS ONE, 2014, 9, e79266.   | 2.5 | 18        |
| 173 | Bias due to MEasurement Reactions In Trials to improve health (MERIT): protocol for research to develop MRC guidance. Trials, 2018, 19, 653.   | 1.6 | 18        |
| 174 | Multiple risk factor control, mortality and cardiovascular events in type 2 diabetes and chronic kidney disease: a population-based cohort study. BMJ Open, 2018, 8, e019950.  | 1.9 | 18        |
| 175 | Social inequalities in morbidity from diabetes mellitus in public primary care clinics in Trinidad and<br>Tobago. Social Science and Medicine, 1998, 46, 137-144.  | 3.8 | 17        |
| 176 | Impact on Informed Choice of Offering Antenatal Sickle Cell and Thalassaemia Screening in Primary<br>Care: A Randomized Trial. Journal of Medical Screening, 2011, 18, 65-75.  | 2.3 | 17        |
| 177 | Antidiabetic and cardiovascular drug utilisation in patients diagnosed with type 2 diabetes mellitus over the age of 80 years: a population-based cohort study. Age and Ageing, 2015, 44, 566-573.   | 1.6 | 17        |
| 178 | Heritabilities and shared environmental effects were estimated from household clustering in national health survey data. Journal of Clinical Epidemiology, 2006, 59, 1191-1198.  | 5.0 | 16        |
| 179 | Trends in cardiovascular risk factors among people with diabetes in a population based study, Health<br>Survey for England 1994–2009. Primary Care Diabetes, 2013, 7, 193-198.   | 1.8 | 16        |
| 180 | Pneumonia incidence trends in UK primary care from 2002 to 2017: population-based cohort study.<br>Epidemiology and Infection, 2019, 147, e263.  | 2.1 | 16        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Stroke in Trinidad and Tobago: burden of illness and risk factors. Revista Panamericana De Salud<br>Publica/Pan American Journal of Public Health, 1998, 4, 233-7.   | 1.1 | 16        |
| 182 | Costs and outcomes of increasing access to bariatric surgery for obesity: cohort study and cost-effectiveness analysis using electronic health records. Health Services and Delivery Research, 2016, 4, 1-120.             | 1.4 | 16        |
| 183 | Social inequalities and children's height in Trinidad and Tobago. European Journal of Clinical<br>Nutrition, 2003, 57, 143-150.  | 2.9 | 15        |
| 184 | Variations in glucose self-monitoring during oral hypoglycaemic therapy in primary care. Diabetic<br>Medicine, 2004, 21, 685-690.  | 2.3 | 15        |
| 185 | Self monitoring of blood glucose in type 2 diabetes. BMJ: British Medical Journal, 2008, 336, 1139-1140.   | 2.3 | 15        |
| 186 | Antihypertensive Treatment after Stroke and All-Cause Mortality – An Analysis of the General<br>Practitioner Research Database (GPRD). Cerebrovascular Diseases, 2009, 28, 105-111.  | 1.7 | 15        |
| 187 | Does the Influence of Stroke on Dementia Vary by Different Levels of Prestroke Cognitive<br>Functioning?. Stroke, 2013, 44, 3445-3451.   | 2.0 | 15        |
| 188 | Serious bacterial infections and antibiotic prescribing in primary care: cohort study using electronic health records in the UK. BMJ Open, 2020, 10, e036975.  | 1.9 | 15        |
| 189 | Social environment, morbidity and use of health care among people with diabetes mellitus in Trinidad.<br>International Journal of Epidemiology, 1997, 26, 620-627.   | 1.9 | 14        |
| 190 | Prescription patterns of analgesics in the last 3 months of life: a retrospective analysis of 10202 lung cancer patients. British Journal of Cancer, 2011, 104, 1704-1710.   | 6.4 | 14        |
| 191 | Applying machine learning algorithms to electronic health records to predict pneumonia after respiratory tract infection. Journal of Clinical Epidemiology, 2022, 145, 154-163.  | 5.0 | 14        |
| 192 | Geographical and organisational variation in the structure of primary care services: implications for study design. Journal of Health Services Research and Policy, 2003, 8, 87-93.  | 1.7 | 13        |
| 193 | DIABRISK - SL Prevention of cardio-metabolic disease with life style modification in young urban Sri<br>Lankan's - study protocol for a randomized controlled trial. Trials, 2011, 12, 209.                                | 1.6 | 13        |
| 194 | Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. Journal of Clinical Epidemiology, 2021, 139, 130-139.  | 5.0 | 13        |
| 195 | Sharing specialist skills for diabetes in an inner city: A comparison of two primary care organisations over 4 years. Journal of Evaluation in Clinical Practice, 2006, 12, 583-590.                                       | 1.8 | 12        |
| 196 | Multiple morbidity is associated with increased problems of food access in hospital: a crossâ€sectional survey utilising the Cumulative Illness Rating Scale. Journal of Human Nutrition and Dietetics, 2010, 23, 575-582. | 2.5 | 12        |
| 197 | Enhanced invitation methods to increase uptake of NHS health checks: study protocol for a randomized controlled trial. Trials, 2014, 15, 342.  | 1.6 | 12        |
| 198 | Drug Utilization and Inappropriate Prescribing in Centenarians. Journal of the American Geriatrics<br>Society, 2016, 64, 1079-1084.  | 2.6 | 12        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Tuberculosis screening for prospective migrants to high-income countries: systematic review of policies. Public Health, 2019, 168, 142-147.   | 2.9 | 12        |
| 200 | Epilepsy and mortality: a retrospective cohort analysis with a nested case–control study identifying causes and risk factors from primary care and linkage-derived data. BMJ Open, 2021, 11, e052841.   | 1.9 | 12        |
| 201 | Utilisation of private care by public primary care clinic attenders with diabetes:. Social Science and Medicine, 2001, 53, 1045-1056.   | 3.8 | 11        |
| 202 | Impact of an electronic, computer-delivered questionnaire, with or without postal reminders, on<br>survey response rate in primary care: Table 1. Journal of Epidemiology and Community Health, 2012, 66,<br>663-664.   | 3.7 | 11        |
| 203 | Cluster randomized trial in the general practice research database: 2. Secondary prevention after first stroke (eCRT study): study protocol for a randomized controlled trial. Trials, 2012, 13, 181.   | 1.6 | 11        |
| 204 | Changes in cardiovascular disease risk and behavioural risk factors before the introduction of a health check programme in England. Preventive Medicine, 2016, 91, 158-163.   | 3.4 | 11        |
| 205 | Electronically delivered, multicomponent intervention to reduce unnecessary antibiotic prescribing for respiratory infections in primary care: a cluster randomised trial using electronic health records—REDUCE Trial study original protocol. BMJ Open, 2016, 6, e010892. | 1.9 | 11        |
| 206 | â€~Fair innings' in the face of ageing and demographic change. Health Economics, Policy and Law, 2018, 13,<br>209-217.  | 1.8 | 11        |
| 207 | Enhanced Invitations Using the Question-Behavior Effect and Financial Incentives to Promote Health<br>Check Uptake in Primary Care. Annals of Behavioral Medicine, 2018, 52, 594-605.   | 2.9 | 11        |
| 208 | Continuity of care and delivery of diabetes and hypertensive care among regular users of primary care services in Chile: a cross-sectional study. BMJ Open, 2019, 9, e027830.   | 1.9 | 11        |
| 209 | Primary care service use by end-of-life cancer patients: a nationwide population-based cohort study in the United Kingdom. BMC Family Practice, 2020, 21, 76.   | 2.9 | 11        |
| 210 | Risks of use and non-use of antibiotics in primary care: qualitative study of prescribers' views. BMJ<br>Open, 2020, 10, e038851.   | 1.9 | 11        |
| 211 | High Prevalence of Cardio-Metabolic Risk Factors in a Young Urban Sri-Lankan Population. PLoS ONE, 2012, 7, e31309.   | 2.5 | 11        |
| 212 | Declining blood pressure and intensification of blood pressure management among people over 80 years. Journal of Hypertension, 2017, 35, 1276-1282.   | 0.5 | 10        |
| 213 | Reducing bias in trials from reactions to measurement: the MERIT study including developmental work and expert workshop. Health Technology Assessment, 2021, 25, 1-72.  | 2.8 | 10        |
| 214 | Commentary: Epidemiological transition and socioeconomic inequalities in blood pressure in Jamaica.<br>International Journal of Epidemiology, 2003, 32, 408-409.  | 1.9 | 9         |
| 215 | Engagement with advice to reduce cardiovascular risk following a health check programme: A qualitative study. Health Expectations, 2020, 23, 193-201.   | 2.6 | 9         |
| 216 | Primary care contacts, continuity, identification of palliative care needs, and hospital use: a<br>population-based cohort study in people dying with dementia. British Journal of General Practice,<br>2022, 72, e684-e692.  | 1.4 | 9         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 217 | Modernizing concepts of access and equity. Health Economics, Policy and Law, 2009, 4, 223-230.   | 1.8  | 8         |
| 218 | Social and material deprivation and the cost-effectiveness of an intervention to promote physical activity: cohort study and Markov model. Journal of Public Health, 2014, 36, 674-683.  | 1.8  | 8         |
| 219 | Cost-effectiveness of a universal strategy of brief dietary intervention for primary prevention in primary care: population-based cohort study and Markov model. Cost Effectiveness and Resource Allocation, 2014, 12, 4.                    | 1.5  | 8         |
| 220 | Susceptibility to COVID-19 Diagnosis in People with Down Syndrome Compared to the General<br>Population: Matched-Cohort Study Using Primary Care Electronic Records in the UK. Journal of<br>General Internal Medicine, 2022, 37, 2009-2015. | 2.6  | 8         |
| 221 | A note on the use of the variance inflation factor for determining sample size in cluster randomized trials. Journal of the Royal Statistical Society: Series D (the Statistician), 2002, 51, 479-484.                                       | 0.2  | 7         |
| 222 | Potential application of item-response theory to interpretation of medical codes in electronic patient records. BMC Medical Research Methodology, 2011, 11, 168.   | 3.1  | 7         |
| 223 | Drug prescribing during the last year of life in very old people with diabetes. Age and Ageing, 2017, 46, 147-151.   | 1.6  | 7         |
| 224 | Access to primary care and public health. Lancet Public Health, The, 2017, 2, e532-e533.   | 10.0 | 7         |
| 225 | Importance of Frailty for Association of Antipsychotic Drug Use With Risk of Fracture: Cohort Study<br>Using Electronic Health Records. Journal of the American Medical Directors Association, 2019, 20,<br>1495-1501.e1.                    | 2.5  | 7         |
| 226 | Mortality of Care Home Residents and Community-Dwelling Controls During the COVID-19 Pandemic in 2020: Matched Cohort Study. Journal of the American Medical Directors Association, 2022, 23, 923-929.e2.                                    | 2.5  | 7         |
| 227 | Design of Cost-Effective Packages of Care for Non-Insulin-Dependent Diabetes Mellitus: <i>Defining the Information Needs</i> . International Journal of Technology Assessment in Health Care, 1997, 13, 395-410.                             | 0.5  | 6         |
| 228 | Free school meals and children's social and nutritional status in Trinidad and Tobago. Public Health<br>Nutrition, 2002, 5, 625-630.   | 2.2  | 6         |
| 229 | Funding for general practice in the next decade: life after QOF. British Journal of General Practice, 2017, 67, 4-5.   | 1.4  | 6         |
| 230 | Cost-Effectiveness of Antihypertensive Therapy in Patients Older Than 80 Years: Cohort Study and<br>Markov Model. Value in Health, 2019, 22, 1362-1369.  | 0.3  | 6         |
| 231 | A community-based, sport-led programme to increase physical activity in an area of deprivation: a<br>qualitative case study. BMC Public Health, 2020, 20, 1018.  | 2.9  | 6         |
| 232 | Applying resolved and remission codes reduced prevalence of multimorbidity in an urban multi-ethnic population. Journal of Clinical Epidemiology, 2021, 140, 135-148.  | 5.0  | 6         |
| 233 | A 4-year evaluation of blood pressure management in Trinidad and Tobago. Journal of Human<br>Hypertension, 1999, 13, 455-459.  | 2.2  | 5         |
| 234 | Randomised Evaluations of Accepted Choices in Treatment (REACT) trials: large-scale pragmatic trials within databases of routinely collected electronic healthcare records. Trials, 2011, 12, .  | 1.6  | 5         |

| #   | Article   | IF   | CITATIONS |
|-----|---|------|-----------|
| 235 | Cardiovascular risk at health checks performed opportunistically or following an invitation letter.<br>Cohort study. Journal of Public Health, 2018, 40, e151-e156.   | 1.8  | 5         |
| 236 | Frailty: from clinical syndrome to epidemiological construct?. Lancet Public Health, The, 2018, 3, e305-e306.   | 10.0 | 5         |
| 237 | Automated recruitment and randomisation for an efficient randomised controlled trial in primary care. Trials, 2018, 19, 341.  | 1.6  | 5         |
| 238 | Well-being, physical activity and long-term conditions: cross-sectional analysis of Health Survey for England 2016. Public Health, 2020, 185, 368-374.  | 2.9  | 5         |
| 239 | Methods for Evaluating Organisation- or Area-Based Health Interventions. , 0, , 295-313.  |      | 5         |
| 240 | Family Practices' Achievement of Diabetes Quality of Care Targets and Risk of Screen-Detected Diabetic<br>Retinopathy. PLoS ONE, 2010, 5, e10424.   | 2.5  | 4         |
| 241 | Handwritten 'post-it' notes, questionnaire formats and response to a postal questionnaire survey.<br>International Journal of Epidemiology, 2011, 40, 254-255.  | 1.9  | 4         |
| 242 | Improvements in stage of change correlate to changes in dietary intake and clinical outcomes in a<br>5-year lifestyle intervention in young high-risk Sri Lankans. Preventive Medicine, 2016, 90, 193-200.  | 3.4  | 4         |
| 243 | Food insecurity definitions and body mass index. Response. International Journal of Epidemiology, 2003, 32, 1118-1119.  | 1.9  | 3         |
| 244 | Predictive validity of different definitions of hypertension for type 2 diabetes. Diabetes/Metabolism<br>Research and Reviews, 2006, 22, 361-366.   | 4.0  | 3         |
| 245 | Primary care and diagnosis of cancer. Lancet Oncology, The, 2012, 13, 321-323.  | 10.7 | 3         |
| 246 | Obesity management in primary care. Lancet, The, 2017, 389, 1605-1606.  | 13.7 | 3         |
| 247 | Social enterprises and public health improvement in England: a qualitative case study. Public Health, 2018, 161, 99-105.  | 2.9  | 3         |
| 248 | Reducing the incidence of predictors of cardio-metabolic disease and dysglycaemia with lifestyle<br>modification in at-risk persons – results of further analyses of DIABRISK-SL in those below 18 years of<br>age. BMC Medicine, 2019, 17, 162.  | 5.5  | 3         |
| 249 | Discrimination and public health. Lancet Public Health, The, 2019, 4, e173-e174.  | 10.0 | 3         |
| 250 | What is "normal―antibiotic prescribing?. BMJ: British Medical Journal, 2019, 364, l1144.  | 2.3  | 3         |
| 251 | Opioid use, chronic pain and deprivation. EClinicalMedicine, 2020, 21, 100341.  | 7.1  | 3         |
| 252 | Protocol for an â€~efficient design' cluster randomised controlled trial to evaluate a complex<br>intervention to improve antibiotic prescribing for CHIldren presenting to primary care with acute<br>COugh and respiratory tract infection: the CHICO study. BMJ Open, 2021, 11, e041769. | 1.9  | 3         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 253 | Safety of reducing antibiotic prescribing in primary care: a mixed-methods study. Health Services and Delivery Research, 2021, 9, 1-126.   | 1.4  | 3         |
| 254 | Continuity of care. Family Medicine, 2005, 37, 687-8; author reply 688.  | 0.5  | 3         |
| 255 | The effect of dietary changes on distinct components of the metabolic syndrome in a young Sri Lankan population at high risk of CVD. British Journal of Nutrition, 2016, 116, 719-727.                       | 2.3  | 2         |
| 256 | Peritonsillar Abscess and Antibiotic Prescribing for Respiratory Infection in Primary Care: A<br>Population-Based Cohort Study and Decision-Analytic Model. Annals of Family Medicine, 2020, 18,<br>390-396. | 1.9  | 2         |
| 257 | 2.9 Health services as determinants of population health. , 2009, , .  |      | 2         |
| 258 | Evaluation of gastrin secretion in diabetic subjects with normal or abnormal cardiovascular autonomic function tests. Acta Diabetologica Latina, 1988, 25, 275-282.  | 0.2  | 1         |
| 259 | Random Blood Clucose Estimation in Type 2 Diabetes: Does it Reflect Overall Clycaemic Control?.<br>Diabetic Medicine, 1995, 12, 637-637.   | 2.3  | 1         |
| 260 | Cigarette smoking and prevention of Type 2 diabetes mellitus. Diabetic Medicine, 2005, 22, 1285-1286.  | 2.3  | 1         |
| 261 | Comment on â€~Bariatric Surgery Can Lead to Net Cost Savings to Health Care Systems: Results from a<br>Comprehensive European Decision Analytic Model'. Obesity Surgery, 2015, 25, 1254-1255.                | 2.1  | 1         |
| 262 | Body-mass index and incidence of type 1 and type 2 diabetes in children and young adults in the UK: an observational cohort study. Lancet, The, 2016, 388, S16.  | 13.7 | 1         |
| 263 | "Progressive dwindling―or "terminal decline―and end of life care. BMJ: British Medical Journal, 2017,<br>359, j4772.   | 2.3  | 1         |
| 264 | Frailty and Drug Safety at Older Ages. Drug Safety, 2019, 42, 699-700.   | 3.2  | 1         |
| 265 | Sepsis recording in primary care electronic health records, linked hospital episodes and mortality records: Population-based cohort study in England. PLoS ONE, 2020, 15, e0244764.                          | 2.5  | 1         |
| 266 | Clinical oncology information network: Population based registries remain valuable. BMJ: British<br>Medical Journal, 1994, 308, 597-597.   | 2.3  | 1         |
| 267 | Can primary care research be conducted more efficiently using routinely reported practice-level data:<br>a cluster randomised controlled trial conducted in England?. BMJ Open, 2022, 12, e061574.           | 1.9  | 1         |
| 268 | Reply to the letter from Drs Pollock and Vickers. British Journal of Cancer, 1993, 68, 1046-1046.  | 6.4  | 0         |
| 269 | Optimizing the Delivery of Effective Diabetes Care. Disease Management and Health Outcomes, 2001, 9, 683-690.  | 0.4  | 0         |
| 270 | Socioeconomic deprivation and proximity to general practices in England. Journal of Public Health, 2005, 27, 308-308.  | 1.8  | 0         |

| #   | Article  | IF   | CITATIONS |
|-----|--|------|-----------|
| 271 | Primary care professionals' satisfaction with access, communication and management advice from the diabetes team. Primary Health Care Research and Development, 2006, 7, 13-17.  | 1.2  | 0         |
| 272 | SOCIOECONOMIC AND ETHNIC INEQUALITIES IN DIABETES RETINAL SCREENING. Diabetic Medicine, 2009, 27, 282.   | 2.3  | 0         |
| 273 | Does the influence of stroke on post-stroke dementia vary by different levels of prestroke cognitive functioning? A population-based cohort investigation. Lancet, The, 2013, 382, S32.  | 13.7 | 0         |
| 274 | Limitations of within-person study designs. Journal of Clinical Epidemiology, 2013, 66, 1429.  | 5.0  | 0         |
| 275 | Changes in Detection of Retinopathy in Type 2 Diabetes in the First 4 Years of a Population-Based<br>Diabetic Eye Screening Program: Retrospective Cohort Study. Diabetes Care 2013;36:2663–2669. Diabetes<br>Care, 2014, 37, 2063.3-2063. | 8.6  | 0         |
| 276 | 53QUALITY OF CARE IN VERY OLD PATIENTS WITH TYPE 2 DIABETES MELLITUS: DISPARITIES BETWEEN<br>PATIENTS MANAGED WITH LIFE STYLE INTERVENTIONS ONLY AND THOSE TREATED WITH ANTIDIABETIC<br>MEDICATIONS. Age and Ageing, 2015, 44, ii16-ii16.  | 1.6  | 0         |
| 277 | Fildes et al. Respond. American Journal of Public Health, 2015, 105, e3-e4.  | 2.7  | 0         |
| 278 | Why do electronic health records reveal oral anticoagulant prescription after haemorrhagic stroke?. British Journal of Clinical Pharmacology, 2015, 79, 1037-1039.   | 2.4  | 0         |
| 279 | Reply to comment on "Impact and cost-effectiveness of a universal strategy to promote physical activity in primary care― European Journal of Health Economics, 2015, 16, 453-453.  | 2.8  | 0         |
| 280 | Author's reply to Mathioudakis and colleagues. BMJ, The, 2016, 354, i4256.   | 6.0  | 0         |
| 281 | Can antibiotic prescribing for respiratory infections be reduced?. Medical Journal of Australia, 2017, 207, 62-63.   | 1.7  | 0         |
| 282 | Effect of the NHS Health Check programme on cardiovascular disease risk factors during 6 years'<br>follow-up: matched cohort study. Lancet, The, 2018, 392, S17.   | 13.7 | 0         |
| 283 | 55th ERA-EDTA Congress Copenhagen, Denmark, 24–27 May. British Journal of Hospital Medicine<br>(London, England: 2005), 2018, 79, 368-371.   | 0.5  | 0         |
| 284 | Tuberculosis testing and migrant health. Lancet Infectious Diseases, The, 2019, 19, 1151-1152.   | 9.1  | 0         |
| 285 | Developing the role of electronic health records in economic evaluation. European Journal of Health<br>Economics, 2019, 20, 1117-1121.   | 2.8  | 0         |
| 286 | Response to Letter: Antipsychotic Drugs, Fracture Risk, and Frailty in Older Patients. Journal of the<br>American Medical Directors Association, 2020, 21, 565-566.  | 2.5  | 0         |
| 287 | 11.5 Ethnic minorities and indigenous peoples. , 2009, , .   |      | 0         |
| 288 | Access to healthcare and population health. , 2015, , 234-250.   |      | 0         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 289 | Changing incidence of pneumonia diagnosis in UK primary care from 2002-2017: Population-based cohort study. , 2019, , . |     | Ο         |
| 290 | Public health and human rights: questions from an epidemic in Prato. Journal of Law & Medicine, 2008, 15, 752-9.        | 0.0 | 0         |
| 291 | Title is missing!. , 2020, 17, e1003202.  |     | 0         |
| 292 | Title is missing!. , 2020, 17, e1003202.  |     | 0         |
| 293 | Title is missing!. , 2020, 17, e1003202.  |     | 0         |
| 294 | Title is missing!. , 2020, 17, e1003202.  |     | 0         |
| 295 | Title is missing!. , 2020, 17, e1003202.  |     | 0         |
| 296 | Title is missing!. , 2020, 17, e1003202.  |     | 0         |
| 297 | Title is missing!. , 2020, 15, e0244764.  |     | 0         |
| 298 | Title is missing!. , 2020, 15, e0244764.  |     | 0         |
| 299 | Title is missing!. , 2020, 15, e0244764.  |     | 0         |
|     |   |     |           |

300 Title is missing!. , 2020, 15, e0244764.

0