

Martin C Gulliford

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8090314/martin-c-gulliford-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|--------------------------|----------------|-----------------|
| 280 papers | 16,560 citations | 54 h-index | 123 g-index |
| 315 ext. papers | 20,161 ext. citations | 5.7 avg, IF | 7.61 L-index |

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 280 | Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128·9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642 | 40 | 2980 |
| 279 | Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19·2 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396 | 40 | 2787 |
| 278 | Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19·1 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55 | 40 | 1100 |
| 277 | What does 'Access to health care' mean?. <i>Journal of Health Services Research and Policy</i> , 2002 , 7, 186-8 | 2.4 | 511 |
| 276 | Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. <i>Lancet Diabetes and Endocrinology, the</i> , 2014 , 2, 634-47 | 18.1 | 446 |
| 275 | Patterns of intra-cluster correlation from primary care research to inform study design and analysis. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 785-94 | 5.7 | 375 |
| 274 | Incidence of common compressive neuropathies in primary care. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 263-5 | 5.5 | 215 |
| 273 | Probability of an Obese Person Attaining Normal Body Weight: Cohort Study Using Electronic Health Records. <i>American Journal of Public Health</i> , 2015 , 105, e54-9 | 5.1 | 186 |
| 272 | Self-monitoring in Type 2 diabetes mellitus: a meta-analysis. <i>Diabetic Medicine</i> , 2000 , 17, 755-61 | 3.5 | 178 |
| 271 | Chronic inflammatory disorders and risk of type 2 diabetes mellitus, coronary heart disease, and stroke: a population-based cohort study. <i>Circulation</i> , 2014 , 130, 837-44 | 16.7 | 176 |
| 270 | Alarm symptoms in early diagnosis of cancer in primary care: cohort study using General Practice Research Database. <i>BMJ, The</i> , 2007 , 334, 1040 | 5.9 | 176 |
| 269 | Prophylactic antibiotics after acute stroke for reducing pneumonia in patients with dysphagia (STROKE-INF): a prospective, cluster-randomised, open-label, masked endpoint, controlled clinical trial. <i>Lancet, The</i> , 2015 , 386, 1835-44 | 40 | 156 |
| 268 | Continued high rates of antibiotic prescribing to adults with respiratory tract infection: survey of 568 UK general practices. <i>BMJ Open</i> , 2014 , 4, e006245 | 3 | 152 |
| 267 | What is 'Continuity of care'? <i>Journal of Health Services Research and Policy</i> , 2006 , 11, 248-50 | 2.4 | 144 |
| 266 | Incidence, mortality, and disease associations of pyoderma gangrenosum in the United Kingdom: a retrospective cohort study. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2166-70 | 4.3 | 134 |
| 265 | Headache and migraine in primary care: consultation, prescription, and referral rates in a large population. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 385-7 | 5.5 | 123 |
| 264 | Risk of diabetes associated with prescribed glucocorticoids in a large population. <i>Diabetes Care</i> , 2006 , 29, 2728-9 | 14.6 | 121 |

| | | | |
|-----|---|------|-----|
| 263 | Pragmatic randomised trials using routine electronic health records: putting them to the test. <i>BMJ, The</i> , 2012 , 344, e55 | 5.9 | 111 |
| 262 | Methods in health service research. Evaluation of health interventions at area and organisation level. <i>BMJ: British Medical Journal</i> , 1999 , 319, 376-9 | | 104 |
| 261 | Why has antibiotic prescribing for respiratory illness declined in primary care? A longitudinal study using the General Practice Research Database. <i>Journal of Public Health</i> , 2004 , 26, 268-74 | 3.5 | 103 |
| 260 | Cardiovascular risk factors and cognitive decline in adults aged 50 and over: a population-based cohort study. <i>Age and Ageing</i> , 2013 , 42, 338-45 | 3 | 102 |
| 259 | Variations in antibiotic prescribing and consultation rates for acute respiratory infection in UK general practices 1995-2000. <i>British Journal of General Practice</i> , 2005 , 55, 603-8 | 1.6 | 100 |
| 258 | Validity of cancer diagnosis in a primary care database compared with linked cancer registrations in England. Population-based cohort study. <i>Cancer Epidemiology</i> , 2012 , 36, 425-9 | 2.8 | 99 |
| 257 | The opportunities and challenges of pragmatic point-of-care randomised trials using routinely collected electronic records: evaluations of two exemplar trials. <i>Health Technology Assessment</i> , 2014 , 18, 1-146 | 4.4 | 98 |
| 256 | Food insecurity, food choices, and body mass index in adults: nutrition transition in Trinidad and Tobago. <i>International Journal of Epidemiology</i> , 2003 , 32, 508-16 | 7.8 | 94 |
| 255 | Availability of primary care doctors and population health in England: is there an association?. <i>Journal of Public Health</i> , 2002 , 24, 252-4 | 3.5 | 94 |
| 254 | Systolic Blood Pressure Trajectory, Frailty, and All-Cause Mortality >80 Years of Age: Cohort Study Using Electronic Health Records. <i>Circulation</i> , 2017 , 135, 2357-2368 | 16.7 | 88 |
| 253 | Impact of body mass index on prevalence of multimorbidity in primary care: cohort study. <i>Family Practice</i> , 2014 , 31, 38-43 | 1.9 | 86 |
| 252 | Effectiveness of behavioural weight loss interventions delivered in a primary care setting: a systematic review and meta-analysis. <i>Family Practice</i> , 2014 , 31, 643-53 | 1.9 | 85 |
| 251 | Intraclass correlation coefficient and outcome prevalence are associated in clustered binary data. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 246-51 | 5.7 | 85 |
| 250 | Ethnic variations in the prevalence of diabetic retinopathy in people with diabetes attending screening in the United Kingdom (DRIVE UK). <i>PLoS ONE</i> , 2012 , 7, e32182 | 3.7 | 85 |
| 249 | Childhood obesity trends from primary care electronic health records in England between 1994 and 2013: population-based cohort study. <i>Archives of Disease in Childhood</i> , 2015 , 100, 214-9 | 2.2 | 83 |
| 248 | No association between immunization and Guillain-Barré syndrome in the United Kingdom, 1992 to 2000. <i>Archives of Internal Medicine</i> , 2006 , 166, 1301-4 | | 75 |
| 247 | Safety of reduced antibiotic prescribing for self limiting respiratory tract infections in primary care: cohort study using electronic health records. <i>BMJ, The</i> , 2016 , 354, i3410 | 5.9 | 74 |
| 246 | Trends in antiepileptic drug utilisation in UK primary care 1993-2008: cohort study using the General Practice Research Database. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2012 , 21, 466-70 | 3.2 | 74 |

| | | | |
|-----|--|-----|----|
| 245 | Epilepsy mortality and risk factors for death in epilepsy: a population-based study. <i>British Journal of General Practice</i> , 2011 , 61, e271-8 | 1.6 | 71 |
| 244 | Hospital inpatients' experiences of access to food: a qualitative interview and observational study. <i>Health Expectations</i> , 2008 , 11, 294-303 | 3.7 | 70 |
| 243 | Antidepressant utilisation and incidence of weight gain during 10 years' follow-up: population based cohort study. <i>BMJ, The</i> , 2018 , 361, k1951 | 5.9 | 69 |
| 242 | Use of antihypertensive medications and mortality of patients with autosomal dominant polycystic kidney disease: a population-based study. <i>American Journal of Kidney Diseases</i> , 2011 , 57, 856-62 | 7.4 | 67 |
| 241 | Increasing socio-economic inequality in type 2 diabetes prevalence--repeated cross-sectional surveys in England 1994-2006. <i>European Journal of Public Health</i> , 2011 , 21, 484-90 | 2.1 | 64 |
| 240 | Body Mass Index and Incident Type 1 and Type 2 Diabetes in Children and Young Adults: A Retrospective Cohort Study. <i>Journal of the Endocrine Society</i> , 2017 , 1, 524-537 | 0.4 | 62 |
| 239 | Geographical inequalities in lung cancer management and survival in South East England: evidence of variation in access to oncology services?. <i>British Journal of Cancer</i> , 2003 , 88, 1025-31 | 8.7 | 62 |
| 238 | Access to weight reduction interventions for overweight and obese patients in UK primary care: population-based cohort study. <i>BMJ Open</i> , 2015 , 5, e006642 | 3 | 61 |
| 237 | Food insecurity and low income in an English inner city. <i>Journal of Public Health</i> , 2003 , 25, 156-9 | 3.5 | 60 |
| 236 | Selective decrease in consultations and antibiotic prescribing for acute respiratory tract infections in UK primary care up to 2006. <i>Journal of Public Health</i> , 2009 , 31, 512-20 | 3.5 | 59 |
| 235 | Patients' perceptions and experiences of continuity of care in diabetes. <i>Health Expectations</i> , 2006 , 9, 118-29 | 3.7 | 59 |
| 234 | Costs and Outcomes of Increasing Access to Bariatric Surgery: Cohort Study and Cost-Effectiveness Analysis Using Electronic Health Records. <i>Value in Health</i> , 2017 , 20, 85-92 | 3.3 | 58 |
| 233 | Achievement of metabolic targets for diabetes by English primary care practices under a new system of incentives. <i>Diabetic Medicine</i> , 2007 , 24, 505-11 | 3.5 | 58 |
| 232 | Physical and psychological co-morbidity in irritable bowel syndrome: a matched cohort study using the General Practice Research Database. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 879-86 | 6.1 | 58 |
| 231 | Selection of medical diagnostic codes for analysis of electronic patient records. Application to stroke in a primary care database. <i>PLoS ONE</i> , 2009 , 4, e7168 | 3.7 | 57 |
| 230 | Impact of deprivation on occurrence, outcomes and health care costs of people with multiple morbidity. <i>Journal of Health Services Research and Policy</i> , 2013 , 18, 215-23 | 2.4 | 56 |
| 229 | Electronic health records for intervention research: a cluster randomized trial to reduce antibiotic prescribing in primary care (eCRT study). <i>Annals of Family Medicine</i> , 2014 , 12, 344-51 | 2.9 | 56 |
| 228 | Socio-economic and ethnic inequalities in diabetes retinal screening. <i>Diabetic Medicine</i> , 2010 , 27, 282-8 | 3.5 | 54 |

| | | | |
|-----|--|------|----|
| 227 | Determinants of glycated haemoglobin in the general population: associations with diet, alcohol and cigarette smoking. <i>European Journal of Clinical Nutrition</i> , 2001 , 55, 615-23 | 5.2 | 54 |
| 226 | Effectiveness and safety of electronically delivered prescribing feedback and decision support on antibiotic use for respiratory illness in primary care: REDUCE cluster randomised trial. <i>BMJ, The</i> , 2019 , 364, l236 | 5.9 | 54 |
| 225 | Incidence of type 2 diabetes after bariatric surgery: population-based matched cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 963-8 | 18.1 | 53 |
| 224 | Is relative mortality of type 2 diabetes mellitus decreasing?. <i>American Journal of Epidemiology</i> , 2009 , 169, 455-61 | 3.8 | 52 |
| 223 | Mortality in type 2 diabetic subjects prescribed metformin and sulphonylurea drugs in combination: cohort study. <i>Diabetes/Metabolism Research and Reviews</i> , 2004 , 20, 239-45 | 7.5 | 51 |
| 222 | Determinants of health care costs in the senior elderly: age, comorbidity, impairment, or proximity to death?. <i>European Journal of Health Economics</i> , 2018 , 19, 831-842 | 3.6 | 50 |
| 221 | Experience of continuity of care of patients with multiple long-term conditions in England. <i>Journal of Health Services Research and Policy</i> , 2009 , 14, 82-7 | 2.4 | 50 |
| 220 | Explaining the decline in early mortality in men and women with type 2 diabetes: a population-based cohort study. <i>Diabetes Care</i> , 2008 , 31, 1761-6 | 14.6 | 50 |
| 219 | Foster care, residential care and public care placement patterns are associated with adult life trajectories: population-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1517-26 | 4.5 | 49 |
| 218 | Prevalence of depression and utilization of health care in single and multiple morbidity: a population-based cohort study. <i>Psychological Medicine</i> , 2013 , 43, 1423-31 | 6.9 | 49 |
| 217 | Trends in Type 1 diabetes incidence in the UK in 0- to 14-year-olds and in 15- to 34-year-olds, 1991-2008. <i>Diabetic Medicine</i> , 2011 , 28, 811-4 | 3.5 | 47 |
| 216 | Developing a computer delivered, theory based intervention for guideline implementation in general practice. <i>BMC Family Practice</i> , 2010 , 11, 90 | 2.6 | 47 |
| 215 | Fracture risk with use of liver enzyme inducing antiepileptic drugs in people with active epilepsy: cohort study using the general practice research database. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013 , 22, 37-42 | 3.2 | 46 |
| 214 | Continuity of care and intermediate outcomes of type 2 diabetes mellitus. <i>Family Practice</i> , 2007 , 24, 245-51 | 5.1 | 46 |
| 213 | Population intermediate outcomes of diabetes under pay-for-performance incentives in England from 2004 to 2008. <i>Diabetes Care</i> , 2009 , 32, 427-9 | 14.6 | 45 |
| 212 | Non-parametric bootstrap confidence intervals for the intraclass correlation coefficient. <i>Statistics in Medicine</i> , 2003 , 22, 3805-21 | 2.3 | 44 |
| 211 | The efficiency of cardiovascular risk assessment: do the right patients get statin treatment?. <i>Heart</i> , 2013 , 99, 1597-602 | 5.1 | 43 |
| 210 | Impact of bariatric surgery on clinical depression. Interrupted time series study with matched controls. <i>Journal of Affective Disorders</i> , 2015 , 174, 644-9 | 6.6 | 41 |

| | | | |
|-----|---|------|----|
| 209 | Prediction of cardiovascular risk using Framingham, ASSIGN and QRISK2: how well do they predict individual rather than population risk?. <i>PLoS ONE</i> , 2014 , 9, e106455 | 3.7 | 41 |
| 208 | Reliability and validity of a short form household food security scale in a Caribbean community. <i>BMC Public Health</i> , 2004 , 4, 22 | 4.1 | 41 |
| 207 | Effectiveness of interventions to promote healthy diet in primary care: systematic review and meta-analysis of randomised controlled trials. <i>BMC Public Health</i> , 2013 , 13, 1203 | 4.1 | 40 |
| 206 | Leisure-time physical activity over the life course and cognitive functioning in late mid-adult years: a cohort-based investigation. <i>Psychological Medicine</i> , 2013 , 43, 2447-58 | 6.9 | 40 |
| 205 | Validity of smoking prevalence estimates from primary care electronic health records compared with national population survey data for England, 2007 to 2011. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1357-61 | 2.6 | 40 |
| 204 | Relationship of health-related quality of life to symptom severity in diabetes mellitus: a study in Trinidad and Tobago. <i>Journal of Clinical Epidemiology</i> , 1999 , 52, 773-80 | 5.7 | 40 |
| 203 | Differences in Health at Age 100 According to Sex: Population-Based Cohort Study of Centenarians Using Electronic Health Records. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1331-7 | 5.6 | 39 |
| 202 | Influences on individuals' decisions to take up the offer of a health check: a qualitative study. <i>Health Expectations</i> , 2015 , 18, 2437-48 | 3.7 | 39 |
| 201 | Recent HbA1c values and mortality risk in type 2 diabetes. population-based case-control study. <i>PLoS ONE</i> , 2013 , 8, e68008 | 3.7 | 39 |
| 200 | Alarm symptoms and identification of non-cancer diagnoses in primary care: cohort study. <i>BMJ, The</i> , 2009 , 339, b3094 | 5.9 | 39 |
| 199 | Experiences of food access in hospital. A new questionnaire measure. <i>Clinical Nutrition</i> , 2009 , 28, 625-30 | 5.9 | 38 |
| 198 | The 18 Household Food Security Survey items provide valid food security classifications for adults and children in the Caribbean. <i>BMC Public Health</i> , 2006 , 6, 26 | 4.1 | 37 |
| 197 | Increased incidence of carpal tunnel syndrome up to 10 years before diagnosis of diabetes. <i>Diabetes Care</i> , 2006 , 29, 1929-30 | 14.6 | 37 |
| 196 | Overweight, obesity and skinfold thicknesses of children of African or Indian descent in Trinidad and Tobago. <i>International Journal of Epidemiology</i> , 2001 , 30, 989-98 | 7.8 | 37 |
| 195 | Coding, recording and incidence of different forms of coronary heart disease in primary care. <i>PLoS ONE</i> , 2012 , 7, e29776 | 3.7 | 36 |
| 194 | Measuring continuity of care in diabetes mellitus: an experience-based measure. <i>Annals of Family Medicine</i> , 2006 , 4, 548-55 | 2.9 | 36 |
| 193 | Food insecurity, weight control practices and body mass index in adolescents. <i>Public Health Nutrition</i> , 2006 , 9, 570-4 | 3.3 | 36 |
| 192 | Explaining inequalities in access to treatment in lung cancer. <i>Journal of Evaluation in Clinical Practice</i> , 2006 , 12, 573-82 | 2.5 | 36 |

| | | | |
|-----|--|------|----|
| 191 | Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. <i>The Lancet Global Health</i> , 2020 , 8, e123-e133 | 13.6 | 36 |
| 190 | Is sodium valproate, an HDAC inhibitor, associated with reduced risk of stroke and myocardial infarction? A nested case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 759-67 | 2.6 | 34 |
| 189 | Relational and management continuity survey in patients with multiple long-term conditions. <i>Journal of Health Services Research and Policy</i> , 2011 , 16, 67-74 | 2.4 | 33 |
| 188 | Cigarette smoking, health status, socio-economic status and access to health care in diabetes mellitus: a cross-sectional survey. <i>BMC Health Services Research</i> , 2003 , 3, 4 | 2.9 | 33 |
| 187 | Area deprivation and oral health in Scottish adults: a multilevel study. <i>Community Dentistry and Oral Epidemiology</i> , 2007 , 35, 118-29 | 2.8 | 32 |
| 186 | Incidence and mortality of fractures by frailty level over 80 years of age: cohort study using UK electronic health records. <i>BMJ Open</i> , 2018 , 8, e018836 | 3 | 31 |
| 185 | Incidence and mortality of relapsing polychondritis in the UK: a population-based cohort study. <i>Rheumatology</i> , 2015 , 54, 2181-7 | 3.9 | 31 |
| 184 | Non-attendance at diabetic eye screening and risk of sight-threatening diabetic retinopathy: a population-based cohort study. <i>Diabetologia</i> , 2013 , 56, 2187-93 | 10.3 | 30 |
| 183 | Place of medical qualification and outcomes of UK General Medical Council "fitness to practise" process: cohort study. <i>BMJ, The</i> , 2011 , 342, d1817 | 5.9 | 30 |
| 182 | The reliability of Cancer Registry records. <i>British Journal of Cancer</i> , 1993 , 67, 819-21 | 8.7 | 30 |
| 181 | Age-related changes in consultations and antibiotic prescribing for acute respiratory infections, 1995-2000. Data from the UK General Practice Research Database. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2006 , 31, 461-7 | 2.2 | 29 |
| 180 | Changing Epidemiology of Bariatric Surgery in the UK: Cohort Study Using Primary Care Electronic Health Records. <i>Obesity Surgery</i> , 2016 , 26, 1900-5 | 3.7 | 29 |
| 179 | Variations in the organization and delivery of the NHS health check in primary care. <i>Journal of Public Health</i> , 2013 , 35, 85-91 | 3.5 | 28 |
| 178 | Availability and structure of primary medical care services and population health and health care indicators in England. <i>BMC Health Services Research</i> , 2004 , 4, 12 | 2.9 | 28 |
| 177 | Epidemiological transition in Trinidad and Tobago, West Indies 1953-1992. <i>International Journal of Epidemiology</i> , 1996 , 25, 357-65 | 7.8 | 28 |
| 176 | Are healthcare costs from obesity associated with body mass index, comorbidity or depression? Cohort study using electronic health records. <i>Clinical Obesity</i> , 2016 , 6, 225-31 | 3.6 | 28 |
| 175 | Ethnic variation in the prevalence of visual impairment in people attending diabetic retinopathy screening in the United Kingdom (DRIVE UK). <i>PLoS ONE</i> , 2012 , 7, e39608 | 3.7 | 27 |
| 174 | Multiple health behaviour change interventions for primary prevention of cardiovascular disease in primary care: systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e015375 | 3 | 26 |

| | | | |
|-----|--|------|----|
| 173 | Evaluating pancreatitis in primary care: a population-based cohort study. <i>British Journal of General Practice</i> , 2014 , 64, e295-301 | 1.6 | 26 |
| 172 | Inception and deprescribing of statins in people aged over 80 years: cohort study. <i>Age and Ageing</i> , 2017 , 46, 1001-1005 | 3 | 26 |
| 171 | Socioeconomic inequality in blood pressure and its determinants: cross-sectional data from Trinidad and Tobago. <i>Journal of Human Hypertension</i> , 2004 , 18, 61-70 | 2.6 | 26 |
| 170 | Mortality in Individuals Aged 80 and Older with Type 2 Diabetes Mellitus in Relation to Glycosylated Hemoglobin, Blood Pressure, and Total Cholesterol. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 1425-31 | 5.6 | 25 |
| 169 | Comparison of the risk difference, risk ratio and odds ratio scales for quantifying the unadjusted intervention effect in cluster randomized trials. <i>Statistics in Medicine</i> , 2008 , 27, 5143-55 | 2.3 | 25 |
| 168 | Severity of obesity and management of hypertension, hypercholesterolaemia and smoking in primary care: population-based cohort study. <i>Journal of Human Hypertension</i> , 2016 , 30, 40-5 | 2.6 | 24 |
| 167 | Diabetic foot disease and foot care in a Caribbean community. <i>Diabetes Research and Clinical Practice</i> , 2002 , 56, 35-40 | 7.4 | 24 |
| 166 | Estimating the yield of NHS Health Checks in England: a population-based cohort study. <i>Journal of Public Health</i> , 2015 , 37, 234-40 | 3.5 | 23 |
| 165 | Do health checks improve risk factor detection in primary care? Matched cohort study using electronic health records. <i>Journal of Public Health</i> , 2016 , 38, 552-559 | 3.5 | 23 |
| 164 | Cluster randomized trials utilizing primary care electronic health records: methodological issues in design, conduct, and analysis (eCRT Study). <i>Trials</i> , 2014 , 15, 220 | 2.8 | 23 |
| 163 | Cluster randomised trial in the General Practice Research Database: 1. Electronic decision support to reduce antibiotic prescribing in primary care (eCRT study). <i>Trials</i> , 2011 , 12, 115 | 2.8 | 23 |
| 162 | Income, wealth and risk of diabetes among older adults: cohort study using the English longitudinal study of ageing. <i>European Journal of Public Health</i> , 2012 , 22, 310-7 | 2.1 | 23 |
| 161 | Antenatal screening for haemoglobinopathies in primary care: a cohort study and cluster randomised trial to inform a simulation model. The Screening for Haemoglobinopathies in First Trimester (SHIFT) trial. <i>Health Technology Assessment</i> , 2010 , 14, 1-160 | 4.4 | 23 |
| 160 | Diabetes care in middle-income countries: a Caribbean case study. <i>Diabetic Medicine</i> , 1996 , 13, 574-81 | 3.5 | 22 |
| 159 | Socioeconomic inequality in morbid obesity with body mass index more than 40 kg/m in the United States and England. <i>SSM - Population Health</i> , 2017 , 3, 172-178 | 3.8 | 21 |
| 158 | Impact and cost-effectiveness of a universal strategy to promote physical activity in primary care: population-based cohort study and Markov model. <i>European Journal of Health Economics</i> , 2014 , 15, 341-51 | 3.6 | 21 |
| 157 | Changes in detection of retinopathy in type 2 diabetes in the first 4 years of a population-based diabetic eye screening program: retrospective cohort study. <i>Diabetes Care</i> , 2013 , 36, 2663-9 | 14.6 | 21 |
| 156 | Utility of electronic patient records in primary care for stroke secondary prevention trials. <i>BMC Public Health</i> , 2011 , 11, 86 | 4.1 | 21 |

| | | | |
|-----|--|------|----|
| 155 | Enhanced invitation methods and uptake of health checks in primary care: randomised controlled trial and cohort study using electronic health records. <i>Health Technology Assessment</i> , 2016 , 20, 1-92 | 4.4 | 21 |
| 154 | Longitudinal Trends in Hypertension Management and Mortality Among Octogenarians: Prospective Cohort Study. <i>Hypertension</i> , 2016 , 68, 97-105 | 8.5 | 20 |
| 153 | Variability of antibiotic prescribing in patients with chronic obstructive pulmonary disease exacerbations: a cohort study. <i>BMC Pulmonary Medicine</i> , 2013 , 13, 32 | 3.5 | 20 |
| 152 | Point-of-care cluster randomized trial in stroke secondary prevention using electronic health records. <i>Stroke</i> , 2014 , 45, 2066-71 | 6.7 | 20 |
| 151 | Commentary: What is a propensity score?. <i>British Journal of General Practice</i> , 2008 , 58, 687-687 | 1.6 | 20 |
| 150 | Delay between pregnancy confirmation and sickle cell and [corrected] thalassaemia screening: a population-based cohort study. <i>British Journal of General Practice</i> , 2008 , 58, 154-9 | 1.6 | 20 |
| 149 | Increased utilization of primary care 5 years before diagnosis of type 2 diabetes: a matched cohort study. <i>Diabetes Care</i> , 2005 , 28, 47-52 | 14.6 | 20 |
| 148 | Process evaluation of a point-of-care cluster randomised trial using a computer-delivered intervention to reduce antibiotic prescribing in primary care. <i>BMC Health Services Research</i> , 2014 , 14, 594 | 2.9 | 19 |
| 147 | Within-person study designs had lower precision and greater susceptibility to bias because of trends in exposure than cohort and nested case-control designs. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 384-93 | 5.7 | 19 |
| 146 | Antihypertensive treatment after first stroke in primary care: results from the General Practitioner Research Database. <i>Journal of Hypertension</i> , 2011 , 29, 154-60 | 1.9 | 19 |
| 145 | Declining 1-year case-fatality of stroke and increasing coverage of vascular risk management: population-based cohort study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, 416-22 | 5.5 | 19 |
| 144 | A simulation study of odds ratio estimation for binary outcomes from cluster randomized trials. <i>Statistics in Medicine</i> , 2007 , 26, 3415-28 | 2.3 | 19 |
| 143 | Self-administration of a food security scale by adolescents: item functioning, socio-economic position and food intakes. <i>Public Health Nutrition</i> , 2005 , 8, 853-60 | 3.3 | 19 |
| 142 | Trends in antihypertensive and lipid-lowering therapy in subjects with type II diabetes: clinical effectiveness or clinical discretion?. <i>Journal of Human Hypertension</i> , 2005 , 19, 111-7 | 2.6 | 19 |
| 141 | Are Inflammation and Related Therapy Associated with All-Cause Dementia in a Primary Care Population?. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 1039-47 | 4.3 | 18 |
| 140 | Are alarm symptoms predictive of cancer survival?: population-based cohort study. <i>British Journal of General Practice</i> , 2013 , 63, e807-12 | 1.6 | 18 |
| 139 | Effectiveness of earlier antenatal screening for sickle cell disease and thalassaemia in primary care: cluster randomised trial. <i>BMJ, The</i> , 2010 , 341, c5132 | 5.9 | 18 |
| 138 | Patients' perceptions of error in long-term illness care: qualitative study. <i>Journal of Health Services Research and Policy</i> , 2012 , 17, 181-7 | 2.4 | 18 |

| | | | |
|-----|--|------|----|
| 137 | Diabetes-related inequalities in health status and financial barriers to health care access in a population-based study. <i>Diabetic Medicine</i> , 2004 , 21, 45-51 | 3.5 | 18 |
| 136 | A five-year evaluation of intervention in diabetes care in Trinidad and Tobago. <i>Diabetic Medicine</i> , 1999 , 16, 939-45 | 3.5 | 18 |
| 135 | Diabetes diagnosis, resource utilization, and health outcomes. <i>American Journal of Managed Care</i> , 2008 , 14, 32-8 | 2.1 | 18 |
| 134 | Social inequalities in morbidity from diabetes mellitus in public primary care clinics in Trinidad and Tobago. <i>Social Science and Medicine</i> , 1998 , 46, 137-44 | 5.1 | 17 |
| 133 | Low rates of detection and treatment of hypertension among current cigarette smokers. <i>Journal of Human Hypertension</i> , 2001 , 15, 771-3 | 2.6 | 17 |
| 132 | Epidemiology of clinical body mass index recording in an obese population in primary care: a cohort study. <i>Journal of Public Health</i> , 2013 , 35, 67-74 | 3.5 | 16 |
| 131 | Heritabilities and shared environmental effects were estimated from household clustering in national health survey data. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 1191-8 | 5.7 | 16 |
| 130 | Evaluating variations in medical practice between government primary care health centres. <i>Journal of Clinical Epidemiology</i> , 2001 , 54, 511-7 | 5.7 | 16 |
| 129 | Antidiabetic and cardiovascular drug utilisation in patients diagnosed with type 2 diabetes mellitus over the age of 80 years: a population-based cohort study. <i>Age and Ageing</i> , 2015 , 44, 566-73 | 3 | 15 |
| 128 | Does the influence of stroke on dementia vary by different levels of prestroke cognitive functioning?: a cohort study. <i>Stroke</i> , 2013 , 44, 3445-51 | 6.7 | 15 |
| 127 | Confounder-adjusted estimates of the risk difference using propensity score-based weighting. <i>Statistics in Medicine</i> , 2010 , 29, 3126-36 | 2.3 | 15 |
| 126 | Evaluation of equity in diabetes health care in relation to African and Caribbean ethnicity. <i>Ethnicity and Health</i> , 2003 , 8, 121-33 | 2.2 | 15 |
| 125 | Management of diabetes mellitus in three settings in Jamaica. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2001 , 9, 65-72 | 4.1 | 15 |
| 124 | Trajectory of Total Cholesterol in the Last Years of Life Over Age 80 Years: Cohort Study of 99,758 Participants. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 1083-1089 | 6.4 | 14 |
| 123 | Effect of Contemporary Bariatric Surgical Procedures on Type 2 Diabetes Remission. A Population-Based Matched Cohort Study. <i>Obesity Surgery</i> , 2016 , 26, 2308-15 | 3.7 | 14 |
| 122 | Health checks and cardiovascular risk factor values over six yearsPfollow-up: Matched cohort study using electronic health records in England. <i>PLoS Medicine</i> , 2019 , 16, e1002863 | 11.6 | 14 |
| 121 | Antihypertensive treatment after stroke and all-cause mortality--an analysis of the General Practitioner Research Database (GPRD). <i>Cerebrovascular Diseases</i> , 2009 , 28, 105-11 | 3.2 | 14 |
| 120 | Is illicit drug use harmful to cognitive functioning in the midadult years? A cohort-based investigation. <i>American Journal of Epidemiology</i> , 2012 , 175, 218-27 | 3.8 | 14 |

| | | | |
|-----|---|------|----|
| 119 | Antimicrobial stewardship in the UK during the COVID-19 pandemic: a population-based cohort study and interrupted time-series analysis. <i>British Journal of General Practice</i> , 2021 , 71, e331-e338 | 1.6 | 14 |
| 118 | Cardiovascular risk assessment and treatment in chronic inflammatory disorders in primary care. <i>Heart</i> , 2016 , 102, 1957-1962 | 5.1 | 14 |
| 117 | Implementing multiple health behaviour change interventions for cardiovascular risk reduction in primary care: a qualitative study. <i>BMC Family Practice</i> , 2018 , 19, 171 | 2.6 | 14 |
| 116 | Multiple risk factor control, mortality and cardiovascular events in type 2 diabetes and chronic kidney disease: a population-based cohort study. <i>BMJ Open</i> , 2018 , 8, e019950 | 3 | 13 |
| 115 | Trends in cardiovascular risk factors among people with diabetes in a population based study, Health Survey for England 1994-2009. <i>Primary Care Diabetes</i> , 2013 , 7, 193-8 | 2.4 | 13 |
| 114 | Managing cancer pain at the end of life with multiple strong opioids: a population-based retrospective cohort study in primary care. <i>PLoS ONE</i> , 2014 , 9, e79266 | 3.7 | 13 |
| 113 | Social environment, morbidity and use of health care among people with diabetes mellitus in Trinidad. <i>International Journal of Epidemiology</i> , 1997 , 26, 620-7 | 7.8 | 13 |
| 112 | A pragmatic lifestyle modification programme reduces the incidence of predictors of cardio-metabolic disease and dysglycaemia in a young healthy urban South Asian population: a randomised controlled trial. <i>BMC Medicine</i> , 2017 , 15, 146 | 11.4 | 12 |
| 111 | DIABRISK-SL prevention of cardio-metabolic disease with life style modification in young urban Sri LankanB--study protocol for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 209 | 2.8 | 12 |
| 110 | Impact on informed choice of offering antenatal sickle cell and thalassaemia screening in primary care: a randomized trial. <i>Journal of Medical Screening</i> , 2011 , 18, 65-75 | 1.4 | 12 |
| 109 | Social inequalities and childrenB height in Trinidad and Tobago. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 143-50 | 5.2 | 12 |
| 108 | Changing patterns of primary care for diabetes in Trinidad and Tobago over 10 years. <i>Diabetic Medicine</i> , 2005 , 22, 619-24 | 3.5 | 12 |
| 107 | Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model. <i>PLoS Medicine</i> , 2020 , 17, e1003202 | 11.6 | 12 |
| 106 | Bias due to MEasurement Reactions In Trials to improve health (MERIT): protocol for research to develop MRC guidance. <i>Trials</i> , 2018 , 19, 653 | 2.8 | 12 |
| 105 | Enhanced invitation methods to increase uptake of NHS health checks: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 342 | 2.8 | 11 |
| 104 | Cluster randomized trial in the general practice research database: 2. Secondary prevention after first stroke (eCRT study): study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 181 | 2.8 | 11 |
| 103 | Prescription patterns of analgesics in the last 3 months of life: a retrospective analysis of 10202 lung cancer patients. <i>British Journal of Cancer</i> , 2011 , 104, 1704-10 | 8.7 | 11 |
| 102 | Multiple morbidity is associated with increased problems of food access in hospital: a cross-sectional survey utilising the Cumulative Illness Rating Scale. <i>Journal of Human Nutrition and Dietetics</i> , 2010 , 23, 575-82 | 3.1 | 11 |

| | | | |
|-----|--|-----|----|
| 101 | Geographical and organisational variation in the structure of primary care services: implications for study design. <i>Journal of Health Services Research and Policy</i> , 2003 , 8, 87-93 | 2.4 | 11 |
| 100 | Stroke in Trinidad and Tobago: burden of illness and risk factors. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 1998 , 4, 233-7 | 4.1 | 11 |
| 99 | Electronically delivered interventions to reduce antibiotic prescribing for respiratory infections in primary care: cluster RCT using electronic health records and cohort study. <i>Health Technology Assessment</i> , 2019 , 23, 1-70 | 4.4 | 11 |
| 98 | Drug Utilization and Inappropriate Prescribing in Centenarians. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 1079-84 | 5.6 | 11 |
| 97 | Reducing antibiotic prescribing in primary care in England from 2014 to 2017: population-based cohort study. <i>BMJ Open</i> , 2019 , 9, e023989 | 3 | 11 |
| 96 | Revisiting patient expectations and experiences of antibiotics in an era of antimicrobial resistance: Qualitative study. <i>Health Expectations</i> , 2020 , 23, 1250-1258 | 3.7 | 10 |
| 95 | Sharing specialist skills for diabetes in an inner city: a comparison of two primary care organisations over 4 years. <i>Journal of Evaluation in Clinical Practice</i> , 2006 , 12, 583-90 | 2.5 | 10 |
| 94 | Variations in glucose self-monitoring during oral hypoglycaemic therapy in primary care. <i>Diabetic Medicine</i> , 2004 , 21, 685-90 | 3.5 | 10 |
| 93 | Utilisation of private care by public primary care clinic attenders with diabetes: relationship to health status and social factors. <i>Social Science and Medicine</i> , 2001 , 53, 1045-56 | 5.1 | 10 |
| 92 | High prevalence of cardio-metabolic risk factors in a young urban Sri-Lankan population. <i>PLoS ONE</i> , 2012 , 7, e31309 | 3.7 | 10 |
| 91 | Costs and outcomes of increasing access to bariatric surgery for obesity: cohort study and cost-effectiveness analysis using electronic health records. <i>Health Services and Delivery Research</i> , 2016 , 4, 1-120 | 1.5 | 10 |
| 90 | Serious bacterial infections and antibiotic prescribing in primary care: cohort study using electronic health records in the UK. <i>BMJ Open</i> , 2020 , 10, e036975 | 3 | 10 |
| 89 | Electronically delivered, multicomponent intervention to reduce unnecessary antibiotic prescribing for respiratory infections in primary care: a cluster randomised trial using electronic health records-REDUCE Trial study original protocol. <i>BMJ Open</i> , 2016 , 6, e010892 | 3 | 9 |
| 88 | Evolution of the "fourth stage" of epidemiologic transition in people aged 80 years and over: population-based cohort study using electronic health records. <i>Population Health Metrics</i> , 2017 , 15, 18 | 3 | 9 |
| 87 | Pneumonia incidence trends in UK primary care from 2002 to 2017: population-based cohort study. <i>Epidemiology and Infection</i> , 2019 , 147, e263 | 4.3 | 8 |
| 86 | Fair innings in the face of ageing and demographic change. <i>Health Economics, Policy and Law</i> , 2018 , 13, 209-217 | 2.3 | 8 |
| 85 | Enhanced Invitations Using the Question-Behavior Effect and Financial Incentives to Promote Health Check Uptake in Primary Care. <i>Annals of Behavioral Medicine</i> , 2018 , 52, 594-605 | 4.5 | 8 |
| 84 | Changes in cardiovascular disease risk and behavioural risk factors before the introduction of a health check programme in England. <i>Preventive Medicine</i> , 2016 , 91, 158-163 | 4.3 | 8 |

| | | | |
|----|--|------|---|
| 83 | Impact of an electronic, computer-delivered questionnaire, with or without postal reminders, on survey response rate in primary care. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 663-4 | 5.1 | 8 |
| 82 | Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. <i>Journal of Clinical Epidemiology</i> , 2021 , 139, 130-139 | 5.7 | 8 |
| 81 | Declining blood pressure and intensification of blood pressure management among people over 80 years: cohort study using electronic health records. <i>Journal of Hypertension</i> , 2017 , 35, 1276-1282 | 1.9 | 7 |
| 80 | Tuberculosis screening for prospective migrants to high-income countries: systematic review of policies. <i>Public Health</i> , 2019 , 168, 142-147 | 4 | 7 |
| 79 | Social and material deprivation and the cost-effectiveness of an intervention to promote physical activity: cohort study and Markov model. <i>Journal of Public Health</i> , 2014 , 36, 674-83 | 3.5 | 7 |
| 78 | Cost-effectiveness of a universal strategy of brief dietary intervention for primary prevention in primary care: population-based cohort study and Markov model. <i>Cost Effectiveness and Resource Allocation</i> , 2014 , 12, 4 | 2.4 | 7 |
| 77 | Commentary: epidemiological transition and socioeconomic inequalities in blood pressure in Jamaica. <i>International Journal of Epidemiology</i> , 2003 , 32, 408-9 | 7.8 | 7 |
| 76 | Identifying longitudinal clusters of multimorbidity in an urban setting: A population-based cross-sectional study. <i>Lancet Regional Health - Europe, The</i> , 2021 , 3, 100047 | | 7 |
| 75 | Digital health intervention at older ages. <i>The Lancet Digital Health</i> , 2019 , 1, e382-e383 | 14.4 | 7 |
| 74 | Potential application of item-response theory to interpretation of medical codes in electronic patient records. <i>BMC Medical Research Methodology</i> , 2011 , 11, 168 | 4.7 | 6 |
| 73 | Modernizing concepts of access and equity. <i>Health Economics, Policy and Law</i> , 2009 , 4, 223-30 | 2.3 | 6 |
| 72 | A note on the use of the variance inflation factor for determining sample size in cluster randomized trials 2002 , 51, 479-484 | | 6 |
| 71 | Reducing bias in trials from reactions to measurement: the MERIT study including developmental work and expert workshop. <i>Health Technology Assessment</i> , 2021 , 25, 1-72 | 4.4 | 6 |
| 70 | Comparison of antibiotic prescribing records in two UK primary care electronic health record systems: cohort study using CPRD GOLD and CPRD Aurum databases. <i>BMJ Open</i> , 2020 , 10, e038767 | 3 | 5 |
| 69 | Drug prescribing during the last year of life in very old people with diabetes. <i>Age and Ageing</i> , 2017 , 46, 147-151 | 3 | 5 |
| 68 | Importance of Frailty for Association of Antipsychotic Drug Use With Risk of Fracture: Cohort Study Using Electronic Health Records. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1495-1501.e1 | 5.9 | 5 |
| 67 | Design of cost-effective packages of care for non-insulin-dependent diabetes mellitus. Defining the information needs. <i>International Journal of Technology Assessment in Health Care</i> , 1997 , 13, 395-410 | 1.8 | 5 |
| 66 | Free school meals and children's social and nutritional status in Trinidad and Tobago. <i>Public Health Nutrition</i> , 2002 , 5, 625-30 | 3.3 | 5 |

| | | | |
|----|---|---------|---|
| 65 | Risks of use and non-use of antibiotics in primary care: qualitative study of prescribers' views. <i>BMJ Open</i> , 2020 , 10, e038851 | 3 | 5 |
| 64 | Continuity of care and delivery of diabetes and hypertensive care among regular users of primary care services in Chile: a cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e027830 | 3 | 5 |
| 63 | Cardiovascular risk at health checks performed opportunistically or following an invitation letter. Cohort study. <i>Journal of Public Health</i> , 2018 , 40, e151-e156 | 3.5 | 4 |
| 62 | Frailty: from clinical syndrome to epidemiological construct?. <i>Lancet Public Health</i> , 2018 , 3, e305-e306 | 4 | 4 |
| 61 | Automated recruitment and randomisation for an efficient randomised controlled trial in primary care. <i>Trials</i> , 2018 , 19, 341 | 2.8 | 4 |
| 60 | Family practices and achievement of diabetes quality of care targets and risk of screen-detected diabetic retinopathy. <i>PLoS ONE</i> , 2010 , 5, e10424 | 3.7 | 4 |
| 59 | Improvements in stage of change correlate to changes in dietary intake and clinical outcomes in a 5-year lifestyle intervention in young high-risk Sri Lankans. <i>Preventive Medicine</i> , 2016 , 90, 193-200 | 4.3 | 4 |
| 58 | Obesity management in primary care. <i>Lancet</i> , 2017 , 389, 1605-1606 | 4.0 | 3 |
| 57 | Reducing the incidence of predictors of cardio-metabolic disease and dysglycaemia with lifestyle modification in at-risk persons - results of further analyses of DIABRISK-SL in those below 18 years of age. <i>BMC Medicine</i> , 2019 , 17, 162 | 11.4 | 3 |
| 56 | What is "normal" antibiotic prescribing?. <i>BMJ</i> , 2019 , 364, l1144 | 5.9 | 3 |
| 55 | Access to primary care and public health. <i>Lancet Public Health</i> , 2017 , 2, e532-e533 | 22.4 | 3 |
| 54 | Primary care and diagnosis of cancer. <i>Lancet Oncology</i> , 2012 , 13, 321-3 | 21.7 | 3 |
| 53 | Randomised Evaluations of Accepted Choices in Treatment (REACT) trials: large-scale pragmatic trials within databases of routinely collected electronic healthcare records. <i>Trials</i> , 2011 , 12, | 2.8 | 3 |
| 52 | Handwritten post-it notes, questionnaire formats and response to a postal questionnaire survey. <i>International Journal of Epidemiology</i> , 2011 , 40, 254-5 | 7.8 | 3 |
| 51 | Food insecurity definitions and body mass index. Response. <i>International Journal of Epidemiology</i> , 2003 , 32, 1118-9 | 7.8 | 3 |
| 50 | A 4-year evaluation of blood pressure management in Trinidad and Tobago. <i>Journal of Human Hypertension</i> , 1999 , 13, 455-9 | 2.6 | 3 |
| 49 | Methods for Evaluating Organisation- or Area-Based Health Interventions | 295-313 | 3 |
| 48 | Engagement with advice to reduce cardiovascular risk following a health check programme: A qualitative study. <i>Health Expectations</i> , 2020 , 23, 193-201 | 3.7 | 3 |

| | | | |
|----|--|------|---|
| 47 | Social enterprises and public health improvement in England: a qualitative case study. <i>Public Health</i> , 2018 , 161, 99-105 | 4 | 3 |
| 46 | Continuity of care. <i>Family Medicine</i> , 2005 , 37, 687-8; author reply 688 | 0.8 | 3 |
| 45 | Discrimination and public health. <i>Lancet Public Health</i> , 2019 , 4, e173-e174 | 22.4 | 2 |
| 44 | 2.9 Health services as determinants of population health 2009 , | | 2 |
| 43 | Opioid use, chronic pain and deprivation. <i>EClinicalMedicine</i> , 2020 , 21, 100341 | 11.3 | 2 |
| 42 | Safety of reducing antibiotic prescribing in primary care: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2021 , 9, 1-126 | 1.5 | 2 |
| 41 | The effect of dietary changes on distinct components of the metabolic syndrome in a young Sri Lankan population at high risk of CVD. <i>British Journal of Nutrition</i> , 2016 , 116, 719-27 | 3.6 | 2 |
| 40 | Cost-Effectiveness of Antihypertensive Therapy in Patients Older Than 80 Years: Cohort Study and Markov Model. <i>Value in Health</i> , 2019 , 22, 1362-1369 | 3.3 | 2 |
| 39 | Frailty and Drug Safety at Older Ages. <i>Drug Safety</i> , 2019 , 42, 699-700 | 5.1 | 1 |
| 38 | Primary care service use by end-of-life cancer patients: a nationwide population-based cohort study in the United Kingdom. <i>BMC Family Practice</i> , 2020 , 21, 76 | 2.6 | 1 |
| 37 | "Progressive dwindling" or "terminal decline" and end of life care. <i>BMJ</i> , 2017 , 359, j4772 | 5.9 | 1 |
| 36 | Comment on "Bariatric Surgery Can Lead to Net Cost Savings to Health Care Systems: Results from a Comprehensive European Decision Analytic Model". <i>Obesity Surgery</i> , 2015 , 25, 1254-5 | 3.7 | 1 |
| 35 | Predictive validity of different definitions of hypertension for type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2006 , 22, 361-6 | 7.5 | 1 |
| 34 | Random blood glucose estimation in type 2 diabetes: does it reflect overall glycaemic control?. <i>Diabetic Medicine</i> , 1995 , 12, 637 | 3.5 | 1 |
| 33 | Evaluation of gastrin secretion in diabetic subjects with normal or abnormal cardiovascular autonomic function tests. <i>Acta Diabetologica Latina</i> , 1988 , 25, 275-82 | | 1 |
| 32 | Sepsis recording in primary care electronic health records, linked hospital episodes and mortality records: Population-based cohort study in England. <i>PLoS ONE</i> , 2020 , 15, e0244764 | 3.7 | 1 |
| 31 | Inequalities in developing multimorbidity over time: A population-based cohort study from an urban, multi-ethnic borough in the United Kingdom.. <i>Lancet Regional Health - Europe</i> , 2022 , 12, 100247 | | 1 |
| 30 | Antibiotic prescribing records in two UK primary care electronic health record systems. Comparison of the CPRD GOLD and CPRD Aurum databases | | 1 |

| | | | |
|----|---|------|---|
| 29 | Sepsis Recording in Primary Care Electronic Health Records, Linked Hospital Episodes and Mortality Records: Population-based Cohort Study in England | | 1 |
| 28 | Peritonsillar Abscess and Antibiotic Prescribing for Respiratory Infection in Primary Care: A Population-Based Cohort Study and Decision-Analytic Model. <i>Annals of Family Medicine</i> , 2020 , 18, 390-396 ²⁹ | | 1 |
| 27 | Realising the full potential of data-enabled trials in the UK: a call for action. <i>BMJ Open</i> , 2021 , 11, e043906 | | 1 |
| 26 | Applying resolved and remission codes reduced prevalence of multimorbidity in an urban multi-ethnic population. <i>Journal of Clinical Epidemiology</i> , 2021 , 140, 135-148 | 5.7 | 1 |
| 25 | A community-based, sport-led programme to increase physical activity in an area of deprivation: a qualitative case study. <i>BMC Public Health</i> , 2020 , 20, 1018 | 4.1 | 0 |
| 24 | Cigarette smoking and prevention of Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2005 , 22, 1285-6; author reply 1286-7 | 3.5 | 0 |
| 23 | Epilepsy and mortality: a retrospective cohort analysis with a nested case-control study identifying causes and risk factors from primary care and linkage-derived data. <i>BMJ Open</i> , 2021 , 11, e052841 | 3 | 0 |
| 22 | Well-being, physical activity and long-term conditions: cross-sectional analysis of Health Survey for England 2016. <i>Public Health</i> , 2020 , 185, 368-374 | 4 | 0 |
| 21 | Protocol for an efficient design: cluster randomised controlled trial to evaluate a complex intervention to improve antibiotic prescribing for children presenting to primary care with acute cough and respiratory tract infection: the CHICO study. <i>BMJ Open</i> , 2021 , 11, e041769 | 3 | 0 |
| 20 | Susceptibility to COVID-19 Diagnosis in People with Down Syndrome Compared to the General Population: Matched-Cohort Study Using Primary Care Electronic Records in the UK.. <i>Journal of General Internal Medicine</i> , 2022 , 1 | 4 | 0 |
| 19 | Tuberculosis testing and migrant health. <i>Lancet Infectious Diseases</i> , 2019 , 19, 1151-1152 | 25.5 | |
| 18 | Why do electronic health records reveal oral anticoagulant prescription after haemorrhagic stroke?. <i>British Journal of Clinical Pharmacology</i> , 2015 , 79, 1037-9 | 3.8 | |
| 17 | Reply to comment on "impact and cost-effectiveness of a universal strategy to promote physical activity in primary care". <i>European Journal of Health Economics</i> , 2015 , 16, 453 | 3.6 | |
| 16 | Response to Letter: Antipsychotic Drugs, Fracture Risk, and Frailty in Older Patients. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 565-566 | 5.9 | |
| 15 | Author's reply to Mathioudakis and colleagues. <i>BMJ</i> , 2016 , 354, i4256 | 5.9 | |
| 14 | 55th ERA-EDTA Congress Copenhagen, Denmark, 24-27 May. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2018 , 79, 368-371 | 0.8 | |
| 13 | Limitations of within-person study designs. In reply. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 1429 | 5.7 | |
| 12 | QUALITY OF CARE IN VERY OLD PATIENTS WITH TYPE 2 DIABETES MELLITUS: DISPARITIES BETWEEN PATIENTS MANAGED WITH LIFE STYLE INTERVENTIONS ONLY AND THOSE TREATED WITH ANTIDIABETIC MEDICATIONS. <i>Age and Ageing</i> , 2015 , 44, ii16-ii16 | 3 | |

- 11 Fildes et al. Respond. *American Journal of Public Health*, **2015**, 105, e3-4 5.1
- 10 Socio-economic and ethnic inequalities in diabetes retinal screening. *Diabetic Medicine*, **2009**, 27, 282 3.5
- 9 Socioeconomic deprivation and proximity to general practices in England. *Journal of Public Health*, **2005**, 27, 308 3.5
- 8 Optimizing the Delivery of Effective Diabetes Care. *Disease Management and Health Outcomes*, **2001**, 9, 683-690
- 7 Public health and human rights: questions from an epidemic in Prato. *Journal of Law & Medicine*, **2008**, 15, 752-9 0.3
- 6 Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model **2020**, 17, e1003202
- 5 Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model **2020**, 17, e1003202
- 4 Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model **2020**, 17, e1003202
- 3 Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model **2020**, 17, e1003202
- 2 Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model **2020**, 17, e1003202
- 1 Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model **2020**, 17, e1003202