

Martin C Gulliford

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8090314/martin-c-gulliford-publications-by-year.pdf>

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

280 papers	16,560 citations	54 h-index	123 g-index
315 ext. papers	20,161 ext. citations	5.7 avg, IF	7.61 L-index

#	Paper	IF	Citations
280	Inequalities in developing multimorbidity over time: A population-based cohort study from an urban, multi-ethnic borough in the United Kingdom.. <i>Lancet Regional Health - Europe, The</i> , 2022 , 12, 100247		1
279	Susceptibility to COVID-19 Diagnosis in People with Down Syndrome Compared to the General Population: Matched-Cohort Study Using Primary Care Electronic Records in the UK.. <i>Journal of General Internal Medicine</i> , 2022 , 1	4	0
278	Epilepsy and mortality: a retrospective cohort analysis with a nested case-control study identifying causes and risk factors from primary care and linkage-derived data. <i>BMJ Open</i> , 2021 , 11, e052841	3	0
277	Protocol for an Efficient designPcluster randomised controlled trial to evaluate a complex intervention to improve antibiotic prescribing for CHildren presenting to primary care with acute COugh and respiratory tract infection: the CHICO study. <i>BMJ Open</i> , 2021 , 11, e041769	3	0
276	Antimicrobial stewardship in the UK during the COVID-19 pandemic: a population-based cohort study and interrupted time-series analysis. <i>British Journal of General Practice</i> , 2021 , 71, e331-e338	1.6	14
275	Identifying longitudinal clusters of multimorbidity in an urban setting: A population-based cross-sectional study. <i>Lancet Regional Health - Europe, The</i> , 2021 , 3, 100047		7
274	Safety of reducing antibiotic prescribing in primary care: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2021 , 9, 1-126	1.5	2
273	Realising the full potential of data-enabled trials in the UK: a call for action. <i>BMJ Open</i> , 2021 , 11, e043906		1
272	Applying resolved and remission codes reduced prevalence of multimorbidity in an urban multi-ethnic population. <i>Journal of Clinical Epidemiology</i> , 2021 , 140, 135-148	5.7	1
271	Reducing bias in trials from reactions to measurement: the MERIT study including developmental work and expert workshop. <i>Health Technology Assessment</i> , 2021 , 25, 1-72	4.4	6
270	Reducing bias in trials due to reactions to measurement: experts produced recommendations informed by evidence. <i>Journal of Clinical Epidemiology</i> , 2021 , 139, 130-139	5.7	8
269	Revisiting patient expectations and experiences of antibiotics in an era of antimicrobial resistance: Qualitative study. <i>Health Expectations</i> , 2020 , 23, 1250-1258	3.7	10
268	A community-based, sport-led programme to increase physical activity in an area of deprivation: a qualitative case study. <i>BMC Public Health</i> , 2020 , 20, 1018	4.1	0
267	Comparison of antibiotic prescribing records in two UK primary care electronic health record systems: cohort study using CPRD GOLD and CPRD Aurum databases. <i>BMJ Open</i> , 2020 , 10, e038767	3	5
266	Response to Letter: Antipsychotic Drugs, Fracture Risk, and Frailty in Older Patients. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 565-566	5.9	
265	Primary care service use by end-of-life cancer patients: a nationwide population-based cohort study in the United Kingdom. <i>BMC Family Practice</i> , 2020 , 21, 76	2.6	1
264	Risks of use and non-use of antibiotics in primary care: qualitative study of prescribersPviews. <i>BMJ Open</i> , 2020 , 10, e038851	3	5

263	Sepsis recording in primary care electronic health records, linked hospital episodes and mortality records: Population-based cohort study in England. <i>PLoS ONE</i> , 2020 , 15, e0244764	3.7	1
262	Engagement with advice to reduce cardiovascular risk following a health check programme: A qualitative study. <i>Health Expectations</i> , 2020 , 23, 193-201	3.7	3
261	Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. <i>The Lancet Global Health</i> , 2020 , 8, e123-e133	13.6	36
260	Well-being, physical activity and long-term conditions: cross-sectional analysis of Health Survey for England 2016. <i>Public Health</i> , 2020 , 185, 368-374	4	0
259	Opioid use, chronic pain and deprivation. <i>EClinicalMedicine</i> , 2020 , 21, 100341	11.3	2
258	Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model. <i>PLoS Medicine</i> , 2020 , 17, e1003202	11.6	12
257	Peritonsillar Abscess and Antibiotic Prescribing for Respiratory Infection in Primary Care: A Population-Based Cohort Study and Decision-Analytic Model. <i>Annals of Family Medicine</i> , 2020 , 18, 390-396	3.9	1
256	Serious bacterial infections and antibiotic prescribing in primary care: cohort study using electronic health records in the UK. <i>BMJ Open</i> , 2020 , 10, e036975	3	10
255	Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model 2020 , 17, e1003202		
254	Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model 2020 , 17, e1003202		
253	Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model 2020 , 17, e1003202		
252	Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model 2020 , 17, e1003202		
251	Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model 2020 , 17, e1003202		
250	Probability of sepsis after infection consultations in primary care in the United Kingdom in 2002-2017: Population-based cohort study and decision analytic model 2020 , 17, e1003202		
249	Tuberculosis testing and migrant health. <i>Lancet Infectious Diseases</i> , 2019 , 19, 1151-1152	25.5	
248	Pneumonia incidence trends in UK primary care from 2002 to 2017: population-based cohort study. <i>Epidemiology and Infection</i> , 2019 , 147, e263	4.3	8
247	Reducing the incidence of predictors of cardio-metabolic disease and dysglycaemia with lifestyle modification in at-risk persons - results of further analyses of DIABRISK-SL in those below 18 years of age. <i>BMC Medicine</i> , 2019 , 17, 162	11.4	3
246	Frailty and Drug Safety at Older Ages. <i>Drug Safety</i> , 2019 , 42, 699-700	5.1	1

245	Discrimination and public health. <i>Lancet Public Health, The</i> , 2019 , 4, e173-e174	22.4	2
244	What is "normal" antibiotic prescribing?. <i>BMJ, The</i> , 2019 , 364, l1144	5.9	3
243	Tuberculosis screening for prospective migrants to high-income countries: systematic review of policies. <i>Public Health</i> , 2019 , 168, 142-147	4	7
242	Health checks and cardiovascular risk factor values over six yearsPfollow-up: Matched cohort study using electronic health records in England. <i>PLoS Medicine</i> , 2019 , 16, e1002863	11.6	14
241	Importance of Frailty for Association of Antipsychotic Drug Use With Risk of Fracture: Cohort Study Using Electronic Health Records. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 1495-1501.e1	5.9	5
240	Electronically delivered interventions to reduce antibiotic prescribing for respiratory infections in primary care: cluster RCT using electronic health records and cohort study. <i>Health Technology Assessment</i> , 2019 , 23, 1-70	4.4	11
239	Effectiveness and safety of electronically delivered prescribing feedback and decision support on antibiotic use for respiratory illness in primary care: REDUCE cluster randomised trial. <i>BMJ, The</i> , 2019 , 364, l236	5.9	54
238	Reducing antibiotic prescribing in primary care in England from 2014 to 2017: population-based cohort study. <i>BMJ Open</i> , 2019 , 9, e023989	3	11
237	Continuity of care and delivery of diabetes and hypertensive care among regular users of primary care services in Chile: a cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e027830	3	5
236	Cost-Effectiveness of Antihypertensive Therapy in Patients Older Than 80 Years: Cohort Study and Markov Model. <i>Value in Health</i> , 2019 , 22, 1362-1369	3.3	2
235	Digital health intervention at older ages. <i>The Lancet Digital Health</i> , 2019 , 1, e382-e383	14.4	7
234	Incidence and mortality of fractures by frailty level over 80 years of age: cohort study using UK electronic health records. <i>BMJ Open</i> , 2018 , 8, e018836	3	31
233	Fair inningsP in the face of ageing and demographic change. <i>Health Economics, Policy and Law</i> , 2018 , 13, 209-217	2.3	8
232	Enhanced Invitations Using the Question-Behavior Effect and Financial Incentives to Promote Health Check Uptake in Primary Care. <i>Annals of Behavioral Medicine</i> , 2018 , 52, 594-605	4.5	8
231	Cardiovascular risk at health checks performed opportunistically or following an invitation letter. Cohort study. <i>Journal of Public Health</i> , 2018 , 40, e151-e156	3.5	4
230	Trajectory of Total Cholesterol in the Last Years of Life Over Age 80 Years: Cohort Study of 99,758 Participants. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 1083-1089	6.4	14
229	Determinants of health care costs in the senior elderly: age, comorbidity, impairment, or proximity to death?. <i>European Journal of Health Economics</i> , 2018 , 19, 831-842	3.6	50
228	Frailty: from clinical syndrome to epidemiological construct?. <i>Lancet Public Health, The</i> , 2018 , 3, e305-e306	16.4	4

227	55th ERA-EDTA Congress Copenhagen, Denmark, 24-27 May. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2018 , 79, 368-371	0.8	
226	Multiple risk factor control, mortality and cardiovascular events in type 2 diabetes and chronic kidney disease: a population-based cohort study. <i>BMJ Open</i> , 2018 , 8, e019950	3	13
225	Automated recruitment and randomisation for an efficient randomised controlled trial in primary care. <i>Trials</i> , 2018 , 19, 341	2.8	4
224	Implementing multiple health behaviour change interventions for cardiovascular risk reduction in primary care: a qualitative study. <i>BMC Family Practice</i> , 2018 , 19, 171	2.6	14
223	Bias due to MEasurement Reactions In Trials to improve health (MERIT): protocol for research to develop MRC guidance. <i>Trials</i> , 2018 , 19, 653	2.8	12
222	Antidepressant utilisation and incidence of weight gain during 10 yearsPfollow-up: population based cohort study. <i>BMJ, The</i> , 2018 , 361, k1951	5.9	69
221	Social enterprises and public health improvement in England: a qualitative case study. <i>Public Health</i> , 2018 , 161, 99-105	4	3
220	Socioeconomic inequality in morbid obesity with body mass index more than 40kg/m in the United States and England. <i>SSM - Population Health</i> , 2017 , 3, 172-178	3.8	21
219	Obesity management in primary care. <i>Lancet, The</i> , 2017 , 389, 1605-1606	40	3
218	Systolic Blood Pressure Trajectory, Frailty, and All-Cause Mortality >80 Years of Age: Cohort Study Using Electronic Health Records. <i>Circulation</i> , 2017 , 135, 2357-2368	16.7	88
217	Body Mass Index and Incident Type 1 and Type 2 Diabetes in Children and Young Adults: A Retrospective Cohort Study. <i>Journal of the Endocrine Society</i> , 2017 , 1, 524-537	0.4	62
216	Costs and Outcomes of Increasing Access to Bariatric Surgery: Cohort Study and Cost-Effectiveness Analysis Using Electronic Health Records. <i>Value in Health</i> , 2017 , 20, 85-92	3.3	58
215	Declining blood pressure and intensification of blood pressure management among people over 80 years: cohort study using electronic health records. <i>Journal of Hypertension</i> , 2017 , 35, 1276-1282	1.9	7
214	Multiple health behaviour change interventions for primary prevention of cardiovascular disease in primary care: systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e015375	3	26
213	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 1289 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
212	A pragmatic lifestyle modification programme reduces the incidence of predictors of cardio-metabolic disease and dysglycaemia in a young healthy urban South Asian population: a randomised controlled trial. <i>BMC Medicine</i> , 2017 , 15, 146	11.4	12
211	Drug prescribing during the last year of life in very old people with diabetes. <i>Age and Ageing</i> , 2017 , 46, 147-151	3	5
210	Access to primary care and public health. <i>Lancet Public Health, The</i> , 2017 , 2, e532-e533	22.4	3

209	Inception and deprescribing of statins in people aged over 80 years: cohort study. <i>Age and Ageing</i> , 2017 , 46, 1001-1005	3	26
208	Evolution of the "fourth stage" of epidemiologic transition in people aged 80 years and over: population-based cohort study using electronic health records. <i>Population Health Metrics</i> , 2017 , 15, 18	3	9
207	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 191 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100
206	"Progressive dwindling" or "terminal decline" and end of life care. <i>BMJ, The</i> , 2017 , 359, j4772	5.9	1
205	Severity of obesity and management of hypertension, hypercholesterolaemia and smoking in primary care: population-based cohort study. <i>Journal of Human Hypertension</i> , 2016 , 30, 40-5	2.6	24
204	Changes in cardiovascular disease risk and behavioural risk factors before the introduction of a health check programme in England. <i>Preventive Medicine</i> , 2016 , 91, 158-163	4.3	8
203	Mortality in Individuals Aged 80 and Older with Type 2 Diabetes Mellitus in Relation to Glycosylated Hemoglobin, Blood Pressure, and Total Cholesterol. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 1425-31	5.6	25
202	Author's reply to Mathioudakis and colleagues. <i>BMJ, The</i> , 2016 , 354, i4256	5.9	
201	Safety of reduced antibiotic prescribing for self limiting respiratory tract infections in primary care: cohort study using electronic health records. <i>BMJ, The</i> , 2016 , 354, i3410	5.9	74
200	Electronically delivered, multicomponent intervention to reduce unnecessary antibiotic prescribing for respiratory infections in primary care: a cluster randomised trial using electronic health records-REDUCE Trial study original protocol. <i>BMJ Open</i> , 2016 , 6, e010892	3	9
199	Longitudinal Trends in Hypertension Management and Mortality Among Octogenarians: Prospective Cohort Study. <i>Hypertension</i> , 2016 , 68, 97-105	8.5	20
198	Do health checks improve risk factor detection in primary care? Matched cohort study using electronic health records. <i>Journal of Public Health</i> , 2016 , 38, 552-559	3.5	23
197	Effect of Contemporary Bariatric Surgical Procedures on Type 2 Diabetes Remission. A Population-Based Matched Cohort Study. <i>Obesity Surgery</i> , 2016 , 26, 2308-15	3.7	14
196	Costs and outcomes of increasing access to bariatric surgery for obesity: cohort study and cost-effectiveness analysis using electronic health records. <i>Health Services and Delivery Research</i> , 2016 , 4, 1-120	1.5	10
195	Enhanced invitation methods and uptake of health checks in primary care: randomised controlled trial and cohort study using electronic health records. <i>Health Technology Assessment</i> , 2016 , 20, 1-92	4.4	21
194	Are healthcare costs from obesity associated with body mass index, comorbidity or depression? Cohort study using electronic health records. <i>Clinical Obesity</i> , 2016 , 6, 225-31	3.6	28
193	Cardiovascular risk assessment and treatment in chronic inflammatory disorders in primary care. <i>Heart</i> , 2016 , 102, 1957-1962	5.1	14
192	The effect of dietary changes on distinct components of the metabolic syndrome in a young Sri Lankan population at high risk of CVD. <i>British Journal of Nutrition</i> , 2016 , 116, 719-27	3.6	2

191	Changing Epidemiology of Bariatric Surgery in the UK: Cohort Study Using Primary Care Electronic Health Records. <i>Obesity Surgery</i> , 2016 , 26, 1900-5	3.7	29
190	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 1912 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396 ⁴⁰		2787
189	Improvements in stage of change correlate to changes in dietary intake and clinical outcomes in a 5-year lifestyle intervention in young high-risk Sri Lankans. <i>Preventive Medicine</i> , 2016 , 90, 193-200	4.3	4
188	Drug Utilization and Inappropriate Prescribing in Centenarians. <i>Journal of the American Geriatrics Society</i> , 2016 , 64, 1079-84	5.6	11
187	Antidiabetic and cardiovascular drug utilisation in patients diagnosed with type 2 diabetes mellitus over the age of 80 years: a population-based cohort study. <i>Age and Ageing</i> , 2015 , 44, 566-73	3	15
186	Why do electronic health records reveal oral anticoagulant prescription after haemorrhagic stroke?. <i>British Journal of Clinical Pharmacology</i> , 2015 , 79, 1037-9	3.8	
185	Impact of bariatric surgery on clinical depression. Interrupted time series study with matched controls. <i>Journal of Affective Disorders</i> , 2015 , 174, 644-9	6.6	41
184	Reply to comment on "impact and cost-effectiveness of a universal strategy to promote physical activity in primary care". <i>European Journal of Health Economics</i> , 2015 , 16, 453	3.6	
183	Differences in Health at Age 100 According to Sex: Population-Based Cohort Study of Centenarians Using Electronic Health Records. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1331-7	5.6	39
182	Estimating the yield of NHS Health Checks in England: a population-based cohort study. <i>Journal of Public Health</i> , 2015 , 37, 234-40	3.5	23
181	Prophylactic antibiotics after acute stroke for reducing pneumonia in patients with dysphagia (STROKE-INF): a prospective, cluster-randomised, open-label, masked endpoint, controlled clinical trial. <i>Lancet, The</i> , 2015 , 386, 1835-44	4.0	156
180	Influences on individuals' decisions to take up the offer of a health check: a qualitative study. <i>Health Expectations</i> , 2015 , 18, 2437-48	3.7	39
179	53QUALITY OF CARE IN VERY OLD PATIENTS WITH TYPE 2 DIABETES MELLITUS: DISPARITIES BETWEEN PATIENTS MANAGED WITH LIFE STYLE INTERVENTIONS ONLY AND THOSE TREATED WITH ANTIDIABETIC MEDICATIONS. <i>Age and Ageing</i> , 2015 , 44, ii16-ii16	3	
178	Fildes et al. Respond. <i>American Journal of Public Health</i> , 2015 , 105, e3-4	5.1	
177	Probability of an Obese Person Attaining Normal Body Weight: Cohort Study Using Electronic Health Records. <i>American Journal of Public Health</i> , 2015 , 105, e54-9	5.1	186
176	Are Inflammation and Related Therapy Associated with All-Cause Dementia in a Primary Care Population?. <i>Journal of Alzheimer's Disease</i> , 2015 , 46, 1039-47	4.3	18
175	Incidence and mortality of relapsing polychondritis in the UK: a population-based cohort study. <i>Rheumatology</i> , 2015 , 54, 2181-7	3.9	31
174	Access to weight reduction interventions for overweight and obese patients in UK primary care: population-based cohort study. <i>BMJ Open</i> , 2015 , 5, e006642	3	61

173	Comment on Bariatric Surgery Can Lead to Net Cost Savings to Health Care Systems: Results from a Comprehensive European Decision Analytic Model? <i>Obesity Surgery</i> , 2015 , 25, 1254-5	3.7	1
172	Childhood obesity trends from primary care electronic health records in England between 1994 and 2013: population-based cohort study. <i>Archives of Disease in Childhood</i> , 2015 , 100, 214-9	2.2	83
171	Continued high rates of antibiotic prescribing to adults with respiratory tract infection: survey of 568 UK general practices. <i>BMJ Open</i> , 2014 , 4, e006245	3	152
170	Chronic inflammatory disorders and risk of type 2 diabetes mellitus, coronary heart disease, and stroke: a population-based cohort study. <i>Circulation</i> , 2014 , 130, 837-44	16.7	176
169	Cluster randomized trials utilizing primary care electronic health records: methodological issues in design, conduct, and analysis (eCRT Study). <i>Trials</i> , 2014 , 15, 220	2.8	23
168	Enhanced invitation methods to increase uptake of NHS health checks: study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 342	2.8	11
167	Impact and cost-effectiveness of a universal strategy to promote physical activity in primary care: population-based cohort study and Markov model. <i>European Journal of Health Economics</i> , 2014 , 15, 341-51	3.6	21
166	Cardiovascular disease, chronic kidney disease, and diabetes mortality burden of cardiometabolic risk factors from 1980 to 2010: a comparative risk assessment. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 634-47	18.1	446
165	Evaluating pancreatitis in primary care: a population-based cohort study. <i>British Journal of General Practice</i> , 2014 , 64, e295-301	1.6	26
164	Managing cancer pain at the end of life with multiple strong opioids: a population-based retrospective cohort study in primary care. <i>PLoS ONE</i> , 2014 , 9, e79266	3.7	13
163	Prediction of cardiovascular risk using Framingham, ASSIGN and QRISK2: how well do they predict individual rather than population risk?. <i>PLoS ONE</i> , 2014 , 9, e106455	3.7	41
162	Process evaluation of a point-of-care cluster randomised trial using a computer-delivered intervention to reduce antibiotic prescribing in primary care. <i>BMC Health Services Research</i> , 2014 , 14, 594	2.9	19
161	Effectiveness of behavioural weight loss interventions delivered in a primary care setting: a systematic review and meta-analysis. <i>Family Practice</i> , 2014 , 31, 643-53	1.9	85
160	Impact of body mass index on prevalence of multimorbidity in primary care: cohort study. <i>Family Practice</i> , 2014 , 31, 38-43	1.9	86
159	Social and material deprivation and the cost-effectiveness of an intervention to promote physical activity: cohort study and Markov model. <i>Journal of Public Health</i> , 2014 , 36, 674-83	3.5	7
158	Incidence of type 2 diabetes after bariatric surgery: population-based matched cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2014 , 2, 963-8	18.1	53
157	Is sodium valproate, an HDAC inhibitor, associated with reduced risk of stroke and myocardial infarction? A nested case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 759-67	2.6	34
156	Cost-effectiveness of a universal strategy of brief dietary intervention for primary prevention in primary care: population-based cohort study and Markov model. <i>Cost Effectiveness and Resource Allocation</i> , 2014 , 12, 4	2.4	7

155	Point-of-care cluster randomized trial in stroke secondary prevention using electronic health records. <i>Stroke</i> , 2014 , 45, 2066-71	6.7	20
154	Electronic health records for intervention research: a cluster randomized trial to reduce antibiotic prescribing in primary care (eCRT study). <i>Annals of Family Medicine</i> , 2014 , 12, 344-51	2.9	56
153	The opportunities and challenges of pragmatic point-of-care randomised trials using routinely collected electronic records: evaluations of two exemplar trials. <i>Health Technology Assessment</i> , 2014 , 18, 1-146	4.4	98
152	Variability of antibiotic prescribing in patients with chronic obstructive pulmonary disease exacerbations: a cohort study. <i>BMC Pulmonary Medicine</i> , 2013 , 13, 32	3.5	20
151	Non-attendance at diabetic eye screening and risk of sight-threatening diabetic retinopathy: a population-based cohort study. <i>Diabetologia</i> , 2013 , 56, 2187-93	10.3	30
150	Impact of deprivation on occurrence, outcomes and health care costs of people with multiple morbidity. <i>Journal of Health Services Research and Policy</i> , 2013 , 18, 215-23	2.4	56
149	Trends in cardiovascular risk factors among people with diabetes in a population based study, Health Survey for England 1994-2009. <i>Primary Care Diabetes</i> , 2013 , 7, 193-8	2.4	13
148	Effectiveness of interventions to promote healthy diet in primary care: systematic review and meta-analysis of randomised controlled trials. <i>BMC Public Health</i> , 2013 , 13, 1203	4.1	40
147	Fracture risk with use of liver enzyme inducing antiepileptic drugs in people with active epilepsy: cohort study using the general practice research database. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013 , 22, 37-42	3.2	46
146	Limitations of within-person study designs. In reply. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 1429	5.7	
145	Does the influence of stroke on dementia vary by different levels of prestroke cognitive functioning?: a cohort study. <i>Stroke</i> , 2013 , 44, 3445-51	6.7	15
144	Variations in the organization and delivery of the NHS health check in primary care. <i>Journal of Public Health</i> , 2013 , 35, 85-91	3.5	28
143	Cardiovascular risk factors and cognitive decline in adults aged 50 and over: a population-based cohort study. <i>Age and Ageing</i> , 2013 , 42, 338-45	3	102
142	Epidemiology of clinical body mass index recording in an obese population in primary care: a cohort study. <i>Journal of Public Health</i> , 2013 , 35, 67-74	3.5	16
141	Leisure-time physical activity over the life course and cognitive functioning in late mid-adult years: a cohort-based investigation. <i>Psychological Medicine</i> , 2013 , 43, 2447-58	6.9	40
140	Validity of smoking prevalence estimates from primary care electronic health records compared with national population survey data for England, 2007 to 2011. <i>Pharmacoepidemiology and Drug Safety</i> , 2013 , 22, 1357-61	2.6	40
139	Changes in detection of retinopathy in type 2 diabetes in the first 4 years of a population-based diabetic eye screening program: retrospective cohort study. <i>Diabetes Care</i> , 2013 , 36, 2663-9	14.6	21
138	Prevalence of depression and utilization of health care in single and multiple morbidity: a population-based cohort study. <i>Psychological Medicine</i> , 2013 , 43, 1423-31	6.9	49

137	Are alarm symptoms predictive of cancer survival?: population-based cohort study. <i>British Journal of General Practice</i> , 2013 , 63, e807-12	1.6	18
136	The efficiency of cardiovascular risk assessment: do the right patients get statin treatment?. <i>Heart</i> , 2013 , 99, 1597-602	5.1	43
135	Recent HbA1c values and mortality risk in type 2 diabetes. population-based case-control study. <i>PLoS ONE</i> , 2013 , 8, e68008	3.7	39
134	Primary care and diagnosis of cancer. <i>Lancet Oncology</i> , 2012 , 13, 321-3	21.7	3
133	Foster care, residential care and public care placement patterns are associated with adult life trajectories: population-based cohort study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2012 , 47, 1517-26	4.5	49
132	Trends in antiepileptic drug utilisation in UK primary care 1993-2008: cohort study using the General Practice Research Database. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2012 , 21, 466-70	3.2	74
131	Within-person study designs had lower precision and greater susceptibility to bias because of trends in exposure than cohort and nested case-control designs. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 384-93	5.7	19
130	Validity of cancer diagnosis in a primary care database compared with linked cancer registrations in England. Population-based cohort study. <i>Cancer Epidemiology</i> , 2012 , 36, 425-9	2.8	99
129	Cluster randomized trial in the general practice research database: 2. Secondary prevention after first stroke (eCRT study): study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 181	2.8	11
128	Coding, recording and incidence of different forms of coronary heart disease in primary care. <i>PLoS ONE</i> , 2012 , 7, e29776	3.7	36
127	Is illicit drug use harmful to cognitive functioning in the midadult years? A cohort-based investigation. <i>American Journal of Epidemiology</i> , 2012 , 175, 218-27	3.8	14
126	Incidence, mortality, and disease associations of pyoderma gangrenosum in the United Kingdom: a retrospective cohort study. <i>Journal of Investigative Dermatology</i> , 2012 , 132, 2166-70	4.3	134
125	Impact of an electronic, computer-delivered questionnaire, with or without postal reminders, on survey response rate in primary care. <i>Journal of Epidemiology and Community Health</i> , 2012 , 66, 663-4	5.1	8
124	Patients' perceptions of error in long-term illness care: qualitative study. <i>Journal of Health Services Research and Policy</i> , 2012 , 17, 181-7	2.4	18
123	Income, wealth and risk of diabetes among older adults: cohort study using the English longitudinal study of ageing. <i>European Journal of Public Health</i> , 2012 , 22, 310-7	2.1	23
122	Pragmatic randomised trials using routine electronic health records: putting them to the test. <i>BMJ</i> , 2012 , 344, e55	5.9	111
121	High prevalence of cardio-metabolic risk factors in a young urban Sri-Lankan population. <i>PLoS ONE</i> , 2012 , 7, e31309	3.7	10
120	Ethnic variations in the prevalence of diabetic retinopathy in people with diabetes attending screening in the United Kingdom (DRIVE UK). <i>PLoS ONE</i> , 2012 , 7, e32182	3.7	85

119	Ethnic variation in the prevalence of visual impairment in people attending diabetic retinopathy screening in the United Kingdom (DRIVE UK). <i>PLoS ONE</i> , 2012 , 7, e39608	3.7	27
118	Place of medical qualification and outcomes of UK General Medical Council "fitness to practise" process: cohort study. <i>BMJ, The</i> , 2011 , 342, d1817	5.9	30
117	Antihypertensive treatment after first stroke in primary care: results from the General Practitioner Research Database. <i>Journal of Hypertension</i> , 2011 , 29, 154-60	1.9	19
116	Epilepsy mortality and risk factors for death in epilepsy: a population-based study. <i>British Journal of General Practice</i> , 2011 , 61, e271-8	1.6	71
115	Trends in Type 1 diabetes incidence in the UK in 0- to 14-year-olds and in 15- to 34-year-olds, 1991-2008. <i>Diabetic Medicine</i> , 2011 , 28, 811-4	3.5	47
114	Prescription patterns of analgesics in the last 3 months of life: a retrospective analysis of 10202 lung cancer patients. <i>British Journal of Cancer</i> , 2011 , 104, 1704-10	8.7	11
113	Use of antihypertensive medications and mortality of patients with autosomal dominant polycystic kidney disease: a population-based study. <i>American Journal of Kidney Diseases</i> , 2011 , 57, 856-62	7.4	67
112	Potential application of item-response theory to interpretation of medical codes in electronic patient records. <i>BMC Medical Research Methodology</i> , 2011 , 11, 168	4.7	6
111	Utility of electronic patient records in primary care for stroke secondary prevention trials. <i>BMC Public Health</i> , 2011 , 11, 86	4.1	21
110	Cluster randomised trial in the General Practice Research Database: 1. Electronic decision support to reduce antibiotic prescribing in primary care (eCRT study). <i>Trials</i> , 2011 , 12, 115	2.8	23
109	DIABRISK-SL prevention of cardio-metabolic disease with life style modification in young urban Sri LankanB--study protocol for a randomized controlled trial. <i>Trials</i> , 2011 , 12, 209	2.8	12
108	Randomised Evaluations of Accepted Choices in Treatment (REACT) trials: large-scale pragmatic trials within databases of routinely collected electronic healthcare records. <i>Trials</i> , 2011 , 12,	2.8	3
107	Handwritten Post-itNotes, questionnaire formats and response to a postal questionnaire survey. <i>International Journal of Epidemiology</i> , 2011 , 40, 254-5	7.8	3
106	Impact on informed choice of offering antenatal sickle cell and thalassaemia screening in primary care: a randomized trial. <i>Journal of Medical Screening</i> , 2011 , 18, 65-75	1.4	12
105	Increasing socio-economic inequality in type 2 diabetes prevalence--repeated cross-sectional surveys in England 1994-2006. <i>European Journal of Public Health</i> , 2011 , 21, 484-90	2.1	64
104	Relational and management continuity survey in patients with multiple long-term conditions. <i>Journal of Health Services Research and Policy</i> , 2011 , 16, 67-74	2.4	33
103	Multiple morbidity is associated with increased problems of food access in hospital: a cross-sectional survey utilising the Cumulative Illness Rating Scale. <i>Journal of Human Nutrition and Dietetics</i> , 2010 , 23, 575-82	3.1	11
102	Socio-economic and ethnic inequalities in diabetes retinal screening. <i>Diabetic Medicine</i> , 2010 , 27, 282-8	3.5	54

101	Family practicesPachievement of diabetes quality of care targets and risk of screen-detected diabetic retinopathy. <i>PLoS ONE</i> , 2010 , 5, e10424	3.7	4
100	Declining 1-year case-fatality of stroke and increasing coverage of vascular risk management: population-based cohort study. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, 416-22	5.5	19
99	Effectiveness of earlier antenatal screening for sickle cell disease and thalassaemia in primary care: cluster randomised trial. <i>BMJ, The</i> , 2010 , 341, c5132	5.9	18
98	Developing a computer delivered, theory based intervention for guideline implementation in general practice. <i>BMC Family Practice</i> , 2010 , 11, 90	2.6	47
97	Confounder-adjusted estimates of the risk difference using propensity score-based weighting. <i>Statistics in Medicine</i> , 2010 , 29, 3126-36	2.3	15
96	Antenatal screening for haemoglobinopathies in primary care: a cohort study and cluster randomised trial to inform a simulation model. The Screening for Haemoglobinopathies in First Trimester (SHIFT) trial. <i>Health Technology Assessment</i> , 2010 , 14, 1-160	4.4	23
95	Selection of medical diagnostic codes for analysis of electronic patient records. Application to stroke in a primary care database. <i>PLoS ONE</i> , 2009 , 4, e7168	3.7	57
94	Selective decrease in consultations and antibiotic prescribing for acute respiratory tract infections in UK primary care up to 2006. <i>Journal of Public Health</i> , 2009 , 31, 512-20	3.5	59
93	Antihypertensive treatment after stroke and all-cause mortality--an analysis of the General Practitioner Research Database (GPRD). <i>Cerebrovascular Diseases</i> , 2009 , 28, 105-11	3.2	14
92	Experience of continuity of care of patients with multiple long-term conditions in England. <i>Journal of Health Services Research and Policy</i> , 2009 , 14, 82-7	2.4	50
91	Population intermediate outcomes of diabetes under pay-for-performance incentives in England from 2004 to 2008. <i>Diabetes Care</i> , 2009 , 32, 427-9	14.6	45
90	Experiences of food access in hospital. A new questionnaire measure. <i>Clinical Nutrition</i> , 2009 , 28, 625-30	5.9	38
89	Modernizing concepts of access and equity. <i>Health Economics, Policy and Law</i> , 2009 , 4, 223-30	2.3	6
88	Alarm symptoms and identification of non-cancer diagnoses in primary care: cohort study. <i>BMJ, The</i> , 2009 , 339, b3094	5.9	39
87	Is relative mortality of type 2 diabetes mellitus decreasing?. <i>American Journal of Epidemiology</i> , 2009 , 169, 455-61	3.8	52
86	Socio-economic and ethnic inequalities in diabetes retinal screening. <i>Diabetic Medicine</i> , 2009 , 27, 282	3.5	
85	2.9 Health services as determinants of population health 2009 ,		2
84	Hospital inpatientsPexperiences of access to food: a qualitative interview and observational study. <i>Health Expectations</i> , 2008 , 11, 294-303	3.7	70

83	Explaining the decline in early mortality in men and women with type 2 diabetes: a population-based cohort study. <i>Diabetes Care</i> , 2008 , 31, 1761-6	14.6	50
82	Commentary: What is a propensity score?. <i>British Journal of General Practice</i> , 2008 , 58, 687-687	1.6	20
81	Delay between pregnancy confirmation and sickle cell and [corrected] thalassaemia screening: a population-based cohort study. <i>British Journal of General Practice</i> , 2008 , 58, 154-9	1.6	20
80	Comparison of the risk difference, risk ratio and odds ratio scales for quantifying the unadjusted intervention effect in cluster randomized trials. <i>Statistics in Medicine</i> , 2008 , 27, 5143-55	2.3	25
79	Diabetes diagnosis, resource utilization, and health outcomes. <i>American Journal of Managed Care</i> , 2008 , 14, 32-8	2.1	18
78	Public health and human rights: questions from an epidemic in Prato. <i>Journal of Law & Medicine</i> , 2008 , 15, 752-9	0.3	
77	Achievement of metabolic targets for diabetes by English primary care practices under a new system of incentives. <i>Diabetic Medicine</i> , 2007 , 24, 505-11	3.5	58
76	Area deprivation and oral health in Scottish adults: a multilevel study. <i>Community Dentistry and Oral Epidemiology</i> , 2007 , 35, 118-29	2.8	32
75	Continuity of care and intermediate outcomes of type 2 diabetes mellitus. <i>Family Practice</i> , 2007 , 24, 245-51	1.9	46
74	Alarm symptoms in early diagnosis of cancer in primary care: cohort study using General Practice Research Database. <i>BMJ, The</i> , 2007 , 334, 1040	5.9	176
73	A simulation study of odds ratio estimation for binary outcomes from cluster randomized trials. <i>Statistics in Medicine</i> , 2007 , 26, 3415-28	2.3	19
72	The 18 Household Food Security Survey items provide valid food security classifications for adults and children in the Caribbean. <i>BMC Public Health</i> , 2006 , 6, 26	4.1	37
71	Predictive validity of different definitions of hypertension for type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2006 , 22, 361-6	7.5	1
70	Increased incidence of carpal tunnel syndrome up to 10 years before diagnosis of diabetes. <i>Diabetes Care</i> , 2006 , 29, 1929-30	14.6	37
69	Measuring continuity of care in diabetes mellitus: an experience-based measure. <i>Annals of Family Medicine</i> , 2006 , 4, 548-55	2.9	36
68	Incidence of common compressive neuropathies in primary care. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 263-5	5.5	215
67	Risk of diabetes associated with prescribed glucocorticoids in a large population. <i>Diabetes Care</i> , 2006 , 29, 2728-9	14.6	121
66	What is continuity of care?. <i>Journal of Health Services Research and Policy</i> , 2006 , 11, 248-50	2.4	144

65	Heritabilities and shared environmental effects were estimated from household clustering in national health survey data. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 1191-8	5.7	16
64	Food insecurity, weight control practices and body mass index in adolescents. <i>Public Health Nutrition</i> , 2006 , 9, 570-4	3.3	36
63	No association between immunization and Guillain-Barré syndrome in the United Kingdom, 1992 to 2000. <i>Archives of Internal Medicine</i> , 2006 , 166, 1301-4		75
62	Patients' perceptions and experiences of continuity of care in diabetes. <i>Health Expectations</i> , 2006 , 9, 118-29	3.7	59
61	Age-related changes in consultations and antibiotic prescribing for acute respiratory infections, 1995-2000. Data from the UK General Practice Research Database. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2006 , 31, 461-7	2.2	29
60	Explaining inequalities in access to treatment in lung cancer. <i>Journal of Evaluation in Clinical Practice</i> , 2006 , 12, 573-82	2.5	36
59	Sharing specialist skills for diabetes in an inner city: a comparison of two primary care organisations over 4 years. <i>Journal of Evaluation in Clinical Practice</i> , 2006 , 12, 583-90	2.5	10
58	Physical and psychological co-morbidity in irritable bowel syndrome: a matched cohort study using the General Practice Research Database. <i>Alimentary Pharmacology and Therapeutics</i> , 2006 , 24, 879-86	6.1	58
57	Headache and migraine in primary care: consultation, prescription, and referral rates in a large population. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2006 , 77, 385-7	5.5	123
56	Intraclass correlation coefficient and outcome prevalence are associated in clustered binary data. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 246-51	5.7	85
55	Self-administration of a food security scale by adolescents: item functioning, socio-economic position and food intakes. <i>Public Health Nutrition</i> , 2005 , 8, 853-60	3.3	19
54	Changing patterns of primary care for diabetes in Trinidad and Tobago over 10 years. <i>Diabetic Medicine</i> , 2005 , 22, 619-24	3.5	12
53	Cigarette smoking and prevention of Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2005 , 22, 1285-6; author reply 1286-7	3.5	0
52	Trends in antihypertensive and lipid-lowering therapy in subjects with type II diabetes: clinical effectiveness or clinical discretion?. <i>Journal of Human Hypertension</i> , 2005 , 19, 111-7	2.6	19
51	Increased utilization of primary care 5 years before diagnosis of type 2 diabetes: a matched cohort study. <i>Diabetes Care</i> , 2005 , 28, 47-52	14.6	20
50	Socioeconomic deprivation and proximity to general practices in England. <i>Journal of Public Health</i> , 2005 , 27, 308	3.5	
49	Variations in antibiotic prescribing and consultation rates for acute respiratory infection in UK general practices 1995-2000. <i>British Journal of General Practice</i> , 2005 , 55, 603-8	1.6	100
48	Continuity of care. <i>Family Medicine</i> , 2005 , 37, 687-8; author reply 688	0.8	3

47	Why has antibiotic prescribing for respiratory illness declined in primary care? A longitudinal study using the General Practice Research Database. <i>Journal of Public Health</i> , 2004 , 26, 268-74	3.5	103
46	Variations in glucose self-monitoring during oral hypoglycaemic therapy in primary care. <i>Diabetic Medicine</i> , 2004 , 21, 685-90	3.5	10
45	Socioeconomic inequality in blood pressure and its determinants: cross-sectional data from Trinidad and Tobago. <i>Journal of Human Hypertension</i> , 2004 , 18, 61-70	2.6	26
44	Reliability and validity of a short form household food security scale in a Caribbean community. <i>BMC Public Health</i> , 2004 , 4, 22	4.1	41
43	Availability and structure of primary medical care services and population health and health care indicators in England. <i>BMC Health Services Research</i> , 2004 , 4, 12	2.9	28
42	Diabetes-related inequalities in health status and financial barriers to health care access in a population-based study. <i>Diabetic Medicine</i> , 2004 , 21, 45-51	3.5	18
41	Mortality in type 2 diabetic subjects prescribed metformin and sulphonylurea drugs in combination: cohort study. <i>Diabetes/Metabolism Research and Reviews</i> , 2004 , 20, 239-45	7.5	51
40	Patterns of intra-cluster correlation from primary care research to inform study design and analysis. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 785-94	5.7	375
39	Geographical inequalities in lung cancer management and survival in South East England: evidence of variation in access to oncology services?. <i>British Journal of Cancer</i> , 2003 , 88, 1025-31	8.7	62
38	Evaluation of equity in diabetes health care in relation to African and Caribbean ethnicity. <i>Ethnicity and Health</i> , 2003 , 8, 121-33	2.2	15
37	Food insecurity definitions and body mass index. Response. <i>International Journal of Epidemiology</i> , 2003 , 32, 1118-9	7.8	3
36	Food insecurity and low income in an English inner city. <i>Journal of Public Health</i> , 2003 , 25, 156-9	3.5	60
35	Cigarette smoking, health status, socio-economic status and access to health care in diabetes mellitus: a cross-sectional survey. <i>BMC Health Services Research</i> , 2003 , 3, 4	2.9	33
34	Non-parametric bootstrap confidence intervals for the intraclass correlation coefficient. <i>Statistics in Medicine</i> , 2003 , 22, 3805-21	2.3	44
33	Social inequalities and children's height in Trinidad and Tobago. <i>European Journal of Clinical Nutrition</i> , 2003 , 57, 143-50	5.2	12
32	Commentary: epidemiological transition and socioeconomic inequalities in blood pressure in Jamaica. <i>International Journal of Epidemiology</i> , 2003 , 32, 408-9	7.8	7
31	Geographical and organisational variation in the structure of primary care services: implications for study design. <i>Journal of Health Services Research and Policy</i> , 2003 , 8, 87-93	2.4	11
30	Food insecurity, food choices, and body mass index in adults: nutrition transition in Trinidad and Tobago. <i>International Journal of Epidemiology</i> , 2003 , 32, 508-16	7.8	94

29	A note on the use of the variance inflation factor for determining sample size in cluster randomized trials 2002 , 51, 479-484		6
28	Availability of primary care doctors and population health in England: is there an association?. <i>Journal of Public Health</i> , 2002 , 24, 252-4	3.5	94
27	Free school meals and children's social and nutritional status in Trinidad and Tobago. <i>Public Health Nutrition</i> , 2002 , 5, 625-30	3.3	5
26	What does 'Access to health care' mean?. <i>Journal of Health Services Research and Policy</i> , 2002 , 7, 186-8	2.4	511
25	Diabetic foot disease and foot care in a Caribbean community. <i>Diabetes Research and Clinical Practice</i> , 2002 , 56, 35-40	7.4	24
24	Determinants of glycated haemoglobin in the general population: associations with diet, alcohol and cigarette smoking. <i>European Journal of Clinical Nutrition</i> , 2001 , 55, 615-23	5.2	54
23	Low rates of detection and treatment of hypertension among current cigarette smokers. <i>Journal of Human Hypertension</i> , 2001 , 15, 771-3	2.6	17
22	Utilisation of private care by public primary care clinic attenders with diabetes: relationship to health status and social factors. <i>Social Science and Medicine</i> , 2001 , 53, 1045-56	5.1	10
21	Overweight, obesity and skinfold thicknesses of children of African or Indian descent in Trinidad and Tobago. <i>International Journal of Epidemiology</i> , 2001 , 30, 989-98	7.8	37
20	Optimizing the Delivery of Effective Diabetes Care. <i>Disease Management and Health Outcomes</i> , 2001 , 9, 683-690		
19	Evaluating variations in medical practice between government primary care health centres. <i>Journal of Clinical Epidemiology</i> , 2001 , 54, 511-7	5.7	16
18	Management of diabetes mellitus in three settings in Jamaica. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2001 , 9, 65-72	4.1	15
17	Self-monitoring in Type 2 diabetes mellitus: a meta-analysis. <i>Diabetic Medicine</i> , 2000 , 17, 755-61	3.5	178
16	A five-year evaluation of intervention in diabetes care in Trinidad and Tobago. <i>Diabetic Medicine</i> , 1999 , 16, 939-45	3.5	18
15	A 4-year evaluation of blood pressure management in Trinidad and Tobago. <i>Journal of Human Hypertension</i> , 1999 , 13, 455-9	2.6	3
14	Relationship of health-related quality of life to symptom severity in diabetes mellitus: a study in Trinidad and Tobago. <i>Journal of Clinical Epidemiology</i> , 1999 , 52, 773-80	5.7	40
13	Methods in health service research. Evaluation of health interventions at area and organisation level. <i>BMJ: British Medical Journal</i> , 1999 , 319, 376-9		104
12	Social inequalities in morbidity from diabetes mellitus in public primary care clinics in Trinidad and Tobago. <i>Social Science and Medicine</i> , 1998 , 46, 137-44	5.1	17

11	Stroke in Trinidad and Tobago: burden of illness and risk factors. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 1998 , 4, 233-7	4.1	11
10	Social environment, morbidity and use of health care among people with diabetes mellitus in Trinidad. <i>International Journal of Epidemiology</i> , 1997 , 26, 620-7	7.8	13
9	Design of cost-effective packages of care for non-insulin-dependent diabetes mellitus. Defining the information needs. <i>International Journal of Technology Assessment in Health Care</i> , 1997 , 13, 395-410	1.8	5
8	Epidemiological transition in Trinidad and Tobago, West Indies 1953-1992. <i>International Journal of Epidemiology</i> , 1996 , 25, 357-65	7.8	28
7	Diabetes care in middle-income countries: a Caribbean case study. <i>Diabetic Medicine</i> , 1996 , 13, 574-81	3.5	22
6	Random blood glucose estimation in type 2 diabetes: does it reflect overall glycaemic control?. <i>Diabetic Medicine</i> , 1995 , 12, 637	3.5	1
5	The reliability of Cancer Registry records. <i>British Journal of Cancer</i> , 1993 , 67, 819-21	8.7	30
4	Evaluation of gastrin secretion in diabetic subjects with normal or abnormal cardiovascular autonomic function tests. <i>Acta Diabetologica Latina</i> , 1988 , 25, 275-82		1
3	Methods for Evaluating Organisation- or Area-Based Health Interventions	295-313	3
2	Antibiotic prescribing records in two UK primary care electronic health record systems. Comparison of the CPRD GOLD and CPRD Aurum databases		1
1	Sepsis Recording in Primary Care Electronic Health Records, Linked Hospital Episodes and Mortality Records: Population-based Cohort Study in England		1