W Richard Mccombie

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8090392/publications.pdf

Version: 2024-02-01

129 papers 82,808 citations

77 h-index

7568

127 g-index

140 all docs 140 docs citations

times ranked

140

80150 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Initial sequencing and analysis of the human genome. Nature, 2001, 409, 860-921. | 27.8 | 21,074 |
| 2 | Analysis of the genome sequence of the flowering plant Arabidopsis thaliana. Nature, 2000, 408, 796-815. | 27.8 | 8,336 |
| 3 | Initial sequencing and comparative analysis of the mouse genome. Nature, 2002, 420, 520-562. | 27.8 | 6,319 |
| 4 | <i>PTEN</i> , a Putative Protein Tyrosine Phosphatase Gene Mutated in Human Brain, Breast, and Prostate Cancer. Science, 1997, 275, 1943-1947. | 12.6 | 4,506 |
| 5 | The B73 Maize Genome: Complexity, Diversity, and Dynamics. Science, 2009, 326, 1112-1115. | 12.6 | 3,612 |
| 6 | Coming of age: ten years of next-generation sequencing technologies. Nature Reviews Genetics, 2016, 17, 333-351. | 16.3 | 3,160 |
| 7 | The tomato genome sequence provides insights into fleshy fruit evolution. Nature, 2012, 485, 635-641. | 27.8 | 2,860 |
| 8 | Tumour evolution inferred by single-cell sequencing. Nature, 2011, 472, 90-94. | 27.8 | 2,313 |
| 9 | The contribution of de novo coding mutations to autism spectrum disorder. Nature, 2014, 515, 216-221. | 27.8 | 2,188 |
| 10 | Complementary DNA Sequencing: Expressed Sequence Tags and Human Genome Project. Science, 1991, 252, 1651-1656. | 12.6 | 2,165 |
| 11 | Improvement of the Oryza sativa Nipponbare reference genome using next generation sequence and optical map data. Rice, 2013, 6, 4. | 4.0 | 1,777 |
| 12 | The genome sequence of Schizosaccharomyces pombe. Nature, 2002, 415, 871-880. | 27.8 | 1,508 |
| 13 | De Novo Gene Disruptions in Children on the Autistic Spectrum. Neuron, 2012, 74, 285-299. | 8.1 | 1,311 |
| 14 | Improved maize reference genome with single-molecule technologies. Nature, 2017, 546, 524-527. | 27.8 | 1,113 |
| 15 | Role of transposable elements in heterochromatin and epigenetic control. Nature, 2004, 430, 471-476. | 27.8 | 1,103 |
| 16 | Analysis of the bread wheat genome using whole-genome shotgun sequencing. Nature, 2012, 491, 705-710. | 27.8 | 983 |
| 17 | Hybrid error correction and de novo assembly of single-molecule sequencing reads. Nature Biotechnology, 2012, 30, 693-700. | 17.5 | 946 |
| 18 | Inactivation of the apoptosis effector Apaf-1 in malignant melanoma. Nature, 2001, 409, 207-211. | 27.8 | 901 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 19 | Draft genome sequence of pigeonpea (Cajanus cajan), an orphan legume crop of resource-poor farmers. Nature Biotechnology, 2012, 30, 83-89. | 17.5 | 788 |
| 20 | Specialized piRNA Pathways Act in Germline and Somatic Tissues of the Drosophila Ovary. Cell, 2009, 137, 522-535. | 28.9 | 774 |
| 21 | The genome of Theobroma cacao. Nature Genetics, 2011, 43, 101-108. | 21.4 | 656 |
| 22 | Genome-wide in situ exon capture for selective resequencing. Nature Genetics, 2007, 39, 1522-1527. | 21.4 | 635 |
| 23 | A resource for large-scale RNA-interference-based screens in mammals. Nature, 2004, 428, 427-431. | 27.8 | 620 |
| 24 | Second-generation shRNA libraries covering the mouse and human genomes. Nature Genetics, 2005, 37, 1281-1288. | 21.4 | 582 |
| 25 | Maize HapMap2 identifies extant variation from a genome in flux. Nature Genetics, 2012, 44, 803-807. | 21.4 | 577 |
| 26 | Assembly and diploid architecture of an individual human genome via single-molecule technologies. Nature Methods, 2015, 12, 780-786. | 19.0 | 465 |
| 27 | Genetic Definition and Sequence Analysis of <i>Arabidopsis</i> Centromeres. Science, 1999, 286, 2468-2474. | 12.6 | 417 |
| 28 | An Oncogenomics-Based In Vivo RNAi Screen Identifies Tumor Suppressors in Liver Cancer. Cell, 2008, 135, 852-864. | 28.9 | 404 |
| 29 | Epigenetic Natural Variation in Arabidopsis thaliana. PLoS Biology, 2007, 5, e174. | 5.6 | 400 |
| 30 | Sperm Methylation Profiles Reveal Features of Epigenetic Inheritance and Evolution in Primates. Cell, 2011, 146, 1029-1041. | 28.9 | 368 |
| 31 | De novo mutations in schizophrenia implicate chromatin remodeling and support a genetic overlap with autism and intellectual disability. Molecular Psychiatry, 2014, 19, 652-658. | 7.9 | 332 |
| 32 | Oxford Nanopore sequencing, hybrid error correction, and de novo assembly of a eukaryotic genome. Genome Research, 2015, 25, 1750-1756. | 5.5 | 331 |
| 33 | Topoisomerase levels determine chemotherapy response <i>in vitro</i> and <i>in vivo</i> . Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 9053-9058. | 7.1 | 261 |
| 34 | Directional DNA Methylation Changes and Complex Intermediate States Accompany Lineage Specificity in the Adult Hematopoietic Compartment. Molecular Cell, 2011, 44, 17-28. | 9.7 | 261 |
| 35 | The maize methylome influences mRNA splice sites and reveals widespread paramutation-like switches guided by small RNA. Genome Research, 2013, 23, 1651-1662. | 5 . 5 | 260 |
| 36 | In-Depth View of Structure, Activity, and Evolution of Rice Chromosome 10. Science, 2003, 300, 1566-1569. | 12.6 | 245 |

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 37 | Prepublication data sharing. Nature, 2009, 461, 168-170. | 27.8 | 243 |
| 38 | Differential methylation of genes and retrotransposons facilitates shotgun sequencing of the maize genome. Nature Genetics, 1999, 23, 305-308. | 21.4 | 237 |
| 39 | Genomic amplification and oncogenic properties of the KCNK9 potassium channel gene. Cancer Cell, 2003, 3, 297-302. | 16.8 | 229 |
| 40 | Whole genome de novo assemblies of three divergent strains of rice, Oryza sativa, document novel gene space of aus and indica. Genome Biology, 2014, 15, 506. | 8.8 | 228 |
| 41 | Curated genome annotation of Oryza sativa ssp. japonica and comparative genome analysis with Arabidopsis thaliana. Genome Research, 2007, 17, 175-183. | 5.5 | 218 |
| 42 | A 4-gigabase physical map unlocks the structure and evolution of the complex genome of <i>Aegilops tauschii, </i> the wheat D-genome progenitor. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 7940-7945. | 7.1 | 214 |
| 43 | New mutation in scrapie amyloid precursor gene (at codon 178) in Finnish Creutzfeldt-Jakob kindred. Lancet, The, 1991, 337, 425. | 13.7 | 212 |
| 44 | Maize Genome Sequencing by Methylation Filtration. Science, 2003, 302, 2115-2117. | 12.6 | 206 |
| 45 | Caenorhabditis elegans expressed sequence tags identify gene families and potential disease gene homologues. Nature Genetics, 1992, 1, 124-131. | 21.4 | 199 |
| 46 | High definition profiling of mammalian DNA methylation by array capture and single molecule bisulfite sequencing. Genome Research, 2009, 19, 1593-1605. | 5 . 5 | 198 |
| 47 | Proteomic analysis of a disease-resistance-enhanced lesion mimic mutant spotted leaf 5 in rice. Rice, 2013, 6, 1. | 4.0 | 186 |
| 48 | The $\langle i \rangle$ Arabidopsis SKP1-LIKE1 $\langle i \rangle$ gene is essential for male meiosis and may control homologue separation. Proceedings of the National Academy of Sciences of the United States of America, 1999, 96, 11416-11421. | 7.1 | 184 |
| 49 | Sequence and analysis of chromosome 5 of the plant Arabidopsis thaliana. Nature, 2000, 408, 823-826. | 27.8 | 175 |
| 50 | Hybrid selection of discrete genomic intervals on custom-designed microarrays for massively parallel sequencing. Nature Protocols, 2009, 4, 960-974. | 12.0 | 171 |
| 51 | Alta-Cyclic: a self-optimizing base caller for next-generation sequencing. Nature Methods, 2008, 5, 679-682. | 19.0 | 166 |
| 52 | Current challenges in de novo plant genome sequencing and assembly. Genome Biology, 2012, 13, 243. | 9.6 | 157 |
| 53 | Functional Identification of Tumor-Suppressor Genes through an In Vivo RNA Interference Screen in a Mouse Lymphoma Model. Cancer Cell, 2009, 16, 324-335. | 16.8 | 155 |
| 54 | Temporal transcriptional logic of dynamic regulatory networks underlying nitrogen signaling and use in plants. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 6494-6499. | 7.1 | 150 |

| # | Article | IF | CITATIONS |
|----|---|-------------|-----------|
| 55 | Differential methylation of genes and repeats in land plants. Genome Research, 2005, 15, 1431-1440. | 5. 5 | 145 |
| 56 | Next-Generation Sequencing Technologies. Cold Spring Harbor Perspectives in Medicine, 2019, 9, a036798. | 6.2 | 143 |
| 57 | Complex rearrangements and oncogene amplifications revealed by long-read DNA and RNA sequencing of a breast cancer cell line. Genome Research, 2018, 28, 1126-1135. | 5.5 | 142 |
| 58 | Sorghum Genome Sequencing by Methylation Filtration. PLoS Biology, 2005, 3, e13. | 5.6 | 138 |
| 59 | A map for sequence analysis of the Arabidopsis thaliana genome. Nature Genetics, 1999, 22, 265-270. | 21.4 | 134 |
| 60 | A Functional Phylogenomic View of the Seed Plants. PLoS Genetics, 2011, 7, e1002411. | 3.5 | 134 |
| 61 | Two waves of de novo methylation during mouse germ cell development. Genes and Development, 2014, 28, 1544-1549. | 5.9 | 123 |
| 62 | Genes and Transposons Are Differentially Methylated in Plants, but Not in Mammals. Genome Research, 2003, 13, 2658-2664. | 5.5 | 122 |
| 63 | The effects of carbon dioxide and temperature on microRNA expression in Arabidopsis development. Nature Communications, 2013, 4, 2145. | 12.8 | 122 |
| 64 | Loss of p53 impedes the antileukemic response to BCR-ABL inhibition. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 7444-7449. | 7.1 | 121 |
| 65 | Validation and assessment of variant calling pipelines for next-generation sequencing. Human Genomics, 2014, 8, 14. | 2.9 | 121 |
| 66 | Massively parallel bisulphite pyrosequencing reveals the molecular complexity of breast cancer-associated cytosine-methylation patterns obtained from tissue and serum DNA. Genome Research, 2008, 18, 19-29. | 5.5 | 114 |
| 67 | A comparative analysis of exome capture. Genome Biology, 2011, 12, R97. | 9.6 | 110 |
| 68 | Creutzfeldtâ€Jakob disease cosegregates with the codon 178 ^{Asn} <i>PRNP</i> mutation in families of European origin. Annals of Neurology, 1992, 31, 274-281. | 5.3 | 105 |
| 69 | Rapid and reliable fluorescent cycle sequencing of double-stranded templates. DNA Sequence, 1992, 2, 289-296. | 0.7 | 97 |
| 70 | Production of complex nucleic acid libraries using highly parallel in situ oligonucleotide synthesis. Nature Methods, 2004, 1, 241-248. | 19.0 | 96 |
| 71 | Phylogenomic analysis of transcriptome data elucidates coâ€occurrence of a paleopolyploid event and the origin of bimodal karyotypes in Agavoideae (Asparagaceae). American Journal of Botany, 2012, 99, 397-406. | 1.7 | 94 |
| 72 | The histone methyltransferase SDG8 mediates the epigenetic modification of light and carbon responsive genes in plants. Genome Biology, 2015, 16, 79. | 8.8 | 91 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Parallel comparison of Illumina RNA-Seq and Affymetrix microarray platforms on transcriptomic profiles generated from 5-aza-deoxy-cytidine treated HT-29 colon cancer cells and simulated datasets. BMC Bioinformatics, 2013, 14, S1. | 2.6 | 88 |
| 74 | SpliceTrap: a method to quantify alternative splicing under single cellular conditions. Bioinformatics, 2011, 27, 3010-3016. | 4.1 | 86 |
| 75 | Next-generation sequencing of endoscopic biopsies identifies ARID1A as a tumor-suppressor gene in Barrett's esophagus. Oncogene, 2014, 33, 347-357. | 5.9 | 84 |
| 76 | Genetic analysis using genomic representations. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 4487-4492. | 7.1 | 83 |
| 77 | Genomeâ€wide transposon tagging reveals locationâ€dependent effects on transcription and chromatin organization in Arabidopsis. Plant Journal, 2008, 55, 514-525. | 5.7 | 80 |
| 78 | Distinct p53 genomic binding patterns in normal and cancer-derived human cells. Cell Cycle, 2011, 10, 4237-4249. | 2.6 | 80 |
| 79 | Integrated RNA-seq and sRNA-seq analysis identifies novel nitrate-responsive genes in Arabidopsis thaliana roots. BMC Genomics, 2013, 14, 701. | 2.8 | 76 |
| 80 | A comparative transcriptional landscape of maize and sorghum obtained by single-molecule sequencing. Genome Research, 2018, 28, 921-932. | 5.5 | 76 |
| 81 | Small RNA-based silencing strategies for transposons in the process of invading <i>Drosophila</i> species. Rna, 2010, 16, 1634-1645. | 3.5 | 75 |
| 82 | Sequence, annotation, and analysis of synteny between rice chromosome 3 and diverged grass species. Genome Research, 2005, 15, 1284-1291. | 5.5 | 73 |
| 83 | Comprehensive analysis of structural variants in breast cancer genomes using single-molecule sequencing. Genome Research, 2020, 30, 1258-1273. | 5.5 | 72 |
| 84 | Syntenic Relationships between Medicago truncatulaand Arabidopsis Reveal Extensive Divergence of Genome Organization,. Plant Physiology, 2003, 131, 1018-1026. | 4.8 | 67 |
| 85 | Transpositional landscape of the rice genome revealed by pairedâ€end mapping of highâ€throughput reâ€sequencing data. Plant Journal, 2011, 66, 241-246. | 5.7 | 62 |
| 86 | DISC1 as a genetic risk factor for schizophrenia and related major mental illness: response to Sullivan. Molecular Psychiatry, 2014, 19, 141-143. | 7.9 | 62 |
| 87 | Comparative analysis of a Brassica BAC clone containing several major aliphatic glucosinolate genes with its corresponding Arabidopsis sequence. Genome, 2004, 47, 666-679. | 2.0 | 61 |
| 88 | An insert mutation in the chromosome 20 amyloid precursor gene in a Gerstmann-StrÃussler-Scheinker family. Journal of the Neurological Sciences, 1992, 111, 189-194. | 0.6 | 60 |
| 89 | 708 Common and 2010 rare DISC1 locus variants identified in 1542 subjects: analysis for association with psychiatric disorder and cognitive traits. Molecular Psychiatry, 2014, 19, 668-675. | 7.9 | 59 |
| 90 | What is Finished, and Why Does it Matter. Genome Research, 2002, 12, 669-671. | 5.5 | 57 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Sequencing the maize genome. Current Opinion in Plant Biology, 2004, 7, 102-107. | 7.1 | 51 |
| 92 | Hybrid assembly with long and short reads improves discovery of gene family expansions. BMC Genomics, 2017, 18, 541. | 2.8 | 51 |
| 93 | Chd5 Requires PHD-Mediated Histone 3 Binding for Tumor Suppression. Cell Reports, 2013, 3, 92-102. | 6.4 | 47 |
| 94 | Sequence analysis of the long arm of rice chromosome 11 for rice?wheat synteny. Functional and Integrative Genomics, 2004, 4, 102-117. | 3.5 | 44 |
| 95 | Mapping epigenetic mutations in fission yeast using whole-genome next-generation sequencing. Genome Research, 2009, 19, 1077-1083. | 5.5 | 44 |
| 96 | Sugarcane genome sequencing by methylation filtration provides tools for genomic research in the genus <i><scp>S</scp>accharum</i> . Plant Journal, 2014, 79, 162-172. | 5.7 | 40 |
| 97 | Detailed Analysis of a Contiguous 22-Mb Region of the Maize Genome. PLoS Genetics, 2009, 5, e1000728. | 3.5 | 39 |
| 98 | Gene enrichment in plant genomic shotgun libraries. Current Opinion in Plant Biology, 2003, 6, 150-156. | 7.1 | 37 |
| 99 | Translating next generation sequencing to practice: Opportunities and necessary steps. Molecular Oncology, 2013, 7, 743-755. | 4.6 | 34 |
| 100 | SDG8-Mediated Histone Methylation and RNA Processing Function in the Response to Nitrate Signaling. Plant Physiology, 2020, 182, 215-227. | 4.8 | 30 |
| 101 | Comparative analysis of methylthioalkylmalate synthase (MAM) gene family and flanking DNA sequences in Brassica oleracea and Arabidopsis thaliana. Plant Cell Reports, 2006, 25, 592-598. | 5.6 | 29 |
| 102 | Discovery of Novel Human Breast Cancer MicroRNAs from Deep Sequencing Data by Analysis of Pri-MicroRNA Secondary Structures. PLoS ONE, 2011, 6, e16403. | 2.5 | 29 |
| 103 | Comparing low coverage random shotgun sequence data from Brassica oleracea and Oryza sativa genome sequence for their ability to add to the annotation of Arabidopsis thaliana. Genome Research, 2005, 15, 496-504. | 5.5 | 27 |
| 104 | Comparative analysis of a transposon-rich Brassica oleracea BAC clone with its corresponding sequence in A. thaliana. Theoretical and Applied Genetics, 2005, 111, 949-955. | 3.6 | 25 |
| 105 | Whole transcriptome analysis of the fasting and fed Burmese python heart: insights into extreme physiological cardiac adaptation. Physiological Genomics, 2011, 43, 69-76. | 2.3 | 24 |
| 106 | Secretion Trap Tagging of Secreted and Membrane-Spanning Proteins Using Arabidopsis Gene Traps. Plant Physiology, 2003, 132, 698-708. | 4.8 | 22 |
| 107 | A Hybrid Likelihood Model for Sequence-Based Disease Association Studies. PLoS Genetics, 2013, 9, e1003224. | 3.5 | 19 |
| 108 | Unlocking the Treasure Trove: From Genes to Schizophrenia Biology. Schizophrenia Bulletin, 2014, 40, 492-496. | 4.3 | 19 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Identification of Mesoderm Development (mesd) Candidate Genes by Comparative Mapping and Genome Sequence Analysis. Genomics, 2001, 72, 88-98. | 2.9 | 17 |
| 110 | The First Plant Genome. Cell, 2001, 105, 571-574. | 28.9 | 15 |
| 111 | High-content analysis of cancer genome DNA alterations. Current Opinion in Genetics and Development, 2008, 18, 68-72. | 3.3 | 14 |
| 112 | SLC5A3-Dependent Myo-inositol Auxotrophy in Acute Myeloid Leukemia. Cancer Discovery, 2022, 12, 450-467. | 9.4 | 14 |
| 113 | Transcriptional Silencing of <i>ALDH2</i> Confers a Dependency on Fanconi Anemia Proteins in Acute Myeloid Leukemia. Cancer Discovery, 2021, 11, 2300-2315. | 9.4 | 13 |
| 114 | Sequencing and analysis of genomic fragments from the <i>NF1 </i> locus. DNA Sequence, 1992, 3, 237-243. | 0.7 | 11 |
| 115 | The mouse genome: Experimental examination of gene predictions and transcriptional start sites. Genome Research, 2004, 14, 2424-2429. | 5.5 | 11 |
| 116 | Establishing the baseline level of repetitive element expression in the human cortex. BMC Genomics, 2011, 12, 495. | 2.8 | 11 |
| 117 | Future Promises and Concerns of Ubiquitous Next-Generation Sequencing. Cold Spring Harbor Perspectives in Medicine, 2019, 9, a025783. | 6.2 | 10 |
| 118 | <tt>GFScan</tt> : A Gene Family Search Tool at Genomic DNA Level. Genome Research, 2002, 12, 1142-1149. | 5.5 | 8 |
| 119 | High-Throughput Sequencing. , 2011, , 461-478. | | 8 |
| 120 | Fluorescence-Based Sequencing of Double-Stranded DNA by Hexamer String Priming. Analytical Biochemistry, 1996, 241, 228-237. | 2.4 | 7 |
| 121 | On the importance of being finished. Genome Biology, 2002, 3, comment2010.1. | 9.6 | 7 |
| 122 | FamAnn: an automated variant annotation pipeline to facilitate target discovery for family-based sequencing studies. Bioinformatics, 2014, 30, 1175-1176. | 4.1 | 7 |
| 123 | 1D Genome Sequencing on the Oxford Nanopore MinION. Current Protocols in Human Genetics, 2017, 94, 18.11.1-18.11.14. | 3.5 | 7 |
| 124 | Rapid isolation of cDNA by hybridization. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 3764-3769. | 7.1 | 5 |
| 125 | A Survey of Canine Expressed Sequence Tags and a Display of Their Annotations Through a Flexible Web-Based Interface., 2003, 94, 15-22. | | 4 |
| 126 | A trimming-and-retrieving alignment scheme for reduced representation bisulfite sequencing: Fig. 1 Bioinformatics, 2015, 31, 2040-2042. | 4.1 | 3 |

| # | Article | IF | CITATIONS |
|-----|---|--------------|-----------|
| 127 | Genome Sequencing Conference I: Summary. Genomics, 1990, 8, 186-188. | 2.9 | 1 |
| 128 | GFScan: A Gene Family Search Tool at Genomic DNA Level. Genome Research, 2002, 12, 1142-1149. | 5 . 5 | 1 |
| 129 | Solution-Phase Exome Capture. Cold Spring Harbor Protocols, 2017, 2017, pdb.prot094680. | 0.3 | O |