Agnieszka PaweÅ,czyk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8090863/publications.pdf

Version: 2024-02-01

758635 752256 29 464 12 20 citations h-index g-index papers 37 37 37 787 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A randomized controlled study of the efficacy of six-month supplementation with concentrated fish oil rich in omega-3 polyunsaturated fatty acids in first episode schizophrenia. Journal of Psychiatric Research, 2016, 73, 34-44.	1.5	88
2	Omega-3 fatty acids in first-episode schizophrenia - a randomized controlled study of efficacy and relapse prevention (OFFER): rationale, design, and methods. BMC Psychiatry, 2015, 15, 97.	1.1	41
3	Schizophrenia patients have higher-order language and extralinguistic impairments. Schizophrenia Research, 2018, 192, 274-280.	1.1	38
4	Omega-3 fatty acid supplementation may prevent loss of gray matter thickness in the left parieto-occipital cortex in first episode schizophrenia: A secondary outcome analysis of the OFFER randomized controlled study. Schizophrenia Research, 2018, 195, 168-175.	1.1	27
5	An increase in plasma brain derived neurotrophic factor levels is related to n-3 polyunsaturated fatty acid efficacy in first episode schizophrenia: secondary outcome analysis of the OFFER randomized clinical trial. Psychopharmacology, 2019, 236, 2811-2822.	1.5	27
6	PORT (Programme of Recognition and Therapy): the first Polish recognition and treatment programme for patients with an at-risk mental state. Microbial Biotechnology, 2015, 9, 339-342.	0.9	26
7	Effectiveness and clinical predictors of response to combined ECT and antipsychotic therapy in patients with treatment-resistant schizophrenia and dominant negative symptoms. Psychiatry Research, 2014, 220, 175-180.	1.7	23
8	Obstetrical complications and Apgar score in subjects at risk of psychosis. Journal of Psychiatric Research, 2014, 48, 79-85.	1.5	22
9	Telomerase level increase is related to n-3 polyunsaturated fatty acid efficacy in first episode schizophrenia: Secondary outcome analysis of the OFFER randomized clinical trial. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2018, 83, 142-148.	2.5	21
10	Higher-order language dysfunctions as a possible neurolinguistic endophenotype for schizophrenia: Evidence from patients and their unaffected first degree relatives Psychiatry Research, 2018, 267, 63-72.	1.7	18
11	The association between polyunsaturated fatty acid consumption and the transition to psychosis in ultra-high risk individuals. Prostaglandins Leukotrienes and Essential Fatty Acids, 2016, 108, 30-37.	1.0	15
12	Polish individuals with an atâ€risk mental state: demographic and clinical characteristics. Microbial Biotechnology, 2018, 12, 391-399.	0.9	14
13	Augmentation of Antipsychotics with Electroconvulsive Therapy in Treatment-Resistant Schizophrenia Patients with Dominant Negative Symptoms: A Pilot Study of Effectiveness. Neuropsychobiology, 2014, 70, 158-164.	0.9	13
14	Deficits in the identification of pleasant odors predict the transition of an at-risk mental state to psychosis. Schizophrenia Research, 2017, 181, 49-54.	1.1	13
15	Short clinically-based prediction model to forecast transition to psychosis in individuals at clinical high risk state. European Psychiatry, 2019, 58, 72-79.	0.1	9
16	Differences in omegaâ€3 and omegaâ€6 polyunsaturated fatty acid consumption in people at ultraâ€high risk of psychosis, firstâ€episode schizophrenia, and in healthy controls. Microbial Biotechnology, 2017, 11, 498-508.	0.9	8
17	A developmentally-stable pattern of premorbid schizoid-schizotypal features predicts psychotic transition from the clinical high-risk for psychosis state. Comprehensive Psychiatry, 2019, 90, 95-101.	1.5	8
18	Preliminary study of higherâ€order language and extralinguistic impairments in individuals with high clinical risk of psychosis and first episode of schizophrenia. Microbial Biotechnology, 2019, 13, 369-378.	0.9	8

#	Article	IF	CITATIONS
19	Omega-3 fatty acids reduce cardiometabolic risk in first-episode schizophrenia patients treated with antipsychotics: Findings from the OFFER randomized controlled study. Schizophrenia Research, 2021, 230, 61-68.	1.1	6
20	Temperament Traits and Preference for Surgical or Nonsurgical Specialties in Year 6 Medical Students. Teaching and Learning in Medicine, 2014, 26, 387-392.	1.3	5
21	Figural fluency and immediate visual memory in patients with atâ€risk mental state for psychosis: empirical study. Microbial Biotechnology, 2015, 9, 324-330.	0.9	4
22	Is There a Decline in Cognitive Functions After Combined Electroconvulsive Therapy and Antipsychotic Therapy in Treatment-Refractory Schizophrenia?. Journal of Nervous and Mental Disease, 2015, 203, 182-186.	0.5	4
23	Metaphor Processing in Schizophrenia Patients: A Study of Comprehension and Explanation of Metaphors. Psychology of Language and Communication, 2017, 21, 287-305.	0.2	4
24	A history of obstetric complications is associated with the risk of progression from an at risk mental state to psychosis. Schizophrenia Research, 2018, 197, 498-503.	1.1	4
25	Higher order language impairments can predict the transition of ultrahigh risk state to psychosis—An empirical study. Microbial Biotechnology, 2021, 15, 314-327.	0.9	3
26	The correlation between white matter integrity and pragmatic language processing in first episode schizophrenia. Brain Imaging and Behavior, 2021, 15, 1068-1084.	1.1	2
27	Prosodic deficits and interpersonal difficulties in patients with schizophrenia. Psychiatry Research, 2021, 306, 114244.	1.7	2
28	Cervical Paraspinal Chordoma: A Literature Review with a Novel Case Report. Journal of Clinical Medicine, 2022, 11, 4117.	1.0	2
29	Priorities, factors and alternatives involved in the choice of medical specialty – an empirical study on year sixth medical students. Zdrowie Publiczne I Zarządzanie, 2019, 17, 62-73.	0.3	0