Charles Harvey Cannon

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8091379/charles-harvey-cannon-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

4,874
citations

4,874
h-index

90
ext. papers

7.1
avg, IF

L-index

#	Paper	IF	Citations
83	Asking half the question in explaining tropical diversity Trends in Ecology and Evolution, 2022,	10.9	1
82	Extending Our Scientific Reach in Arboreal Ecosystems for Research and Management. <i>Frontiers in Forests and Global Change</i> , 2021 , 4,	3.7	4
81	Discovering and Applying the Urban Rules of Life to Design Sustainable and Healthy Cities. <i>Integrative and Comparative Biology</i> , 2021 , 61, 1237-1252	2.8	2
80	Genomic evidence of prevalent hybridization throughout the evolutionary history of the fig-wasp pollination mutualism. <i>Nature Communications</i> , 2021 , 12, 718	17.4	8
79	Application of remote sensing technology to estimate productivity and assess phylogenetic heritability. <i>Applications in Plant Sciences</i> , 2020 , 8, e11401	2.3	3
78	Fruit development of Lithocarpus (Fagaceae) and the role of heterochrony in their evolution. <i>Journal of Plant Research</i> , 2020 , 133, 217-229	2.6	1
77	The oak syngameon: more than the sum of its parts. <i>New Phytologist</i> , 2020 , 226, 978-983	9.8	28
76	Demography and destiny: The syngameon in hyperdiverse systems. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 8105	11.5	5
75	Drone-based photogrammetry for the construction of high-resolution models of individual trees. <i>Trees - Structure and Function</i> , 2019 , 33, 1385-1397	2.6	7
74	Genomic Identity of White Oak Species in an Eastern North American Syngameon. <i>Annals of the Missouri Botanical Garden</i> , 2019 , 104, 455-477	1.8	11
73	Comment on "Eocene Fagaceae from Patagonia and Gondwanan legacy in Asian rainforests". <i>Science</i> , 2019 , 366,	33.3	1
72	Building a tree observatory. <i>Acta Horticulturae</i> , 2018 , 85-92	0.3	2
71	Associated morphometric and geospatial differentiation among 98 species of stone oaks (Lithocarpus). <i>PLoS ONE</i> , 2018 , 13, e0199538	3.7	3
70	Patterns of genomic diversification reflect differences in life history and reproductive biology between figs (Ficus) and the stone oaks (Lithocarpus). <i>Genome</i> , 2017 , 60, 756-761	2.4	2
69	Exploring the potential of gametic reconstruction of parental genotypes by F hybrids as a bridge for rapid introgression. <i>Genome</i> , 2017 , 60, 713-719	2.4	12
68	The origin, diversification and adaptation of a major mangrove clade (Rhizophoreae) revealed by whole-genome sequencing. <i>National Science Review</i> , 2017 , 4, 721-734	10.8	56
67	Botanic gardens should lead the way to create a "Garden Earth" in the Anthropocene. <i>Plant Diversity</i> , 2017 , 39, 331-337	2.9	6

(2014-2016)

66	Inference of Markovian properties of molecular sequences from NGS data and applications to comparative genomics. <i>Bioinformatics</i> , 2016 , 32, 993-1000	7.2	22
65	Evolutionary diversification of alpine ginger reflects the early uplift of the Himalayan libetan Plateau and rapid extrusion of Indochina. <i>Gondwana Research</i> , 2016 , 32, 232-241	5.1	39
64	Reply to Letter to the editor regarding the article Developing indicators of economic value and biodiversity loss for rubber plantations in Xishuangbanna, southwest China: A case study from Menglun township by Yi et al. (2014) published in Ecological Indicators 36 (2014), 788 197 1	5.8	О
63	Ecological Indicators, 2016 , 66, 632-633 Cross-specific amplification of microsatellite DNA markers in Shorea platyclados. <i>Journal of Forestry Research</i> , 2016 , 27, 27-32	2	6
62	Pollinator sharing and gene flow among closely related sympatric dioecious fig taxa. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016 , 283,	4.4	30
61	An assembly and alignment-free method of phylogeny reconstruction from next-generation sequencing data. <i>BMC Genomics</i> , 2015 , 16, 522	4.5	87
60	Deforestation and fragmentation of natural forests in the upper Changhua watershed, Hainan, China: implications for biodiversity conservation. <i>Environmental Monitoring and Assessment</i> , 2015 , 187, 4137	3.1	18
59	Variable mating behaviors and the maintenance of tropical biodiversity. <i>Frontiers in Genetics</i> , 2015 , 6, 183	4.5	32
58	Major declines of woody plant species ranges under climate change in Yunnan, China. <i>Diversity and Distributions</i> , 2014 , 20, 405-415	5	57
57	Footprints of divergent selection in natural populations of Castanopsis fargesii (Fagaceae). <i>Heredity</i> , 2014 , 113, 533-41	3.6	18
56	Borneo and Indochina are major evolutionary hotspots for Southeast Asian biodiversity. <i>Systematic Biology</i> , 2014 , 63, 879-901	8.4	190
55	Genome size variation in the Fagaceae and its implications for trees. <i>Tree Genetics and Genomes</i> , 2014 , 10, 977-988	2.1	23
54	Can carbon-trading schemes help to protect China's most diverse forest ecosystems? A case study from Xishuangbanna, Yunnan. <i>Land Use Policy</i> , 2014 , 38, 646-656	5.6	38
53	Developing indicators of economic value and biodiversity loss for rubber plantations in Xishuangbanna, southwest China: A case study from Menglun township. <i>Ecological Indicators</i> , 2014 , 36, 788-797	5.8	91
52	Microsatellite DNA markers in Shorea platyclados (Dipterocarpaceae): genetic diversity, size homoplasy and mother trees. <i>Journal of Forest Science</i> , 2014 , 60, 18-27	0.9	4
51	Protein domain analysis of genomic sequence data reveals regulation of LRR related domains in plant transpiration in Ficus. <i>PLoS ONE</i> , 2014 , 9, e108719	3.7	4
50	Historical distribution of Sundaland's Dipterocarp rainforests at Quaternary glacial maxima. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 16790-5	11.5	64
49	Increasing tree cover while losing diverse natural forests in tropical Hainan, China. <i>Regional Environmental Change</i> , 2014 , 14, 611-621	4.3	62

48	How does conversion of natural tropical rainforest ecosystems affect soil bacterial and fungal communities in the Nile river watershed of Uganda?. <i>PLoS ONE</i> , 2014 , 9, e104818	3.7	13
47	Pseudo-Sanger sequencing: massively parallel production of long and near error-free reads using NGS technology. <i>BMC Genomics</i> , 2013 , 14, 711	4.5	11
46	Dissecting the decision making process of scatter-hoarding rodents. <i>Oikos</i> , 2013 , 122, 1027-1034	4	50
45	Molecular evolutionary analysis of the Alfin-like protein family in Arabidopsis lyrata, Arabidopsis thaliana, and Thellungiella halophila. <i>PLoS ONE</i> , 2013 , 8, e66838	3.7	14
44	Rubber and pulp plantations represent a double threat to Hainan's natural tropical forests. <i>Journal of Environmental Management</i> , 2012 , 96, 64-73	7.9	48
43	Exploiting sparseness in de novo genome assembly. <i>BMC Bioinformatics</i> , 2012 , 13 Suppl 6, S1	3.6	176
42	Using species distribution modeling to improve conservation and land use planning of Yunnan, China. <i>Biological Conservation</i> , 2012 , 153, 257-264	6.2	102
41	Development of high-throughput SNP-based genotyping in Acacia auriculiformis x A. mangium hybrids using short-read transcriptome data. <i>BMC Genomics</i> , 2012 , 13, 726	4.5	11
40	Averting biodiversity collapse in tropical forest protected areas. <i>Nature</i> , 2012 , 489, 290-4	50.4	686
39	Reference-free comparative genomics of 174 chloroplasts. <i>PLoS ONE</i> , 2012 , 7, e48995	3.7	4
39	Reference-free comparative genomics of 174 chloroplasts. <i>PLoS ONE</i> , 2012 , 7, e48995 Evidence for a trade-off strategy in stone oak (Lithocarpus) seeds between physical and chemical defense highlights fiber as an important antifeedant. <i>PLoS ONE</i> , 2012 , 7, e32890	3.7	23
	Evidence for a trade-off strategy in stone oak (Lithocarpus) seeds between physical and chemical		
38	Evidence for a trade-off strategy in stone oak (Lithocarpus) seeds between physical and chemical defense highlights fiber as an important antifeedant. <i>PLoS ONE</i> , 2012 , 7, e32890 Limited Edge Effects Along a Burned-Unburned Bornean Forest Boundary Seven Years after	3.7	23
38	Evidence for a trade-off strategy in stone oak (Lithocarpus) seeds between physical and chemical defense highlights fiber as an important antifeedant. <i>PLoS ONE</i> , 2012 , 7, e32890 Limited Edge Effects Along a Burned-Unburned Bornean Forest Boundary Seven Years after Disturbance. <i>Biotropica</i> , 2011 , 43, 288-298 Phylogeny and evolution of bracts and bracteoles in Tacca (Dioscoreaceae). <i>Journal of Integrative</i>	3.7	23
38 37 36	Evidence for a trade-off strategy in stone oak (Lithocarpus) seeds between physical and chemical defense highlights fiber as an important antifeedant. <i>PLoS ONE</i> , 2012 , 7, e32890 Limited Edge Effects Along a Burned-Unburned Bornean Forest Boundary Seven Years after Disturbance. <i>Biotropica</i> , 2011 , 43, 288-298 Phylogeny and evolution of bracts and bracteoles in Tacca (Dioscoreaceae). <i>Journal of Integrative Plant Biology</i> , 2011 , 53, 901-11 Identification of lignin genes and regulatory sequences involved in secondary cell wall formation in Acacia auriculiformis and Acacia mangium via de novo transcriptome sequencing. <i>BMC Genomics</i> ,	3.7 2.3 8.3	23 8 7
38 37 36 35	Evidence for a trade-off strategy in stone oak (Lithocarpus) seeds between physical and chemical defense highlights fiber as an important antifeedant. <i>PLoS ONE</i> , 2012 , 7, e32890 Limited Edge Effects Along a Burned-Unburned Bornean Forest Boundary Seven Years after Disturbance. <i>Biotropica</i> , 2011 , 43, 288-298 Phylogeny and evolution of bracts and bracteoles in Tacca (Dioscoreaceae). <i>Journal of Integrative Plant Biology</i> , 2011 , 53, 901-11 Identification of lignin genes and regulatory sequences involved in secondary cell wall formation in Acacia auriculiformis and Acacia mangium via de novo transcriptome sequencing. <i>BMC Genomics</i> , 2011 , 12, 342 Lithocarpus pulongtauensis(Fagaceae), a New Species from Borneo. <i>Annales Botanici Fennici</i> , 2011 ,	3.7 2.3 8.3	23 8 7
38 37 36 35 34	Evidence for a trade-off strategy in stone oak (Lithocarpus) seeds between physical and chemical defense highlights fiber as an important antifeedant. <i>PLoS ONE</i> , 2012 , 7, e32890 Limited Edge Effects Along a Burned-Unburned Bornean Forest Boundary Seven Years after Disturbance. <i>Biotropica</i> , 2011 , 43, 288-298 Phylogeny and evolution of bracts and bracteoles in Tacca (Dioscoreaceae). <i>Journal of Integrative Plant Biology</i> , 2011 , 53, 901-11 Identification of lignin genes and regulatory sequences involved in secondary cell wall formation in Acacia auriculiformis and Acacia mangium via de novo transcriptome sequencing. <i>BMC Genomics</i> , 2011 , 12, 342 Lithocarpus pulongtauensis(Fagaceae), a New Species from Borneo. <i>Annales Botanici Fennici</i> , 2011 , 48, 495-498	3.7 2.3 8.3 4.5	23 8 7

(2003-2010)

30	Assembly free comparative genomics of short-read sequence data discovers the needles in the haystack. <i>Molecular Ecology</i> , 2010 , 19 Suppl 1, 147-61	5.7	23
29	Communities contain closely related species during ecosystem disturbance. <i>Ecology Letters</i> , 2010 , 13, 162-74	10	152
28	Environmental correlates of tree biomass, basal area, wood specific gravity and stem density gradients in Borneo's tropical forests. <i>Global Ecology and Biogeography</i> , 2010 , 19, 50-60	6.1	228
27	Mass fruiting in Borneo: a missed opportunity. <i>Science</i> , 2010 , 330, 584	33-3	17
26	Fire as a selective force in a Bornean tropical everwet forest. <i>Oecologia</i> , 2010 , 164, 841-9	2.9	21
25	Environmental correlates for tropical tree diversity and distribution patterns in Borneo. <i>Diversity and Distributions</i> , 2009 , 15, 523-532	5	74
24	Tropical botanical gardens: at the in situ ecosystem management frontier. <i>Trends in Plant Science</i> , 2009 , 14, 584-9	13.1	30
23	Competition and Niche Overlap Between Gibbons (Hylobates albibarbis) and Other Frugivorous Vertebrates in Gunung Palung National Park, West Kalimantan, Indonesia 2009 , 161-188		18
22	The current refugial rainforests of Sundaland are unrepresentative of their biogeographic past and highly vulnerable to disturbance. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 11188-93	11.5	228
21	Phylogenetic Relationships and Taxonomic Status Of the Paleoendemic Fagaceae Of Western North America: Recognition Of A New Genus, Notholithocarpus. <i>Madro</i> , 2008 , 55, 181-190	0.4	62
20	Long-term reproductive behaviour of woody plants across seven Bornean forest types in the Gunung Palung National Park (Indonesia): suprannual synchrony, temporal productivity and fruiting diversity. <i>Ecology Letters</i> , 2007 , 10, 956-69	10	109
19	Developing Conservation Priorities Based on Forest Type, Condition, and Threats in a Poorly Known Ecoregion: Sulawesi, Indonesia. <i>Biotropica</i> , 2007 , 39, 747-759	2.3	75
18	Capturing genomic signatures of DNA sequence variation using a standard anonymous microarray platform. <i>Nucleic Acids Research</i> , 2006 , 34, e121	20.1	5
17	Conservation and divergence of plant microRNA genes. <i>Plant Journal</i> , 2006 , 46, 243-59	6.9	593
16	DNA extraction from processed wood: A case study for the identification of an endangered timber species (Gonystylus bancanus). <i>Plant Molecular Biology Reporter</i> , 2005 , 23, 185-192	1.7	61
15	Tree species distributions across five habitats in a Bornean rain forest. <i>Journal of Vegetation Science</i> , 2004 , 15, 257-266	3.1	52
14	Tree species distributions across five habitats in a Bornean rain forest 2004 , 15, 257		9
13	Phylogeography of the Southeast Asian stone oaks (Lithocarpus). <i>Journal of Biogeography</i> , 2003 , 30, 211-226	4.1	107

A floristic analysis of the lowland dipterocarp forests of Borneo. *Journal of Biogeography*, **2003**, 30, 1517₄1531 97

11	Combining and comparing morphometric shape descriptors with a molecular phylogeny: the case of fruit type evolution in Bornean Lithocarpus (Fagaceae). <i>Systematic Biology</i> , 2001 , 50, 860-80	8.4	42
10	Systematics of Fagaceae: Phylogenetic Tests of Reproductive Trait Evolution. <i>International Journal of Plant Sciences</i> , 2001 , 162, 1361-1379	2.6	185
9	The Bornean Lithocarpus B1. section Synaedrys (Lindl.) Barnett (Fagaceae): its circumscription and description of a new species. <i>Botanical Journal of the Linnean Society</i> , 2000 , 133, 343-357	2.2	2
8	The Bornean Lithocarpus Bl. section Synaedrys (Lindl.) Barnett (Fagaceae): its circumscription and description of a new species. <i>Botanical Journal of the Linnean Society</i> , 2000 , 133, 343-357	2.2	7
7	Tree species diversity in commercially logged bornean rainforest. <i>Science</i> , 1998 , 281, 1366-8	33.3	185
6	Comparative locomotor ecology of gibbons and macaques: selection of canopy elements for crossing gaps. <i>American Journal of Physical Anthropology</i> , 1994 , 93, 505-24	2.5	104
5	The structure of lowland rainforest after selective logging in West Kalimantan, Indonesia. <i>Forest Ecology and Management</i> , 1994 , 67, 49-68	3.9	113
4	The Role of Botanic Gardens in In Situ Conservation73-101		19
3	Quaternary dynamics of Sundaland forests115-137		9
2	Conserved DNA polymorphisms distinguish species in the eastern North American white oak syngameon: Insights from an 80-SNP oak DNA genotyping toolkit		1
1	Novel insights into karyotype evolution and whole genome duplications in legumes		4