

Gonzalo Velazquez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8091800/publications.pdf>

Version: 2024-02-01

126
papers

4,156
citations

147801
31
h-index

133252
59
g-index

128
all docs

128
docs citations

128
times ranked

4309
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Polysaccharide-based films and coatings for food packaging: A review. Food Hydrocolloids, 2017, 68, 136-148. | 10.7 | 880 |
| 2 | Commercial opportunities and research challenges in the high pressure processing of foods. Journal of Food Engineering, 2005, 67, 95-112. | 5.2 | 289 |
| 3 | Cellulose-glycerol-polyvinyl alcohol composite films for food packaging: Evaluation of water adsorption, mechanical properties, light-barrier properties and transparency. Carbohydrate Polymers, 2018, 195, 432-443. | 10.2 | 131 |
| 4 | Effect of equilibrium moisture content on barrier, mechanical and thermal properties of chitosan films. Food Chemistry, 2016, 196, 560-566. | 8.2 | 130 |
| 5 | Food hydrocolloids as additives to improve the mechanical and functional properties of fish products: A review. Food Hydrocolloids, 2011, 25, 1842-1852. | 10.7 | 126 |
| 6 | Effect of polyvinyl alcohol on the physicochemical properties of biodegradable starch films. Materials Chemistry and Physics, 2020, 239, 122027. | 4.0 | 93 |
| 7 | Effects of high pressure processing on protein fractions of blue crab (<i>Callinectes sapidus</i>) meat. Innovative Food Science and Emerging Technologies, 2017, 41, 323-329. | 5.6 | 74 |
| 8 | Characterization of bacterial cellulose films combined with chitosan and polyvinyl alcohol: Evaluation of mechanical and barrier properties. Carbohydrate Polymers, 2019, 216, 72-85. | 10.2 | 74 |
| 9 | Identification of bound water through infrared spectroscopy in methylcellulose. Journal of Food Engineering, 2003, 59, 79-84. | 5.2 | 70 |
| 10 | Evaluation of extraction methods for preparative scale obtention of mangiferin and lupeol from mango peels (<i>Mangifera indica</i> L.). Food Chemistry, 2014, 159, 267-272. | 8.2 | 68 |
| 11 | Effect of the addition order and amylose content on mechanical, barrier and structural properties of films made with starch and montmorillonite. Carbohydrate Polymers, 2015, 127, 195-201. | 10.2 | 67 |
| 12 | Composite films of regenerate cellulose with chitosan and polyvinyl alcohol: Evaluation of water adsorption, mechanical and optical properties. International Journal of Biological Macromolecules, 2018, 117, 235-246. | 7.5 | 66 |
| 13 | Surimi wash water treatment for protein recovery: effect of chitosan-alginate complex concentration and treatment time on protein adsorption. Bioresource Technology, 2005, 96, 665-671. | 9.6 | 63 |
| 14 | Novel composite films based on cellulose reinforced with chitosan and polyvinyl alcohol: Effect on mechanical properties and water vapour permeability. Polymer Testing, 2018, 69, 536-544. | 4.8 | 55 |
| 15 | Effect of chitosan type on protein and water recovery efficiency from surimi wash water treated with chitosan-alginate complexes. Bioresource Technology, 2007, 98, 539-545. | 9.6 | 53 |
| 16 | Interactions of the molecular assembly of polysaccharide-protein systems as encapsulation materials. A review. Advances in Colloid and Interface Science, 2021, 295, 102398. | 14.7 | 46 |
| 17 | Effect of high-pressure treatments on mechanical and functional properties of restructured products from arrowtooth flounder (<i>Atheresthes stomias</i>). Journal of the Science of Food and Agriculture, 2004, 84, 1741-1749. | 3.5 | 45 |
| 18 | Effect of nopal mucilage addition on physical, barrier and mechanical properties of citric pectin-based films. Journal of Food Science and Technology, 2018, 55, 3739-3748. | 2.8 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Novel composite films from regenerated cellulose-glycerol-polyvinyl alcohol: Mechanical and barrier properties. Food Hydrocolloids, 2019, 89, 481-491. | 10.7 | 45 |
| 20 | Analysis of the water bound to a polymer matrix by infrared spectroscopy. Journal of Applied Physics, 2001, 89, 5431-5437. | 2.5 | 42 |
| 21 | Characterization of mechanical and barrier properties of bacterial cellulose, glycerol and polyvinyl alcohol (PVOH) composite films with eco-friendly UV-protective properties. Food Hydrocolloids, 2020, 99, 105323. | 10.7 | 42 |
| 22 | Effects of combining microbial transglutaminase and high pressure processing treatments on the mechanical properties of heat-induced gels prepared from arrowtooth flounder (Atheresthes) Tj ETQq0 0 0 rgBT /Owzlock 104Tf 50 617 | 10.7 | 41 |
| 23 | Low-salt restructured products from striped mullet (Mugil cephalus) using microbial transglutaminase or whey protein concentrate as additives. Food Chemistry, 2007, 102, 243-249. | 8.2 | 41 |
| 24 | Preparation and characterisation of zein films obtained by electrospraying. Food Hydrocolloids, 2015, 49, 1-10. | 10.7 | 38 |
| 25 | Effect of amylose content and nanoclay incorporation order in physicochemical properties of starch/montmorillonite composites. Carbohydrate Polymers, 2016, 152, 351-360. | 10.2 | 38 |
| 26 | Effect of nixtamalization process on the content and composition of phenolic compounds and antioxidant activity of two sorghums varieties. Journal of Cereal Science, 2017, 77, 1-8. | 3.7 | 38 |
| 27 | Temperature effect on the moisture sorption isotherms for methylcellulose and ethylcellulose films. Journal of Food Engineering, 2001, 48, 91-94. | 5.2 | 37 |
| 28 | Physical Characterization of Biodegradable Films Based on Chitosan, Polyvinyl Alcohol and Opuntia Mucilage. Journal of Polymers and the Environment, 2017, 25, 683-691. | 5.0 | 37 |
| 29 | Composite Films with UV-Barrier Properties Based on Bacterial Cellulose Combined with Chitosan and Poly(vinyl alcohol): Study of Puncture and Water Interaction Properties. Biomacromolecules, 2019, 20, 2084-2095. | 5.4 | 37 |
| 30 | Films made from plasma-modified corn starch: Chemical, mechanical and barrier properties. Carbohydrate Polymers, 2020, 237, 116103. | 10.2 | 37 |
| 31 | Effect of sugars and polyols on the functional and mechanical properties of pressure-treated arrowtooth flounder (Atheresthes stomias) proteins. Food Hydrocolloids, 2005, 19, 964-973. | 10.7 | 34 |
| 32 | Modelling the effect of temperature on the water sorption isotherms of chitosan films. Food Science and Technology, 2017, 37, 112-118. | 1.7 | 32 |
| 33 | Hexamethyldisiloxane cold plasma treatment and amylose content determine the structural, barrier and mechanical properties of starch-based films. International Journal of Biological Macromolecules, 2019, 124, 651-658. | 7.5 | 32 |
| 34 | Regenerated cellulose films with chitosan and polyvinyl alcohol: Effect of the moisture content on the barrier, mechanical and optical properties. Carbohydrate Polymers, 2020, 236, 116031. | 10.2 | 32 |
| 35 | HMDSO plasma treatment as alternative to modify structural properties of granular starch. International Journal of Biological Macromolecules, 2020, 144, 682-689. | 7.5 | 30 |
| 36 | Compositional and Moisture Content Effects on the Biodegradability of Zein/Ethylcellulose Films. Journal of Agricultural and Food Chemistry, 2004, 52, 2230-2235. | 5.2 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Effects of adding fish gelatin on Alaska pollock surimi gels. Food Hydrocolloids, 2009, 23, 2446-2449. | 10.7 | 29 |
| 38 | Inclusion of the variability of model parameters on shelf-life estimations for low and intermediate moisture vegetables. LWT - Food Science and Technology, 2012, 47, 364-370. | 5.2 | 29 |
| 39 | Effect of Dual Modification on the Spectroscopic, Calorimetric, Viscosimetric and Morphological Characteristics of Corn Starch. Polymers, 2019, 11, 333. | 4.5 | 29 |
| 40 | The effect of relative humidity on tensile strength and water vapor permeability in chitosan, fish gelatin and transglutaminase edible films. Food Science and Technology, 2015, 35, 690-695. | 1.7 | 28 |
| 41 | Environmentally Friendly Films Combining Bacterial Cellulose, Chitosan, and Polyvinyl Alcohol: Effect of Water Activity on Barrier, Mechanical, and Optical Properties. Biomacromolecules, 2020, 21, 753-760. | 5.4 | 27 |
| 42 | Bacterial cellulose films: Evaluation of the water interaction. Food Packaging and Shelf Life, 2020, 25, 100526. | 7.5 | 27 |
| 43 | Composite Films with UV-Barrier Properties of Bacterial Cellulose with Glycerol and Poly(vinyl) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T | 5.4 | 26 |
| 44 | Dielectric barrier discharge and radio-frequency plasma effect on structural properties of starches with different amylose content. Innovative Food Science and Emerging Technologies, 2021, 68, 102630. | 5.6 | 26 |
| 45 | Rheological properties of nanocomposite-forming solutions and film based on montmorillonite and corn starch with different amylose content. Carbohydrate Polymers, 2018, 188, 121-127. | 10.2 | 25 |
| 46 | Effect of granular disorganization and the water content on the rheological properties of amaranth and achira starch blends. LWT - Food Science and Technology, 2018, 87, 280-286. | 5.2 | 25 |
| 47 | Regenerated cellulose films combined with glycerol and polyvinyl alcohol: Effect of moisture content on the physical properties. Food Hydrocolloids, 2020, 103, 105657. | 10.7 | 25 |
| 48 | Rheological performance of film-forming solutions made from plasma-modified starches with different amylose/amylopectin content. Carbohydrate Polymers, 2021, 255, 117349. | 10.2 | 25 |
| 49 | Measurement of the Water Vapor Permeability of Chitosan Films: A Laboratory Experiment on Food Packaging Materials. Journal of Chemical Education, 2022, 99, 2403-2408. | 2.3 | 24 |
| 50 | Production of low-salt restructured fish products from Mexican flounder (<i>Cyclopsetta chittendeni</i>) using microbial transglutaminase or whey protein concentrate as binders. European Food Research and Technology, 2006, 223, 341-345. | 3.3 | 23 |
| 51 | Assessment of the uncertainty in thermal food processing decisions based on microbial safety objectives. Journal of Food Engineering, 2011, 102, 247-256. | 5.2 | 23 |
| 52 | Thermal study in the interactions of starches blends: Amaranth and achira. Food Hydrocolloids, 2016, 61, 640-648. | 10.7 | 23 |
| 53 | Effect of precooking temperature and microbial transglutaminase on the gelling properties of blue crab (<i>Callinectes sapidus</i>) proteins. Food Hydrocolloids, 2014, 35, 264-269. | 10.7 | 21 |
| 54 | Effect of high pressure processing on heat-induced gelling capacity of blue crab (<i>Callinectes sapidus</i>) meat. Innovative Food Science and Emerging Technologies, 2020, 59, 102253. | 5.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Retrogradation of autoclaved corn starches: Effect of water content on the resistant starch formation and structure. Carbohydrate Research, 2020, 497, 108137. | 2.3 | 20 |
| 56 | Effect of high pressure processing and heat treatment on the gelation properties of blue crab meat proteins. LWT - Food Science and Technology, 2021, 146, 111389. | 5.2 | 20 |
| 57 | Supramolecular structure and technofunctional properties of starch modified by high hydrostatic pressure (HHP): A review. Carbohydrate Polymers, 2022, 291, 119609. | 10.2 | 20 |
| 58 | Moderately High Hydrostatic Pressure Processing to Reduce Production Costs of Shredded Cheese: Microstructure, Texture, and Sensory Properties of Shredded Milled Curd Cheddar. Journal of Food Science, 2005, 70, S286-S293. | 3.1 | 19 |
| 59 | Nutrition Provided to Mexican-American Preschool Children on the Texas-Mexico Border. Journal of the American Dietetic Association, 2007, 107, 311-315. | 1.1 | 18 |
| 60 | EFFECT OF SETTING CONDITIONS USING MICROBIAL TRANSGLUTAMINASE DURING OBTENTION OF BEEF GELS. Journal of Food Process Engineering, 2009, 32, 221-234. | 2.9 | 18 |
| 61 | Effect of high hydrostatic pressure on antioxidant content of 'Ataulfo' mango during postharvest maturation. Food Science and Technology, 2013, 33, 561-568. | 1.7 | 18 |
| 62 | Effects of Tempering Time, Ca(OH) ₂ Concentration, and Particle Size on the Rheological Properties of Extruded Corn Flour. Cereal Chemistry, 2017, 94, 230-236. | 2.2 | 18 |
| 63 | Fiber-rich functional fish food from striped mullet (Mugil cephalus) using amidated low methoxyl pectin. Food Hydrocolloids, 2007, 21, 527-536. | 10.7 | 17 |
| 64 | Mechanical and functional properties of beef products obtained using microbial transglutaminase with treatments of pre-heating followed by cold binding. Meat Science, 2009, 83, 229-238. | 5.5 | 17 |
| 65 | Effect of airflow presence during the manufacturing of biodegradable films from polymers with different structural conformation. Food Packaging and Shelf Life, 2018, 17, 162-170. | 7.5 | 17 |
| 66 | Influence of gelatinization process and HMDSO plasma treatment on the chemical changes and water vapor permeability of corn starch films. International Journal of Biological Macromolecules, 2019, 135, 196-202. | 7.5 | 17 |
| 67 | Low-sugar content betaxanthins extracts from yellow pitaya (Stenocereus pruinosis). Food and Bioproducts Processing, 2020, 121, 178-185. | 3.6 | 17 |
| 68 | Characterization of Functional Properties of Biodegradable Films Based on Starches from Different Botanical Sources. Starch/Staerke, 2020, 72, 1900282. | 2.1 | 16 |
| 69 | Restructured products from arrowtooth flounder (Atheresthes stomias) using high-pressure treatments. European Food Research and Technology, 2005, 220, 113-119. | 3.3 | 15 |
| 70 | Low-salt restructured fish products using low-value fish species from the gulf of Mexico. International Journal of Food Science and Technology, 2007, 42, 1039-1045. | 2.7 | 15 |
| 71 | Gelling of amaranth and achira starch blends in excess and limited water. LWT - Food Science and Technology, 2017, 81, 265-273. | 5.2 | 15 |
| 72 | Hygroscopic properties and glass transition of dehydrated mango, apple and banana. Journal of Food Science and Technology, 2018, 55, 540-549. | 2.8 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | UV-protecting films based on bacterial cellulose, glycerol and polyvinyl alcohol: effect of water activity on barrier, mechanical and optical properties. <i>Cellulose</i> , 2020, 27, 8199-8213. | 4.9 | 15 |
| 74 | Development of Antimicrobial Biodegradable Films Based on Corn Starch with Aqueous Extract of <i>Hibiscus sabdariffa</i> L. <i>Starch/Staerke</i> , 2021, 73, . | 2.1 | 15 |
| 75 | Effect of adding insoluble solids from surimi wash water on the functional and mechanical properties of pacific whiting grade A surimi. <i>Bioresource Technology</i> , 2007, 98, 2148-2153. | 9.6 | 14 |
| 76 | Extruded snacks from whole wheat supplemented with textured soy flour: Effect on instrumental and sensory textural characteristics. <i>Journal of Texture Studies</i> , 2017, 48, 249-257. | 2.5 | 13 |
| 77 | Efficacy of high hydrostatic pressure as a quarantine treatment to improve the quality of mango fruits infested by the Mexican fruit fly <i>Anastrepha ludens</i> . <i>CYTA - Journal of Food</i> , 2009, 7, 135-142. | 1.9 | 12 |
| 78 | An Improved Quarantine Method for Mangoes Against the Mexican Fruit Fly Based on High-Pressure Processing Combined with Heat. <i>Foodborne Pathogens and Disease</i> , 2010, 7, 493-498. | 1.8 | 12 |
| 79 | Effect of dual chemical modification on the properties of biodegradable films from achira starch. <i>Journal of Applied Polymer Science</i> , 2020, 137, 49411. | 2.6 | 12 |
| 80 | Effect of Crystalline and Double Helical Structures on the Resistant Fraction of Autoclaved Corn Starch with Different Amylose Content. <i>Starch/Staerke</i> , 2020, 72, 1900306. | 2.1 | 12 |
| 81 | A Feeding Study to Assess Nutritional Quality and Safety of Surimi Wash Water Proteins Recovered by a Chitosan-Alginate Complex. <i>Journal of Food Science</i> , 2007, 72, S179-S184. | 3.1 | 11 |
| 82 | Effect of Input Data Variability on Estimations of the Equivalent Constant Temperature Time for Microbial Inactivation by HTST and Retort Thermal Processing. <i>Journal of Food Science</i> , 2011, 76, E495-502. | 3.1 | 11 |
| 83 | Double helical order and functional properties of acid-hydrolyzed maize starches with different amylose content. <i>Carbohydrate Research</i> , 2020, 490, 107956. | 2.3 | 11 |
| 84 | High Hydrostatic Pressure at Low Temperature as a Quarantine Treatment to Improve the Quality of Fruits. <i>Foodborne Pathogens and Disease</i> , 2010, 7, 287-292. | 1.8 | 10 |
| 85 | Effect of high pressure processing on postharvest physiology of "Keitt" mango. <i>Postharvest Biology and Technology</i> , 2014, 94, 35-40. | 6.0 | 9 |
| 86 | Modeling the limited degree of starch gelatinization. <i>Starch/Staerke</i> , 2016, 68, 727-733. | 2.1 | 9 |
| 87 | Structural properties of waxy corn and potato starch blends in excess water. <i>International Journal of Food Properties</i> , 2017, 20, S353-S365. | 3.0 | 9 |
| 88 | Effect of the Cooking Process on the Gelling Properties of Whole and Minced Jumbo Lump of Blue Crab (<i>Callinectes sapidus</i>). <i>Journal of Aquatic Food Product Technology</i> , 2018, 27, 418-429. | 1.4 | 9 |
| 89 | Residential Refrigerator Performance Based on Microbial Indicators of Ground Beef Preservation Assessed Using Predictive Microbiology Tools. <i>Food and Bioprocess Technology</i> , 2020, 13, 2172-2185. | 4.7 | 9 |
| 90 | Dual modification of achira (<i>Canna indica</i> L) starch and the effect on its physicochemical properties for possible food applications. <i>Journal of Food Science and Technology</i> , 2021, 58, 952-961. | 2.8 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | UV-Shielding films of bacterial cellulose with glycerol and chitosan. Part 1: equilibrium moisture content and mechanical properties. CYTA - Journal of Food, 2021, 19, 105-114. | 1.9 | 9 |
| 92 | Steady- and Unsteady-State Determination of the Water Vapor Permeance (WVP) of Polyethylene Film to Estimate the Moisture Gain of Packed Dry Mango. Food and Bioprocess Technology, 2017, 10, 1792-1797. | 4.7 | 8 |
| 93 | Insights on the acid hydrolysis of achira (<i>Canna edulis</i>) starch: Crystalline and double-helical structure changes impacting functionality. LWT - Food Science and Technology, 2022, 153, 112509. | 5.2 | 8 |
| 94 | Influence of high pressure processing and alkaline treatment on sugarcane bagasse hydrolysis. CYTA - Journal of Food, 0, , 1-8. | 1.9 | 7 |
| 95 | Physicochemical characteristics of stored gels from starch blends. LWT - Food Science and Technology, 2019, 114, 108408. | 5.2 | 7 |
| 96 | UV-Shielding films of bacterial cellulose with glycerol and chitosan. Part 2: Structure, water vapor permeability, spectral and thermal properties. CYTA - Journal of Food, 2021, 19, 115-126. | 1.9 | 7 |
| 97 | Theoretical determination of first adsorbed layer of water in methylcellulose. Journal of Food Engineering, 2003, 59, 45-50. | 5.2 | 6 |
| 98 | EFFECT OF PACIFIC WHITING WASH WATER PROTEINS ON ALASKA POLLACK SURIMI GELS. Journal of Texture Studies, 2008, 39, 296-308. | 2.5 | 6 |
| 99 | Resistance of Mexican Fruit Fly to Quarantine Treatments of High Hydrostatic Pressure Combined with Heat. Foodborne Pathogens and Disease, 2010, 7, 959-966. | 1.8 | 6 |
| 100 | Estimation of Safety and Quality Losses of Foods Stored in Residential Refrigerators. Food Engineering Reviews, 2019, 11, 184-199. | 5.9 | 6 |
| 101 | Deterministic and probabilistic predictive microbiology-based indicator of the listeriosis and microbial spoilage risk of pasteurized milk stored in residential refrigerators. LWT - Food Science and Technology, 2020, 117, 108650. | 5.2 | 6 |
| 102 | Extraction of starch from Hass avocado seeds for the preparation of biofilms. Food Science and Technology, 0, 42, . | 1.7 | 6 |
| 103 | Relationship Between Electrical Conductivity and Water Activity of Starch-Water Composites. Food Engineering Series, 2015, , 527-531. | 0.7 | 6 |
| 104 | Resistance of Mexican Fruit Fly to Quarantine Treatments of High-Pressure Processing Combined with Cold. Foodborne Pathogens and Disease, 2011, 8, 815-823. | 1.8 | 5 |
| 105 | Estudio de los hábitos alimentarios de niños de 4-6 años de Reynosa, Tamaulipas (México). CYTA - Journal of Food, 2012, 10, 5-11. | 1.9 | 5 |
| 106 | Thermal inactivation kinetics of partially purified mango pectin methylesterase. Food Science and Technology, 2016, 36, 282-285. | 1.7 | 5 |
| 107 | Reaction Chemistry at High Pressure and High Temperature. Food Engineering Series, 2016, , 461-478. | 0.7 | 5 |
| 108 | EFFECTS OF AMIDATED LOW METHOXYL PECTIN ON HEALTHY RESTRUCTURED FISH FOOD FROM MEXICAN FLOUNDER (<i>CYCLOPSETTA CHITTENDENI</i>). Journal of Food Process Engineering, 2008, 31, 229-246. | 2.9 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Effect of washing treatment and microbial transglutaminase on the gelling properties of blue crab (<i>Callinectes sapidus</i>) proteins. <i>CYTA - Journal of Food</i> , 2017, 15, 165-170. | 1.9 | 4 |
| 110 | Digestibility and Acceptability of Wheat Flour Cookies Partially Substituted with High Amylose Maize Starch. <i>Plant Foods for Human Nutrition</i> , 2019, 74, 446-447. | 3.2 | 4 |
| 111 | Water Adsorption Thermodynamical Analysis and Mechanical Characterization of Chitosan and Polyvinyl Alcohol-Based Films. <i>Journal of Polymers and the Environment</i> , 2022, 30, 1880. | 5.0 | 4 |
| 112 | Resistance of West Indian Fruit Fly <i>Anastrepha obliqua</i> Macquart to Quarantine Treatments of Thermal-Controlled High-Pressure Processing. <i>Food and Bioprocess Technology</i> , 2012, 5, 2540-2547. | 4.7 | 3 |
| 113 | Use of a COAX-DBD Plasma Fluidized-Bed Reactor for Surface Modification of TiO ₂ and Potato-Starch Powders. <i>IEEE Transactions on Plasma Science</i> , 2018, 46, 2425-2434. | 1.3 | 3 |
| 114 | Pressure Effects on the Rate of Chemical Reactions Under the High Pressure and High Temperature Conditions Used in Pressure-Assisted Thermal Processing. , 2015, , 937-964. | | 3 |
| 115 | Efecto de la transglutaminasa microbiana sobre las propiedades mecánicas de geles de carne de jaiba cocida. <i>CienciaUAT</i> , 2015, 10, 93. | 0.3 | 3 |
| 116 | Thermal, rheological, and structural characteristics of banana starches isolated using ethanol. <i>Starch/Staerke</i> , 2017, 69, 1600360. | 2.1 | 2 |
| 117 | Pressure Effects on the Rate of Chemical Reactions Under the High Pressure and High Temperature Conditions Used in Pressure-Assisted Thermal Processing. , 2015, , 1-23. | | 2 |
| 118 | Hydrostatic Pressure Processing of Foods. <i>Food Additives</i> , 2008, , 173-212. | 0.1 | 2 |
| 119 | Precooling Treatments Induce Resistance of <i>Anastrepha ludens</i> Eggs to Quarantine Treatments of High-Pressure Processing Combined With Cold. <i>Journal of Economic Entomology</i> , 2014, 107, 606-613. | 1.8 | 1 |
| 120 | Effect of mechanical homogenization on the physicochemical properties of films made from dual modified corn starch prepared by the casting solution method. <i>Journal of Food Processing and Preservation</i> , 2020, 44, e14985. | 2.0 | 1 |
| 121 | Preparation and Characterization of Thermoplastics Achira (<i>Canna indica</i> L.) Starch by Three Succination Methods. <i>Starch/Staerke</i> , 0, , 2100040. | 2.1 | 1 |
| 122 | Compositional and Moisture Content Effects on the Biodegradability of Zein/Ethylcellulose Films. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 4038-4038. | 5.2 | 0 |
| 123 | Erratum to "Effect of moderate pressure treatments on microstructure, texture, and sensory properties of stirred-curd Cheddar shreds" (J. Dairy Sci. 87:3172-3182). <i>Journal of Dairy Science</i> , 2011, 94, 6257-6258. | 3.4 | 0 |
| 124 | Improvement of physicochemical properties of baked oatmeal (<i>Avena sativa</i> L.) by imbibition. <i>Cereal Chemistry</i> , 2020, 97, 981-990. | 2.2 | 0 |
| 125 | Improving of Gelling Capacity of Cooked Crab Meat Proteins. <i>Frontiers in Nutrition</i> , 2021, 8, 675362. | 3.7 | 0 |
| 126 | Evaluación del crecimiento de la jaiba <i>Callinectes sapidus</i> en la costa de Tamaulipas, México: comparación de tres métodos indirectos. <i>Revista De Biología Tropical</i> , 2016, 64, 821. | 0.4 | 0 |