

Emile R Cornelissen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8093153/emile-r-cornelissen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers

4,341
citations

34
h-index

65
g-index

88
ext. papers

4,909
ext. citations

8.5
avg, IF

5.54
L-index

#	Paper	IF	Citations
85	Analysing organic micropollutant accumulation in closed loop FRO systems: A pilot plant study. <i>Journal of Membrane Science</i> , 2021 , 626, 119182	9.6	0
84	Transport of organic solutes in ion-exchange membranes: Mechanisms and influence of solvent ionic composition. <i>Water Research</i> , 2021 , 190, 116756	12.5	1
83	Non-steady diffusion and adsorption of organic micropollutants in ion-exchange membranes: effect of the membrane thickness. <i>IScience</i> , 2021 , 24, 102095	6.1	3
82	Fate of organic micropollutants in reverse electrodialysis: Influence of membrane fouling and channel clogging. <i>Desalination</i> , 2021 , 512, 115114	10.3	3
81	A comparison between chemical cleaning efficiency in lab-scale and full-scale reverse osmosis membranes: Role of extracellular polymeric substances (EPS). <i>Journal of Membrane Science</i> , 2020 , 609, 118189	9.6	16
80	A generic reverse osmosis model for full-scale operation. <i>Desalination</i> , 2020 , 490, 114509	10.3	6
79	Removal of polar organic micropollutants by mixed-matrix reverse osmosis membranes. <i>Desalination</i> , 2020 , 479, 114337	10.3	8
78	Mechanisms of arsenate removal and membrane fouling in ferric based coprecipitation low pressure membrane filtration systems. <i>Separation and Purification Technology</i> , 2020 , 241, 116644	8.3	15
77	Impact of isolated dissolved organic fractions from seawater on biofouling in reverse osmosis (RO) desalination process. <i>Water Research</i> , 2020 , 168, 115198	12.5	9
76	Evaluation of reverse osmosis drinking water treatment of riverbank filtrate using bioanalytical tools and non-target screening. <i>Environmental Science: Water Research and Technology</i> , 2020 , 6, 103-116	4.2	10
75	Impact of salt accumulation in the bioreactor on the performance of nanofiltration membrane bioreactor (NF-MBR)+Reverse osmosis (RO) process for water reclamation. <i>Water Research</i> , 2020 , 170, 115352	12.5	9
74	Effect of pH on the transport and adsorption of organic micropollutants in ion-exchange membranes in electrodialysis-based desalination. <i>Separation and Purification Technology</i> , 2020 , 252, 117487	8.3	5
73	Crown ether containing polyelectrolyte multilayer membranes for lithium recovery. <i>Journal of Membrane Science</i> , 2020 , 595, 117432	9.6	29
72	Development and application of relevance and reliability criteria for water treatment removal efficiencies of chemicals of emerging concern. <i>Water Research</i> , 2019 , 161, 274-287	12.5	17
71	Fouling behavior of isolated dissolved organic fractions from seawater in reverse osmosis (RO) desalination process. <i>Water Research</i> , 2019 , 159, 385-396	12.5	28
70	Key physicochemical characteristics governing organic micropollutant adsorption and transport in ion-exchange membranes during reverse electrodialysis. <i>Desalination</i> , 2019 , 468, 114084	10.3	14
69	Enhancing biological stability of disinfectant-free drinking water by reducing high molecular weight organic compounds with ultrafiltration posttreatment. <i>Water Research</i> , 2019 , 164, 114927	12.5	19

68	Monitoring the integrity of reverse osmosis membranes using novel indigenous freshwater viruses and bacteriophages. <i>Environmental Science: Water Research and Technology</i> , 2019 , 5, 1535-1544	4.2	11
67	Fate and removal of trace pollutants from an anion exchange spent brine during the recovery process of natural organic matter and salts. <i>Water Research</i> , 2019 , 154, 34-44	12.5	12
66	Online monitoring of transparent exopolymer particles (TEP) by a novel membrane-based spectrophotometric method. <i>Chemosphere</i> , 2019 , 220, 107-115	8.4	3
65	Removal of polar organic micropollutants by pilot-scale reverse osmosis drinking water treatment. <i>Water Research</i> , 2019 , 148, 535-545	12.5	65
64	Potable Water Reuse through Advanced Membrane Technology. <i>Environmental Science & Technology</i> , 2018 , 52, 10215-10223	10.3	203
63	The feasibility of nanofiltration membrane bioreactor (NF-MBR)+reverse osmosis (RO) process for water reclamation: Comparison with ultrafiltration membrane bioreactor (UF-MBR)+RO process. <i>Water Research</i> , 2018 , 129, 180-189	12.5	70
62	Arsenite removal in groundwater treatment plants by sequential Permanganate Ferric treatment. <i>Journal of Water Process Engineering</i> , 2018 , 26, 221-229	6.7	36
61	Can osmotic membrane bioreactor be a realistic solution for water reuse?. <i>Npj Clean Water</i> , 2018 , 1,	11.2	17
60	Effect of multicomponent fouling during microfiltration of natural surface waters containing nC60 fullerene nanoparticles. <i>Environmental Science: Water Research and Technology</i> , 2017 , 3, 744-756	4.2	3
59	Removal of aqueous nC60 fullerene from water by low pressure membrane filtration. <i>Water Research</i> , 2016 , 91, 115-25	12.5	13
58	Dominant factors controlling the efficiency of two-phase flow cleaning in spiral-wound membrane elements. <i>Desalination and Water Treatment</i> , 2016 , 57, 17625-17636		10
57	Impact of the surface energy of particulate foulants on membrane fouling. <i>Journal of Membrane Science</i> , 2016 , 510, 101-111	9.6	52
56	Calcium removal by softening of water affects biofilm formation on PVC, glass and membrane surfaces. <i>Water Science and Technology: Water Supply</i> , 2016 , 16, 888-895	1.4	2
55	Hydrogel-coated feed spacers in two-phase flow cleaning in spiral wound membrane elements: a novel platform for eco-friendly biofouling mitigation. <i>Water Research</i> , 2015 , 71, 171-86	12.5	24
54	Continuous and discontinuous pressure assisted osmosis (PAO). <i>Journal of Membrane Science</i> , 2015 , 476, 182-193	9.6	27
53	A case study of fouling development and flux reversibility of treating actual lake water by forward osmosis process. <i>Desalination</i> , 2015 , 357, 55-64	10.3	34
52	Biofouling removal in spiral-wound nanofiltration elements using two-phase flow cleaning. <i>Journal of Membrane Science</i> , 2015 , 475, 131-146	9.6	34
51	Hydraulically irreversible fouling on ceramic MF/UF membranes: Comparison of fouling indices, foulant composition and irreversible pore narrowing. <i>Separation and Purification Technology</i> , 2015 , 147, 303-310	8.3	33

50	Anionic exchange for NOM removal and the effects on micropollutant adsorption competition on activated carbon. <i>Separation and Purification Technology</i> , 2014 , 129, 25-31	8.3	37
49	Forward osmosis for application in wastewater treatment: a review. <i>Water Research</i> , 2014 , 58, 179-97	12.5	533
48	Zwitterions as alternative draw solutions in forward osmosis for application in wastewater reclamation. <i>Journal of Membrane Science</i> , 2014 , 460, 82-90	9.6	56
47	Silica removal to prevent silica scaling in reverse osmosis membranes. <i>Desalination</i> , 2014 , 344, 137-143	10.3	30
46	Two-phase flow in membrane processes: A technology with a future. <i>Journal of Membrane Science</i> , 2014 , 453, 566-602	9.6	102
45	Sorption and biodegradation of organic micropollutants during river bank filtration: a laboratory column study. <i>Water Research</i> , 2014 , 52, 231-41	12.5	110
44	Assessing the effect of surface modification of polyamide RO membrane by L-DOPA on the short range physicochemical interactions with biopolymer fouling on the membrane. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 120, 222-8	6	22
43	EDTA: a synthetic draw solute for forward osmosis. <i>Water Science and Technology</i> , 2014 , 70, 1677-82	2.2	12
42	Characterization and performance of a commercial thin film nanocomposite seawater reverse osmosis membrane and comparison with a thin film composite. <i>Journal of Membrane Science</i> , 2013 , 446, 68-78	9.6	33
41	Trace organic solutes in closed-loop forward osmosis applications: influence of membrane fouling and modeling of solute build-up. <i>Water Research</i> , 2013 , 47, 5232-44	12.5	81
40	The Influence of the Removal of Specific NOM Compounds by Anion Exchange on Ozone Demand, Disinfection Capacity, and Bromate Formation. <i>Ozone: Science and Engineering</i> , 2013 , 35, 283-294	2.4	1
39	A novel hybrid process of reverse electrodialysis and reverse osmosis for low energy seawater desalination and brine management. <i>Applied Energy</i> , 2013 , 104, 592-602	10.7	128
38	Amorphous aluminosilicate scaling characterization in a reverse osmosis membrane. <i>Desalination and Water Treatment</i> , 2013 , 51, 936-943		7
37	Facile fouling resistant surface modification of microfiltration cellulose acetate membranes by using amino acid L-DOPA. <i>Water Science and Technology</i> , 2013 , 68, 901-8	2.2	15
36	Natural organic matter removal by ion exchange at different positions in the drinking water treatment lane. <i>Drinking Water Engineering and Science</i> , 2013 , 6, 1-10	2	31
35	Influence of biofouling on pharmaceuticals rejection in NF membrane filtration. <i>Water Research</i> , 2012 , 46, 5848-60	12.5	44
34	Quantitative assessment of the efficacy of spiral-wound membrane cleaning procedures to remove biofilms. <i>Water Research</i> , 2012 , 46, 6369-81	12.5	41
33	Influence of water type and pretreatment method on fouling and performance of an Al ₂ O ₃ microfiltration membrane. <i>Desalination</i> , 2012 , 299, 28-34	10.3	7

32	Surface characterisation of biofouled NF membranes: role of surface energy for improved rejection predictions. <i>Water Science and Technology</i> , 2012 , 66, 2122-30	2.2	9
31	The innovative osmotic membrane bioreactor (OMBR) for reuse of wastewater. <i>Water Science and Technology</i> , 2011 , 63, 1557-65	2.2	92
30	Threshold concentrations of biomass and iron for pressure drop increase in spiral-wound membrane elements. <i>Water Research</i> , 2011 , 45, 1607-16	12.5	25
29	Effect of draw solution type and operational mode of forward osmosis with laboratory-scale membranes and a spiral wound membrane module. <i>Journal of Water Reuse and Desalination</i> , 2011 , 1, 133-140	2.6	10
28	Comparison of ceramic and polymeric membrane permeability and fouling using surface water. <i>Separation and Purification Technology</i> , 2011 , 79, 365-374	8.3	235
27	Pre-desalination with electro-membranes for SWRO. <i>Desalination and Water Treatment</i> , 2011 , 31, 296-304		15
26	Water recovery from sewage using forward osmosis. <i>Water Science and Technology</i> , 2011 , 64, 1443-9	2.2	72
25	The influence of particles on biofouling behavior in spiral wound membrane elements. <i>Desalination and Water Treatment</i> , 2011 , 34, 112-116		1
24	Improving the biological stability of drinking water by ion exchange. <i>Water Science and Technology: Water Supply</i> , 2011 , 11, 107-112	1.4	9
23	Experimental studies and modeling on concentration polarization in forward osmosis. <i>Water Science and Technology</i> , 2010 , 61, 2897-904	2.2	54
22	Influence of permeation on air/water cleaning of spiral wound membrane NF/RO elements 2010 , 59, 378-383		4
21	Preliminary study of osmotic membrane bioreactor: effects of draw solution on water flux and air scouring on fouling. <i>Water Science and Technology</i> , 2010 , 62, 1353-60	2.2	55
20	Effect of anionic fluidized ion exchange (FIX) pre-treatment on nanofiltration (NF) membrane fouling. <i>Water Research</i> , 2010 , 44, 3283-93	12.5	37
19	Influence of membrane fouling by (pretreated) surface water on rejection of pharmaceutically active compounds (PhACs) by nanofiltration membranes. <i>Journal of Membrane Science</i> , 2009 , 330, 90-103	9.6	128
18	Construction and validation of a full-scale model for rejection of organic micropollutants by NF membranes. <i>Journal of Membrane Science</i> , 2009 , 339, 10-20	9.6	49
17	Optimization of air/water cleaning (AWC) in spiral wound elements. <i>Desalination</i> , 2009 , 236, 266-272	10.3	10
16	Fluidized ion exchange (FIX) to control NOM fouling in ultrafiltration. <i>Desalination</i> , 2009 , 236, 334-341	10.3	39
15	Threshold concentration of easily assimilable organic carbon in feedwater for biofouling of spiral-wound membranes. <i>Environmental Science & Technology</i> , 2009 , 43, 4890-5	10.3	50

14	Influence of solute-membrane affinity on rejection of uncharged organic solutes by nanofiltration membranes. <i>Environmental Science & Technology</i> , 2009 , 43, 2400-6	10.3	124
13	Selection of anionic exchange resins for removal of natural organic matter (NOM) fractions. <i>Water Research</i> , 2008 , 42, 413-23	12.5	102
12	Membrane fouling and process performance of forward osmosis membranes on activated sludge. <i>Journal of Membrane Science</i> , 2008 , 319, 158-168	9.6	411
11	The role of electrostatic interactions on the rejection of organic solutes in aqueous solutions with nanofiltration. <i>Journal of Membrane Science</i> , 2008 , 322, 52-66	9.6	163
10	Influence of natural organic matter (NOM) fouling on the removal of pharmaceuticals by nanofiltration and activated carbon filtration. <i>Water Science and Technology: Water Supply</i> , 2007 , 7, 17-23	1.4	14
9	Air/water cleaning for biofouling control in spiral wound membrane elements. <i>Desalination</i> , 2007 , 204, 145-147	10.3	16
8	Periodic air/water cleaning for control of biofouling in spiral wound membrane elements. <i>Journal of Membrane Science</i> , 2007 , 287, 94-101	9.6	95
7	Influence of electrostatic interactions on the rejection with NF and assessment of the removal efficiency during NF/GAC treatment of pharmaceutically active compounds in surface water. <i>Water Research</i> , 2007 , 41, 3227-40	12.5	104
6	Priority organic micropollutants in water sources in Flanders and the Netherlands and assessment of removal possibilities with nanofiltration. <i>Environmental Pollution</i> , 2007 , 146, 281-9	9.3	127
5	Assessment of a semi-quantitative method for estimation of the rejection of organic compounds in aqueous solution in nanofiltration. <i>Journal of Chemical Technology and Biotechnology</i> , 2006 , 81, 1166-1176	3.5	48
4	Fiber failure frequency and causes of hollow fiber integrity loss. <i>Desalination</i> , 2006 , 194, 251-258	10.3	70
3	Influence of calcium-NOM complexes on fouling of nanofiltration membranes in drinking water production. <i>Water Science and Technology: Water Supply</i> , 2006 , 6, 171-178	1.4	2
2	A nanofiltration retention model for trace contaminants in drinking water sources. <i>Desalination</i> , 2005 , 178, 179-192	10.3	28
1	Wastewater treatment with the internal MEMBIOR. <i>Desalination</i> , 2002 , 146, 463-466	10.3	9