

Kaifei Gao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8093739/kaifei-gao-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

172
papers

7,905
citations

39
h-index

85
g-index

180
ext. papers

9,601
ext. citations

8.9
avg, IF

6.17
L-index

#	Paper	IF	Citations
172	MXene/rGO/PS spheres multiple physical networks as high-performance pressure sensor. <i>Nano Energy</i> , 2022 , 95, 106986	17.1	6
171	Investigations on the Electrochemical and Mechanical Properties of Sb O Nanobelts by In Situ Transmission Electron Microscopy.. <i>Small Methods</i> , 2022 , e2101416	12.8	1
170	TiCT MXene-Based Flexible Piezoresistive Physical Sensors.. <i>ACS Nano</i> , 2022 ,	16.7	22
169	Facile synthesis of novel Zn ₅ Mo ₂ O ₁₁ ·nH ₂ O nanoflowers with excellent rate capability in supercapacitors. <i>Journal of Power Sources</i> , 2022 , 520, 230816	8.9	0
168	Ultrahigh gravimetric and volumetric capacitance in Ti ₃ C ₂ T _x MXene negative electrode enabled by surface modification and in-situ intercalation. <i>Journal of Power Sources</i> , 2022 , 521, 230965	8.9	8
167	A novel TiSe ₂ (de)intercalation type anode for aqueous zinc-based energy storage. <i>Nano Energy</i> , 2022 , 93, 106896	17.1	6
166	The high-performance MoO ₃ /MXene cathodes for zinc-ion batteries based on oxygen vacancies and electrolyte engineering. <i>Nano Energy</i> , 2022 , 91, 106651	17.1	10
165	A flexible Zn-ion hybrid micro-supercapacitor based on MXene anode and V ₂ O ₅ cathode with high capacitance. <i>Chemical Engineering Journal</i> , 2022 , 428, 130965	14.7	24
164	Roles of MXenes in Pressure Sensing: Preparation, Composite Structure Design and Mechanism.. <i>Advanced Materials</i> , 2022 , e2110608	24	10
163	High-Performance Flexible Pressure Sensor with a Self-Healing Function for Tactile Feedback.. <i>Advanced Science</i> , 2022 , e2200507	13.6	11
162	Study of structure-property relationship of semiconductor nanomaterials by off-axis electron holography. <i>Journal of Semiconductors</i> , 2022 , 43, 041103	2.3	2
161	Interlayer-spacing-regulated MXene/rGO Foam for Multi-functional Zinc-ion Microcapacitors. <i>Energy Storage Materials</i> , 2022 , 50, 444-453	19.4	8
160	Bionic MXene based hybrid film Design for an Ultrasensitive Piezoresistive Pressure Sensor. <i>Chemical Engineering Journal</i> , 2021 , 431, 133458	14.7	16
159	Positive and negative photoconductivity characteristics in CsPbBr ₃ /graphene heterojunction. <i>Nanotechnology</i> , 2021 , 32, 085202	3.4	3
158	MXene-GaN van der Waals Heterostructures for High-Speed Self-Driven Photodetectors and Light-Emitting Diodes. <i>Advanced Electronic Materials</i> , 2021 , 7, 2000955	6.4	12
157	Linear regulation of electrical characteristics of InSe/Antimonene heterojunction via external electric field and strain. <i>Surfaces and Interfaces</i> , 2021 , 23, 101014	4.1	2
156	In Situ TEM Investigations on the Controlled Phase Transformation of Vertically Aligned WS ₂ at Designated Locations on an Atomic Scale. <i>Journal of Physical Chemistry C</i> , 2021 , 125, 2761-2769	3.8	1

155	Study of the Growth Mechanism of Solution-Synthesized Symmetric Tellurium Nanoflakes at Atomic Resolution. <i>Small</i> , 2021 , 17, e2005801	11	4
154	Interior and Exterior Decoration of Transition Metal Oxide Through Cu/Cu Co-Doping Strategy for High-Performance Supercapacitor. <i>Nano-Micro Letters</i> , 2021 , 13, 61	19.5	21
153	Room-temperature quaternary alkylammonium passivation toward morphology-controllable CsPbBr ₃ nanocrystals with excellent luminescence and stability for white LEDs. <i>Chemical Engineering Journal</i> , 2021 , 417, 129349	14.7	7
152	Bionic MXene actuator with multiresponsive modes. <i>Chemical Engineering Journal</i> , 2021 , 417, 129288	14.7	9
151	Tensile and flexible high-sensitive spandex fiber strain sensor enhanced by carbon nanotubes/Ag nanoparticles. <i>Nanotechnology</i> , 2021 , 32,	3.4	1
150	MXene/cellulose nanofiber-foam based high performance degradable piezoresistive sensor with greatly expanded interlayer distances. <i>Nano Energy</i> , 2021 , 87, 106151	17.1	23
149	Strong intrinsic room-temperature ferromagnetism in freestanding non-van der Waals ultrathin 2D crystals. <i>Nature Communications</i> , 2021 , 12, 5688	17.4	6
148	Enhanced stability of CsPbBr ₃ Quantum Dots by anchoring on the hierarchical three-dimensional layered double hydroxide. <i>Chemical Engineering Journal</i> , 2021 , 425, 130471	14.7	5
147	Unveiling the Nucleation Dynamics and Growth Mechanism of Layered MoS ₂ from Crystalline K ₂ MoS ₄ by in Situ Transmission Electron Microscopy. <i>Crystal Growth and Design</i> , 2020 , 20, 4069-4076	3.5	4
146	A Wearable and Highly Sensitive Textile-based Pressure Sensor with Ti ₃ C ₂ T _x Nanosheets. <i>Sensors and Actuators A: Physical</i> , 2020 , 311, 112081	3.9	13
145	Sublimation and related thermal stability of PbSe nanocrystals with effective size control evidenced by in situ transmission electron microscopy. <i>Nano Energy</i> , 2020 , 75, 104816	17.1	5
144	Flexible and high-sensitivity piezoresistive sensor based on MXene composite with wrinkle structure. <i>Ceramics International</i> , 2020 , 46, 23592-23598	5.1	31
143	An Ultrahigh Energy Density Flexible Asymmetric Microsupercapacitor Based on Ti ₃ C ₂ T _x and PPy/MnO ₂ with Wide Voltage Window. <i>Advanced Materials Technologies</i> , 2020 , 5, 2000272	6.8	10
142	In situ localized formation of cesium lead bromide nanocomposites for fluorescence micro-patterning technology achieved by organic solvent polymerization. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 3409-3417	7.1	5
141	Study of nanometer-scale structures and electrostatic properties of InAs quantum dots decorating GaAs/AlAs core/shell nanowires. <i>Nanotechnology</i> , 2020 , 31, 245701	3.4	1
140	Bioinspired Microspines for a High-Performance Spray TiCT MXene-Based Piezoresistive Sensor. <i>ACS Nano</i> , 2020 , 14, 2145-2155	16.7	162
139	Self-Healing Microsupercapacitors with Size-Dependent 2D MXene. <i>ChemElectroChem</i> , 2020 , 7, 821-829	4.3	7
138	Atomically Thin Oxyhalide Solar-Blind Photodetectors. <i>Small</i> , 2020 , 16, e2000228	11	16

137	Pink all-inorganic halide perovskite nanocrystals with adjustable characteristics: Fully reversible cation exchange, improving the stability of dopant emission and light-emitting diode application. <i>Journal of Alloys and Compounds</i> , 2020 , 818, 152913	5.7	12
136	Hollow MXene Sphere/Reduced Graphene Aerogel Composites for Piezoresistive Sensor with Ultra-High Sensitivity. <i>Advanced Electronic Materials</i> , 2020 , 6, 1901064	6.4	77
135	In situ TEM observation of controlled growth of two-dimensional WS ₂ with vertically aligned layers and high-temperature stability. <i>Nano Energy</i> , 2020 , 67, 104221	17.1	16
134	Yb/Er coordinatively doping in bilayer WSe ₂ for fascinating up-conversion luminescence. <i>Nano Energy</i> , 2020 , 78, 105317	17.1	0
133	Atomic scale study of the oxygen annealing effect on piezoelectricity enhancement of (K,Na)NbO ₃ nanorods. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 15830-15838	7.1	2
132	The highly-efficient light-emitting diodes based on transition metal dichalcogenides: from architecture to performance. <i>Nanoscale Advances</i> , 2020 , 2, 4323-4340	5.1	10
131	Research progress of MXenes-based wearable pressure sensors. <i>APL Materials</i> , 2020 , 8, 110702	5.7	18
130	Hybrid All-in-One Power Source Based on High-Performance Spherical Triboelectric Nanogenerators for Harvesting Environmental Energy. <i>Advanced Energy Materials</i> , 2020 , 10, 2001669	21.8	39
129	Biodegradable and Electroactive Regenerated Bacterial Cellulose/MXene (Ti C T) Composite Hydrogel as Wound Dressing for Accelerating Skin Wound Healing under Electrical Stimulation. <i>Advanced Healthcare Materials</i> , 2020 , 9, e2000872	10.1	66
128	Revealing the Phase-Transition Dynamics and Mechanism in a Spinel LiTiO Anode Material through in Situ Electron Microscopy. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 20874-20881	9.5	5
127	Graphene Aerogel Broken to Fragments for a Piezoresistive Pressure Sensor with a Higher Sensitivity. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 33165-33172	9.5	29
126	Study of the Polarization Effect in InAs Quantum Dots/GaAs Nanowires. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 4228-4234	3.8	6
125	Improving Performance of Hybrid Graphene/Perovskite Photodetector by a Scratch Channel. <i>Advanced Electronic Materials</i> , 2019 , 5, 1900168	6.4	13
124	MoS ₂ -Based Photodetectors Powered by Asymmetric Contact Structure with Large Work Function Difference. <i>Nano-Micro Letters</i> , 2019 , 11, 34	19.5	26
123	Subtle energy difference determining the delicately stable state of a solid object on a liquid medium with an arbitrary surface area. <i>Nano Energy</i> , 2019 , 60, 231-234	17.1	0
122	Controlled Growth of an MoS ₂ -Graphene Hybrid Film as an Electrode in Self-Powered Two-Sided MoS ₂ -Graphene/Sb ₂ Se ₃ /TiO ₂ Photodetectors. <i>Sensors</i> , 2019 , 19,	3.8	19
121	Strategies for Air-Stable and Tunable Monolayer MoS ₂ -Based Hybrid Photodetectors with High Performance by Regulating the Fully Inorganic Trihalide Perovskite Nanocrystals. <i>Advanced Optical Materials</i> , 2019 , 7, 1801744	8.1	29
120	Pulsed Laser Deposition Assisted van der Waals Epitaxial Large Area Quasi-2D ZnO Single-Crystal Plates on Fluorophlogopite Mica. <i>Advanced Materials Interfaces</i> , 2019 , 6, 1901156	4.6	9

119	Monolithic integration of deep ultraviolet LED with a multiplicative photoelectric converter. <i>Nano Energy</i> , 2019 , 66, 104181	17.1	11
118	Study of Charge Distributions and Electrical Properties in GaAs/AlGaAs Single Quantum Well/Nanowire Heterostructures. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 26888-26894	3.8	5
117	Homogeneous ZnO nanowire arrays p-n junction for blue light-emitting diode applications. <i>Optics Express</i> , 2019 , 27, A1207-A1215	3.3	13
116	Hybrid Growth Modes of PbSe Nanocrystals with Oriented Attachment and Grain Boundary Migration. <i>Advanced Science</i> , 2019 , 6, 1802202	13.6	19
115	Monolayer MoSe ₂ /NiO van der Waals heterostructures for infrared light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 13613-13621	7.1	7
114	High-level-Fe-doped P-type ZnO nanowire array/n-GaN film for ultraviolet-free white light-emitting diodes. <i>Materials Letters</i> , 2019 , 239, 45-47	3.3	14
113	All Fiber Based Electrochemical Capacitor towards Wearable AC Line Filters with Outstanding Rate Capability. <i>ChemElectroChem</i> , 2019 , 6, 1450-1457	4.3	6
112	One-Dimensional ABX ₃ -Type Fluorescent Crystal: CH ₃ NH ₃ ZnI ₃ . <i>Crystal Research and Technology</i> , 2018 , 53, 1800017	1.3	4
111	Inverse Spinel Cobalt-Iron Oxide and N-Doped Graphene Composite as an Efficient and Durable Bifunctional Catalyst for LiO ₂ Batteries. <i>ACS Catalysis</i> , 2018 , 8, 4082-4090	13.1	74
110	Crystal structure, optical behavior and electrical conduction of the new organic-organic compound CH ₃ NH ₃ CdI ₃ . <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 9821-9828	2.1	6
109	Evolution of the composition, structure, and piezoelectric performance of (K _{1-x} Nax)NbO ₃ nanorod arrays with hydrothermal reaction time. <i>Applied Physics Letters</i> , 2018 , 112, 142904	3.4	4
108	Highly Self-Healable 3D Microsupercapacitor with MXene-Graphene Composite Aerogel. <i>ACS Nano</i> , 2018 , 12, 4224-4232	16.7	375
107	High-performance piezoelectric energy harvesting of vertically aligned Pb(Zr,Ti)O nanorod arrays.. <i>RSC Advances</i> , 2018 , 8, 7422-7427	3.7	32
106	Single-Site Active Iron-Based Bifunctional Oxygen Catalyst for a Compressible and Rechargeable Zinc-Air Battery. <i>ACS Nano</i> , 2018 , 12, 1949-1958	16.7	255
105	The underlying micro-mechanism of performance enhancement of non-polar n-ZnO/p-AlGaN ultraviolet light emitting diode with i-ZnO inserted layer. <i>Applied Physics Letters</i> , 2018 , 112, 033505	3.4	11
104	A flexible and highly sensitive pressure sensor based on elastic carbon foam. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 1451-1458	7.1	97
103	Polarization-independent one-way transmission by silicon annular photonic crystal antireflection structures. <i>Optics Communications</i> , 2018 , 420, 127-132	2	4
102	3D Synergistical MXene/Reduced Graphene Oxide Aerogel for a Piezoresistive Sensor. <i>ACS Nano</i> , 2018 , 12, 3209-3216	16.7	415

101	synthesis of MoS/graphene nanosheets as free-standing and flexible electrode paper for high-efficiency hydrogen evolution reaction.. <i>RSC Advances</i> , 2018 , 8, 10698-10705	3.7	22
100	Piezoresistive Pressure Sensor Based on Synergistical Innerconnect Polyvinyl Alcohol Nanowires/Wrinkled Graphene Film. <i>Small</i> , 2018 , 14, e1704149	11	137
99	Crystal structure and electrical conduction of the new organic-inorganic compound (CH ₂) ₂ (NH ₃) ₂ CdI ₄ . <i>Journal of Molecular Structure</i> , 2018 , 1156, 450-456	3.4	3
98	Electron Holographic Study of Semiconductor Light-Emitting Diodes. <i>Small</i> , 2018 , 14, 1701996	11	6
97	In Situ TEM Observation of Crystal Structure Transformation in InAs Nanowires on Atomic Scale. <i>Nano Letters</i> , 2018 , 18, 6597-6603	11.5	18
96	In Situ TEM: Theory and Applications. <i>Springer Tracts in Modern Physics</i> , 2018 , 381-477	0.1	1
95	Polarization-independent one-way transmission of silicon annular photonic crystal heterojunctions. <i>AIP Advances</i> , 2018 , 8, 095011	1.5	1
94	3D hybrid porous Mxene-sponge network and its application in piezoresistive sensor. <i>Nano Energy</i> , 2018 , 50, 79-87	17.1	264
93	All-fiber-based quasi-solid-state lithium-ion battery towards wearable electronic devices with outstanding flexibility and self-healing ability. <i>Nano Energy</i> , 2018 , 51, 425-433	17.1	53
92	Highly Stretchable and Self-Healable Supercapacitor with Reduced Graphene Oxide Based Fiber Springs. <i>ACS Nano</i> , 2017 , 11, 2066-2074	16.7	338
91	Superelastic and ultralight electron source from modifying 3D reduced graphene aerogel microstructure. <i>Nano Energy</i> , 2017 , 33, 280-287	17.1	25
90	One-way optical transmission in silicon photonic crystal heterojunction with circular and square scatterers. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2017 , 381, 2131-2135	2.3	11
89	Atomic-Scale Study of Cation Ordering in Potassium Tungsten Bronze Nanosheets. <i>Advanced Science</i> , 2017 , 4, 1600537	13.6	11
88	A high performance wire-shaped flexible lithium-ion battery based on silicon nanoparticles within polypyrrole/twisted carbon fibers. <i>RSC Advances</i> , 2017 , 7, 26601-26607	3.7	17
87	Phase boundary and annealing dependent piezoelectricity in lead-free (K,Na)NbO ₃ nanorod arrays. <i>Applied Physics Letters</i> , 2017 , 110, 212904	3.4	10
86	Fe-Doped p-ZnO Nanostructures/n-GaN Heterojunction for Blue-Free Orange Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2017 , 5, 1700146	8.1	22
85	Orientation-dependent piezoresponse and high-performance energy harvesting of lead-free (K,Na)NbO ₃ nanorod arrays. <i>RSC Advances</i> , 2017 , 7, 16908-16915	3.7	13
84	Facile method to prepare 3D foam-like MnO ₂ film/multilayer graphene film/Ni foam hybrid structure for flexible supercapacitors. <i>Journal of Alloys and Compounds</i> , 2017 , 696, 1159-1167	5.7	20

83	A highly flexible and sensitive piezoresistive sensor based on MXene with greatly changed interlayer distances. <i>Nature Communications</i> , 2017 , 8, 1207	17.4	378
82	Spiral wire-type stretchable all-solid-state supercapacitors based on MnO ₂ /graphene/Ni wires. <i>Electrochimica Acta</i> , 2017 , 256, 44-51	6.7	20
81	Vertical finger-like asymmetric supercapacitors for enhanced performance at high mass loading and inner integrated photodetecting systems. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 22199-22207	13	24
80	Recent Progress in Micro-Supercapacitors with In-Plane Interdigital Electrode Architecture. <i>Small</i> , 2017 , 13, 1701989	11	126
79	A new approach for ultrahigh-performance piezoresistive sensor based on wrinkled PPy film with electrospun PVA nanowires as spacer. <i>Nano Energy</i> , 2017 , 41, 527-534	17.1	74
78	MXene/Silicon Van Der Waals Heterostructures for High-Speed Self-Driven Photodetectors. <i>Advanced Electronic Materials</i> , 2017 , 3, 1700165	6.4	106
77	Atomic-scale analysis of cation ordering in reduced calcium titanate. <i>Scientific Reports</i> , 2017 , 7, 14977	4.9	1
76	A Self-Powered Fast-Response Ultraviolet Detector of p-n Homojunction Assembled from Two ZnO-Based Nanowires. <i>Nano-Micro Letters</i> , 2017 , 9, 11	19.5	33
75	Ag nanoparticles modified large area monolayer MoS phototransistors with high responsivity. <i>Optics Express</i> , 2017 , 25, 14565-14574	3.3	30
74	Wire-type MnO ₂ /Multilayer graphene/Ni electrode for high-performance supercapacitors. <i>Journal of Power Sources</i> , 2016 , 335, 113-120	8.9	35
73	Three-dimensional hierarchical NiCo hydroxide@Ni ₃ S ₂ nanorod hybrid structure as high performance positive material for asymmetric supercapacitor. <i>Electrochimica Acta</i> , 2016 , 222, 965-975	6.7	25
72	A Flexible Integrated System Containing a Microsupercapacitor, a Photodetector, and a Wireless Charging Coil. <i>ACS Nano</i> , 2016 , 10, 11249-11257	16.7	142
71	UV-free red electroluminescence from the cross-connected p-ZnO:Cu nanobushes/n-GaN light emitting diode. <i>Optics Express</i> , 2016 , 24, 3940-9	3.3	6
70	Enhancing light emission in flexible AC electroluminescent devices by tetrapod-like zinc oxide whiskers. <i>Optics Express</i> , 2016 , 24, 23419-23428	3.3	27
69	Extraction of nano-silicon with activated carbons simultaneously from rice husk and their synergistic catalytic effect in counter electrodes of dye-sensitized solar cells. <i>Scientific Reports</i> , 2016 , 6, 39314	4.9	24
68	Three-dimensional nanocomposite formed by hydrophobic multiwalled carbon nanotubes threading titanium dioxide as the counter electrode of enhanced performance dye-sensitized solar cells. <i>RSC Advances</i> , 2016 , 6, 55071-55078	3.7	9
67	MnO ₂ /porous carbon film/Ni electrodes with high-quality interface for high rate and performance flexible supercapacitors. <i>Electrochimica Acta</i> , 2016 , 218, 58-65	6.7	15
66	Piezotronic and piezo-phototronic logic computations using Au decorated ZnO microwires. <i>Nano Energy</i> , 2016 , 27, 587-594	17.1	25

65	Piezoresistive Sensor with High Elasticity Based on 3D Hybrid Network of Sponge@CNTs@Ag NPs. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 22374-81	9.5	138
64	Facile, rapid and in-situ synthesis of ZnO nanoparticle films on Zn wires for fiber dye-sensitized solar cells. <i>Materials Research Bulletin</i> , 2015 , 66, 244-248	5.1	7
63	White Light-Emitting Diode From Sb-Doped p-ZnO Nanowire Arrays/n-GaN Film. <i>Advanced Functional Materials</i> , 2015 , 25, 2182-2188	15.6	77
62	Fabrication of nanoscale Ga balls via a Coulomb explosion of microscale silica-covered Ga balls by TEM electron-beam irradiation. <i>Scientific Reports</i> , 2015 , 5, 11313	4.9	11
61	High-Performance Solid-State Supercapacitors Fabricated by Pencil Drawing and Polypyrrole Depositing on Paper Substrate. <i>Nano-Micro Letters</i> , 2015 , 7, 276-281	19.5	40
60	Freestanding and flexible graphene wrapped MnO ₂ /MoO ₃ nanoparticle based asymmetric supercapacitors for high energy density and output voltage. <i>RSC Advances</i> , 2015 , 5, 45129-45135	3.7	28
59	Graphene-Skeleton Heat-Coordinated and Nanoamorphous-Surface-State Controlled Pseudo-Negative-Photoconductivity of Tiny SnO ₂ Nanoparticles. <i>Advanced Materials</i> , 2015 , 27, 3525-32	24	23
58	P-type NiO nanoparticles enhanced acetylene black as efficient counter electrode for dye-sensitized solar cells. <i>Materials Research Bulletin</i> , 2015 , 67, 185-190	5.1	20
57	Formation of short three dimensional porous assemblies of super hydrophobic acetylene black intertwined by copper oxide nanorods for a robust counter electrode of DSSCs. <i>RSC Advances</i> , 2015 , 5, 35635-35642	3.7	8
56	Fully screen printed highly conductive electrodes on various flexible substrates for asymmetric supercapacitors. <i>RSC Advances</i> , 2015 , 5, 85799-85805	3.7	48
55	Enhanced photo-response properties of a single ZnO microwire photodetector by coupling effect between localized Schottky barriers and piezoelectric potential. <i>Optics Express</i> , 2015 , 23, 21204-12	3.3	28
54	Layer-by-layer deposition of CNT and CNT+ hybrid films for platinum free counters electrodes of dye-sensitized-solar-cells. <i>RSC Advances</i> , 2015 , 5, 95551-95557	3.7	7
53	Absolute photonic band gap in 2D honeycomb annular photonic crystals. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2015 , 379, 214-217	2.3	50
52	Super-high rate stretchable polypyrrole-based supercapacitors with excellent cycling stability. <i>Nano Energy</i> , 2015 , 11, 518-525	17.1	214
51	SnO ₂ Nanoparticles: Graphene-Skeleton Heat-Coordinated and Nanoamorphous-Surface-State Controlled Pseudo-Negative-Photoconductivity of Tiny SnO ₂ Nanoparticles (Adv. Mater. 23/2015). <i>Advanced Materials</i> , 2015 , 27, 3579-3579	24	3
50	A wire-shaped flexible asymmetric supercapacitor based on carbon fiber coated with a metal oxide and a polymer. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13461-13467	13	133
49	Enhanced Electrocatalytic Activity by RGO/MWCNTs/NiO Counter Electrode for Dye-sensitized Solar Cells. <i>Nano-Micro Letters</i> , 2015 , 7, 298-306	19.5	34
48	Multicolour electroluminescence from light emitting diode based on ZnO:Cu/p-GaN heterojunction at positive and reverse bias voltage. <i>RSC Advances</i> , 2015 , 5, 104386-104391	3.7	6

47	Inkjet printing of conductive patterns and supercapacitors using a multi-walled carbon nanotube/Ag nanoparticle based ink. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 2407-2413	13	108
46	NiO-NF/MWCNT nanocomposite catalyst as a counter electrode for high performance dye-sensitized solar cells. <i>Applied Surface Science</i> , 2015 , 331, 333-338	6.7	32
45	A general method for preparing anatase TiO ₂ tree-like nanoarrays on various metal wires for fiber dye-sensitized solar cells. <i>Scientific Reports</i> , 2014 , 4, 4420	4.9	47
44	Bandgap-graded ZnO/(CdS)1 _n (ZnS) x coaxial nanowire arrays for semiconductor-sensitized solar cells. <i>Materials Research Express</i> , 2014 , 1, 015021	1.7	3
43	Highly efficient dye-sensitized solar cell with GNS/MWCNT/PANI as a counter electrode. <i>Materials Research Bulletin</i> , 2014 , 59, 272-277	5.1	23
42	Bandgap engineering of Ga _x Zn _{1-x} O nanowire arrays for wavelength-tunable light-emitting diodes. <i>Laser and Photonics Reviews</i> , 2014 , 8, 429-435	8.3	46
41	Ultrathin and lightweight 3D free-standing Ni@NiO nanowire membrane electrode for a supercapacitor with excellent capacitance retention at high rates. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 13627-34	9.5	64
40	Hierarchical nanostructures of polypyrrole@MnO ₂ composite electrodes for high performance solid-state asymmetric supercapacitors. <i>Nanoscale</i> , 2014 , 6, 2922-8	7.7	90
39	Series asymmetric supercapacitors based on free-standing inner-connection electrodes for high energy density and high output voltage. <i>Nanoscale</i> , 2014 , 6, 15073-9	7.7	32
38	Polarity continuation and frustration in ZnSe nanospirals. <i>Scientific Reports</i> , 2014 , 4, 7447	4.9	6
37	High extraction efficiency in GaN-based light-emitting diodes with air-hole photonic crystal slab. <i>Modern Physics Letters B</i> , 2014 , 28, 1450173	1.6	1
36	Ag nanoparticles@ZnO nanowire composite arrays: an absorption enhanced UV photodetector. <i>Optics Express</i> , 2014 , 22, 30148-55	3.3	66
35	Strain-enhanced cable-type 3D UV photodetecting of ZnO nanowires on a Ni wire by coupling of piezotronics effect and pn junction. <i>Optics Express</i> , 2014 , 22, 3661-8	3.3	17
34	Engineering ultra-flattened-dispersion photonic crystal fibers with uniform holes by rotations of inner rings. <i>Photonics Research</i> , 2014 , 2, 59	6	12
33	Determination of polarization-fields across polytype interfaces in InAs nanopillars. <i>Advanced Materials</i> , 2014 , 26, 1052-7	24	26
32	Solid-state high performance flexible supercapacitors based on polypyrrole-MnO ₂ -carbon fiber hybrid structure. <i>Scientific Reports</i> , 2013 , 3, 2286	4.9	238
31	Cable-type supercapacitors of three-dimensional cotton thread based multi-grade nanostructures for wearable energy storage. <i>Advanced Materials</i> , 2013 , 25, 4925-31	24	247
30	Photonic band gaps in square photonic crystal slabs of core-shell-type dielectric nanorod heterostructures. <i>Solid State Communications</i> , 2013 , 172, 10-14	1.6	7

29	Atomic configurations at InAs partial dislocation cores associated with Z-shape faulted dipoles. <i>Scientific Reports</i> , 2013 , 3, 3229	4.9	12
28	Fe- and Fe ₃ C-filled carbon nanotube-aligned arrays and flower-like carbon nanostructured clusters with a high coercivity. <i>Micro and Nano Letters</i> , 2012 , 7, 271	0.9	4
27	Photonic band gaps in two-dimensional photonic crystals of core-shell-type dielectric nanorod heterostructures. <i>Optics Communications</i> , 2012 , 285, 1988-1992	2	22
26	WO ₃ @Au@MnO ₂ core-shell nanowires on carbon fabric for high-performance flexible supercapacitors. <i>Advanced Materials</i> , 2012 , 24, 938-44	24	592
25	Bi ₂ Se ₃ /CdS/TiO ₂ hybrid photoelectrode and its band-edge levels. <i>Journal of Alloys and Compounds</i> , 2012 , 545, 105-110	5.7	9
24	Chemical vapor deposition of a PbSe/CdS/nitrogen-doped TiO ₂ nanorod array photoelectrode and its band-edge level structure. <i>New Journal of Chemistry</i> , 2012 , 36, 2302	3.6	7
23	Well vertically aligned ZnO nanowire arrays with an ultra-fast recovery time for UV photodetector. <i>Applied Physics A: Materials Science and Processing</i> , 2012 , 107, 255-260	2.6	45
22	Enhancement of ultraviolet detecting by coupling the photoconductive behavior of GaN nanowires and p-n junction. <i>Optics Express</i> , 2012 , 20, 20748-53	3.3	6
21	Electrically driven gallium movement in carbon nanotubes. <i>Nanotechnology</i> , 2012 , 23, 065704	3.4	10
20	Ga filled nanothermometers with high sensitivity and wide measuring range. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 6397-400	1.3	2
19	Three-dimensional WO ₃ nanostructures on carbon paper: photoelectrochemical property and visible light driven photocatalysis. <i>Chemical Communications</i> , 2011 , 47, 5804-6	5.8	143
18	Silicon multi-branch nanostructures for decent field emission and excellent electrical transport. <i>Nanotechnology</i> , 2011 , 22, 145705	3.4	10
17	Versatile Route to the Controlled Synthesis of Multilevel Branched Silicon Submicrometer/Nanostructures. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 134-138	3.8	5
16	Improved two-temperature model and its application in femtosecond laser ablation of metal target. <i>Laser and Particle Beams</i> , 2010 , 28, 157-164	0.9	18
15	Nonpolar a-plane ZnO films grown on GaN/sapphire templates with SiN _x interlayer by pulsed laser deposition. <i>Journal Physics D: Applied Physics</i> , 2010 , 43, 145102	3	10
14	Synthesis and microstructure of Fe ₃ C encapsulated inside chain-like carbon nanocapsules. <i>Materials Letters</i> , 2010 , 64, 680-683	3.3	10
13	Tungsten oxide nanowires grown on carbon cloth as a flexible cold cathode. <i>Advanced Materials</i> , 2010 , 22, 5292-6	24	92
12	Characterization of a-plane orientation ZnO film grown on GaN/Sapphire template by pulsed laser deposition. <i>Applied Surface Science</i> , 2010 , 256, 4682-4686	6.7	21

11	Optical and electrical characterization of InGaZnO thin film fabricated by pulsed laser deposition for thin film transistor applications. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 215301	3	12
10	Suppression of near-edge optical absorption band in sputter deposited hafnium oxynitride via nitrogen incorporation and annealing. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 145302	3	1
9	Theoretical design and experimental study of hydrothermal synthesis of KNbO_3 . <i>Journal of Physics and Chemistry of Solids</i> , 2008 , 69, 193-198	3.9	13
8	Temperature measurement using a gallium-filled carbon nanotube nanothermometer. <i>Applied Physics Letters</i> , 2003 , 83, 2913-2915	3.4	68
7	Carbon nanothermometer containing gallium. <i>Nature</i> , 2002 , 415, 599	50.4	446
6	Nanothermodynamic analysis of surface effect on expansion characteristics of Ga in carbon nanotubes. <i>Applied Physics Letters</i> , 2002 , 81, 3966-3968	3.4	33
5	Melting and expansion behavior of indium in carbon nanotubes. <i>Applied Physics Letters</i> , 2002 , 81, 4133-4135	3.4	38
4	Highly effective metal vapor absorbents based on carbon nanotubes. <i>Applied Physics Letters</i> , 2002 , 81, 4844-4846	3.4	33
3	Needle-Like SiC Nanorods. <i>Japanese Journal of Applied Physics</i> , 2001 , 40, L1065-L1067	1.4	7
2	Self-Powered Graphene Oxide Humidity Sensor Based on Potentiometric Humidity Transduction Mechanism. <i>Advanced Functional Materials</i> , 2107330	15.6	8
1	An Ion Channel-Induced Self-Powered Flexible Pressure Sensor Based on Potentiometric Transduction Mechanism. <i>Advanced Functional Materials</i> , 2108856	15.6	3