
## Tom MÃ,ller

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8094844/publications.pdf

Version: 2024-02-01



TOM MÃLIER

#	Article	IF	CITATIONS
1	A national Danish proof of concept on feasibility and safety of home -based intensive chemotherapy in patients with acute myeloid leukemia. Leukemia Research, 2022, 112, 106756.	0.4	3
2	Dropout during a 12-week transitional exercise-based cardiac rehabilitation programme: a mixed-methods prospective cohort study. European Journal of Cardiovascular Nursing, 2022, 21, 578-586.	0.4	9
3	An observational study on body mass index during rehabilitation and follow-up in people with spinal cord injury in Denmark. Spinal Cord, 2022, 60, 157-162.	0.9	2
4	Can supervised groupâ€based multimodal exercise improve healthâ€related quality of life in women with ovarian cancer undergoing chemotherapy?. European Journal of Cancer Care, 2022, 31, .	0.7	3
5	Parents to chronically ill adolescents have ambivalent views on confidential youth consultations – a mixed methods study. International Journal of Adolescent Medicine and Health, 2021, 33, .	0.6	6
6	The test-retest reliability of individualized VO2peak test modalities in people with spinal cord injury undergoing rehabilitation. Spinal Cord, 2021, 59, 82-91.	0.9	2
7	Exploring the contextual transition from spinal cord injury rehabilitation to the home environment: a qualitative study. Spinal Cord, 2021, 59, 336-346.	0.9	13
8	Reduced Need for Urinary Bladder Catheterization in the Postanesthesia Care Unit After Implementation of an Evidence-based Protocol: A Prospective Cohort Comparison Study. European Urology Open Science, 2021, 26, 27-34.	0.2	4
9	The missing link-participants' perspectives on transfer from psychosocial interventional contexts to everyday community life: a qualitative synthesis of interventional studies. BMC Psychology, 2021, 9, 62.	0.9	2
10	Longitudinal symptom burden in adult patients with acute leukaemia participating in the PACEâ€AL randomised controlled exercise trial—an explorative analysis. European Journal of Cancer Care, 2021, 30, e13462.	0.7	4
11	Meaningful Activities and Recovery (MA&R): the effect of a novel rehabilitation intervention among persons with psychiatric disabilities on activity engagement—study protocol for a randomized controlled trial. Trials, 2020, 21, 789.	0.7	13
12	Physical deterioration and adaptive recovery in physically inactive breast cancer patients during adjuvant chemotherapy: a randomised controlled trial. Scientific Reports, 2020, 10, 9710.	1.6	30
13	Lifestyle counselling as secondary prevention in patients with minor stroke and transient ischemic attack: study protocol for a randomized controlled pilot study. Pilot and Feasibility Studies, 2020, 6, 40.	0.5	4
14	Effect and efficacy of lifestyle interventions as secondary prevention. Acta Neurologica Scandinavica, 2020, 142, 299-313.	1.0	8
15	Heavy-load resistance exercise during chemotherapy in physically inactive breast cancer survivors at risk for lymphedema: a randomized trial. Acta Oncológica, 2019, 58, 1667-1675.	0.8	17
16	Fast-track pneumonia pathway focusing on early progressive mobilisation: aÂclinical feasibility study. ERJ Open Research, 2019, 5, 00012-2019.	1.1	4
17	Health promotion and cardiovascular risk reduction in people with spinal cord injury: physical activity, healthy diet and maintenance after discharge— protocol for a prospective national cohort study and a preintervention- postintervention study. BMJ Open, 2019, 9, e030310.	0.8	8
18	Systematic patient involvement for homebased outpatient administration of complex chemotherapy in acute leukemia and lymphoma. British Journal of Haematology, 2018, 181, 637-641.	1.2	12

Tom MÃ,ller

#	Article	IF	CITATIONS
19	Heavy-Load Lifting. Medicine and Science in Sports and Exercise, 2018, 50, 187-195.	0.2	21
20	Transfusion-associated circulatory overload in adult, medical emergency patients with perspectives on early warning practice: a single-centre, clinical study. Blood Transfusion, 2018, 16, 137-144.	0.3	11
21	Rethinking exercise identity: a qualitative study of physically inactive cancer patients' transforming process while undergoing chemotherapy. BMJ Open, 2017, 7, e016689.	0.8	14
22	A randomized cross-over trial to detect differences in arm volume after low- and heavy-load resistance exercise among patients receiving adjuvant chemotherapy for breast cancer at risk for arm lymphedema: study protocol. BMC Cancer, 2016, 16, 517.	1.1	8
23	Early warning and prevention of pneumonia in acute leukemia by patient education, spirometry, and positive expiratory pressure: A randomized controlled trial. American Journal of Hematology, 2016, 91, 271-276.	2.0	13
24	Multimodal intervention integrated into the clinical management of acute leukemia improves physical function and quality of life during consolidation chemotherapy: a randomized trial 'PACE-AL. Haematologica, 2016, 101, e316-e319.	1.7	22
25	The challenge of preserving cardiorespiratory fitness in physically inactive patients with colon or breast cancer during adjuvant chemotherapy: a randomised feasibility study. BMJ Open Sport and Exercise Medicine, 2015, 1, e000021.	1.4	30
26	Patient safety and technology-driven medication – A qualitative study on how graduate nursing students navigate through complex medication administration. Nurse Education in Practice, 2015, 15, 203-211.	1.0	19
27	Patient Activation through Counseling and Exercise – Acute Leukemia (PACE-AL) – a randomized controlled trial. BMC Cancer, 2013, 13, 446.	1.1	20
28	The emerging role of exercise and health counseling in patients with acute leukemia undergoing chemotherapy during outpatient management. Leukemia Research, 2013, 37, 155-161.	0.4	23
29	The effects of a six-week supervised multimodal exercise intervention during chemotherapy on cancer-related fatigue. European Journal of Oncology Nursing, 2013, 17, 331-339.	0.9	77
30	At cancer diagnosis: a â€~window of opportunity' for behavioural change towards physical activity. A randomised feasibility study in patients with colon and breast cancer. BMJ Open, 2013, 3, e003556.	0.8	24
31	Health related quality of life and impact of infectious comorbidity in outpatient management of patients with acute leukemia. Leukemia and Lymphoma, 2012, 53, 1896-1904.	0.6	13
32	Exercise may reduce depression but not anxiety in self-referred cancer patients undergoing chemotherapy. Post-hoc analysis of data from the â€~Body & Cancer' trial. Acta Oncológica, 2011, 50, 660-669.	0.8	35
33	Hematologic Patients' Clinical and Psychosocial Experiences With Implanted Long-term Central Venous Catheter. Cancer Nursing, 2010, 33, 426-435.	0.7	29
34	Safe and feasible outpatient treatment following induction and consolidation chemotherapy for patients with acute leukaemia. European Journal of Haematology, 2010, 84, 316-322.	1.1	46
35	Effect of a multimodal high intensity exercise intervention in cancer patients undergoing chemotherapy: randomised controlled trial. BMJ: British Medical Journal, 2009, 339, b3410-b3410.	2.4	378
36	Self-reported physical activity behaviour; exercise motivation and information among Danish adult cancer patients undergoing chemotherapy. European Journal of Oncology Nursing, 2009, 13, 116-121.	0.9	53

Том MÃ,ller

#	Article	IF	CITATIONS
37	The effect of a multidimensional exercise intervention on physical capacity, well-being and quality of life in cancer patients undergoing chemotherapy. Supportive Care in Cancer, 2006, 14, 116-127.	1.0	114
38	The impact of a multidimensional exercise program on self-reported anxiety and depression in cancer patients undergoing chemotherapy: A phase II study. Palliative and Supportive Care, 2005, 3, 197-208.	0.6	39
39	Feasibility, physical capacity, and health benefits of a multidimensional exercise program for cancer patients undergoing chemotherapy. Supportive Care in Cancer, 2003, 11, 707-716.	1.0	106