

Lucia L Corral

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8094991/publications.pdf>

Version: 2024-02-01

100
papers

3,535
citations

147726

31
h-index

149623

56
g-index

102
all docs

102
docs citations

102
times ranked

5057
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Phase II Trial of Allogeneic Transplantation Plus Novel Drugs in Multiple Myeloma: Effect of Intensifying Reduced-Intensity Conditioning with Bortezomib and Adding Maintenance Treatment. Transplantation and Cellular Therapy, 2022, 28, 258.e1-258.e8. | 0.6 | 4 |
| 2 | Safety and Efficacy Comparison of Two Anakinra Dose Regimens for Refractory CRS or Neurotoxicity after CAR T-Cell Therapy. Transplantation and Cellular Therapy, 2022, 28, S185-S186. | 0.6 | 0 |
| 3 | Real-world evidence of brexucabtagene autoleucel for the treatment of relapsed or refractory mantle cell lymphoma. Blood Advances, 2022, 6, 3606-3610. | 2.5 | 35 |
| 4 | Underdiagnosed veno-occlusive disease/sinusoidal obstruction syndrome (VOD/SOS) as a major cause of multi-organ failure in acute leukemia transplant patients: an analysis from the EBMT Acute Leukemia Working Party. Bone Marrow Transplantation, 2021, 56, 917-927. | 1.3 | 8 |
| 5 | Defibrotide in hematopoietic stem cell transplantation: A multicenter survey study of the Spanish Hematopoietic Stem Cell Transplantation Group (GETH). European Journal of Haematology, 2021, 106, 842-850. | 1.1 | 2 |
| 6 | Allogeneic stem cell transplantation as a curative option in relapse/refractory diffuse large B cell lymphoma: Spanish multicenter GETH/GELTAMO study. Bone Marrow Transplantation, 2021, 56, 1919-1928. | 1.3 | 13 |
| 7 | Treatment of steroidâ€refractory chronic graftâ€versusâ€host disease with imatinib: Realâ€life experience of the Spanish group of hematopoietic transplantation (GETH). Clinical Transplantation, 2021, 35, e14255. | 0.8 | 5 |
| 8 | Realâ€world evidence of tisagenlecleucel for the treatment of relapsed or refractory large Bâ€cell lymphoma. Cancer Medicine, 2021, 10, 3214-3223. | 1.3 | 73 |
| 9 | COVID-19 and stem cell transplantation; results from an EBMT and GETH multicenter prospective survey. Leukemia, 2021, 35, 2885-2894. | 3.3 | 153 |
| 10 | Biomarker profile predicts clinical efficacy of extracorporeal photopheresis in steroidâ€resistant acute and chronic graftâ€vsâ€host disease after allogeneic hematopoietic stem cell transplant. Journal of Clinical Apheresis, 2021, 36, 697-710. | 0.7 | 8 |
| 11 | Longâ€term outcome of patients receiving haematopoietic allogeneic stem cell transplantation as first transplant for highâ€risk Hodgkin lymphoma: a retrospective analysis from the Lymphoma Working Partyâ€EBMT. British Journal of Haematology, 2021, , . | 1.2 | 2 |
| 12 | Results from a Pilot Study of ARI0002h, an Academic BCMA-Directed CAR-T Cell Therapy with Fractionated Initial Infusion and Booster Dose in Patients with Relapsed and/or Refractory Multiple Myeloma. Blood, 2021, 138, 2837-2837. | 0.6 | 8 |
| 13 | Real-World Results from Anti-CD19 CAR-T Cell Therapy for Relapsed or Refractory Diffuse Large B-Cell Lymphoma in Spain and Comparison with Previous Standard of Care: A Geltamo/Geth Study. Blood, 2021, 138, 3850-3850. | 0.6 | 0 |
| 14 | Safety and Efficacy of Two Anakinra Dose Regimens for Refractory CRS or ICANS after CAR T-Cell Therapy. Blood, 2021, 138, 2816-2816. | 0.6 | 11 |
| 15 | Comparative Study of Unrelated and Haploidentical Donor Hematopoietic Cell Transplant for Chronic Myeloid Leukemia with Post Transplant Cyclophosphamide As Graft-Versus-Host Disease Prophylaxis: A Study from the Chronic Malignancies Working Party of EBMT. Blood, 2021, 138, 3954-3954. | 0.6 | 0 |
| 16 | Axicabtagene Ciloleucel Compared to Tisagenlecleucel for the Treatment of Relapsed or Refractory Large B-Cell Lymphoma in the Real World Setting in Spain. Blood, 2021, 138, 1742-1742. | 0.6 | 1 |
| 17 | Daratumumab is a safe and effective rescue therapy for multiple myeloma patients who relapse after allo-HSCT. Bone Marrow Transplantation, 2020, 55, 461-463. | 1.3 | 3 |
| 18 | Efficacy of bortezomib to intensify the conditioning regimen and the graft-versus-host disease prophylaxis for high-risk myeloma patients undergoing transplantation. Bone Marrow Transplantation, 2020, 55, 419-430. | 1.3 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Ruxolitinib in refractory acute and chronic graft-versus-host disease: a multicenter survey study. <i>Bone Marrow Transplantation</i> , 2020, 55, 641-648. | 1.3 | 58 |
| 20 | Influence of donor type, stem cell source and conditioning on outcomes after haploidentical transplant for lymphoma – a LWPâ€EBMT study. <i>British Journal of Haematology</i> , 2020, 188, 745-756. | 1.2 | 20 |
| 21 | Measures to Maintain a SARS-CoV-2 Negative Inpatient Hematological Unit in the Midst of the COVID-19 Pandemic. <i>Frontiers in Medicine</i> , 2020, 7, 462. | 1.2 | 1 |
| 22 | CT-177: Predictive Value of Early Measurement of ST2 and REG3 β in the Outcome of Haploidentical Stem-Cell Transplantation with Post-Transplant Cyclophosphamide. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, S215-S216. | 0.2 | 0 |
| 23 | IBCL-176: Single-Centre Experience with Stem-Cell Transplantation in Patients with Transformed Lymphoma: A Potential Curative Option. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, S278-S279. | 0.2 | 0 |
| 24 | Optimized EBMT transplant-specific risk score in myelodysplastic syndromes after allogeneic stem-cell transplantation. <i>Haematologica</i> , 2019, 104, 929-936. | 1.7 | 23 |
| 25 | CAR T-CELLS ARE ARRIVING. IS ALLOGENEIC TRANSPLANT AN OBSOLETE APPROACH FOR DE NOVO/TRANSFORMED DLBCL IN THE CAR T-CELLS ERA? LONG-TERM FOLLOW-UP OF A SINGLE CENTRE UNIT. <i>Hematological Oncology</i> , 2019, 37, 508-509. | 0.8 | 1 |
| 26 | Vitamin D Modifies the Incidence of Graft-versus-Host Disease after Allogeneic Stem Cell Transplantation Depending on the Vitamin D Receptor (VDR) Polymorphisms. <i>Clinical Cancer Research</i> , 2019, 25, 4616-4623. | 3.2 | 13 |
| 27 | Response to Novel Drugs before and after Allogeneic Stem Cell Transplantation in Patients with Relapsed Multiple Myeloma. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1703-1712. | 2.0 | 13 |
| 28 | Donor lymphocyte infusions for B-cell malignancies relapse after T-cell replete allogeneic hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 1133-1137. | 1.3 | 0 |
| 29 | Usefulness of eltrombopag for treating thrombocytopenia after allogeneic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 757-761. | 1.3 | 27 |
| 30 | Allogeneic Hematopoietic Stem Cell Transplantation for T Cell Lymphomas: Improved Results Overtime. <i>Blood</i> , 2019, 134, 3325-3325. | 0.6 | 0 |
| 31 | Tâ€cell replete haploidentical stem cell transplantation attenuates the prognostic impact of FLT3â€TD in acute myeloid leukemia: A report from the Acute Leukemia Working Party of the European Society for Blood and Marrow Transplantation. <i>American Journal of Hematology</i> , 2018, 93, 736-744. | 2.0 | 21 |
| 32 | CD34+ Cell Selection versus Reduced-Intensity Conditioning and Unmodified Grafts for Allogeneic Hematopoietic Cell Transplantation in Patients Age >50 Years with Acute Myelogenous Leukemia and Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 964-972. | 2.0 | 19 |
| 33 | Reduced intensity conditioning increases risk of severe cGVHD: identification of risk factors for cGVHD in a multicenter setting. <i>Medical Oncology</i> , 2018, 35, 79. | 1.2 | 15 |
| 34 | Incidence, Risk Factors and Treatment Response in Patients with Chronic Graft versus-Host Disease after Haploidentical Transplantation with Post-Transplantation Cyclophosphamide. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, S304. | 0.2 | 0 |
| 35 | Busulfanâ€based myeloablative conditioning regimens for haploidentical transplantation in highâ€risk acute leukemias and myelodysplastic syndromes. <i>European Journal of Haematology</i> , 2018, 101, 332-339. | 1.1 | 11 |
| 36 | Outcomes of Advanced Hodgkin Lymphoma after Umbilical Cord Blood Transplantation: A Eurocord and EBMT Lymphoma and Cellular Therapy & Immunobiology Working Party Study. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 2265-2270. | 2.0 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Intestinal Transplant-Associated Thrombotic Microangiopathy: Histopathological Review. a Single Center Experience. <i>Blood</i> , 2018, 132, 3385-3385. | 0.6 | 0 |
| 38 | Haplo-Cord transplantation compared to haploidentical transplantation with post-transplant cyclophosphamide in patients with AML. <i>Bone Marrow Transplantation</i> , 2017, 52, 1138-1143. | 1.3 | 20 |
| 39 | Results of a prospective phase II trial with ofatumumab as part of reduced intensity conditioning regimen in high-risk non-Hodgkin B lymphoma patients: A GELTAMO trial. <i>Hematological Oncology</i> , 2017, 35, 346-347. | 0.8 | 0 |
| 40 | Tacrolimus plus sirolimus with or without ATG as GVHD prophylaxis in HLA-mismatched unrelated donor allogeneic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2017, 52, 438-444. | 1.3 | 7 |
| 41 | Biomarkers in Ocular Chronic Graft Versus Host Disease: Tear Cytokine- and Chemokine-Based Predictive Model. , 2016, 57, 746. | | 81 |
| 42 | Immunomodulatory Effect of Vitamin D after Allogeneic Stem Cell Transplantation: Results of a Prospective Multicenter Clinical Trial. <i>Clinical Cancer Research</i> , 2016, 22, 5673-5681. | 3.2 | 39 |
| 43 | Lenalidomide plus dexamethasone versus observation in patients with high-risk smouldering multiple myeloma (QuiRedex): long-term follow-up of a randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2016, 17, 1127-1136. | 5.1 | 128 |
| 44 | Busulfan-based reduced intensity conditioning regimens for haploidentical transplantation in relapsed/refractory Hodgkin lymphoma: Spanish multicenter experience. <i>Bone Marrow Transplantation</i> , 2016, 51, 1307-1312. | 1.3 | 31 |
| 45 | Immune status of high-risk smoldering multiple myeloma patients and its therapeutic modulation under LenDex: a longitudinal analysis. <i>Blood</i> , 2016, 127, 1151-1162. | 0.6 | 68 |
| 46 | The Role of Hypomethylating Agents (Hma) in Early Myeloid Relapses After Allogeneic Hematopoietic Stem Cell Transplant (HSCT). <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, S84-S85. | 0.2 | 0 |
| 47 | Fludarabine/Busulfan versus Fludarabine/Melphalan Conditioning in Patients Undergoing Reduced-Intensity Conditioning Hematopoietic Stem Cell Transplantation for Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1808-1815. | 2.0 | 29 |
| 48 | GvHD prophylaxis with tacrolimus plus sirolimus after reduced intensity conditioning allogeneic transplantation: results of a multicenter study. <i>Bone Marrow Transplantation</i> , 2016, 51, 1524-1526. | 1.3 | 6 |
| 49 | Management patterns and outcomes in symptomatic venous thromboembolism following allogeneic hematopoietic stem cell transplantation. A 15-years experience at a single center. <i>Thrombosis Research</i> , 2016, 142, 52-56. | 0.8 | 12 |
| 50 | Potential protective effect of <i>Helicobacter pylori</i> on the development of gastrointestinal GvHD. <i>Bone Marrow Transplantation</i> , 2016, 51, 819-824. | 1.3 | 0 |
| 51 | Sustained Overall Survival Benefit with Lenalidomide Plus Dexamethasone Versus No Treatment in Patients with Smoldering Myeloma at High Risk of Progression to Myeloma: Long Term Analysis. <i>Blood</i> , 2016, 128, 3308-3308. | 0.6 | 2 |
| 52 | Response to Proteasome Inhibitors and Immunomodulatory Drugs before and after Allogeneic Transplantation in Patients with Multiple Myeloma: A Long Term Follow up Study. <i>Blood</i> , 2016, 128, 3436-3436. | 0.6 | 1 |
| 53 | Myeloablative Conditioning Haploidentical Stem Cell Transplantation (MAC-HAPLO) with Post-Transplant Cyclophosphamide (PTCy) As GvHD Prophylaxis in High Risk Leukemias/Myelodysplastic Syndromes (MDS): Geth Experience. <i>Blood</i> , 2016, 128, 4690-4690. | 0.6 | 2 |
| 54 | Treatment of Patients with Steroid Refractory Acute Graft Vs Host Disease (SR-GvHD): A Matched Paired Analysis of Anti-CD26 (Begelomab) Compared to Other Treatment. <i>Blood</i> , 2016, 128, 671-671. | 0.6 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Integrative analysis of DNA copy number, DNA methylation and gene expression in multiple myeloma reveals alterations related to relapse. <i>Oncotarget</i> , 2016, 7, 80664-80679. | 0.8 | 11 |
| 56 | Acute graft-versus-host disease and bronchiolitis obliterans after autologous stem cell transplantation in a patient with multiple myeloma. <i>Clinical Case Reports (discontinued)</i> , 2015, 3, 370-375. | 0.2 | 4 |
| 57 | The impact of graft-versus-host disease prophylaxis in reduced-intensity conditioning allogeneic stem cell transplant in acute myeloid leukemia: a study from the Acute Leukemia Working Party of the European Group for Blood and Marrow Transplantation. <i>Haematologica</i> , 2015, 100, 683-689. | 1.7 | 36 |
| 58 | Gene Expression-Based Predictive Models of Graft Versus Host Disease-Associated Dry Eye. , 2015, 56, 4570. | | 42 |
| 59 | The prognostic value of multiparameter flow cytometry minimal residual disease assessment in relapsed multiple myeloma. <i>Haematologica</i> , 2015, 100, e53-e55. | 1.7 | 41 |
| 60 | In patients older than 55 years with AML in first CR, should we search for a matched unrelated donor when an old sibling donor is available?. <i>Bone Marrow Transplantation</i> , 2015, 50, 1411-1415. | 1.3 | 16 |
| 61 | Influence of donor age in allogeneic stem cell transplant outcome in acute myeloid leukemia and myelodysplastic syndrome. <i>Leukemia Research</i> , 2015, 39, 828-834. | 0.4 | 41 |
| 62 | In vivo murine model of acquired resistance in myeloma reveals differential mechanisms for lenalidomide and pomalidomide in combination with dexamethasone. <i>Leukemia</i> , 2015, 29, 705-714. | 3.3 | 72 |
| 63 | GVHD prophylaxis with sirolimus-tacrolimus may overcome the deleterious effect on survival of HLA mismatch after reduced-intensity conditioning allo-SCT. <i>Bone Marrow Transplantation</i> , 2015, 50, 121-126. | 1.3 | 8 |
| 64 | Comparison of upfront tandem autologous-allogeneic transplantation versus reduced intensity allogeneic transplantation for multiple myeloma. <i>Bone Marrow Transplantation</i> , 2015, 50, 802-807. | 1.3 | 13 |
| 65 | Incidence and risk factors for life-threatening bleeding after allogeneic stem cell transplant. <i>British Journal of Haematology</i> , 2015, 169, 719-725. | 1.2 | 37 |
| 66 | An International Multicenter Comparative Analysis of Tacrolimus Plus Sirolimus with or without Antithymocyte Globulin As Graft-Versus-Host Disease Prophylaxis in HLA-Mismatched Allogeneic Hematopoietic Cell Transplantation. <i>Blood</i> , 2015, 126, 3142-3142. | 0.6 | 0 |
| 67 | Low-Dose Dexamethasone Does Not Abrogate the Immunomodulatory Effects of Lenalidomide and Both Reactivate the Impaired Immune System of High-Risk Smoldering Multiple Myeloma Patients. <i>Blood</i> , 2015, 126, 2955-2955. | 0.6 | 0 |
| 68 | Impact of in vivo T-cell depletion on outcome of AML patients in first CR given peripheral blood stem cells and reduced-intensity conditioning allo-SCT from a HLA-identical sibling donor: a report from the Acute Leukemia Working Party of the European group for Blood and Marrow Transplantation. <i>Bone Marrow Transplantation</i> , 2014, 49, 389-396. | 1.3 | 92 |
| 69 | Transcriptome analysis reveals molecular profiles associated with evolving steps of monoclonal gammopathies. <i>Haematologica</i> , 2014, 99, 1365-1372. | 1.7 | 65 |
| 70 | Intraclonal heterogeneity is a critical early event in the development of myeloma and precedes the development of clinical symptoms. <i>Leukemia</i> , 2014, 28, 384-390. | 3.3 | 252 |
| 71 | Role of minimal residual disease and chimerism after reduced-intensity and myeloablative allo-transplantation in acute myeloid leukemia and high-risk myelodysplastic syndrome. <i>Leukemia Research</i> , 2014, 38, 551-556. | 0.4 | 11 |
| 72 | Risk factors for thrombotic microangiopathy in allogeneic hematopoietic stem cell recipients receiving GVHD prophylaxis with tacrolimus plus MTX or sirolimus. <i>Bone Marrow Transplantation</i> , 2014, 49, 684-690. | 1.3 | 46 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Sequential Third-Party Mesenchymal Stromal Cell Therapy for Refractory Acute Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1580-1585. | 2.0 | 99 |
| 74 | Comparing i.v. BU dose intensity between two regimens (FB2 vs FB4) for allogeneic HCT for AML in CR1: a report from the Acute Leukemia Working Party of EBMT. <i>Bone Marrow Transplantation</i> , 2014, 49, 1170-1175. | 1.3 | 33 |
| 75 | Combination of the Hematopoietic Cell Transplantation Comorbidity Index and the European Group for Blood and Marrow Transplantation Score Allows a Better Stratification of High-Risk Patients Undergoing Reduced-Toxicity Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 66-72. | 2.0 | 41 |
| 76 | Long Term Follow-up on the Treatment of High Risk Smoldering Myeloma with Lenalidomide Plus Low Dose Dex (Rd) (phase III spanish trial): Persistent Benefit in Overall Survival. <i>Blood</i> , 2014, 124, 3465-3465. | 0.6 | 6 |
| 77 | Strategies for Graft Versus Host Disease Prophylaxis after Reduced-Intensity Conditioning Transplantation: Combination of Sirolimus Plus Tacrolimus Allows to Obtain the Best Outcome. <i>Blood</i> , 2014, 124, 1165-1165. | 0.6 | 0 |
| 78 | Lenalidomide plus Dexamethasone for High-Risk Smoldering Multiple Myeloma. <i>New England Journal of Medicine</i> , 2013, 369, 438-447. | 13.9 | 449 |
| 79 | To freeze or not to freeze peripheral blood stem cells prior to allogeneic transplantation from matched related donors. <i>European Journal of Haematology</i> , 2013, 91, 448-455. | 1.1 | 28 |
| 80 | Impact of Hyperferritinemia on the Outcome of Reduced-Intensity Conditioning Allogeneic Hematopoietic Cell Transplantation for Lymphoid Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 597-601. | 2.0 | 6 |
| 81 | Chronic graft-versus-host disease of the kidney in patients with allogeneic hematopoietic stem cell transplant. <i>European Journal of Haematology</i> , 2013, 91, 129-134. | 1.1 | 42 |
| 82 | Phase II clinical trial for the evaluation of bortezomib within the reduced intensity conditioning regimen (RIC) and post-allogeneic transplantation for high-risk myeloma patients. <i>British Journal of Haematology</i> , 2013, 162, 474-482. | 1.2 | 36 |
| 83 | Analysis of incidence, risk factors and clinical outcome of thromboembolic and bleeding events in 431 allogeneic hematopoietic stem cell transplantation recipients. <i>Haematologica</i> , 2013, 98, 437-443. | 1.7 | 69 |
| 84 | The combination of sirolimus plus tacrolimus improves outcome after reduced-intensity conditioning, unrelated donor hematopoietic stem cell transplantation compared with cyclosporine plus mycophenolate. <i>Haematologica</i> , 2013, 98, 526-532. | 1.7 | 30 |
| 85 | The Presence Of 1 / 8 HLA Mismatch Do Not Hamper Survival After Allogeneic Stem Cell Transplantation Using Immunoprophylaxis With Sirolimus-Tacrolimus. <i>Blood</i> , 2013, 122, 4529-4529. | 0.6 | 0 |
| 86 | Identification Of Patients At High Risk Of Chronic Graft-Versus-Host Disease: Gvhd Prophylaxis. <i>Blood</i> , 2013, 122, 4611-4611. | 0.6 | 0 |
| 87 | Allogeneic stem cell transplantation after reduced intensity conditioning in patients with relapsed or refractory Hodgkin's lymphoma. Results of the HDR-ALLO study - a prospective clinical trial by the Grupo Espanol de Linfomas/Trasplante de Medula Osea (GEL/TAMO) and the Lymphoma Working Party of the European Group for Blood and Marrow Transplantation. <i>Haematologica</i> , 2012, 97, 310-317. | 1.7 | 194 |
| 88 | Incidence, characteristics and risk factors of marked hyperbilirubinemia after allogeneic hematopoietic cell transplantation with reduced-intensity conditioning. <i>Bone Marrow Transplantation</i> , 2012, 47, 1343-1349. | 1.3 | 13 |
| 89 | Genomic analysis of high-risk smoldering multiple myeloma. <i>Haematologica</i> , 2012, 97, 1439-1443. | 1.7 | 43 |
| 90 | SNP-based mapping arrays reveal high genomic complexity in monoclonal gammopathies, from MGUS to myeloma status. <i>Leukemia</i> , 2012, 26, 2521-2529. | 3.3 | 100 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Myelodysplasia-associated immunophenotypic alterations of bone marrow cells in myeloma: are they present at diagnosis or are they induced by lenalidomide?. <i>Haematologica</i> , 2012, 97, 1608-1611. | 1.7 | 17 |
| 92 | Clinical significance of CD81 expression by clonal plasma cells in high-risk smoldering and symptomatic multiple myeloma patients. <i>Leukemia</i> , 2012, 26, 1862-1869. | 3.3 | 73 |
| 93 | Endoscopic evaluation and histological findings in graft-versus-host disease. <i>Revista Espanola De Enfermedades Digestivas</i> , 2012, 104, 310-314. | 0.1 | 12 |
| 94 | Incidence and clinical characteristics of myeloproliferative neoplasms displaying a <i>PDGFRB</i> rearrangement. <i>European Journal of Haematology</i> , 2012, 89, 37-41. | 1.1 | 42 |
| 95 | <i>Helicobacter pylori</i> Infection and Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 765-769. | 2.0 | 8 |
| 96 | Pretransplantation Liver Function Impacts on the Outcome of Allogeneic Hematopoietic Stem Cell Transplantation: A Study of 455 Patients. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 1653-1661. | 2.0 | 17 |
| 97 | Competition between clonal plasma cells and normal cells for potentially overlapping bone marrow niches is associated with a progressively altered cellular distribution in MGUS vs myeloma. <i>Leukemia</i> , 2011, 25, 697-706. | 3.3 | 75 |
| 98 | The Progression from MGUS to Smoldering Myeloma and Eventually to Multiple Myeloma Involves a Clonal Expansion of Genetically Abnormal Plasma Cells. <i>Clinical Cancer Research</i> , 2011, 17, 1692-1700. | 3.2 | 128 |
| 99 | Cidofovir for BK Virus-Associated Hemorrhagic Cystitis: A Retrospective Study. <i>Clinical Infectious Diseases</i> , 2009, 49, 233-240. | 2.9 | 112 |
| 100 | Zalypsis: a novel marine-derived compound with potent antimyeloma activity that reveals high sensitivity of malignant plasma cells to DNA double-strand breaks. <i>Blood</i> , 2009, 113, 3781-3791. | 0.6 | 78 |