

Shunsei Hirohata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8096451/publications.pdf>

Version: 2024-02-01

93
papers

3,328
citations

172386

29
h-index

149623

56
g-index

96
all docs

96
docs citations

96
times ranked

2195
citing authors

#	ARTICLE	IF	CITATIONS
1	Histopathological characteristics of central nervous system in chronic progressive neuro-Behçet's disease. <i>Journal of the Neurological Sciences</i> , 2022, 434, 120127.	0.3	0
2	Enhanced expression of mRNA for transforming growth factor β 2 activated kinase 1 in CD34+ cells of the bone marrow in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2022, , .	0.4	0
3	Role of Serum IL-6 in Neuropsychiatric Systemic lupus Erythematosus. <i>ACR Open Rheumatology</i> , 2021, 3, 42-49.	0.9	20
4	Anti-ribosomal P protein antibodies in patients with systemic lupus erythematosus is associated with hyperferritinemia. <i>International Journal of Rheumatic Diseases</i> , 2021, 25, 70.	0.9	0
5	Histopathology of perforated gastrointestinal tracts in Behçet's disease: evidence for the critical role of thrombophilia. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 132, 137-138.	0.4	0
6	Recommendations for the Management of Neuro-Behçet's Disease by the Japanese National Research Committee for Behçet's Disease. <i>Internal Medicine</i> , 2020, 59, 2359-2367.	0.3	11
7	Anti-ribosomal P protein antibodies influence mortality of patients with diffuse psychiatric/neuropsychological syndromes in systemic lupus erythematosus involving a severe form of the disease. <i>Modern Rheumatology</i> , 2019, 29, 612-618.	0.9	15
8	Differential expression of antibodies to NMDA receptor in anti-NMDA receptor encephalitis and in neuropsychiatric systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2019, 6, e000359.	1.1	9
9	Imaging of Neuropsychiatric Systemic Lupus Erythematosus. , 2018, , 113-127.		0
10	Understanding the Antibody Repertoire in Neuropsychiatric Systemic Lupus Erythematosus and Neuromyelitis Optica Spectrum Disorder. <i>Arthritis and Rheumatology</i> , 2018, 70, 277-286.	2.9	45
11	Differential influences of Fc gamma receptor blocking on the effects of certolizumab pegol and infliximab on human monocytes. <i>Modern Rheumatology</i> , 2018, 28, 506-512.	0.9	3
12	Elevation of serum anti-glucose-regulated protein 78 antibodies in neuropsychiatric systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2018, 5, e000281.	1.1	15
13	Synergistic enhancement of production of proinflammatory cytokines of human peripheral blood monocytes by anti-Sm and anti-RNP antibodies. <i>PLoS ONE</i> , 2018, 13, e0209282.	1.1	7
14	Immunopathology of Neuropsychiatric Systemic Lupus Erythematosus. , 2018, , 29-42.		1
15	Epidemiology of Neuropsychiatric Systemic Lupus Erythematosus. , 2018, , 1-13.		1
16	Pathology of Neuropsychiatric Systemic Lupus Erythematosus. , 2018, , 43-58.		1
17	Role of serum autoantibodies in blood brain barrier damages in neuropsychiatric systemic lupus erythematosus. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 1003-1007.	0.4	20
18	Differential activation mechanisms of serum C5a in lupus nephritis and neuropsychiatric systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2017, 27, 292-297.	0.9	18

#	ARTICLE	IF	CITATIONS
19	Brain MRI in patients with acute confusional state of diffuse psychiatric/neuropsychological syndromes in systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2017, 27, 278-283.	0.9	19
20	Distinct clinical features between acute and chronic progressive parenchymal neuro-Behçet disease: meta-analysis. <i>Scientific Reports</i> , 2017, 7, 10196.	1.6	26
21	Differential effects of IL-6 blockade tocilizumab and TNF inhibitors on angiogenesis in synovial tissues from patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2017, 27, 766-772.	0.9	16
22	Evaluation of blood-brain barrier function by quotient alpha2 macroglobulin and its relationship with interleukin-6 and complement component 3 levels in neuropsychiatric systemic lupus erythematosus. <i>PLoS ONE</i> , 2017, 12, e0186414.	1.1	34
23	Infliximab therapy for intestinal, neurological, and vascular involvement in Behçet disease. <i>Medicine (United States)</i> , 2016, 95, e3863.	0.4	77
24	Transverse myelitis extended to disseminated encephalitis in systemic lupus erythematosus: Histological evidence for vasculitis. <i>Modern Rheumatology</i> , 2016, 26, 958-962.	0.9	12
25	Association of antibodies to the NR1 subunit of N-methyl-D-aspartate receptors with neuropsychiatric systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2016, 26, 377-383.	0.9	22
26	Effects of anti-IL-6 receptor antibody on human monocytes. <i>Modern Rheumatology</i> , 2015, 25, 79-84.	0.9	12
27	Retrospective analysis of long-term outcome of chronic progressive neurological manifestations in Behçet's disease. <i>Journal of the Neurological Sciences</i> , 2015, 349, 143-148.	0.3	32
28	Increased generation of pre-plasmacytoid dendritic cells in bone marrow of rheumatoid arthritis. <i>Modern Rheumatology</i> , 2014, 24, 443-447.	0.9	7
29	Analysis of various factors on the relapse of acute neurological attacks in Behçet's disease. <i>Modern Rheumatology</i> , 2014, 24, 961-965.	0.9	8
30	Brain MRI in patients with diffuse psychiatric/neuropsychological syndromes in systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2014, 1, e000050.	1.1	27
31	Blood-brain barrier damages and intrathecal synthesis of anti-N-methyl-D-aspartate receptor NR2 antibodies in diffuse psychiatric/neuropsychological syndromes in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2014, 16, R77.	1.6	82
32	Association of cerebrospinal fluid anti-Sm antibodies with acute confusional state in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2014, 16, 450.	1.6	49
33	Quantitative analysis of brainstem atrophy on magnetic resonance imaging in chronic progressive neuro-Behçet's disease. <i>Journal of the Neurological Sciences</i> , 2014, 337, 80-85.	0.3	23
34	Efficacy of anti-ribosomal P protein antibody testing for diagnosis of systemic lupus erythematosus. <i>Modern Rheumatology</i> , 2014, 24, 939-944.	0.9	13
35	TNF inhibitors induce discoid fibrosis in the sublining layers of the synovium with degeneration of synoviocytes in rheumatoid arthritis. <i>Rheumatology International</i> , 2013, 33, 2473-2481.	1.5	11
36	IgG anti-NR2 glutamate receptor autoantibodies from patients with systemic lupus erythematosus activate endothelial cells. <i>Arthritis and Rheumatism</i> , 2013, 65, 457-463.	6.7	89

#	ARTICLE	IF	CITATIONS
37	Role of FK506 binding protein 5 (FKBP5) in osteoclast differentiation. <i>Modern Rheumatology</i> , 2013, 23, 1133-1139.	0.9	9
38	Role of FK506 binding protein 5 (FKBP5) in osteoclast differentiation. <i>Modern Rheumatology</i> , 2013, 23, 1133-9.	0.9	6
39	Changes in Biomarkers Focused on Differences in Disease Course or Treatment in Patients with Neuro-Behçet's Disease. <i>Internal Medicine</i> , 2012, 51, 3359-3365.	0.3	39
40	Clinical characteristics of neuro-Behçet's disease in Japan: a multicenter retrospective analysis. <i>Modern Rheumatology</i> , 2012, 22, 405-413.	0.9	73
41	Clinical characteristics of neuro-Behçet's disease in Japan: a multicenter retrospective analysis. <i>Modern Rheumatology</i> , 2012, 22, 405-413.	0.9	48
42	Induction of type B synoviocyte-like cells from plasmacytoid dendritic cells of the bone marrow in rheumatoid arthritis and osteoarthritis. <i>Clinical Immunology</i> , 2011, 140, 276-283.	1.4	13
43	Anti-ribosomal P antibodies and lupus nephritis. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 471-477.	0.7	19
44	Anti-ribosomal P protein antibody induces Th1 responses by enhancing the production of IL-12 in activated monocytes. <i>Modern Rheumatology</i> , 2011, 21, 57-62.	0.9	17
45	Histopathological analysis of cerebral hemorrhage in systemic lupus erythematosus complicated with antiphospholipid syndrome. <i>Modern Rheumatology</i> , 2011, 21, 509-513.	0.9	8
46	Anti-ribosomal P protein antibody induces Th1 responses by enhancing the production of IL-12 in activated monocytes. <i>Modern Rheumatology</i> , 2011, 21, 57-62.	0.9	11
47	Histopathological analysis of cerebral hemorrhage in systemic lupus erythematosus complicated with antiphospholipid syndrome. <i>Modern Rheumatology</i> , 2011, 21, 509-513.	0.9	4
48	Neuromuscular Involvement in Connective Tissue Diseases.. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2010, 99, 1751-1753.	0.0	0
49	1. Serological Markers of Neuropsychiatric Disorders in Patients with Collagen Vascular Diseases.. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2010, 99, 1858-1864.	0.0	0
50	Suppressive influences of IFN- γ on IL-17 expression in human CD4+ T cells. <i>Clinical Immunology</i> , 2010, 134, 340-344.	1.4	11
51	An attack of acute neuro-Behçet's disease during the course of chronic progressive neuro-Behçet's disease: report of two cases. <i>Modern Rheumatology</i> , 2010, 20, 621-626.	0.9	21
52	Behçet's Syndrome and the Nervous System. , 2010, , 95-113.		6
53	An attack of acute neuro-Behçet's disease during the course of chronic progressive neuro-Behçet's disease: report of two cases. <i>Modern Rheumatology</i> , 2010, 20, 621-626.	0.9	12
54	Accuracy of cerebrospinal fluid IL-6 testing for diagnosis of lupus psychosis. A multicenter retrospective study. <i>Clinical Rheumatology</i> , 2009, 28, 1319-1323.	1.0	104

#	ARTICLE	IF	CITATIONS
55	Differential influences of bucillamine and methotrexate on the generation of fibroblast-like cells from bone marrow CD34+ cells of rheumatoid arthritis patients. <i>International Immunopharmacology</i> , 2009, 9, 86-90.	1.7	16
56	Association of cerebrospinal fluid anti- α -NR2 glutamate receptor antibodies with diffuse neuropsychiatric systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2008, 58, 1130-1135.	6.7	213
57	Histopathology of central nervous system lesions in Behçet's disease. <i>Journal of the Neurological Sciences</i> , 2008, 267, 41-47.	0.3	121
58	Reversible focal neurological deficits in systemic lupus erythematosus: Report of 2 cases and review of the literature. <i>Journal of the Neurological Sciences</i> , 2008, 272, 71-76.	0.3	15
59	Effect of infliximab in progressive Neuro-Behçet's syndrome. <i>Journal of the Neurological Sciences</i> , 2008, 272, 99-105.	0.3	107
60	HLA-B51 and cigarette smoking as risk factors for chronic progressive neurological manifestations in Behçet's disease. <i>Modern Rheumatology</i> , 2007, 17, 81-82.	0.9	42
61	Potential New Therapeutic Options for Involvement of Central Nervous System in Behçets Disease (Neuro-Behçets Syndrome). <i>Current Rheumatology Reviews</i> , 2007, 3, 297-303.	0.4	17
62	Association of cerebrospinal fluid anti-ribosomal P protein antibodies with diffuse psychiatric/neuropsychological syndromes in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2007, 9, R44.	1.6	68
63	HLA-B51 and cigarette smoking as risk factors for chronic progressive neurological manifestations in Behçet's disease. <i>Modern Rheumatology</i> , 2007, 17, 81-82.	0.9	26
64	Enhanced expression of mRNA for nuclear factor kappaB1 (p50) in CD34+ cells of the bone marrow in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2006, 8, R54.	1.6	15
65	Accuracy of anti-ribosomal P protein antibody testing for the diagnosis of neuropsychiatric systemic lupus erythematosus: An international meta-analysis. <i>Arthritis and Rheumatism</i> , 2006, 54, 312-324.	6.7	201
66	Role of Bone Marrow in the Pathogenesis of Rheumatoid Arthritis. <i>Current Rheumatology Reviews</i> , 2006, 2, 47-54.	0.4	1
67	Anti-ribosomal P protein antibody in human systemic lupus erythematosus up-regulates the expression of proinflammatory cytokines by human peripheral blood monocytes. <i>Arthritis and Rheumatism</i> , 2005, 52, 847-855.	6.7	61
68	Differential effects of IFN- γ on the expression of various TH2 cytokines in human CD4+ T cells. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 116, 205-212.	1.5	33
69	Enhanced generation of endothelial cells from CD34+ cells of the bone marrow in rheumatoid arthritis: Possible role in synovial neovascularization. <i>Arthritis and Rheumatism</i> , 2004, 50, 3888-3896.	6.7	32
70	Behçet's disease. <i>Arthritis Research</i> , 2003, 5, 139.	2.0	108
71	Cerebrospinal fluid β 2-microglobulin in neuro-Behçet's syndrome. <i>Journal of the Neurological Sciences</i> , 2000, 179, 132-139.	0.3	24
72	Enhanced interleukin-6 messenger RNA expression by neuronal cells in a patient with neuropsychiatric systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1999, 42, 2729-2730.	6.7	30

#	ARTICLE	IF	CITATIONS
73	Angioneogenesis as a possible elusive triggering factor in rheumatoid arthritis. <i>Lancet, The</i> , 1999, 353, 1331.	6.3	42
74	Suppressive Influences of Methotrexate on the Generation of CD14 (+) Monocyte-Lineage Cells from Bone Marrow of Patients with Rheumatoid Arthritis. <i>Clinical Immunology</i> , 1999, 91, 84-89.	1.4	6
75	Differential roles of the anti-ribosomal P antibody and antineuronal antibody in the pathogenesis of central nervous system involvement in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1998, 41, 1819-1827.	6.7	129
76	Low-dose weekly methotrexate for progressive neuropsychiatric manifestations in Behcet's disease. <i>Journal of the Neurological Sciences</i> , 1998, 159, 181-185.	0.3	120
77	Cerebrospinal Fluid Interleukin-6 in Progressive Neuro-Behçet's Syndrome. <i>Clinical Immunology and Immunopathology</i> , 1997, 82, 12-17.	2.1	114
78	Differential Influences of Gold Sodium Thiomalate and Bucillamine on the Generation of CD14 + Monocyte-Lineage Cells from Bone Marrow of Rheumatoid Arthritis Patients. <i>Clinical Immunology and Immunopathology</i> , 1997, 84, 290-295.	2.1	9
79	Interaction of indometacin farnesil, a new nonsteroidal antiinflammatory drug with peripheral blood mononuclear cells from patients with rheumatoid arthritis.. <i>Japanese Journal of Clinical Immunology</i> , 1996, 19, 136-144.	0.0	2
80	Accelerated generation of CD14+ monocyte-lineage cells from the bone marrow of rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 1996, 39, 836-843.	6.7	49
81	Association of anti-ribosomal P protein antibodies with neuropsychiatric systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 1996, 39, 1483-1490.	6.7	147
82	Comparative inhibitory effects of bucillamine and d-penicillamine on the function of human b cells and t cells. <i>Arthritis and Rheumatism</i> , 1994, 37, 942-950.	6.7	34
83	Association of anti-Sm antibodies with organic brain syndrome secondary to systemic lupus erythematosus. <i>Lancet, The</i> , 1994, 343, 796.	6.3	24
84	Aseptic Necrosis of Unilateral Scaphoid Bone in Systemic Lupus Erythematosus.. <i>Internal Medicine</i> , 1992, 31, 794-797.	0.3	8
85	Regulation of B Cell Function by Lobenzarit, A Novel Disease-Modifying Antirheumatic Drug. <i>Arthritis and Rheumatism</i> , 1992, 35, 168-175.	6.7	7
86	Quantitative determination of .ALPHA.2-macroglobulin in cerebrospinal fluids from various neurological diseases by enzymeimmunoassay.. <i>Japanese Journal of Clinical Immunology</i> , 1992, 15, 45-50.	0.0	1
87	Elevated levels of interleukin-6 in cerebrospinal fluid from patients with systemic lupus erythematosus and central nervous system involvement. <i>Arthritis and Rheumatism</i> , 1990, 33, 644-649.	6.7	276
88	Intravenous cyclophosphamide pulse therapy in idiopathic interstitial pneumonia: Report of a case.. <i>Japanese Journal of Clinical Immunology</i> , 1989, 12, 663-667.	0.0	0
89	Association of cerebrospinal fluid IgM index with central nervous system involvement in Behçet's disease. <i>Arthritis and Rheumatism</i> , 1986, 29, 793-796.	6.7	11
90	Cerebrospinal Fluid IgM, IgA, and IgG Indexes in Systemic Lupus Erythematosus. <i>Archives of Internal Medicine</i> , 1985, 145, 1843.	4.3	52

#	ARTICLE	IF	CITATIONS
91	A sensitive and simple method for determination of IgM in cerebrospinal fluid by a solid-phase enzyme-immunoassay. Journal of the Neurological Sciences, 1985, 67, 115-118.	0.3	23
92	Quantitation of IgG, IgA and IgM in the cerebrospinal fluid by a solid-phase enzyme-immunoassay. Journal of the Neurological Sciences, 1984, 63, 101-110.	0.3	17
93	A CASE OF A 49-YEAR-OLD MAN WITH POLYSPLENIA SYNDROME COMPLICATED BY GRAWITZ'S TUMOR OF KIDNEY. The Journal of the Japanese Society of Internal Medicine, 1982, 71, 502-506.	0.0	0