Bas Groot Koerkamp

List of Publications by Citations

Source: https://exaly.com/author-pdf/8099253/bas-groot-koerkamp-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 269
 7,663
 46
 78

 papers
 citations
 h-index
 g-index

 324
 11,652
 4
 5.92

 ext. papers
 ext. citations
 avg, IF
 L-index

| # | Paper | IF | Citations |
|-----|---|------------------|-------------|
| 269 | FOLFIRINOX for locally advanced pancreatic cancer: a systematic review and patient-level meta-analysis. <i>Lancet Oncology, The</i> , 2016 , 17, 801-810 | 21.7 | 494 |
| 268 | Cholangiocarcinoma 2020: the next horizon in mechanisms and management. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020 , 17, 557-588 | 24.2 | 355 |
| 267 | Preoperative Chemoradiotherapy Versus Immediate Surgery for Resectable and Borderline Resectable Pancreatic Cancer: Results of the Dutch Randomized Phase III PREOPANC Trial. <i>Journal of Clinical Oncology</i> , 2020 , 38, 1763-1773 | 2.2 | 2 90 |
| 266 | Meta-analysis comparing upfront surgery with neoadjuvant treatment in patients with resectable or borderline resectable pancreatic cancer. <i>British Journal of Surgery</i> , 2018 , 105, 946-958 | 5.3 | 220 |
| 265 | Minimally Invasive Versus Open Distal Pancreatectomy (LEOPARD): A Multicenter Patient-blinded Randomized Controlled Trial. <i>Annals of Surgery</i> , 2019 , 269, 2-9 | 7.8 | 218 |
| 264 | Laparoscopic versus open pancreatoduodenectomy for pancreatic or periampullary tumours (LEOPARD-2): a multicentre, patient-blinded, randomised controlled phase 2/3 trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 199-207 | 18.8 | 216 |
| 263 | Management of patients with increased risk for familial pancreatic cancer: updated recommendations from the International Cancer of the Pancreas Screening (CAPS) Consortium. <i>Gut</i> , 2020 , 69, 7-17 | 19.2 | 159 |
| 262 | Alternative Fistula Risk Score for Pancreatoduodenectomy (a-FRS): Design and International External Validation. <i>Annals of Surgery</i> , 2019 , 269, 937-943 | 7.8 | 134 |
| 261 | Minimally Invasive versus Open Distal Pancreatectomy for Ductal Adenocarcinoma (DIPLOMA): A Pan-European Propensity Score Matched Study. <i>Annals of Surgery</i> , 2019 , 269, 10-17 | 7.8 | 132 |
| 260 | The Systemic-immune-inflammation Index Independently Predicts Survival and Recurrence in Resectable Pancreatic Cancer and its Prognostic Value Depends on Bilirubin Levels: A Retrospective Multicenter Cohort Study. <i>Annals of Surgery</i> , 2019 , 270, 139-146 | 7.8 | 123 |
| 259 | Resection margin and survival in 2368 patients undergoing hepatic resection for metastatic colorectal cancer: surgical technique or biologic surrogate?. <i>Annals of Surgery</i> , 2015 , 262, 476-85; discussion 483-5 | 7.8 | 114 |
| 258 | Neoadjuvant FOLFIRINOX in Patients With Borderline Resectable Pancreatic Cancer: A Systematic Review and Patient-Level Meta-Analysis. <i>Journal of the National Cancer Institute</i> , 2019 , 111, 782-794 | 9.7 | 113 |
| 257 | Postoperative Mortality after Liver Resection for Perihilar Cholangiocarcinoma: Development of a Risk Score and Importance of Biliary Drainage of The Future Liver Remnant. <i>Journal of the American College of Surgeons</i> , 2016 , 223, 321-331.e1 | 4.4 | 111 |
| 256 | Circulating tumor cells and prognosis of patients with resectable colorectal liver metastases or widespread metastatic colorectal cancer: a meta-analysis. <i>Annals of Surgical Oncology</i> , 2013 , 20, 2156-6 | 5 ^{3.1} | 108 |
| 255 | International Validation of the Eighth Edition of the American Joint Committee on Cancer (AJCC) TNM Staging System in Patients With Resected Pancreatic Cancer. <i>JAMA Surgery</i> , 2018 , 153, e183617 | 5.4 | 107 |
| 254 | Observation versus Resection for Small Asymptomatic Pancreatic Neuroendocrine Tumors: A Matched Case-Control Study. <i>Annals of Surgical Oncology</i> , 2016 , 23, 1361-70 | 3.1 | 95 |
| 253 | Unresectable intrahepatic cholangiocarcinoma: Systemic plus hepatic arterial infusion chemotherapy is associated with longer survival in comparison with systemic chemotherapy alone. <i>Cancer</i> , 2016 , 122, 758-65 | 6.4 | 94 |

(2017-2015)

| 252 | Recurrence Rate and Pattern of Perihilar Cholangiocarcinoma after Curative Intent Resection. Journal of the American College of Surgeons, 2015 , 221, 1041-9 | 4.4 | 93 |
|-----|---|------|----|
| 251 | Early versus late recurrence of intrahepatic cholangiocarcinoma after resection with curative intent. <i>British Journal of Surgery</i> , 2018 , 105, 848-856 | 5.3 | 92 |
| 250 | Volume-outcome relationships in pancreatoduodenectomy for cancer. <i>Hpb</i> , 2016 , 18, 317-24 | 3.8 | 85 |
| 249 | Benchmarks in Pancreatic Surgery: A Novel Tool for Unbiased Outcome Comparisons. <i>Annals of Surgery</i> , 2019 , 270, 211-218 | 7.8 | 82 |
| 248 | Perioperative Hepatic Arterial Infusion Pump Chemotherapy Is Associated With Longer Survival After Resection of Colorectal Liver Metastases: A Propensity Score Analysis. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1938-1944 | 2.2 | 78 |
| 247 | Actual 10-year survival after hepatic resection of colorectal liver metastases: what factors preclude cure?. <i>Surgery</i> , 2018 , 163, 1238-1244 | 3.6 | 77 |
| 246 | Surgery for cholangiocarcinoma. <i>Liver International</i> , 2019 , 39 Suppl 1, 143-155 | 7.9 | 74 |
| 245 | Intrahepatic cholangiocarcinoma: current perspectives. <i>OncoTargets and Therapy</i> , 2017 , 10, 1131-1142 | 4.4 | 74 |
| 244 | Outcomes After Minimally-invasive Versus Open Pancreatoduodenectomy: A Pan-European Propensity Score Matched Study. <i>Annals of Surgery</i> , 2020 , 271, 356-363 | 7.8 | 73 |
| 243 | High mortality after ALPPS for perihilar cholangiocarcinoma: case-control analysis including the first series from the international ALPPS registry. <i>Hpb</i> , 2017 , 19, 381-387 | 3.8 | 70 |
| 242 | A Multi-institutional International Analysis of Textbook Outcomes Among Patients Undergoing Curative-Intent Resection of Intrahepatic Cholangiocarcinoma. <i>JAMA Surgery</i> , 2019 , 154, e190571 | 5.4 | 69 |
| 241 | Minimally invasive versus open pancreatoduodenectomy (LEOPARD-2): study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 1 | 2.8 | 68 |
| 240 | Uncertainty and patient heterogeneity in medical decision models. <i>Medical Decision Making</i> , 2010 , 30, 194-205 | 2.5 | 68 |
| 239 | Impact of a Nationwide Training Program in Minimally Invasive Distal Pancreatectomy (LAELAPS). <i>Annals of Surgery</i> , 2016 , 264, 754-762 | 7.8 | 67 |
| 238 | Recurrence Patterns and Disease-Free Survival after Resection of Intrahepatic Cholangiocarcinoma: Preoperative and Postoperative Prognostic Models. <i>Journal of the American College of Surgeons</i> , 2016 , 223, 493-505.e2 | 4.4 | 67 |
| 237 | Endoscopic versus percutaneous biliary drainage in patients with resectable perihilar cholangiocarcinoma: a multicentre, randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2018 , 3, 681-690 | 18.8 | 65 |
| 236 | Nationwide prospective audit of pancreatic surgery: design, accuracy, and outcomes of the Dutch Pancreatic Cancer Audit. <i>Hpb</i> , 2017 , 19, 919-926 | 3.8 | 61 |
| 235 | Comparative performances of the 7th and the 8th editions of the American Joint Committee on Cancer staging systems for intrahepatic cholangiocarcinoma. <i>Journal of Surgical Oncology</i> , 2017 , 115, 696-703 | 2.8 | 60 |

| 234 | Survival after resection of perihilar cholangiocarcinoma-development and external validation of a prognostic nomogram. <i>Annals of Oncology</i> , 2015 , 26, 1930-1935 | 10.3 | 59 |
|-----|--|-------------------|----|
| 233 | Limitations of acceptability curves for presenting uncertainty in cost-effectiveness analysis. <i>Medical Decision Making</i> , 2007 , 27, 101-11 | 2.5 | 59 |
| 232 | Outcomes in biliary malignancy. <i>Journal of Surgical Oncology</i> , 2014 , 110, 585-91 | 2.8 | 55 |
| 231 | Variation in hospital mortality after pancreatoduodenectomy is related to failure to rescue rather than major complications: a nationwide audit. <i>Hpb</i> , 2018 , 20, 759-767 | 3.8 | 54 |
| 230 | Assessment of the Lymph Node Status in Patients Undergoing Liver Resection for Intrahepatic Cholangiocarcinoma: the New Eighth Edition AJCC Staging System. <i>Journal of Gastrointestinal Surgery</i> , 2018 , 22, 52-59 | 3.3 | 54 |
| 229 | Postoperative Liver Failure Risk Score: Identifying Patients with Resectable Perihilar Cholangiocarcinoma Who Can Benefit from Portal Vein Embolization. <i>Journal of the American College of Surgeons</i> , 2017 , 225, 387-394 | 4.4 | 53 |
| 228 | The Impact of Primary Tumor Location on Long-Term Survival in Patients Undergoing Hepatic Resection for Metastatic Colon Cancer. <i>Annals of Surgical Oncology</i> , 2018 , 25, 431-438 | 3.1 | 53 |
| 227 | Identifying key parameters in cost-effectiveness analysis using value of information: a comparison of methods. <i>Health Economics (United Kingdom)</i> , 2006 , 15, 383-92 | 2.4 | 50 |
| 226 | Outcomes after Resection of Intrahepatic Cholangiocarcinoma: External Validation and Comparison of Prognostic Models. <i>Journal of the American College of Surgeons</i> , 2015 , 221, 452-61 | 4.4 | 49 |
| 225 | Textbook Outcome: Nationwide Analysis of a Novel Quality Measure in Pancreatic Surgery. <i>Annals of Surgery</i> , 2020 , 271, 155-162 | 7.8 | 49 |
| 224 | Prediction of Hepatocellular Carcinoma Recurrence Beyond Milan Criteria After Resection: Validation of a Clinical Risk Score in an International Cohort. <i>Annals of Surgery</i> , 2017 , 266, 693-701 | 7.8 | 48 |
| 223 | The systemic immune-inflammation index is associated with an increased risk of incident cancer-A population-based cohort study. <i>International Journal of Cancer</i> , 2020 , 146, 692-698 | 7.5 | 45 |
| 222 | Impact of adjuvant chemotherapy on survival in patients with intrahepatic cholangiocarcinoma: a multi-institutional analysis. <i>Hpb</i> , 2017 , 19, 901-909 | 3.8 | 44 |
| 221 | Diagnostic value of C-reactive protein to rule out infectious complications after major abdominal surgery: a systematic review and meta-analysis. <i>International Journal of Colorectal Disease</i> , 2015 , 30, 86 | 1 ³ 73 | 43 |
| 220 | Oncologic outcomes of minimally invasive versus open distal pancreatectomy for pancreatic ductal adenocarcinoma: A systematic review and meta-analysis. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 719-727 | 3.6 | 43 |
| 219 | The neutrophil-to-lymphocyte ratio is associated with mortality in the general population: The Rotterdam Study. <i>European Journal of Epidemiology</i> , 2019 , 34, 463-470 | 12.1 | 43 |
| 218 | Prognostic biomarkers in patients with resected cholangiocarcinoma: a systematic review and meta-analysis. <i>Annals of Surgical Oncology</i> , 2014 , 21, 487-500 | 3.1 | 42 |
| 217 | Very Early Recurrence After Liver Resection for Intrahepatic Cholangiocarcinoma: Considering Alternative Treatment Approaches. <i>JAMA Surgery</i> , 2020 , 155, 823-831 | 5.4 | 42 |

(2011-2020)

| 216 | Nationwide trends in incidence, treatment[and survival of pancreatic ductal adenocarcinoma. <i>European Journal of Cancer</i> , 2020 , 125, 83-93 | 7.5 | 41 | |
|-----|---|------|----|--|
| 215 | Trends in use of lymphadenectomy in surgery with curative intent for intrahepatic cholangiocarcinoma. <i>British Journal of Surgery</i> , 2018 , 105, 857-866 | 5.3 | 40 | |
| 214 | Reduction of immunosuppressive tumor microenvironment in cholangiocarcinoma by ex vivo targeting immune checkpoint molecules. <i>Journal of Hepatology</i> , 2019 , 71, 753-762 | 13.4 | 38 | |
| 213 | American Joint Committee on Cancer staging for resected perihilar cholangiocarcinoma: a comparison of the 6th and 7th editions. <i>Hpb</i> , 2014 , 16, 1074-82 | 3.8 | 38 | |
| 212 | Association of the location of pancreatic ductal adenocarcinoma (head, body, tail) with tumor stage, treatment, and survival: a population-based analysis. <i>Acta Oncolgica</i> , 2018 , 57, 1655-1662 | 3.2 | 38 | |
| 211 | Recurrence Patterns and Timing Courses Following Curative-Intent Resection for Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2549-2557 | 3.1 | 37 | |
| 210 | Locally Advanced Pancreatic Cancer: Work-Up, Staging, and Local Intervention Strategies. <i>Cancers</i> , 2019 , 11, | 6.6 | 37 | |
| 209 | Perihilar Cholangiocarcinoma: Number of Nodes Examined and Optimal Lymph Node Prognostic Scheme. <i>Journal of the American College of Surgeons</i> , 2016 , 222, 750-759.e2 | 4.4 | 37 | |
| 208 | Impact of major vascular resection on outcomes and survival in patients with intrahepatic cholangiocarcinoma: A multi-institutional analysis. <i>Journal of Surgical Oncology</i> , 2017 , 116, 133-139 | 2.8 | 35 | |
| 207 | Minimally invasive versus open distal pancreatectomy (LEOPARD): study protocol for a randomized controlled trial. <i>Trials</i> , 2017 , 18, 166 | 2.8 | 34 | |
| 206 | Percutaneous Preoperative Biliary Drainage for Resectable Perihilar Cholangiocarcinoma: No Association with Survival and No Increase in Seeding Metastases. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S1156-63 | 3.1 | 33 | |
| 205 | Perioperative and Long-Term Outcome for Intrahepatic Cholangiocarcinoma: Impact of Major Versus Minor Hepatectomy. <i>Journal of Gastrointestinal Surgery</i> , 2017 , 21, 1841-1850 | 3.3 | 33 | |
| 204 | Intrahepatic cholangiocarcinoma tumor burden: A classification and regression tree model to define prognostic groups after resection. <i>Surgery</i> , 2019 , 166, 983-990 | 3.6 | 31 | |
| 203 | Differences in immunohistochemical biomarkers between intra- and extrahepatic cholangiocarcinoma: a systematic review and meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1582-94 | 4 | 31 | |
| 202 | Value of information analysis used to determine the necessity of additional research: MR imaging in acute knee trauma as an example. <i>Radiology</i> , 2008 , 246, 420-5 | 20.5 | 31 | |
| 201 | Low skeletal muscle mass is associated with increased hospital expenditure in patients undergoing cancer surgery of the alimentary tract. <i>PLoS ONE</i> , 2017 , 12, e0186547 | 3.7 | 31 | |
| 200 | Treatment and survival of resected and unresected distal cholangiocarcinoma: a nationwide study. <i>Acta Oncolgica</i> , 2019 , 58, 1048-1055 | 3.2 | 30 | |
| 199 | The combined analysis of uncertainty and patient heterogeneity in medical decision models. <i>Medical Decision Making</i> , 2011 , 31, 650-61 | 2.5 | 30 | |
| | | | | |

| 198 | Evaluation of Adjuvant Chemotherapy in Patients With Resected Pancreatic Cancer After Neoadjuvant FOLFIRINOX Treatment. <i>JAMA Oncology</i> , 2020 , 6, 1733-1740 | 13.4 | 29 |
|-----|--|------|----|
| 197 | Number and Station of Lymph Node Metastasis After Curative-intent Resection of Intrahepatic Cholangiocarcinoma Impact Prognosis. <i>Annals of Surgery</i> , 2021 , 274, e1187-e1195 | 7.8 | 28 |
| 196 | The effect of preoperative chemotherapy treatment in surgically treated intrahepatic cholangiocarcinoma patients-A multi-institutional analysis. <i>Journal of Surgical Oncology</i> , 2017 , 115, 312- | ·318 | 27 |
| 195 | Costs and quality of life in a randomized trial comparing minimally invasive and open distal pancreatectomy (LEOPARD trial). <i>British Journal of Surgery</i> , 2019 , 106, 910-921 | 5.3 | 27 |
| 194 | The impact of neutrophil-to-lymphocyte ratio and platelet-to-lymphocyte ratio among patients with intrahepatic cholangiocarcinoma. <i>Surgery</i> , 2018 , 164, 411-418 | 3.6 | 27 |
| 193 | Preoperative biliary drainage in perihilar cholangiocarcinoma: identifying patients who require percutaneous drainage after failed endoscopic drainage. <i>Endoscopy</i> , 2015 , 47, 1124-31 | 3.4 | 27 |
| 192 | The risk of not receiving adjuvant chemotherapy after resection of pancreatic ductal adenocarcinoma: a nationwide analysis. <i>Hpb</i> , 2020 , 22, 233-240 | 3.8 | 27 |
| 191 | Preoperative Risk Score and Prediction of Long-Term Outcomes after Hepatectomy for Intrahepatic Cholangiocarcinoma. <i>Journal of the American College of Surgeons</i> , 2018 , 226, 393-403 | 4.4 | 26 |
| 190 | A Machine-Based Approach to Preoperatively Identify Patients with the Most and Least Benefit Associated with Resection for Intrahepatic Cholangiocarcinoma: An International Multi-institutional Analysis of 1146 Patients. <i>Annals of Surgical Oncology</i> , 2020 , 27, 1110-1119 | 3.1 | 26 |
| 189 | Performance of prognostic scores and staging systems in predicting long-term survival outcomes after surgery for intrahepatic cholangiocarcinoma. <i>Journal of Surgical Oncology</i> , 2017 , 116, 1085-1095 | 2.8 | 25 |
| 188 | Impact of Morphological Status on Long-Term Outcome Among Patients Undergoing Liver Surgery for Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2017 , 24, 2491-2501 | 3.1 | 24 |
| 187 | Neoadjuvant Treatment in Patients With Resectable and Borderline Resectable Pancreatic Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 41 | 5.3 | 24 |
| 186 | Assessing Textbook Outcomes Following Liver Surgery for Primary Liver Cancer Over a 12-Year Time Period at Major Hepatobiliary Centers. <i>Annals of Surgical Oncology</i> , 2020 , 27, 3318-3327 | 3.1 | 23 |
| 185 | A Comparison of Prognostic Schemes for Perihilar Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2016 , 20, 1716-24 | 3.3 | 23 |
| 184 | A comparison of treatment and outcomes of perihilar cholangiocarcinoma between Eastern and Western centers. <i>Hpb</i> , 2019 , 21, 345-351 | 3.8 | 22 |
| 183 | Total neoadjuvant FOLFIRINOX versus neoadjuvant gemcitabine-based chemoradiotherapy and adjuvant gemcitabine for resectable and borderline resectable pancreatic cancer (PREOPANC-2 trial): study protocol for a nationwide multicenter randomized controlled trial. <i>BMC Cancer</i> , 2021 , | 4.8 | 22 |
| 182 | Systematic review of clinical prediction models for survival after surgery for resectable pancreatic cancer. <i>British Journal of Surgery</i> , 2019 , 106, 342-354 | 5.3 | 22 |
| 181 | Efficacy and feasibility of stereotactic radiotherapy after folfirinox in patients with locally advanced pancreatic cancer (LAPC-1 trial). <i>EClinicalMedicine</i> , 2019 , 17, 100200 | 11.3 | 22 |

(2020-2019)

| 180 | Therapeutic Index Associated with Lymphadenectomy Among Patients with Intrahepatic Cholangiocarcinoma: Which Patients Benefit the Most from Nodal Evaluation?. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2959-2968 | 3.1 | 21 | |
|-----|--|-----|----|--|
| 179 | Surgical Management of Intrahepatic Cholangiocarcinoma in Patients with Cirrhosis: Impact of Lymphadenectomy on Peri-Operative Outcomes. <i>World Journal of Surgery</i> , 2018 , 42, 2551-2560 | 3.3 | 21 | |
| 178 | The prognostic value of portal vein and hepatic artery involvement in patients with perihilar cholangiocarcinoma. <i>Hpb</i> , 2018 , 20, 83-92 | 3.8 | 21 | |
| 177 | Serum tumor markers enhance the predictive power of the AJCC and LCSGJ staging systems in resectable intrahepatic cholangiocarcinoma. <i>Hpb</i> , 2018 , 20, 956-965 | 3.8 | 21 | |
| 176 | Value of information analyses of economic randomized controlled trials: the treatment of intermittent claudication. <i>Value in Health</i> , 2010 , 13, 242-50 | 3.3 | 21 | |
| 175 | Developing a robotic pancreas program: the Dutch experience. <i>Journal of Visualized Surgery</i> , 2017 , 3, 106 | 0.3 | 20 | |
| 174 | Yttrium-90 Radioembolization in Intrahepatic Cholangiocarcinoma: A Multicenter Retrospective Analysis. <i>Journal of Vascular and Interventional Radiology</i> , 2020 , 31, 1035-1043.e2 | 2.4 | 19 | |
| 173 | Perioperative and long-term outcome of intrahepatic cholangiocarcinoma involving the hepatic hilus after curative-intent resection: comparison with peripheral intrahepatic cholangiocarcinoma and hilar cholangiocarcinoma. <i>Surgery</i> , 2018 , 163, 1114-1120 | 3.6 | 19 | |
| 172 | Defining Long-Term Survivors Following Resection of Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2017 , 21, 1888-1897 | 3.3 | 19 | |
| 171 | Low Skeletal Muscle Density Is Associated with Early Death in Patients with Perihilar Cholangiocarcinoma Regardless of Subsequent Treatment. <i>Digestive Surgery</i> , 2019 , 36, 144-152 | 2.5 | 19 | |
| 170 | Establishing and Coordinating a Nationwide Multidisciplinary Study Group: Lessons Learned by the Dutch Pancreatic Cancer Group. <i>Annals of Surgery</i> , 2020 , 271, e102-e104 | 7.8 | 18 | |
| 169 | Resection of Perihilar Cholangiocarcinoma. Surgical Clinics of North America, 2016 , 96, 247-67 | 4 | 18 | |
| 168 | Preoperative prognostic nutritional index predicts survival of patients with intrahepatic cholangiocarcinoma after curative resection. <i>Journal of Surgical Oncology</i> , 2018 , 118, 422-430 | 2.8 | 18 | |
| 167 | Development and Validation of a Laboratory Risk Score (LabScore) to Predict Outcomes after Resection for Intrahepatic Cholangiocarcinoma. <i>Journal of the American College of Surgeons</i> , 2020 , 230, 381-391.e2 | 4.4 | 17 | |
| 166 | Recreating Tumour Complexity in a Dish: Organoid Models to Study Liver Cancer Cells and their Extracellular Environment. <i>Cancers</i> , 2019 , 11, | 6.6 | 17 | |
| 165 | Prognostic utility of albumin-bilirubin grade for short- and long-term outcomes following hepatic resection for intrahepatic cholangiocarcinoma: A multi-institutional analysis of 706 patients. <i>Journal of Surgical Oncology</i> , 2019 , 120, 206-213 | 2.8 | 16 | |
| 164 | Adjuvant hepatic arterial infusion pump chemotherapy and resection versus resection alone in patients with low-risk resectable colorectal liver metastases - the multicenter randomized controlled PUMP trial. <i>BMC Cancer</i> , 2019 , 19, 327 | 4.8 | 16 | |
| 163 | The Impact of Preoperative CA19-9 and CEA on Outcomes of Patients with Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2888-2901 | 3.1 | 16 | |
| | | | | |

| 162 | Portal Vein Embolization is Associated with Reduced Liver Failure and Mortality in High-Risk Resections for Perihilar Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2311-2318 | 3.1 | 16 |
|-----|---|--------------------------------|----|
| 161 | Conditional Survival After Resection for Pancreatic Cancer: A Population-Based Study and Prediction Model. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2516-2524 | 3.1 | 16 |
| 160 | Translating the ABC-02 trial into daily practice: outcome of palliative treatment in patients with unresectable biliary tract cancer treated with gemcitabine and cisplatin. <i>Acta Oncolgica</i> , 2018 , 57, 807-8 | 31 ³ 2 ² | 16 |
| 159 | Patterns of recurrence after resection of gallbladder cancer without routine extrahepatic bile duct resection. <i>Hpb</i> , 2014 , 16, 635-40 | 3.8 | 16 |
| 158 | Survival after resection of perihilar cholangiocarcinoma in patients with lymph node metastases. Hpb, 2017 , 19, 735-740 | 3.8 | 16 |
| 157 | Long-term yield of pancreatic cancer surveillance in high-risk individuals. <i>Gut</i> , 2021 , | 19.2 | 16 |
| 156 | Impact of microvascular invasion on clinical outcomes after curative-intent resection for intrahepatic cholangiocarcinoma. <i>Journal of Surgical Oncology</i> , 2019 , 119, 21-29 | 2.8 | 16 |
| 155 | Trends in treatment and survival of patients with nonresected, nonmetastatic pancreatic cancer: A population-based study. <i>Cancer Medicine</i> , 2018 , 7, 4943-4951 | 4.8 | 16 |
| 154 | Variation in pancreatoduodenectomy as delivered in two national audits. <i>British Journal of Surgery</i> , 2019 , 106, 747-755 | 5.3 | 15 |
| 153 | Long-term outcomes of patients with intraductal growth sub-type of intrahepatic cholangiocarcinoma. <i>Hpb</i> , 2018 , 20, 1189-1197 | 3.8 | 15 |
| 152 | Robot-assisted spleen preserving pancreatic surgery in MEN1 patients. <i>Journal of Surgical Oncology</i> , 2016 , 114, 456-61 | 2.8 | 15 |
| 151 | Evaluation of the New American Joint Committee on Cancer Staging Manual 8th Edition for Perihilar Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 1612-1618 | 3.3 | 15 |
| 150 | A novel online prognostic tool to predict long-term survival after liver resection for intrahepatic cholangiocarcinoma: The "metro-ticket" paradigm. <i>Journal of Surgical Oncology</i> , 2019 , 120, 223-230 | 2.8 | 14 |
| 149 | Should Utilization of Lymphadenectomy Vary According to Morphologic Subtype of Intrahepatic Cholangiocarcinoma?. <i>Annals of Surgical Oncology</i> , 2019 , 26, 2242-2250 | 3.1 | 14 |
| 148 | The systemic immune-inflammation index predicts prognosis in intrahepatic cholangiocarcinoma: an international multi-institutional analysis. <i>Hpb</i> , 2020 , 22, 1667-1674 | 3.8 | 14 |
| 147 | Genomic FHIT analysis in RER+ and RERIadenocarcinomas of the pancreas 2000 , 27, 239-243 | | 14 |
| 146 | Defining Benchmark Outcomes for Pancreatoduodenectomy With Portomesenteric Venous Resection. <i>Annals of Surgery</i> , 2020 , 272, 731-737 | 7.8 | 14 |
| 145 | Tumor Burden Dictates Prognosis Among Patients Undergoing Resection of Intrahepatic Cholangiocarcinoma: A Tool to Guide Post-Resection Adjuvant Chemotherapy?. <i>Annals of Surgical Oncology</i> , 2021 , 28, 1970-1978 | 3.1 | 14 |

| 144 | FOLFIRINOX and radiotherapy for locally advanced pancreatic cancer: A cohort study. <i>Journal of Surgical Oncology</i> , 2018 , 118, 1021-1026 | 2.8 | 14 |
|-----|---|-------|----|
| 143 | Genetic Determinants of Outcome in Intrahepatic Cholangiocarcinoma. <i>Hepatology</i> , 2021 , 74, 1429-1444 | 411.2 | 14 |
| 142 | Body Composition Is an Independent Predictor of Outcome in Patients with Hepatocellular Carcinoma Treated with Sorafenib. <i>Liver Cancer</i> , 2019 , 8, 255-270 | 9.1 | 13 |
| 141 | Postoperative surveillance of pancreatic cancer patients. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1770-1777 | 3.6 | 13 |
| 140 | New-onset diabetes after pancreatoduodenectomy: A systematic review and meta-analysis. <i>Surgery</i> , 2018 , | 3.6 | 13 |
| 139 | Circulating Biomarkers for Prediction of Objective Response to Chemotherapy in Pancreatic Cancer Patients. <i>Cancers</i> , 2019 , 11, | 6.6 | 12 |
| 138 | Survival after Resection of Multiple Tumor Foci of Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2019 , 23, 2239-2246 | 3.3 | 12 |
| 137 | Implications of Intrahepatic Cholangiocarcinoma Etiology on Recurrence and Prognosis after Curative-Intent Resection: a Multi-Institutional Study. <i>World Journal of Surgery</i> , 2018 , 42, 849-857 | 3.3 | 12 |
| 136 | Neoadjuvant Chemoradiotherapy Versus Upfront Surgery for Resectable and Borderline Resectable Pancreatic Cancer: Long-Term Results of the Dutch Randomized PREOPANC Trial <i>Journal of Clinical Oncology</i> , 2022 , JCO2102233 | 2.2 | 12 |
| 135 | Significance of Examined Lymph Node Number in Accurate Staging and Long-term Survival in Resected Stage I-II Pancreatic Cancer-More is Better? A Large International Population-based Cohort Study. <i>Annals of Surgery</i> , 2021 , 274, e554-e563 | 7.8 | 12 |
| 134 | Amsterdam International Consensus Meeting: tumor response scoring in the pathology assessment of resected pancreatic cancer after neoadjuvant therapy. <i>Modern Pathology</i> , 2021 , 34, 4-12 | 9.8 | 12 |
| 133 | The Limitations of Standard Clinicopathologic Features to Accurately Risk-Stratify Prognosis after Resection of Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2018 , 22, 477-485 | 3.3 | 11 |
| 132 | The accuracy of pre-operative imaging in the management of hepatic cysts. <i>Hpb</i> , 2015 , 17, 889-95 | 3.8 | 11 |
| 131 | Transatlantic registries of pancreatic surgery in the United States of America, Germany, the Netherlands, and Sweden: Comparing design, variables, patients, treatment strategies, and outcomes. <i>Surgery</i> , 2021 , 169, 396-402 | 3.6 | 11 |
| 130 | Validation of the Mayo Clinic Staging System in Determining Prognoses of Patients With Perihilar Cholangiocarcinoma. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 1930-1939.e3 | 6.9 | 10 |
| 129 | Adjuvant Hepatic Arterial Infusion Pump Chemotherapy After Resection of Colorectal Liver Metastases: Results of a Safety and Feasibility Study in The Netherlands. <i>Annals of Surgical Oncology</i> , 2019 , 26, 4599-4607 | 3.1 | 10 |
| 128 | Conditional survival in patients with unresectable perihilar cholangiocarcinoma. <i>Hpb</i> , 2017 , 19, 966-971 | 3.8 | 10 |
| 127 | Cholangiocarcinoma landscape in Europe: diagnostic, prognostic and therapeutic insights from the ENSCCA Registry <i>Journal of Hepatology</i> , 2021 , | 13.4 | 10 |

| 126 | International validation and update of the Amsterdam model for prediction of survival after pancreatoduodenectomy for pancreatic cancer. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 796-80 | 3 .6 | 10 |
|-----|---|---------------------------------|----|
| 125 | Histopathological growth patterns and positive margins after resection of colorectal liver metastases. <i>Hpb</i> , 2020 , 22, 911-919 | 3.8 | 10 |
| 124 | Histopathological growth patterns as biomarker for adjuvant systemic chemotherapy in patients with resected colorectal liver metastases. <i>Clinical and Experimental Metastasis</i> , 2020 , 37, 593-605 | 4.7 | 10 |
| 123 | Perihilar Cholangiocarcinoma - Novel Benchmark Values for Surgical and Oncological Outcomes From 24 Expert Centers. <i>Annals of Surgery</i> , 2021 , 274, 780-788 | 7.8 | 10 |
| 122 | Yield of staging laparoscopy before treatment of locally advanced pancreatic cancer to detect occult metastases. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1906-1911 | 3.6 | 9 |
| 121 | Surgical Site Infection Is Associated with Tumor Recurrence in Patients with Extrahepatic Biliary Malignancies. <i>Journal of Gastrointestinal Surgery</i> , 2017 , 21, 1813-1820 | 3.3 | 9 |
| 120 | International Validation of Reduced Major Morbidity After Minimally Invasive Distal Pancreatectomy Compared With Open Pancreatectomy. <i>Annals of Surgery</i> , 2021 , 274, e966-e973 | 7.8 | 9 |
| 119 | Recurrence Patterns After Resection of Colorectal Liver Metastasis are Modified by Perioperative Systemic Chemotherapy. <i>World Journal of Surgery</i> , 2020 , 44, 876-886 | 3.3 | 9 |
| 118 | Robotic versus laparoscopic distal pancreatectomy: multicentre analysis. <i>British Journal of Surgery</i> , 2021 , 108, 188-195 | 5.3 | 9 |
| 117 | Locoregional therapies in patients with intrahepatic cholangiocarcinoma: A systematic review and pooled analysis. <i>Cancer Treatment Reviews</i> , 2021 , 99, 102258 | 14.4 | 9 |
| 116 | Histological and Molecular Subclassification of Pancreatic and Nonpancreatic Periampullary Cancers: Implications for (Neo) Adjuvant Systemic Treatment. <i>Annals of Surgical Oncology</i> , 2015 , 22, 240 | 1 3 - 1 7 | 8 |
| 115 | Advances in adjuvant therapy of biliary tract cancer: an overview of current clinical evidence based on phase II and III trials. <i>Critical Reviews in Oncology/Hematology</i> , 2020 , 151, 102975 | 7 | 8 |
| 114 | A preoperative prognostic model to predict surgical success in patients with perihilar cholangiocarcinoma. <i>Journal of Surgical Oncology</i> , 2018 , 118, 469-476 | 2.8 | 8 |
| 113 | Novel homozygous deletions of chromosomal band 18q22 in pancreatic adenocarcinoma identified by STS marker scanning. <i>Genes Chromosomes and Cancer</i> , 1999 , 25, 370-5 | 5 | 8 |
| 112 | Histopathological Growth Patterns and Survival After Resection of Colorectal Liver Metastasis: An External Validation Study. <i>JNCI Cancer Spectrum</i> , 2021 , 5, pkab026 | 4.6 | 8 |
| 111 | Preoperative chemoradiotherapy to improve overall survival in pancreatic cancer: Long-term results of the multicenter randomized phase III PREOPANC trial <i>Journal of Clinical Oncology</i> , 2021 , 39, 4016-4016 | 2.2 | 8 |
| 110 | Trends in Treatment and Survival of Gallbladder Cancer in the Netherlands; Identifying Gaps and Opportunities from a Nation-Wide Cohort. <i>Cancers</i> , 2020 , 12, | 6.6 | 8 |
| 109 | A Novel Classification of Intrahepatic Cholangiocarcinoma Phenotypes Using Machine Learning Techniques: An International Multi-Institutional Analysis. <i>Annals of Surgical Oncology</i> , 2020 , 27, 5224-52 | 3 ² 1 | 7 |

| 108 | Quantitative Imaging Features and Postoperative Hepatic Insufficiency: A Multi-Institutional Expanded Cohort. <i>Journal of the American College of Surgeons</i> , 2018 , 226, 835-843 | 4.4 | 7 |
|-----|--|------------------|---|
| 107 | Unsupervised Subtyping of Cholangiocarcinoma Using a Deep Clustering Convolutional Autoencoder. <i>Lecture Notes in Computer Science</i> , 2019 , 604-612 | 0.9 | 7 |
| 106 | Detection, Treatment, and Survival of Pancreatic Cancer Recurrence in the Netherlands: A Nationwide Analysis. <i>Annals of Surgery</i> , 2020 , | 7.8 | 7 |
| 105 | C-reactive protein is superior to white blood cell count for early detection of complications after pancreatoduodenectomy: a retrospective multicenter cohort study. <i>Hpb</i> , 2020 , 22, 1504-1512 | 3.8 | 7 |
| 104 | Predicting Lymph Node Metastasis in Intrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 25, 1156-1163 | 3.3 | 7 |
| 103 | Protocol for the STRONG trial: stereotactic body radiation therapy following chemotherapy for unresectable perihilar cholangiocarcinoma, a phase I feasibility study. <i>BMJ Open</i> , 2018 , 8, e020731 | 3 | 7 |
| 102 | Clinical impact of the updated international postoperative pancreatic fistula definition in distal pancreatectomy. <i>Hpb</i> , 2018 , 20, 1044-1050 | 3.8 | 7 |
| 101 | Robotic Pancreatoduodenectomy: Patient Selection, Volume Criteria, and Training Programs. <i>Scandinavian Journal of Surgery</i> , 2020 , 109, 29-33 | 3.1 | 6 |
| 100 | The Dutch Pancreas Biobank Within the Parelsnoer Institute: A Nationwide Biobank of Pancreatic and Periampullary Diseases. <i>Pancreas</i> , 2018 , 47, 495-501 | 2.6 | 6 |
| 99 | Preoperative Risk Score to Predict Occult Metastatic or Locally Advanced Disease in Patients with Resectable Perihilar Cholangiocarcinoma on Imaging. <i>Journal of the American College of Surgeons</i> , 2018 , 227, 238-246.e2 | 4.4 | 6 |
| 98 | Current evidence of nutritional therapy in pancreatoduodenectomy: Systematic review of randomized controlled trials. <i>Annals of Gastroenterological Surgery</i> , 2019 , 3, 620-629 | 4.3 | 6 |
| 97 | Impact of Complications After Pancreatoduodenectomy on Mortality, Organ Failure, Hospital Stay, and Readmission: Analysis of a Nationwide Audit. <i>Annals of Surgery</i> , 2020 , 275, | 7.8 | 6 |
| 96 | Surgical Complications in a Multicenter Randomized Trial Comparing Preoperative Chemoradiotherapy and Immediate Surgery in Patients With Resectable and Borderline Resectable Pancreatic Cancer (PREOPANC Trial). <i>Annals of Surgery</i> , 2020 , | 7.8 | 6 |
| 95 | Recurrence After Liver Resection of Colorectal Liver Metastases: Repeat Resection or Ablation Followed by Hepatic Arterial Infusion Pump Chemotherapy. <i>Annals of Surgical Oncology</i> , 2021 , 28, 808-8 | 3₽6 ^I | 6 |
| 94 | Outcomes of a Multicenter Training Program in Robotic Pancreatoduodenectomy (LAELAPS-3). <i>Annals of Surgery</i> , 2021 , | 7.8 | 6 |
| 93 | Care after pancreatic resection according to an algorithm for early detection and minimally invasive management of pancreatic fistula versus current practice (PORSCH-trial): design and rationale of a nationwide stepped-wedge cluster-randomized trial. <i>Trials</i> , 2020 , 21, 389 | 2.8 | 5 |
| 92 | Added Value of Body Fat Distribution in Predicting Clinically Significant Pancreatic Fistula in the a-FRS Following Pancreatoduodenectomy Currently Unclear. <i>Annals of Surgery</i> , 2019 , 269, e2-e3 | 7.8 | 5 |
| 91 | Discordance in prediction of prognosis among patients with intrahepatic cholangiocarcinoma: A preoperative vs postoperative perspective. <i>Journal of Surgical Oncology</i> , 2019 , 120, 946-955 | 2.8 | 5 |

| 90 | Cytopathological Analysis of Cyst Fluid Enhances Diagnostic Accuracy of Mucinous Pancreatic Cystic Neoplasms. <i>Medicine (United States)</i> , 2015 , 94, e988 | 1.8 | 5 |
|----|--|-----|---|
| 89 | Relationship Between Quality of Life and Survival in Patients With Pancreatic and Periampullary Cancer: A Multicenter Cohort Analysis. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020 , 18, 1354-1363 | 7.3 | 5 |
| 88 | The impact of hepatic arterial infusion pump chemotherapy on hepatic recurrences and survival in patients with resected colorectal liver metastases. <i>Hpb</i> , 2020 , 22, 1271-1279 | 3.8 | 5 |
| 87 | Primary tumor location and the prognosis of patients after local treatment of colorectal liver metastases: a systematic review and meta-analysis. <i>Hpb</i> , 2020 , 22, 351-357 | 3.8 | 5 |
| 86 | A preliminary prediction model for potentially guiding patient choices between breast conserving surgery and mastectomy in early breast cancer patients; a Dutch experience. <i>Quality of Life Research</i> , 2018 , 27, 545-553 | 3.7 | 5 |
| 85 | Distinguishing pure histopathological growth patterns of colorectal liver metastases on CT using deep learning and radiomics: a pilot study. <i>Clinical and Experimental Metastasis</i> , 2021 , 38, 483-494 | 4.7 | 5 |
| 84 | Treatment and Survival of Elderly Patients with Stage I-II Pancreatic Cancer: A Report of the EURECCA Pancreas Consortium. <i>Annals of Surgical Oncology</i> , 2020 , 27, 5337-5346 | 3.1 | 4 |
| 83 | Neoadjuvant therapy or upfront surgery for resectable and borderline resectable pancreatic cancer: Almeta-analysis of randomised controlled trials. <i>European Journal of Cancer</i> , 2021 , | 7.5 | 4 |
| 82 | Should jaundice preclude resection in patients with gallbladder cancer? Results from a nation-wide cohort study. <i>Hpb</i> , 2020 , 22, 1686-1694 | 3.8 | 4 |
| 81 | Added Value of Radiotherapy Following Neoadjuvant FOLFIRINOX for Resectable and Borderline Resectable Pancreatic Cancer: A Systematic Review and Meta-Analysis. <i>Annals of Surgical Oncology</i> , 2021 , 28, 8297-8308 | 3.1 | 4 |
| 80 | Minimally invasive versus open distal pancreatectomy: an individual patient data meta-analysis of two randomized controlled trials. <i>Hpb</i> , 2021 , 23, 323-330 | 3.8 | 4 |
| 79 | Quality and performance of validated prognostic models for survival after resection of intrahepatic cholangiocarcinoma: a systematic review and meta-analysis. <i>Hpb</i> , 2021 , 23, 25-36 | 3.8 | 4 |
| 78 | Eligibility for Liver Transplantation in Patients with Perihilar Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2021 , 28, 1483-1492 | 3.1 | 4 |
| 77 | The use and clinical outcome of total pancreatectomy in the United States, Germany, the Netherlands, and Sweden. <i>Surgery</i> , 2021 , 170, 563-570 | 3.6 | 4 |
| 76 | The Impact of Neoadjuvant Treatment on Survival in Patients Undergoing Pancreatoduodenectomy With Concomitant Portomesenteric Venous Resection: An International Multicenter Analysis. Annals of Surgery, 2021 , 274, 721-728 | 7.8 | 4 |
| 75 | Completion pancreatectomy or a pancreas-preserving procedure during relaparotomy for pancreatic fistula after pancreatoduodenectomy: a multicentre cohort study and meta-analysis. <i>British Journal of Surgery</i> , 2021 , 108, 1371-1379 | 5.3 | 4 |
| 74 | Hepatic Arterial Infusion Pump Chemotherapy for Unresectable Intrahepatic Cholangiocarcinoma: A Systematic Review and Meta-Analysis <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | 4 |
| 73 | Impact of body mass index on tumor recurrence among patients undergoing curative-intent resection of intrahepatic cholangiocarcinoma- a multi-institutional international analysis. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1084-1091 | 3.6 | 3 |

(2021-2020)

| 72 | The yield of chest computed tomography in patients with locally advanced pancreatic cancer. <i>Journal of Surgical Oncology</i> , 2020 , 122, 450-456 | 2.8 | 3 |
|----|--|---------------------|-----|
| 71 | Disease-free interval and tumor functional status can be used to select patients for resection/ablation of liver metastases from adrenocortical carcinoma: insights from a multi-institutional study. <i>Hpb</i> , 2020 , 22, 169-175 | 3.8 | 3 |
| 70 | Surgery for perihilar cholangiocarcinoma. British Journal of Surgery, 2018, 105, 771-772 | 5.3 | 3 |
| 69 | Right versus left: Impact of primary location on survival and cure in patients undergoing hepatic resection for metastatic colon cancer <i>Journal of Clinical Oncology</i> , 2017 , 35, 664-664 | 2.2 | 3 |
| 68 | Redefining Conditional Overall and Disease-Free Survival After Curative Resection for Intrahepatic Cholangiocarcinoma: a Multi-institutional, International Study of 1221 patients. <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 2756-2765 | 3.3 | 3 |
| 67 | Prophylactic total pancreatectomy in individuals at high risk of pancreatic ductal adenocarcinoma (PROPAN): systematic review and shared decision-making programme using decision tables. <i>United European Gastroenterology Journal</i> , 2020 , 8, 865-877 | 5.3 | 3 |
| 66 | Nationwide compliance with a multidisciplinary guideline on pancreatic cancer during 6-year follow-up. <i>Pancreatology</i> , 2020 , 20, 1723-1731 | 3.8 | 3 |
| 65 | Nationwide treatment and outcomes of perihilar cholangiocarcinoma. <i>Liver International</i> , 2021 , 41, 19 | 45 7 195 | 3 3 |
| 64 | Surgical training model and safe implementation of robotic pancreatoduodenectomy in Japan: a technical note. <i>World Journal of Surgical Oncology</i> , 2021 , 19, 55 | 3.4 | 3 |
| 63 | Systematic review and meta-analysis of validated prognostic models for resected hepatocellular carcinoma patients. <i>European Journal of Surgical Oncology</i> , 2021 , | 3.6 | 3 |
| 62 | Primary and secondary liver failure after major liver resection for perihilar cholangiocarcinoma. <i>Surgery</i> , 2021 , 170, 1024-1030 | 3.6 | 3 |
| 61 | Predicting 10-year survival after resection of colorectal liver metastases; an international study including biomarkers and perioperative treatment <i>European Journal of Cancer</i> , 2022 , 168, 25-33 | 7.5 | 3 |
| 60 | Histopathological growth patterns as a guide for adjuvant systemic chemotherapy in patients with resected colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2019 , 45, e10 | 3.6 | 2 |
| 59 | Endoscopic treatment of a refractory intrahepatic bile leak by transpapillary placement of coils into a peripheral bile duct. <i>Gastrointestinal Endoscopy</i> , 2016 , 84, 189-90 | 5.2 | 2 |
| 58 | FOLFIRINOX as Initial Treatment for Localized Pancreatic Adenocarcinoma: A Retrospective Analysis by the Trans-Atlantic Pancreatic Surgery (TAPS) Consortium <i>Journal of the National Cancer Institute</i> , 2022 , | 9.7 | 2 |
| 57 | Proposed modification of the eighth edition of the AJCC staging system for intrahepatic cholangiocarcinoma. <i>Hpb</i> , 2021 , 23, 1456-1466 | 3.8 | 2 |
| 56 | Surgical morbidity in the first year after resection for perihilar cholangiocarcinoma. <i>Hpb</i> , 2021 , 23, 160 | 7-3,6614 | 2 |
| 55 | Surgery for Bismuth-Corlette Type 4 Perihilar Cholangiocarcinoma: Results from a Western Multicenter Collaborative Group. <i>Annals of Surgical Oncology</i> , 2021 , 28, 7719-7729 | 3.1 | 2 |

| 54 | The effect of preoperative chemotherapy and chemoradiotherapy on pancreatic fistula and other surgical complications after pancreatic resection: a systematic review and meta-analysis of comparative studies. <i>Hpb</i> , 2021 , 23, 1321-1331 | 3.8 | 2 |
|----|--|---------------|---|
| 53 | Survival Benefit Associated With Resection of Locally Advanced Pancreatic Cancer After Upfront FOLFIRINOX Versus FOLFIRINOX Only: Multicenter Propensity Score-matched Analysis. <i>Annals of Surgery</i> , 2021 , 274, 729-735 | 7.8 | 2 |
| 52 | Extended Resections for Advanced Gallbladder Cancer: Results from a Nationwide Cohort Study. <i>Annals of Surgical Oncology</i> , 2021 , 28, 835-843 | 3.1 | 2 |
| 51 | Nationwide practice and outcomes of endoscopic biliary drainage in resectable pancreatic head and periampullary cancer. <i>Hpb</i> , 2021 , 23, 270-278 | 3.8 | 2 |
| 50 | Venous wedge and segment resection during pancreatoduodenectomy for pancreatic cancer: impact on short- and long-term outcomes in a nationwide cohort analysis. <i>British Journal of Surgery</i> , 2021 , | 5.3 | 2 |
| 49 | Axial slicing versus bivalving in the pathological examination of pancreatoduodenectomy specimens (APOLLO): a multicentre randomized controlled trial. <i>Hpb</i> , 2021 , 23, 1349-1359 | 3.8 | 2 |
| 48 | Outcome of pancreatic anastomoses during pancreatoduodenectomy in two national audits. <i>Surgery</i> , 2021 , 170, 1799-1806 | 3.6 | 2 |
| 47 | Preoperative systemic chemotherapy alters the histopathological growth patterns of colorectal liver metastases. <i>Journal of Pathology: Clinical Research</i> , 2021 , | 5.3 | 2 |
| 46 | Preoperative misdiagnosis of pancreatic and periampullary cancer in patients undergoing pancreatoduodenectomy: A multicentre retrospective cohort study. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2525-2532 | 3.6 | 2 |
| 45 | Impact of Positive Lymph Nodes and Resection Margin Status on the Overall Survival of Patients with Resected Perihilar Cholangiocarcinoma: The ENSCCA Registry. <i>Cancers</i> , 2022 , 14, 2389 | 6.6 | 2 |
| 44 | Neoadjuvant FOLFIRINOX in patients with (borderline) resectable pancreatic cancer: A systematic review and patient-level meta-analysis <i>Journal of Clinical Oncology</i> , 2018 , 36, e16207-e16207 | 2.2 | 1 |
| 43 | Significance of examined lymph node number in accurate staging and long-term survival in resected stage I-II pancreatic cancer: More is better? A large international population-based cohort study Journal of Clinical Oncology, 2019, 37, 6503-6503 | 2.2 | 1 |
| 42 | Severe spp. or spp. Infection and the Risk of Biliary Tract Cancer: A Population-Based Study. <i>Cancers</i> , 2020 , 12, | 6.6 | 1 |
| 41 | Impact of time interval between multidisciplinary team meeting and intended pancreatoduodenectomy on oncological outcomes. <i>BJS Open</i> , 2020 , 4, 884-892 | 3.9 | 1 |
| 40 | Total neoadjuvant FOLFIRINOX or gemcitabine-based chemoradiotherapy and adjuvant gemcitabine for resectable and borderline resectable pancreatic cancer (PREOPANC-2): A nationwide multicenter randomized controlled trial <i>Journal of Clinical Oncology</i> , 2021 , 39, TPS4171-T | 2.2 PS4171 | 1 |
| 39 | Preoperative serum ADAM12 levels as a stromal marker for overall survival and benefit of adjuvant therapy in patients with resected pancreatic and periampullary cancer. <i>Hpb</i> , 2021 , | 3.8 | 1 |
| 38 | Microscopic resection margin status in pancreatic ductal adenocarcinoma - A nationwide analysis. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 708-716 | 3.6 | 1 |
| 37 | Laparoscopic versus open extended radical left pancreatectomy for pancreatic ductal adenocarcinoma: an international propensity-score matched study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 35, 6949-6959 | 5.2 | 1 |

| 36 | Robotic Total Pancreatectomy: A Novel Pancreatic Head-First Approach (with Video). <i>Journal of Gastrointestinal Surgery</i> , 2021 , 25, 1649-1650 | 3.3 | 1 |
|----|---|------|---|
| 35 | Stereotactic Body Radiation Therapy after Chemotherapy for Unresectable Perihilar Cholangiocarcinoma: The STRONG Trial, a Phase I Safety and Feasibility Study. <i>Cancers</i> , 2021 , 13, | 6.6 | 1 |
| 34 | Minimally invasive versus open distal pancreatectomy for pancreatic ductal adenocarcinoma (DIPLOMA): study protocol for a randomized controlled trial. <i>Trials</i> , 2021 , 22, 608 | 2.8 | 1 |
| 33 | Long-Term Quality of Life after Minimally Invasive vs Open Distal Pancreatectomy in the LEOPARD Randomized Trial. <i>Journal of the American College of Surgeons</i> , 2021 , 233, 730-739.e9 | 4.4 | 1 |
| 32 | Organoids Derived from Neoadjuvant FOLFIRINOX Patients Recapitulate Therapy Resistance in Pancreatic Ductal Adenocarcinoma. <i>Clinical Cancer Research</i> , 2021 , 27, 6602-6612 | 12.9 | 1 |
| 31 | Sex, Gender and Age Differences in Treatment Allocation and Survival of Patients With Metastatic Pancreatic Cancer: A Nationwide Study <i>Frontiers in Oncology</i> , 2022 , 12, 839779 | 5.3 | 1 |
| 30 | Age and prognosis in patients with pancreatic cancer: a population-based study <i>Acta Oncolgica</i> , 2021 , 1-8 | 3.2 | 1 |
| 29 | Toward an Optimized Staging System for Pancreatic Ductal Adenocarcinoma: A Clinically Interpretable, Artificial Intelligence-Based Model <i>JCO Clinical Cancer Informatics</i> , 2021 , 5, 1220-1231 | 5.2 | 1 |
| 28 | Nationwide Validation of the 8th American Joint Committee on Cancer TNM Staging System and Five Proposed Modifications for Resected Pancreatic Cancer <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | 1 |
| 27 | Patient-reported burden of intensified surveillance and surgery in high-risk individuals under pancreatic cancer surveillance. <i>Familial Cancer</i> , 2020 , 19, 247-258 | 3 | О |
| 26 | A National Survey on Peri-interventional Management of Percutaneous Transhepatic Biliary Drainage. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2017 , 27, 253-256 | 1.3 | 0 |
| 25 | Micronutrient deficiencies and anaemia in patients after pancreatoduodenectomy. <i>British Journal of Surgery</i> , 2021 , 108, e74-e75 | 5.3 | О |
| 24 | Primary Sclerosing Cholangitis-Associated Cholangiocarcinoma Demonstrates High Intertumor and Intratumor Heterogeneity. <i>Clinical and Translational Gastroenterology</i> , 2021 , 12, e00410 | 4.2 | 0 |
| 23 | Resection of the Portal-Superior Mesenteric Vein in Pancreatic Cancer: Pathological Assessment and Recurrence Patterns. <i>Pancreas</i> , 2021 , 50, 1218-1229 | 2.6 | O |
| 22 | Pancreatic resection in the pediatric, adolescent and young adult population: nationwide analysis on complications. <i>Hpb</i> , 2021 , 23, 1175-1184 | 3.8 | 0 |
| 21 | Outcome after resection for perihilar cholangiocarcinoma in patients with primary sclerosing cholangitis: an international multicentre study. <i>Hpb</i> , 2021 , 23, 1751-1758 | 3.8 | O |
| 20 | The value of serum amylase and drain fluid amylase to predict postoperative pancreatic fistula after pancreatoduodenectomy: a retrospective cohort study. <i>Langenbeckh Archives of Surgery</i> , 2021 , 406, 2333-2341 | 3.4 | 0 |
| 19 | Failure to Rescue After Pancreatoduodenectomy: A Transatlantic Analysis. <i>Annals of Surgery</i> , 2021 , 274, 459-466 | 7.8 | Ο |

| 18 | Impact of Primary Tumor Laterality on Adjuvant Hepatic Artery Infusion Pump Chemotherapy in Resected Colon Cancer Liver Metastases: Analysis of 487 Patients. <i>Annals of Surgical Oncology</i> , 2021 , 28, 3685-3694 | 3.1 | O |
|----|--|----------------------|--------|
| 17 | Robotic Total Pancreatectomy: A Narrative Review. <i>In Vivo</i> , 2021 , 35, 1907-1911 | 2.3 | О |
| 16 | A population-based study on incidence, treatment, and survival in ampullary cancer in the Netherlands. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1742-1749 | 3.6 | О |
| 15 | Circulating mutations are associated with early tumor progression and poor survival in pancreatic cancer patients treated with FOLFIRINOX. <i>Therapeutic Advances in Medical Oncology</i> , 2021 , 13, 175883 | 592 ⁴ 110 | 033704 |
| 14 | High Systemic Immune Inflammation Index Is Associated With Low Skeletal Muscle Quantity in Resectable Pancreatic Ductal Adenocarcinoma <i>Frontiers in Oncology</i> , 2022 , 12, 827755 | 5.3 | O |
| 13 | Tumor Necrosis Impacts Prognosis of Patients Undergoing Resection for T1 Intrahepatic Cholangiocarcinoma <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | O |
| 12 | Reply to H. Zhang et al. <i>Journal of Clinical Oncology</i> , 2017 , 35, 3266-3267 | 2.2 | |
| 11 | Role of Circulating Tumor Cells in Metastatic Colorectal Cancer: Clinical Challenges and Opportunities. <i>Current Colorectal Cancer Reports</i> , 2012 , 8, 186-191 | 1 | |
| 10 | ASO Visual Abstract: Surgery for Bismuth-Corlette Type IV Perihilar Cholangiocarcinoma-Results from a Western Multicenter Collaborative Group. <i>Annals of Surgical Oncology</i> , 2021 , 28, 460-461 | 3.1 | |
| 9 | ASO Visual Abstract: Added Value of Radiotherapy Following Neoadjuvant FOLFIRINOX for Resectable and Borderline Resectable Pancreatic Cancer-A Systematic Review and Meta-analysis. <i>Annals of Surgical Oncology</i> , 2021 , 28, 485-487 | 3.1 | |
| 8 | Gastric Outlet Obstruction. <i>JAMA Surgery</i> , 2016 , 151, 577-8 | 5.4 | |
| 7 | Intrapancreatic Accessory Spleen Mimicking Pancreatic neoplasm. <i>Journal of Gastrointestinal Surgery</i> , 2016 , 20, 2104-2105 | 3.3 | |
| 6 | Response to the Comment on "Prediction of Hepatocellular Carcinoma Recurrence Beyond Milan Criteria After Resection: Validation of a Clinical Risk Score in Aninternational Cohort". <i>Annals of Surgery</i> , 2019 , 269, e34-e35 | 7.8 | |
| 5 | Screening for colorectal cancer after pancreatoduodenectomy for ampullary cancer. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 534-538 | 3.6 | |
| 4 | ASO Visual Abstract: Hepatic Arterial Infusion Pump Chemotherapy for Unresectable Intrahepatic Cholangio carcinoma-A Systematic Review and Meta-analysis <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | |
| 3 | ASO Visual Abstract: Tumor Necrosis Impacts the Prognosis of Patients Undergoing Resection for T1 Intrahepatic Cholangiocarcinoma <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | |
| 2 | ASO Author Reflections: Usage of Hepatic Arterial Infusion Pump Chemotherapy for Unresectable Intrahepatic Cholangiocarcinoma <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | |
| 1 | ASO Visual Abstract: Short- and Long-Term Outcomes of Pancreatic Cancer Resection for Elderly Patients: A Nationwide Analysis <i>Annals of Surgical Oncology</i> , 2022 , 1 | 3.1 | |