

Kotaro Haruhara

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8099404/publications.pdf>

Version: 2024-02-01

55
papers

645
citations

516215

16
h-index

676716

22
g-index

55
all docs

55
docs citations

55
times ranked

822
citing authors

#	ARTICLE	IF	CITATIONS
1	Glomerular Density and Volume in Renal Biopsy Specimens of Children with Proteinuria Relative to Preterm Birth and Gestational Age. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2017, 12, 585-590.	2.2	47
2	Adipocyte-specific Enhancement of Angiotensin II Type 1 Receptor-associated Protein Ameliorates Diet-induced Visceral Obesity and Insulin Resistance. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	32
3	An angiotensin II type 1 receptor binding molecule has a critical role in hypertension in a chronic kidney disease model. <i>Kidney International</i> , 2017, 91, 1115-1125.	2.6	30
4	Angiotensin II Type 1 Receptor-associated Protein Regulates Kidney Aging and Lifespan Independent of Angiotensin. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	30
5	Biopsy-based estimation of total nephron number in Japanese living kidney donors. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 629-637.	0.7	30
6	Factors associated with a vicious cycle involving a low nephron number, hypertension and chronic kidney disease. <i>Hypertension Research</i> , 2015, 38, 633-641.	1.5	27
7	Improved home BP profile with dapagliflozin is associated with amelioration of albuminuria in Japanese patients with diabetic nephropathy: the Yokohama add-on inhibitory efficacy of dapagliflozin on albuminuria in Japanese patients with type 2 diabetes study (Y-AIDA study). <i>Cardiovascular Diabetology</i> , 2019, 18, 110.	2.7	27
8	Glomerulopathy Associated With Moderate Obesity. <i>Kidney International Reports</i> , 2016, 1, 250-255.	0.4	23
9	Renal histopathological findings in relation to ambulatory blood pressure in chronic kidney disease patients. <i>Hypertension Research</i> , 2015, 38, 116-122.	1.5	22
10	Estimation of nephron number in living humans by combining unenhanced computed tomography with biopsy-based stereology. <i>Scientific Reports</i> , 2019, 9, 14400.	1.6	21
11	Early Enhanced Leucine-Rich α 2-Glycoprotein-1 Expression in Glomerular Endothelial Cells of Type 2 Diabetic Nephropathy Model Mice. <i>BioMed Research International</i> , 2018, 2018, 1-9.	0.9	19
12	Glomerular Density in Biopsy-Proven Hypertensive Nephrosclerosis. <i>American Journal of Hypertension</i> , 2015, 28, 1164-1171.	1.0	18
13	Bowman Capsule Volume and Related Factors in Adults With Normal Renal Function. <i>Kidney International Reports</i> , 2018, 3, 314-320.	0.4	18
14	Renal Tubule Angiotensin II Type 1 Receptor-associated Protein Promotes Natriuresis and Inhibits Salt-sensitive Blood Pressure Elevation. <i>Journal of the American Heart Association</i> , 2015, 4, e001594.	1.6	17
15	Angiotensin II Type 1 Receptor-associated Protein Inhibits Angiotensin II-induced Insulin Resistance with Suppression of Oxidative Stress in Skeletal Muscle Tissue. <i>Scientific Reports</i> , 2018, 8, 2846.	1.6	17
16	Effects of rikkunshito on renal fibrosis and inflammation in angiotensin II-infused mice. <i>Scientific Reports</i> , 2019, 9, 6201.	1.6	17
17	Single-Nephron GFR in Patients With Obesity-Related Glomerulopathy. <i>Kidney International Reports</i> , 2020, 5, 1218-1227.	0.4	17
18	Angiotensin II Type 1 Receptor Binding Molecule ATRAP as a Possible Modulator of Renal Sodium Handling and Blood Pressure in Pathophysiology. <i>Current Medicinal Chemistry</i> , 2015, 22, 3210-3216.	1.2	16

#	ARTICLE	IF	CITATIONS
19	Dietary Protein Intake and Single-Nephron Glomerular Filtration Rate. <i>Nutrients</i> , 2020, 12, 2549.	1.7	13
20	Podometrics in Japanese Living Donor Kidneys: Associations with Nephron Number, Age, and Hypertension. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 1187-1199.	3.0	13
21	Synergistic Impact of Diabetes and Hypertension on the Progression and Distribution of Glomerular Histopathological Lesions. <i>American Journal of Hypertension</i> , 2019, 32, 900-908.	1.0	12
22	Volume Ratio of Glomerular Tufts to Bowman Capsules and Renal Outcomes in Nephrosclerosis. <i>American Journal of Hypertension</i> , 2019, 32, 45-53.	1.0	12
23	Assessment of nephron number and single-nephron glomerular filtration rate in a clinical setting. <i>Hypertension Research</i> , 2021, 44, 605-617.	1.5	12
24	Reduction of proteinuria by therapeutic intervention improves the renal outcome of elderly patients with IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 910-917.	0.7	10
25	Angiotensin receptor-binding molecule in leukocytes in association with the systemic and leukocyte inflammatory profile. <i>Atherosclerosis</i> , 2018, 269, 236-244.	0.4	10
26	Podocyte endowment and the impact of adult body size on kidney health. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 321, F322-F334.	1.3	10
27	Effects of pitavastatin add-on therapy on chronic kidney disease with albuminuria and dyslipidemia. <i>Lipids in Health and Disease</i> , 2015, 14, 161.	1.2	9
28	Effects of ATRAP in Renal Proximal Tubules on Angiotensin-Dependent Hypertension. <i>Journal of the American Heart Association</i> , 2019, 8, e012395.	1.6	9
29	Effects of Rikkunshito treatment on renal fibrosis/inflammation and body weight reduction in a unilateral ureteral obstruction model in mice. <i>Scientific Reports</i> , 2020, 10, 1782.	1.6	9
30	ATRAP Expression in Brown Adipose Tissue Does Not Influence the Development of Diet-Induced Metabolic Disorders in Mice. <i>International Journal of Molecular Sciences</i> , 2017, 18, 676.	1.8	8
31	Aging Vs. Hypertension: An Autopsy Study of Sclerotic Renal Histopathological Lesions in Adults With Normal Renal Function. <i>American Journal of Hypertension</i> , 2019, 32, 676-683.	1.0	8
32	Deficiency of the kidney tubular angiotensin II type1 receptor-associated protein ATRAP exacerbates streptozotocin-induced diabetic glomerular injury via reducing protective macrophage polarization. <i>Kidney International</i> , 2022, 101, 912-928.	2.6	8
33	Effect of single-pill irbesartan/amlodipine combination-based therapy on clinic and home blood pressure profiles in hypertension with chronic kidney diseases. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 744-750.	0.5	7
34	Comparison of direct renin inhibitor and angiotensin II receptor blocker on clinic and ambulatory blood pressure profiles in hypertension with chronic kidney disease. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 738-743.	0.5	6
35	Angiotensin II type 1 receptor-associated protein deficiency attenuates sirtuin1 expression in an immortalised human renal proximal tubule cell line. <i>Scientific Reports</i> , 2019, 9, 16550.	1.6	6
36	Nephron Number and Time to Remission in Steroid-Sensitive Minimal Change Disease. <i>Kidney Medicine</i> , 2020, 2, 559-568.e1.	1.0	6

#	ARTICLE	IF	CITATIONS
37	Within-visit blood pressure variability and cardiovascular risk factors in hypertensive patients with non-dialysis chronic kidney disease. <i>Clinical and Experimental Hypertension</i> , 2017, 39, 665-671.	0.5	5
38	Ambulatory blood pressure and tubulointerstitial injury in patients with IgA nephropathy. <i>CKJ: Clinical Kidney Journal</i> , 2015, 8, 716-721.	1.4	4
39	Circadian blood pressure abnormalities in patients with primary nephrotic syndrome. <i>Clinical and Experimental Hypertension</i> , 2017, 39, 155-159.	0.5	4
40	Relationship between basal sodium intake and the effects of dapagliflozin in albuminuric diabetic kidney disease. <i>Scientific Reports</i> , 2021, 11, 951.	1.6	4
41	Possible therapeutic impact of the iron chelation on renal fibrosis. <i>Hypertension Research</i> , 2015, 38, 455-456.	1.5	3
42	Possible interesting link between Janus kinase 2 mutation and renovascular hypertension. <i>Journal of Clinical Hypertension</i> , 2018, 20, 805-806.	1.0	3
43	Heterogeneous distribution of glomerular size in adult kidneys with normal renal function. <i>Pathology International</i> , 2018, 68, 500-501.	0.6	3
44	Effects of Erythropoietin-Stimulating Agents on Blood Pressure in Patients with Non-Dialysis CKD and Renal Anemia. <i>Kidney Diseases (Basel, Switzerland)</i> , 2020, 6, 299-308.	1.2	3
45	Time-averaged proteinuria during follow-up and renal prognosis in patients with biopsy-proven benign nephrosclerosis. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 688-695.	0.7	3
46	Total Nephron Number and Single-Nephron Parameters in Patients with IgA Nephropathy. <i>Kidney360</i> , 2021, 2, 828-841.	0.9	3
47	The ability of remaining glomerular podocytes to adapt to the loss of their neighbours decreases with age. <i>Cell and Tissue Research</i> , 2022, 388, 439-451.	1.5	3
48	Enhancement of intrarenal plasma membrane calcium pump isoform 1 expression in chronic angiotensin II-infused mice. <i>Physiological Reports</i> , 2017, 5, e13316.	0.7	2
49	Possible impact of electronegative LDL on atherosclerosis in type 2 diabetes. <i>Atherosclerosis</i> , 2017, 265, 253-255.	0.4	2
50	Tissue xanthine oxidoreductase activity in a mouse model of aristolochic acid nephropathy. <i>FEBS Open Bio</i> , 2021, 11, 507-518.	1.0	2
51	Tubulointerstitial nephritis: a biopsy case series of 139 Japanese patients. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 435-444.	0.7	2
52	A Case of Hepatic Glomerulosclerosis with Monoclonal IgA1- $\langle \text{mml:math} \text{xmlns:mml="http://www.w3.org/1998/Math/MathML" id="M1"} \rangle \langle \text{mml:mrow} \langle \text{mml:mi} \rangle^{\text{e}} \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle$ Deposits. <i>Case Reports in Nephrology</i> , 2018, 2018, 1-5.	0.2	1
53	Remission of proteinuria under therapeutic intervention and the renal outcomes in Japanese patients with lupus nephritis class III and IV. <i>Modern Rheumatology</i> , 2020, 30, 125-131.	0.9	1
54	Two entities in pulmonary nodules of a diabetic patient receiving corticosteroid therapy for bullous pemphigoid: an autopsy case report. <i>BMC Infectious Diseases</i> , 2022, 22, .	1.3	1

#	ARTICLE	IF	CITATIONS
55	Potential beneficial impact of angiotensin receptor blockers on arterial stiffness in hypertension. Journal of Thoracic Disease, 2016, 8, E564-E566.	0.6	0