Ian L P Beales

List of Publications by Citations

Source: https://exaly.com/author-pdf/8101915/ian-l-p-beales-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85
papers
1,723
citations
25
h-index
g-index

358
ext. papers
2,014
ext. citations
5
avg, IF
L-index

#	Paper	IF	Citations
85	Leptin stimulates proliferation and inhibits apoptosis in Barrett's esophageal adenocarcinoma cells by cyclooxygenase-2-dependent, prostaglandin-E2-mediated transactivation of the epidermal growth factor receptor and c-Jun NH2-terminal kinase activation. <i>Endocrinology</i> , 2006 , 147, 4505-16	4.8	148
84	Statins inhibit proliferation and induce apoptosis in Barrett's esophageal adenocarcinoma cells. <i>American Journal of Gastroenterology</i> , 2008 , 103, 825-37	0.7	116
83	Adiponectin stimulates proliferation and cytokine secretion in colonic epithelial cells. <i>Regulatory Peptides</i> , 2006 , 134, 105-13		110
82	The anti-apoptotic and growth stimulatory actions of leptin in human colon cancer cells involves activation of JNK mitogen activated protein kinase, JAK2 and PI3 kinase/Akt. <i>International Journal of Colorectal Disease</i> , 2007 , 22, 401-9	3	97
81	Polymorphisms near TBX5 and GDF7 are associated with increased risk for Barretts esophagus. <i>Gastroenterology</i> , 2015 , 148, 367-78	13.3	76
80	Globular adiponectin, acting via adiponectin receptor-1, inhibits leptin-stimulated oesophageal adenocarcinoma cell proliferation. <i>Molecular and Cellular Endocrinology</i> , 2008 , 285, 43-50	4.4	67
79	Stimulation of IL-8 production in human gastric epithelial cells by Helicobacter pylori, IL-1beta and TNF-alpha requires tyrosine kinase activity, but not protein kinase C. <i>Cytokine</i> , 1997 , 9, 514-20	4	62
78	Efficacy of Helicobacter pylori eradication therapies: a single centre observational study. <i>BMC Gastroenterology</i> , 2001 , 1, 7	3	52
77	The role of obesity in oesophageal cancer development. <i>Therapeutic Advances in Gastroenterology</i> , 2014 , 7, 247-68	4.7	51
76	Regular statin and aspirin use in patients with Barretts oesophagus is associated with a reduced incidence of oesophageal adenocarcinoma. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 917-23	2.2	44
75	Adiponectin inhibits leptin-induced oncogenic signalling in oesophageal cancer cells by activation of PTP1B. <i>Molecular and Cellular Endocrinology</i> , 2014 , 382, 150-158	4.4	43
74	Leptin synergistically enhances the anti-apoptotic and growth-promoting effects of acid in OE33 oesophageal adenocarcinoma cells in culture. <i>Molecular and Cellular Endocrinology</i> , 2007 , 274, 60-8	4.4	42
73	Effect of diquat on the distribution of iron in rat liver. <i>Toxicology and Applied Pharmacology</i> , 1988 , 93, 506-10	4.6	36
72	Filgotinib as induction and maintenance therapy for ulcerative colitis (SELECTION): a phase 2b/3 double-blind, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2021 , 397, 2372-2384	40	36
71	Activation of Akt is increased in the dysplasia-carcinoma sequence in Barretts oesophagus and contributes to increased proliferation and inhibition of apoptosis: a histopathological and functional study. <i>BMC Cancer</i> , 2007 , 7, 97	4.8	35
70	Effect of interlukin-1beta on proliferation of gastric epithelial cells in culture. <i>BMC Gastroenterology</i> , 2002 , 2, 7	3	32
69	Glycine-extended gastrin inhibits apoptosis in colon cancer cells via separate activation of Akt and JNK pathways. <i>Molecular and Cellular Endocrinology</i> , 2006 , 247, 140-9	4.4	31

68	Pathophysiological mechanisms linking obesity and esophageal adenocarcinoma. <i>World Journal of Gastrointestinal Pathophysiology</i> , 2014 , 5, 534-49	3.2	31
67	Changes in scoring of Direct Observation of Procedural Skills (DOPS) forms and the impact on competence assessment. <i>Endoscopy</i> , 2018 , 50, 770-778	3.4	30
66	Comparison of Different Strategies for Providing Fecal Microbiota Transplantation to Treat Patients with Recurrent Clostridium difficile Infection in Two English Hospitals: A Review. <i>Infectious Diseases and Therapy</i> , 2018 , 7, 71-86	6.2	28
65	Gastrin and interleukin-1beta stimulate growth factor secretion from cultured rabbit gastric parietal cells. <i>Life Sciences</i> , 2004 , 75, 2983-95	6.8	28
64	Statin use is associated with a reduced incidence of colorectal cancer: a colonoscopy-controlled case-control study. <i>BMC Gastroenterology</i> , 2012 , 12, 36	3	27
63	Systematic Review and Meta-analysis: Use of Statins Is Associated with a Reduced Incidence of Oesophageal Adenocarcinoma. <i>Journal of Gastrointestinal Cancer</i> , 2018 , 49, 442-454	1.6	26
62	Helicobacter pylori infection and tumour necrosis factor-alpha increase gastrin release from human gastric antral fragments. <i>European Journal of Gastroenterology and Hepatology</i> , 1997 , 9, 773-7	2.2	26
61	Glycine-extended gastrin stimulates proliferation and inhibits apoptosis in colon cancer cells via cyclo-oxygenase-independent pathways. <i>Regulatory Peptides</i> , 2006 , 134, 1-8		26
60	Glycine-extended gastrin inhibits apoptosis in Barretts oesophageal and oesophageal adenocarcinoma cells through JAK2/STAT3 activation. <i>Journal of Molecular Endocrinology</i> , 2009 , 42, 30.	5-4r §	25
59	Reduced Risk of Barretts Esophagus in Statin Users: Case-Control Study and Meta-Analysis. Digestive Diseases and Sciences, 2016 , 61, 238-46	4	23
58	Glycine-extended gastrin stimulates proliferation via JAK2- and Akt-dependent NF-kappaB activation in Barretts oesophageal adenocarcinoma cells. <i>Molecular and Cellular Endocrinology</i> , 2008 , 296, 94-102	4.4	23
57	Cyclo-oxygenase-independent inhibition of apoptosis and stimulation of proliferation by leptin in human colon cancer cells. <i>Digestive Diseases and Sciences</i> , 2007 , 52, 1934-45	4	22
56	Microbial taxonomic and metabolic alterations during faecal microbiota transplantation to treat Clostridium difficile infection. <i>Journal of Infection</i> , 2018 , 77, 107-118	18.9	21
55	Microsomal prostaglandin E synthase-1 inhibition blocks proliferation and enhances apoptosis in oesophageal adenocarcinoma cells without affecting endothelial prostacyclin production. <i>International Journal of Cancer</i> , 2010 , 126, 2247-55	7.5	20
54	Barrett's esophagus: progression to adenocarcinoma and markers. <i>Annals of the New York Academy of Sciences</i> , 2011 , 1232, 210-29	6.5	19
53	Certification of UK gastrointestinal endoscopists and variations between trainee specialties: results from the JETS e-portfolio. <i>Endoscopy International Open</i> , 2019 , 7, E551-E560	3	18
52	Statin use is associated with a reduced incidence of colorectal adenomatous polyps. <i>International Journal of Colorectal Disease</i> , 2013 , 28, 469-76	3	17
51	Prevention of upper gastrointestinal haemorrhage: current controversies and clinical guidance. <i>Therapeutic Advances in Chronic Disease</i> , 2013 , 4, 206-22	4.9	16

50	British Society of Gastroenterology guidelines for the management of iron deficiency anaemia in adults. <i>Gut</i> , 2021 , 70, 2030-2051	19.2	16
49	Direct observation of procedural skills (DOPS) assessment in diagnostic gastroscopy: nationwide evidence of validity and competency development during training. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020 , 34, 105-114	5.2	15
48	H. pylori-associated hypochlorhydria. <i>Gastroenterology</i> , 1998 , 114, 618-21	13.3	12
47	Helicobacter pylori increases gastrin release from cultured canine antral G-cells. <i>European Journal of Gastroenterology and Hepatology</i> , 2000 , 12, 641-4	2.2	12
46	Effect of platelet-activating factor on gastrin release from cultured rabbit G-cells. <i>Digestive Diseases and Sciences</i> , 2001 , 46, 301-6	4	11
45	Recent advances in the management of peptic ulcer bleeding. F1000Research, 2017, 6, 1763	3.6	10
44	Gastrointestinal involvement in Behëts syndrome. American Journal of Gastroenterology, 1998 , 93, 263	3 0.7	10
43	Use of Cyclo-Oxygenase Inhibitors Is Not Associated with Clinical Relapse in Inflammatory Bowel Disease: A Case-Control Study. <i>Pharmaceuticals</i> , 2015 , 8, 512-24	5.2	9
42	Helicobacter pylori stimulates granulocyte-macrophage colony-stimulating factor (GM-CSF) production from cultured antral biopsies and a human gastric epithelial cell line. <i>European Journal of Gastroenterology and Hepatology</i> , 1997 , 9, 451-5	2.2	9
41	Effects of pro-inflammatory cytokines on acid secretion. <i>Digestive Diseases and Sciences</i> , 2000 , 45, 289-9	eq.	9
40	Regulation of amylin release from cultured rabbit gastric fundic mucosal cells. <i>BMC Physiology</i> , 2003 , 3, 13	O	8
39	Misoprostol-associated platelet aggregation dysfunction and increased gastrointestinal blood loss. <i>European Journal of Gastroenterology and Hepatology</i> , 1997 , 9, 91-2	2.2	7
38	Soybean agglutinin stimulated cholecystokinin release from cultured rabbit jejunal cells requires calcium influx via L-type calcium channels. <i>Peptides</i> , 1998 , 19, 1541-7	3.8	7
37	Effect of cytokines on acid secretion and gastrin secretion in Helicobacter pylori infection and aspirin-induced gastritis. <i>Scandinavian Journal of Gastroenterology</i> , 1998 , 33, 1230-2	2.4	6
36	Spontaneous bacterial peritonitis due to Pasturella multocida without animal exposure. <i>American Journal of Gastroenterology</i> , 1999 , 94, 1110-1	0.7	6
35	Colonoscopic polyp detection rate is stable throughout the workday including evening colonoscopy sessions. <i>F1000Research</i> , 2014 , 3, 107	3.6	5
34	Is gastroenterology research in decline? A comparison of abstract publication rates from The British Society of Gastroenterology meetings between 1995 and 2005. <i>F1000Research</i> , 2013 , 2, 59	3.6	4
33	Validity Evidence for Direct Observation of Procedural Skills in Paediatric Gastroscopy. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 67, e111-e116	2.8	4

(2013-2019)

32	Resolution of Refractory Eosinophilic Esophagitis with the Leukocyte-Trafficking Inhibitor Natalizumab. <i>Digestive Diseases and Sciences</i> , 2019 , 64, 2688-2689	4	3
31	Selective COX-2 inhibitors are safe and effective. <i>BMJ, The</i> , 2020 , 368, m311	5.9	3
30	Decisions on restarting anticoagulation should be made earlier after rebleeding. <i>BMJ, The</i> , 2016 , 532, i248	5.9	3
29	Letter: Potential chemopreventive effects of statins in oesophageal adenocarcinoma. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 36, 1105; author reply 1105-6	6.1	3
28	Effect of PACAP-27 on 14C-aminopyrine accumulation in isolated rabbit parietal cells. <i>Peptides</i> , 1998 , 19, 1111-4	3.8	3
27	Easy as 1, 2, 3? Histamine receptors and gastric acid. <i>Gut</i> , 2002 , 50, 747-8	19.2	2
26	Monoclonal antibody to tumor necrosis factor-alpha reduces hypergastrinemia in Helicobacter pylori infection. <i>American Journal of Medicine</i> , 2001 , 111, 77-8	2.4	2
25	Gastric biopsies in the assessment and management of patients at risk of gastric adenocarcinoma. <i>Gut</i> , 2021 , 70, 431-432	19.2	2
24	Factors associated with the use of probiotics in patients with inflammatory bowel disease. <i>F1000Research</i> , 2013 , 2, 69	3.6	2
23	Recent advances in peptic ulcer bleeding. F1000 Medicine Reports, 2009, 1,		2
22	Evaluation of the Cost-Effectiveness of Iron Formulations for the Treatment of Iron Deficiency Anaemia in Patients with Inflammatory Bowel Disease in the UK. <i>ClinicoEconomics and Outcomes Research</i> , 2021 , 13, 541-552	1.7	2
21	Endoscopy training in the UK pre-COVID¶9 environment: a multidisciplinary survey of endoscopy training and the experience of reciprocal feedback. <i>Frontline Gastroenterology</i> ,flgastro-2020-101734	2.6	2
20	Ferric maltol Real-world Effectiveness Study in Hospital practice (FRESH): clinical characteristics and outcomes of patients with inflammatory bowel disease receiving ferric maltol for iron-deficiency anaemia in the UK. <i>BMJ Open Gastroenterology</i> , 2021 , 8,	3.9	2
19	Isolated caecal necrosis-a case study. <i>BJR case Reports</i> , 2019 , 5, 20180089	0.7	1
18	Advances in the Therapy of Bleeding Peptic Ulcer. Clinical Medicine Insights Therapeutics, 2018, 10, 117	9559X	18:79025
17	Ectopic ACTH syndrome due to colonic neuroendocrine tumor. <i>Digestive Diseases and Sciences</i> , 1994 , 39, 2049-50	4	1
17 16		5.9	1

14	Successful Treatment of Refractory Lymphocytic Esophagitis With Vedolizumab. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1555-1556	0.7	1
13	Leptin activates Akt in oesophageal cancer cells via multiple atorvastatin-sensitive small GTPases. <i>Molecular and Cellular Biochemistry</i> , 2021 , 476, 2307-2316	4.2	1
12	JAG consensus statements for training and certification in oesophagogastroduodenoscopy <i>Frontline Gastroenterology</i> , 2022 , 13, 193-205	2.6	О
11	Successful use of beclometasone dipropionate for the treatment of microscopic colitis. <i>United European Gastroenterology Journal</i> , 2020 , 8, 828-829	5.3	
10	Gastrointestinal protection with dual antiplatelet therapies. <i>BMJ, The</i> , 2018 , 360, j5410	5.9	
9	Principal investigators must take responsibility for ethical problems. <i>BMJ, The</i> , 2017 , 356, j822	5.9	
8	Referral criteria need to be decided, published, and used. <i>BMJ, The</i> , 2015 , 351, h6599	5.9	
7	The role of adiponectin in colitis. <i>Gastroenterology</i> , 2007 , 132, 1199-200; author reply 1200-1	13.3	
6	Serum gastrin levels. Scandinavian Journal of Gastroenterology, 1996, 31, 527-8	2.4	
5	Management of Helicobacter pylori infection. Treatment of ulcers can be improved and over-reliance on proton pump inhibitors reduced. <i>BMJ, The,</i> 2002 , 324, 614	5.9	
4	Helicobacter pylori and gastro-oesophageal reflux disease: important data were not presented. <i>BMJ, The</i> , 2004 , 329, 402	5.9	
3	Avoiding duodenal biopsy in investigating coeliac disease during covid-19. <i>BMJ, The</i> , 2020 , 370, m3082	5.9	
2	Secondary care opinion: advice or didactic guidance?. <i>BMJ, The</i> , 2021 , 372, n386	5.9	
1	The management of peptic ulcer disease. <i>Practitioner</i> , 2004 , 248, 524-9		