Per E Wndell

List of Publications by Citations

Source: https://exaly.com/author-pdf/81021/per-e-wandell-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

195 papers

3,226 citations

31 h-index 46 g-index

205 ext. papers

3,733 ext. citations

avg, IF

5.52 L-index

#	Paper	IF	Citations
195	The epidemiology of heart failure, based on data for 2.1 million inhabitants in Sweden. <i>European Journal of Heart Failure</i> , 2013 , 15, 995-1002	12.3	184
194	Quality of life of patients with diabetes mellitus. An overview of research in primary health care in the Nordic countries. <i>Scandinavian Journal of Primary Health Care</i> , 2005 , 23, 68-74	2.7	162
193	Do immigrants have an increased prevalence of unhealthy behaviours and risk factors for coronary heart disease?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 535-41		95
192	Morbidity in cardiovascular diseases in immigrants in Sweden. <i>Journal of Internal Medicine</i> , 2003 , 254, 236-43	10.8	93
191	High prevalence of diagnosis of diabetes, depression, anxiety, hypertension, asthma and COPD in the total population of Stockholm, Sweden - a challenge for public health. <i>BMC Public Health</i> , 2013 , 13, 670	4.1	86
190	Seven modifiable lifestyle factors predict reduced risk for ischemic cardiovascular disease and all-cause mortality regardless of body mass index: a cohort study. <i>International Journal of Cardiology</i> , 2013 , 168, 946-52	3.2	70
189	Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. <i>Diabetic Medicine</i> , 2015 , 32, 1319-28	3.5	64
188	Prevalence of diabetes among immigrants in the Nordic countries. <i>Current Diabetes Reviews</i> , 2010 , 6, 126-33	2.7	64
187	Risk scoring and thromboprophylactic treatment of patients with atrial fibrillation with and without access to primary healthcare data: experience from the Stockholm health care system. <i>International Journal of Cardiology</i> , 2013 , 170, 208-14	3.2	60
186	Are there differences in all-cause and coronary heart disease mortality between immigrants in Sweden and in their country of birth? A follow-up study of total populations. <i>BMC Public Health</i> , 2006 , 6, 102	4.1	56
185	Most common diseases diagnosed in primary care in Stockholm, Sweden, in 2011. <i>Family Practice</i> , 2013 , 30, 506-13	1.9	52
184	Nurses' preparedness to care for women exposed to Intimate Partner Violence: a quantitative study in primary health care. <i>BMC Nursing</i> , 2012 , 11, 1	3.2	51
183	Impact of symptomatic hypoglycemia on medication adherence, patient satisfaction with treatment, and glycemic control in patients with type 2 diabetes. <i>Patient Preference and Adherence</i> , 2014 , 8, 593-601	2.4	48
182	High prevalence of diabetes mellitus, hypertension and obesity among persons with a recorded diagnosis of intellectual disability or autism spectrum disorder. <i>Journal of Intellectual Disability Research</i> , 2018 , 62, 269-280	3.2	45
181	Gender differences and time trends in incidence and prevalence of type 2 diabetes in Swedena model explaining the diabetes epidemic worldwide today?. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106, e90-2	7.4	42
180	The association between BMI value and long-term mortality. <i>International Journal of Obesity</i> , 2009 , 33, 577-82	5.5	42
179	Increased prevalence of diabetes among immigrants from non-European countries in 60-year-old men and women in Sweden. <i>Diabetes and Metabolism</i> , 2007 , 33, 30-6	5.4	42

178	The quality of life of elderly diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2000 , 14, 25-30	3.2	42
177	Diagnostic tests, treatment and follow-up in heart failure patientsis there a gender bias in the coherence to guidelines?. <i>European Journal of Heart Failure</i> , 1999 , 1, 407-10	12.3	42
176	Walking for exercisedoes three times per week influence risk factors in type 2 diabetes?. <i>Diabetes Research and Clinical Practice</i> , 2006 , 71, 21-7	7.4	41
175	Effects of Nordic walking on cardiovascular risk factors in overweight individuals with type 2 diabetes, impaired or normal glucose tolerance. <i>Diabetes/Metabolism Research and Reviews</i> , 2013 , 29, 25-32	7.5	40
174	Quality of life among patients with glaucoma in Sweden. Acta Ophthalmologica, 1997, 75, 584-8		40
173	Time trends and gender differences in incidence and prevalence of type 1 diabetes in Sweden. <i>Current Diabetes Reviews</i> , 2013 , 9, 342-9	2.7	40
172	Risks for stroke and bleeding with warfarin or aspirin treatment in patients with atrial fibrillation at different CHA(2)DS(2)VASc scores: experience from the Stockholm region. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 1477-85	2.8	39
171	Improving quality of life using compound mind-body therapies: evaluation of a course intervention with body movement and breath therapy, guided imagery, chakra experiencing and mindfulness meditation. <i>Quality of Life Research</i> , 2008 , 17, 367-76	3.7	34
170	Effects of Nordic walking on health-related quality of life in overweight individuals with type 2 diabetes mellitus, impaired or normal glucose tolerance. <i>Diabetic Medicine</i> , 2011 , 28, 1362-72	3.5	33
169	Risk factors associated with newly diagnosed high blood pressure in men and women. <i>American Journal of Hypertension</i> , 2008 , 21, 771-7	2.3	32
168	Psychiatric comorbidities in patients with hypertensiona study of registered diagnoses 2009-2013 in the total population in Stockholm County, Sweden. <i>Journal of Hypertension</i> , 2016 , 34, 414-20; discussion 420	1.9	32
167	Barriers and facilitators to participation in a health check for cardiometabolic diseases in primary care: A systematic review. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1326-1340	3.9	31
166	Estimation of diabetes prevalence among immigrants from the Middle East in Sweden by using three different data sources. <i>Diabetes and Metabolism</i> , 2008 , 34, 328-33	5.4	31
165	Prevalence of hypertension in immigrants and Swedish-born individuals, a cross-sectional study of 60-year-old men and women in Sweden. <i>Journal of Hypertension</i> , 2008 , 26, 2295-302	1.9	31
164	Increased heart rate variability but no effect on blood pressure from 8 weeks of hatha yoga - a pilot study. <i>BMC Research Notes</i> , 2013 , 6, 59	2.3	30
163	Barriers and facilitators among health professionals in primary care to prevention of cardiometabolic diseases: A systematic review. <i>Family Practice</i> , 2018 , 35, 383-398	1.9	29
162	Exploring integrative medicine for back and neck pain - a pragmatic randomised clinical pilot trial. BMC Complementary and Alternative Medicine, 2009 , 9, 33	4.7	29
161	The trend of cardiovascular disease in immigrants in Sweden. <i>European Journal of Epidemiology</i> , 2005 , 20, 755-60	12.1	29

160	Neighbourhood socioeconomic status and coronary heart disease in individuals between 40 and 50 years. <i>Heart</i> , 2016 , 102, 775-82	5.1	28
159	Diabetes and psychiatric illness in the total population of Stockholm. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 169-73	4.1	28
158	Country of birth-specific and gender differences in prevalence of diabetes in Sweden. <i>Diabetes Research and Clinical Practice</i> , 2013 , 100, 404-8	7.4	26
157	Prevalence of blood lipid disturbances in Swedish and foreign-born 60-year-old men and women in Stockholm, Sweden. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 173-81	4.5	26
156	Differences and time trends in drug treatment of atrial fibrillation in men and women and doctors' adherence to warfarin therapy recommendations: a Swedish study of prescribed drugs in primary care in 2002 and 2007. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 245-53	2.8	25
155	Utilization and costs of lipid modifying therapies following health technology assessment for the new reimbursement scheme in Sweden. <i>Health Policy</i> , 2012 , 104, 84-91	3.2	25
154	Population groups in dietary transition. Food and Nutrition Research, 2013, 57,	3.1	25
153	High prevalence of diabetes among immigrants from non-European countries in Sweden. <i>Primary Care Diabetes</i> , 2007 , 1, 13-6	2.4	25
152	To ask, or not to ask: the hesitation process described by district nurses encountering women exposed to intimate partner violence. <i>Journal of Clinical Nursing</i> , 2017 , 26, 2256-2265	3.2	24
151	Physicians' gender is associated with risk factor control in patients on antihypertensive and lipid lowering treatment. <i>Blood Pressure</i> , 2010 , 19, 240-8	1.7	24
150	Neighbourhood socio-economic status and all-cause mortality in adults with atrial fibrillation: A cohort study of patients treated in primary care in Sweden. <i>International Journal of Cardiology</i> , 2016 , 202, 776-81	3.2	24
149	Gout and its comorbidities in the total population of Stockholm. <i>Preventive Medicine</i> , 2015 , 81, 387-91	4.3	23
148	HIV-infection and psychiatric illnesses - A double edged sword that threatens the vision of a contained epidemic: The Greater Stockholm HIV Cohort Study. <i>Journal of Infection</i> , 2017 , 74, 22-28	18.9	23
147	The association between relevant co-morbidities and prevalent as well as incident heart failure in patients with atrial fibrillation. <i>Journal of Cardiology</i> , 2018 , 72, 26-32	3	21
146	Is a unified definition of metabolic syndrome needed? Comparison of three definitions of metabolic syndrome in 60-year-old men and women. <i>Metabolic Syndrome and Related Disorders</i> , 2009 , 7, 231-41	2.6	21
145	Functioning and well-being of patients with type 2 diabetes or angina pectoris, compared with the general population. <i>Diabetes and Metabolism</i> , 2000 , 26, 465-71	5.4	20
144	Effects of yogic exercises on functional capacity, lung function and quality of life in participants with obstructive pulmonary disease: a randomized controlled study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017 , 53, 447-461	4.4	19
143	Factors associated with uncontrolled hypertension and cardiovascular risk in hypertensive 60-year-old men and womena population-based study. <i>Hypertension Research</i> , 2009 , 32, 780-5	4.7	19

(2010-2007)

142	Self-reported anxiety, sleeping problems and pain among Turkish-born immigrants in Sweden. <i>Ethnicity and Health</i> , 2007 , 12, 363-79	2.2	19
141	Assessing sexual functioning in patients with chronic disorders by using a generic health-related quality of life questionnaire. <i>Quality of Life Research</i> , 2000 , 9, 1081-92	3.7	19
140	Neighborhood socioeconomic status at the age of 40 years and ischemic stroke before the age of 50 years: A nationwide cohort study from Sweden. <i>International Journal of Stroke</i> , 2017 , 12, 815-826	6.3	18
139	Neighborhood deprivation and warfarin, aspirin and statin prescription - A cohort study of men and women treated for atrial fibrillation in Swedish primary care. <i>International Journal of Cardiology</i> , 2015 , 187, 547-52	3.2	18
138	Depression or anxiety and all-cause mortality in adults with atrial fibrillationA cohort study in Swedish primary care. <i>Annals of Medicine</i> , 2016 , 48, 59-66	1.5	18
137	Socioeconomic factors and mortality in patients with atrial fibrillation-a cohort study in Swedish primary care. <i>European Journal of Public Health</i> , 2018 , 28, 1103-1109	2.1	18
136	Self-reported experience of hypoglycemia among adults with type 2 diabetes mellitus (Exhype). <i>Diabetes Research and Clinical Practice</i> , 2011 , 92, 19-25	7.4	18
135	Tactile massage within the primary health care setting. <i>Complementary Therapies in Clinical Practice</i> , 2009 , 15, 158-60	3.5	18
134	Health factors and longevity in men and women: a 26-year follow-up study. <i>European Journal of Epidemiology</i> , 2010 , 25, 547-51	12.1	17
133	Tactile massage improves glycaemic control in women with type 2 diabetes: a pilot study. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2004 , 21, 105-109		17
	- Diabetes international, the international Journal for Diabetes care realls worldwide, 2004, 21, 105-109		,
132	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden - the Greater Stockholm HIV Cohort Study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 142-9	2.2	16
132	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden - the Greater Stockholm HIV Cohort Study. <i>AIDS Care -</i>	2.2	
	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden - the Greater Stockholm HIV Cohort Study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 142-9 Mortality trends and cause of death in patients with new-onset type 2 diabetes and controls: A		16
131	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden - the Greater Stockholm HIV Cohort Study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 142-9 Mortality trends and cause of death in patients with new-onset type 2 diabetes and controls: A 24-year follow-up prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 138, 81-89 Effect of traditional yoga, mindfulness-based cognitive therapy, and cognitive behavioral therapy, on health related quality of life: a randomized controlled trial on patients on sick leave because of	7.4	16
131	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden - the Greater Stockholm HIV Cohort Study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 142-9 Mortality trends and cause of death in patients with new-onset type 2 diabetes and controls: A 24-year follow-up prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 138, 81-89 Effect of traditional yoga, mindfulness-based cognitive therapy, and cognitive behavioral therapy, on health related quality of life: a randomized controlled trial on patients on sick leave because of burnout. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 80 Effects of High-Intensity Hatha Yoga on Cardiovascular Fitness, Adipocytokines, and Apolipoproteins in Healthy Students: A Randomized Controlled Study. <i>Journal of Alternative and</i>	7·4 4·7	161616
131 130 129	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden - the Greater Stockholm HIV Cohort Study. <i>AIDS Care-Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 142-9 Mortality trends and cause of death in patients with new-onset type 2 diabetes and controls: A 24-year follow-up prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 138, 81-89 Effect of traditional yoga, mindfulness-based cognitive therapy, and cognitive behavioral therapy, on health related quality of life: a randomized controlled trial on patients on sick leave because of burnout. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 80 Effects of High-Intensity Hatha Yoga on Cardiovascular Fitness, Adipocytokines, and Apolipoproteins in Healthy Students: A Randomized Controlled Study. <i>Journal of Alternative and Complementary Medicine</i> , 2016 , 22, 81-7 Measuring possible effect on health-related quality of life by tactile massage or relaxation in	7·4 4·7 2·4	16161616
131 130 129 128	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden - the Greater Stockholm HIV Cohort Study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 142-9 Mortality trends and cause of death in patients with new-onset type 2 diabetes and controls: A 24-year follow-up prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 138, 81-89 Effect of traditional yoga, mindfulness-based cognitive therapy, and cognitive behavioral therapy, on health related quality of life: a randomized controlled trial on patients on sick leave because of burnout. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 80 Effects of High-Intensity Hatha Yoga on Cardiovascular Fitness, Adipocytokines, and Apolipoproteins in Healthy Students: A Randomized Controlled Study. <i>Journal of Alternative and Complementary Medicine</i> , 2016 , 22, 81-7 Measuring possible effect on health-related quality of life by tactile massage or relaxation in patients with type 2 diabetes. <i>Complementary Therapies in Medicine</i> , 2012 , 20, 8-15 Poor self-rated health is not associated with a high total allostatic load in type 2 diabetic	7·4 4·7 2·4 3·5	1616161616

124	Cardiovascular and total mortality in men and women with different blood pressure levelsA 26-year follow-up. <i>Blood Pressure</i> , 2009 , 18, 105-10	1.7	14
123	The association between blood glucose value and long-term mortality. <i>Diabetes and Metabolism</i> , 2005 , 31, 588-94	5.4	14
122	The association between relevant comorbidities and dementia in patients with atrial fibrillation. <i>GeroScience</i> , 2018 , 40, 317	8.9	14
121	Chronic kidney disease and 10-year risk of cardiovascular death. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1187-94	3.9	13
120	Psychosocial problems among newly diagnosed rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2012 , 31, 521-9	3.9	13
119	Effect of cardiovascular drug classes on all-cause mortality among atrial fibrillation patients treated in primary care in Sweden: a cohort study. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 279-87	2.8	13
118	Selective prevention of cardiometabolic diseases: activities and attitudes of general practitioners across Europe. <i>European Journal of Public Health</i> , 2019 , 29, 88-93	2.1	12
117	Psychometric evaluation of a questionnaire and primary healthcare nurses' attitudes towards research and use of research findings. <i>Scandinavian Journal of Caring Sciences</i> , 2014 , 28, 173-85	2.3	12
116	Metabolic control and quality of data in medical records for subjects with type 2 diabetes in Swedish primary care: improvement between 1995 and 2001. <i>Scandinavian Journal of Primary Health Care</i> , 2002 , 20, 230-5	2.7	12
115	The association between low fasting blood glucose value and mortality. <i>Current Diabetes Reviews</i> , 2007 , 3, 274-9	2.7	12
114	Dementia in immigrant groups: A cohort study of all adults 45 years of age and older in Sweden. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 82, 251-258	4	11
113	. European Journal of Cardiovascular Prevention and Rehabilitation, 2001 , 8, 73-79		11
112	Effect of heart rate on long-term mortality among men and women. <i>Acta Cardiologica</i> , 2007 , 62, 275-9	0.9	11
111	Antihypertensive drugs and relevant cardiovascular pharmacotherapies and the risk of incident dementia in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2018 , 272, 149-154	3.2	10
110	Effects of prescribed antihypertensives and other cardiovascular drugs on mortality in patients with atrial fibrillation and hypertension: a cohort study from Sweden. <i>Hypertension Research</i> , 2014 , 37, 553-9	4.7	10
109	Effects of tactile massage on metabolic biomarkers in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2013 , 39, 411-7	5.4	10
108	Atrial fibrillation in immigrant groups: a cohort study of all adults 45 lyears of age and older in Sweden. <i>European Journal of Epidemiology</i> , 2017 , 32, 785-796	12.1	10
107	Repeatability and validity of a standardised maximal step-up test for leg functiona diagnostic accuracy study. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 191	2.8	10

106	Diabetes and impaired glucose tolerance among Turkish immigrants in Sweden. <i>Diabetes Research and Clinical Practice</i> , 2011 , 92, 118-23	7.4	10
105	A randomized controlled pilot study of the effects of 6-week high intensity hatha yoga protocol on health-related outcomes among students. <i>Journal of Bodywork and Movement Therapies</i> , 2019 , 23, 766-	772	9
104	Differences in anthropometric measures in immigrants and Swedish-born individuals: results from two community-based cohort studies. <i>Preventive Medicine</i> , 2014 , 69, 151-6	4.3	9
103	Maximal step-up height as a simple and relevant health indicator: a study of leg muscle strength and the associations to age, anthropometric variables, aerobic fitness and physical function. <i>British Journal of Sports Medicine</i> , 2013 , 47, 992-7	10.3	9
102	Total mortality among levothyroxine-treated women with atrial fibrillation in Swedish primary health care. <i>International Journal of Cardiology</i> , 2011 , 152, 147-8	3.2	9
101	Effect of heart-rate recovery on long-term mortality among men and women. <i>International Journal of Cardiology</i> , 2010 , 144, 276-9	3.2	9
100	Comparison of Mortality and Nonfatal Cardiovascular Events in Adults With Atrial Fibrillation With Versus Without Levothyroxine Treatment. <i>American Journal of Cardiology</i> , 2017 , 120, 1974-1979	3	8
99	Comorbidities, risk factors and outcomes in patients with heart failure and an ejection fraction of more than or equal to 40% in primary care- and hospital care-based outpatient clinics. <i>Scandinavian Journal of Primary Health Care</i> , 2018 , 36, 207-215	2.7	8
98	What predicts negative effects of rheumatoid arthritis? A follow-up two years after diagnosis. <i>SpringerPlus</i> , 2014 , 3, 118		8
97	Low anthropometric measures and mortalityresults from the MalmIDiet and Cancer Study. <i>Annals of Medicine</i> , 2015 , 47, 325-31	1.5	8
96	Blood pressure measures and their predictive ability of cardiovascular mortality: a 26-year follow-up. <i>Blood Pressure Monitoring</i> , 2013 , 18, 72-7	1.3	8
95	Prevalence of lipid abnormalities before and after introduction of lipid modifying therapy among Swedish patients with dyslipidemia (PRIMULA). <i>BMC Public Health</i> , 2010 , 10, 737	4.1	8
94	Working with tactile massagea grounded theory about the energy controlling system. <i>Complementary Therapies in Clinical Practice</i> , 2007 , 13, 258-65	3.5	8
93	Tactile Massage or Relaxation Exercises Do Not Improve the Metabolic Control of Type 2 Diabetics~!2009-12-22~!2010-03-25~!2010-04-28~!. <i>The Open Diabetes Journal</i> , 2010 , 3, 6-10	0.3	8
92	Health care consumption and psychiatric diagnoses among adolescent girls 1 and 2 lyears after a first-time registered child sexual abuse experience: a cohort study in the Stockholm Region. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1803-1811	5.5	8
91	Warfarin treatment and risk of stroke among primary care patients with atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , 2016 , 50, 311-316	2	8
90	Heart failure in immigrant groups: a cohort study of adults aged 45 years and over in Sweden. Scandinavian Cardiovascular Journal, 2018 , 52, 292-300	2	8
89	Circling the undefined-A grounded theory study of intercultural consultations in Swedish primary care. <i>PLoS ONE</i> , 2018 , 13, e0203383	3.7	8

88	Diagnoses of sexual abuse and their common registered comorbidities in the total population of Stockholm. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 592-598	5.1	7
87	Venous thromboembolism 2011-2018 in Stockholm: a demographic study. <i>Journal of Thrombosis and Thrombolysis</i> , 2019 , 48, 668-673	5.1	7
86	Association between metabolic effects and tobacco use in 60-year-old Swedish men. <i>European Journal of Epidemiology</i> , 2008 , 23, 431-4	12.1	7
85	Quality of life of participants in a mind-body-based self-development course: a descriptive study. <i>Quality of Life Research</i> , 2005 , 14, 521-8	3.7	7
84	Mental disorder and long-term risk of mortality: 41 years of follow-up of a population sample in Stockholm, Sweden. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 384-92	5.1	7
83	Mortality in patients with atrial fibrillation and common co-morbidities - a cohort study in primary care. <i>Annals of Medicine</i> , 2018 , 50, 156-163	1.5	7
82	Health-related quality of life in patients with Burnout on sick leave: descriptive and comparative results from a clinical study. <i>International Archives of Occupational and Environmental Health</i> , 2016 , 89, 319-29	3.2	6
81	The use of a Swedish telephone medical advice service by the elderly - a population-based study. <i>Scandinavian Journal of Primary Health Care</i> , 2017 , 35, 98-104	2.7	6
80	Recording a diagnosis of stroke, transient ischaemic attack or myocardial infarction in primary healthcare and the association with dispensation of secondary preventive medication: a registry-based prospective cohort study. <i>BMJ Open</i> , 2017 , 7, e015723	3	6
79	Association Between Relevant Co-Morbidities and Dementia With Atrial Fibrillation-A National Study. <i>Archives of Medical Research</i> , 2019 , 50, 29-35	6.6	6
78	Low fructosamine and mortality - A long term follow-up of 215,011 non-diabetic subjects in the Swedish AMORIS study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 1120-1128	4.5	6
77	Risk factors in established coronary heart disease: evaluation of a secondary prevention programme. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2001 , 8, 73-80		6
76	The association between gout and cardiovascular disease in patients with atrial fibrillation. <i>SN Comprehensive Clinical Medicine</i> , 2019 , 1, 304-310	2.7	5
75	Pharmacotherapy and mortality in atrial fibrillationa cohort of men and women 75 years or older in Sweden. <i>Age and Ageing</i> , 2015 , 44, 232-8	3	5
74	The association between sociodemographic characteristics and dementia in patients with atrial fibrillation. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 2319-2327	4.8	5
73	Cardiovascular events in patients under age fifty with early findings of elevated lipid and glucose levels - The AMORIS study. <i>PLoS ONE</i> , 2018 , 13, e0201972	3.7	5
72	Limited value of NT-proBNP as a prognostic marker of all-cause mortality in patients with heart failure with preserved and mid-range ejection fraction in primary care: A report from the swedish heart failure register. <i>Scandinavian Journal of Primary Health Care</i> , 2019 , 37, 434-443	2.7	5
71	Effects of prescribed antithrombotics and other cardiovascular pharmacotherapies on all-cause mortality in patients with diabetes and atrial fibrillation - a cohort study from Sweden using propensity score analyses. Diabetology and Metabolic Syndrome. 2014, 6, 2	5.6	5

(2018-2012)

70	Cross-cultural adaptation of an intimate partner violence questionnaire. <i>Clinical Nursing Research</i> , 2012 , 21, 450-66	1.7	5	
69	Psychometric evaluation of a coping questionnaire in two independent samples of people with diabetes. <i>Stress and Health</i> , 2013 , 29, 286-96	3.7	5	
68	Foreign- and Swedish-born diabetic patientsmedical situation and quality of life. <i>Scandinavian Journal of Primary Health Care</i> , 1999 , 17, 158-63	2.7	5	
67	Determinants for use of direct-to-consumer telemedicine consultations in primary healthcare-a registry based total population study from Stockholm, Sweden. <i>BMC Family Practice</i> , 2021 , 22, 133	2.6	5	
66	Depression and anxiety after 2 years of follow-up in patients diagnosed with diabetes or rheumatoid arthritis. <i>Health Psychology Open</i> , 2016 , 3, 2055102916678107	1.9	5	
65	Coping strategies among patients newly diagnosed with diabetes or rheumatoid arthritis at baseline and after 24 months. <i>Journal of Health Psychology</i> , 2018 , 23, 1273-1286	3.1	4	
64	Impact of an educational intervention for district nurses about preparedness to encounter women exposed to intimate partner violence. <i>Scandinavian Journal of Caring Sciences</i> , 2018 , 32, 902-913	2.3	4	
63	Follow-up two years after diagnosis of diabetes in patients with psychosocial problems receiving an intervention by a medical social worker. <i>Social Work in Health Care</i> , 2014 , 53, 584-600	2	4	
62	Systemic diseases and their association with open-angle glaucoma in the population of Stockholm. <i>International Ophthalmology</i> , 2021 , 1	2.2	4	
61	The association between length of stay in the emergency department and short-term mortality. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	4	
60	Warfarin treatment and risk of myocardial infarction - A cohort study of patients with atrial fibrillation treated in primary health care. <i>International Journal of Cardiology</i> , 2016 , 221, 789-93	3.2	4	
59	Effect of Levothyroxine Treatment on Incident Dementia in Adults with Atrial Fibrillation and Hypothyroidism. <i>Clinical Drug Investigation</i> , 2019 , 39, 187-195	3.2	4	
58	Levothyroxine treatment is associated with an increased relative risk of overall and organ specific incident cancers - a cohort study of the Swedish population. <i>Cancer Epidemiology</i> , 2020 , 66, 101707	2.8	4	
57	Mortality in first- and second-generation immigrants to Sweden diagnosed with type 2 diabetes: a 10 year nationwide cohort study. <i>Diabetologia</i> , 2021 , 64, 95-108	10.3	4	
56	Osteoporotic fractures among foreign-born individuals: a national Swedish study. <i>Osteoporosis International</i> , 2021 , 32, 343-352	5.3	4	
55	Gout in immigrant groups: a cohort study in Sweden. <i>Clinical Rheumatology</i> , 2017 , 36, 1091-1102	3.9	3	
54	The use of anthropometric measures in the prediction of incident gout: results from a Swedish community-based cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2019 , 48, 294-299	1.9	3	
53	Associations between relevant cardiovascular pharmacotherapies and incident heart failure in patients with atrial fibrillation: a cohort study in primary care. <i>Journal of Hypertension</i> , 2018 , 36, 1929-1	933	3	

52	Effect of cardiovascular drugs on mortality in atrial fibrillation and chronic heart failure. <i>Scandinavian Cardiovascular Journal</i> , 2014 , 48, 291-8	2	3
51	Integrative medicine for back and neck pain: Exploring cost-effectiveness alongside a randomized clinical pilot trial. <i>European Journal of Integrative Medicine</i> , 2014 , 6, 29-38	1.7	3
50	Lack of long-term effects from a pedagogical intervention upon blood pressure control—a randomized primary care study. <i>Scandinavian Cardiovascular Journal</i> , 2013 , 47, 289-96	2	3
49	Utilization and costs of glucose lowering therapies following health technology assessment for the new reimbursement scheme in Sweden. <i>Health Policy</i> , 2012 , 108, 207-15	3.2	3
48	Health care consumption among adolescent girls prior to diagnoses of sexual abuse, a case-control study in the Stockholm Region. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1363-1369	5.5	3
47	The impact of diabetes, education and income on mortality and cardiovascular events in hypertensive patients: A cohort study from the Swedish Primary Care Cardiovascular Database (SPCCD). <i>PLoS ONE</i> , 2020 , 15, e0237107	3.7	3
46	Experiences of hatha yogic exercises among patients with obstructive pulmonary diseases: A qualitative study. <i>Journal of Bodywork and Movement Therapies</i> , 2018 , 22, 896-903	1.6	3
45	An evidence-based toolbox for the design and implementation of selective-prevention primary-care initiatives targeting cardio-metabolic disease. <i>Preventive Medicine Reports</i> , 2019 , 16, 1009	7 3 .6	2
44	The informal curriculum of family medicine - what does it entail and how is it taught to residents? A systematic review. <i>BMC Family Practice</i> , 2020 , 21, 49	2.6	2
43	Parkinson's Disease Among Immigrant Groups and Swedish-Born Individuals: A Cohort Study of All Adults 50 Years of Age and Older in Sweden. <i>Journal of Parkinsonis Disease</i> , 2020 , 10, 1133-1141	5.3	2
42	Distal forearm fractures in immigrant groups: A national Swedish study. <i>Bone</i> , 2020 , 138, 115508	4.7	2
41	How to best assess quality of drug treatment in patients with heart failure. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 965-75	2.8	2
40	Vitamin D deficiency was common in all patients at a Swedish primary care centre, but more so in patients born outside of Europe. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018 , 26, 649-652	1.4	2
39	Urolithiasis in immigrant groups: a nationwide cohort study in Sweden. <i>Scandinavian Journal of Urology</i> , 2019 , 53, 69-76	1.6	2
38	Personality measured as Murray® psychological needs and all-cause mortality: 41years of follow-up of a population-based sample. <i>Personality and Individual Differences</i> , 2014 , 68, 32-36	3.3	2
37	Hypertriglyceridemic waist may explain ethnic differences in hypertension among patients with type 2 diabetes in Sweden. <i>BMC Research Notes</i> , 2012 , 5, 474	2.3	2
36	A One-Session Treatment of PTSD After Single Sexual Assault Trauma. A Pilot Study of the WONSA MLI Project: A Randomized Controlled Trial. <i>Journal of Interpersonal Violence</i> , 2020 , 886260520965973	2.2	2
35	Multiple sclerosis among first- and second-generation immigrant groups in Sweden. <i>Acta Neurologica Scandinavica</i> , 2020 , 142, 339-349	3.8	2

(2021-2021)

34	Virtual patients reflecting the clinical reality of primary care - a useful tool to improve cultural competence. <i>BMC Medical Education</i> , 2021 , 21, 270	3.3	2
33	Levothyroxine treatment and incident dementia in adults with atrial fibrillation. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 433-439	4.8	2
32	Simply the best? The impact of quality on choice of primary healthcare provider in Sweden. <i>Health Policy</i> , 2021 , 125, 1448-1454	3.2	2
31	End-Stage Kidney Diseases in Immigrant Groups: A Nationwide Cohort Study in Sweden. <i>American Journal of Nephrology</i> , 2019 , 49, 186-192	4.6	1
30	Long-term effects of group exercise intervention on maximal step-up height in middle-aged female primary care patients with obesity and other cardio-metabolic risk factors. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020 , 12, 11	2.4	1
29	TNFR1 is associated with short-term mortality in patients with diabetes and acute dyspnea seeking care at the emergency department. <i>Acta Diabetologica</i> , 2020 , 57, 1145-1150	3.9	1
28	Epilepsy in immigrants and Swedish-born: A cohort study of all adults 18 years of age and older in Sweden. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 76, 116-122	3.2	1
27	Psychometric Testing of an Instrument About Intimate Partner Violence. <i>Clinical Nursing Research</i> , 2018 , 27, 497-515	1.7	1
26	Response to: Modifiable lifestyle risks, cardiovascular disease, and all-cause mortality. <i>International Journal of Cardiology</i> , 2014 , 173, 560	3.2	1
25	High levels of leptin are associated with poor self-rated health in men and women with type 2 diabetes treated with metformin. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, e11-2	4.5	1
24	Cardiovascular medication in relation to renal function after coronary artery bypass surgery. <i>International Journal of Cardiology</i> , 2013 , 168, 4033-8	3.2	1
23	Association between antithrombotic treatment and hemorrhagic stroke in patients with atrial fibrillation-a cohort study in primary care. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 215-221	2.8	1
22	Country of birth and mortality risk in hypertension with and without diabetes: the Swedish primary care cardiovascular database. <i>Journal of Hypertension</i> , 2021 , 39, 1155-1162	1.9	1
21	Use of cardiovascular drugs and risk of incident heart failure in patients with atrial fibrillation. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1396-1405	2.3	1
20	Association between self-rated health and the risk of hip fracture and mortality in a cohort of older women during a 10-year follow-up. <i>PLoS ONE</i> , 2021 , 16, e0247924	3.7	1
19	Hearing impairment among children in Sweden with foreign-born parents and natives: A national Swedish study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 2817-2824	3.1	1
18	Epilepsy in second-generation immigrants: a cohort study of all children up to 18 years of age in Sweden. <i>European Journal of Neurology</i> , 2020 , 27, 152-159	6	1
17	Delayed healthcare access among victims of sexual abuse, understood through internal and external gatekeeping mechanisms. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 370-377	2.3	1

16	Osteoporotic fractures in second-generation immigrants and Swedish natives. <i>Osteoporosis International</i> , 2021 , 32, 1343-1350	5.3	1
15	Visual impairment among children in Sweden with foreign-born parents and natives: a national Swedish study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 ,	3.1	1
14	Effects of cardiovascular pharmacotherapies on incident dementia in patients with atrial fibrillation: A cohort study of all patients above 45 years diagnosed with AF in hospitals in Sweden. <i>International Journal of Cardiology</i> , 2019 , 297, 55-60	3.2	0
13	Atrial fibrillation in immigrants under the age of 45 y in Sweden. <i>International Health</i> , 2019 , 11, 193-202	2.4	Ο
12	Effects of hatha yoga on self-reported health outcomes in a randomized controlled trial of patients with obstructive pulmonary disorders. <i>Nordic Psychology</i> , 2020 , 72, 65-79	1.1	0
11	Huntington's disease among immigrant groups and Swedish-born individuals: a cohort study of all adults 18 years of age and older in Sweden. <i>Neurological Sciences</i> , 2021 , 42, 3851-3856	3.5	Ο
10	The risk of venous thromboembolism and physical activity level, especially high level: a systematic review. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 52, 508-516	5.1	0
9	Plasma calprotectin in the emergency department: a potential clinical biomarker for patients with infectious diseases. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021 , 81, 593-597	2	О
8	Reply. Journal of Hypertension, 2016 , 34, 1441-2	1.9	
0	Repty. Southlet of Hypercension, 2010, 51, 1111 2	1.9	
7	Response to Carlsson etlal.: Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. <i>Diabetic Medicine</i> , 2016 , 33, 1150-2	3.5	
	Response to Carlsson etlal.: Prevalence and incidence of diabetes mellitus: a nationwide		
7	Response to Carlsson etlal.: Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. <i>Diabetic Medicine</i> , 2016 , 33, 1150-2	3.5	
7	Response to Carlsson etlal.: Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. <i>Diabetic Medicine</i> , 2016 , 33, 1150-2 Blood glucose level and mortality. <i>Diabetologia</i> , 2008 , 1 Primary care consultations on emotional distress - a part of the acculturation process in patients	3.5	
7 6 5	Response to Carlsson etlal.: Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. <i>Diabetic Medicine</i> , 2016 , 33, 1150-2 Blood glucose level and mortality. <i>Diabetologia</i> , 2008 , 1 Primary care consultations on emotional distress - a part of the acculturation process in patients with refugee backgrounds: a grounded theory approach. <i>BMC Family Practice</i> , 2021 , 22, 138 Urolithiasis in second-generation immigrant children younger than 18 years of age in Sweden. <i>Acta</i>	3.5 10.3 2.6	
7 6 5 4	Response to Carlsson etlal.: Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. <i>Diabetic Medicine</i> , 2016 , 33, 1150-2 Blood glucose level and mortality. <i>Diabetologia</i> , 2008 , 1 Primary care consultations on emotional distress - a part of the acculturation process in patients with refugee backgrounds: a grounded theory approach. <i>BMC Family Practice</i> , 2021 , 22, 138 Urolithiasis in second-generation immigrant children younger than 18 lyears of age in Sweden. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 340-346 Amyotrophic lateral sclerosis (ALS) among immigrant groups and Swedish-born individuals: a cohort	3.5 10.3 2.6 3.1	