Per E Wndell

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/81021/per-e-wandell-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

195
papers

3,226
citations

31
h-index

205
ext. papers

3,733
ext. citations

3,8
L-index

L-index

#	Paper	IF	Citations
195	Experiences of physical activity and exercise among women with obstructive pulmonary disease <i>Physiotherapy Theory and Practice</i> , 2022 , 1-11	1.5	
194	Incident cases of vision impairment and blindness among adult foreign-born and Swedish-born individuals: A national Swedish study <i>European Journal of Ophthalmology</i> , 2022 , 11206721221090700	1.9	
193	Systemic diseases and their association with open-angle glaucoma in the population of Stockholm. <i>International Ophthalmology</i> , 2021 , 1	2.2	4
192	Country of birth and mortality risk in hypertension with and without diabetes: the Swedish primary care cardiovascular database. <i>Journal of Hypertension</i> , 2021 , 39, 1155-1162	1.9	1
191	Health care consumption and psychiatric diagnoses among adolescent girls 1 and 2lyears after a first-time registered child sexual abuse experience: a cohort study in the Stockholm Region. <i>European Child and Adolescent Psychiatry</i> , 2021 , 30, 1803-1811	5.5	8
190	Association between self-rated health and the risk of hip fracture and mortality in a cohort of older women during a 10-year follow-up. <i>PLoS ONE</i> , 2021 , 16, e0247924	3.7	1
189	Virtual patients reflecting the clinical reality of primary care - a useful tool to improve cultural competence. <i>BMC Medical Education</i> , 2021 , 21, 270	3.3	2
188	Determinants for use of direct-to-consumer telemedicine consultations in primary healthcare-a registry based total population study from Stockholm, Sweden. <i>BMC Family Practice</i> , 2021 , 22, 133	2.6	5
187	Primary care consultations on emotional distress - a part of the acculturation process in patients with refugee backgrounds: a grounded theory approach. <i>BMC Family Practice</i> , 2021 , 22, 138	2.6	
186	Hearing impairment among children in Sweden with foreign-born parents and natives: A national Swedish study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 2817-2824	3.1	1
185	The association between length of stay in the emergency department and short-term mortality. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	4
184	Urolithiasis in second-generation immigrant children younger than 18 years of age in Sweden. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 , 110, 340-346	3.1	
183	Mortality in first- and second-generation immigrants to Sweden diagnosed with type 2 diabetes: a 10 year nationwide cohort study. <i>Diabetologia</i> , 2021 , 64, 95-108	10.3	4
182	Osteoporotic fractures among foreign-born individuals: a national Swedish study. <i>Osteoporosis International</i> , 2021 , 32, 343-352	5.3	4
181	Delayed healthcare access among victims of sexual abuse, understood through internal and external gatekeeping mechanisms. <i>Nordic Journal of Psychiatry</i> , 2021 , 75, 370-377	2.3	1
180	Huntington's disease among immigrant groups and Swedish-born individuals: a cohort study of all adults 18 years of age and older in Sweden. <i>Neurological Sciences</i> , 2021 , 42, 3851-3856	3.5	0
179	Osteoporotic fractures in second-generation immigrants and Swedish natives. <i>Osteoporosis International</i> , 2021 , 32, 1343-1350	5.3	1

(2020-2021)

178	The risk of venous thromboembolism and physical activity level, especially high level: a systematic review. <i>Journal of Thrombosis and Thrombolysis</i> , 2021 , 52, 508-516	5.1	О
177	Visual impairment among children in Sweden with foreign-born parents and natives: a national Swedish study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021 ,	3.1	1
176	Amyotrophic lateral sclerosis (ALS) among immigrant groups and Swedish-born individuals: a cohort study of all adults 18 years of age and older in Sweden. <i>Journal of Neurology</i> , 2021 , 1	5.5	
175	Simply the best? The impact of quality on choice of primary healthcare provider in Sweden. <i>Health Policy</i> , 2021 , 125, 1448-1454	3.2	2
174	Plasma calprotectin in the emergency department: a potential clinical biomarker for patients with infectious diseases. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2021 , 81, 593-597	2	О
173	The association between sociodemographic characteristics and dementia in patients with atrial fibrillation. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 2319-2327	4.8	5
172	Long-term effects of group exercise intervention on maximal step-up height in middle-aged female primary care patients with obesity and other cardio-metabolic risk factors. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2020 , 12, 11	2.4	1
171	The informal curriculum of family medicine - what does it entail and how is it taught to residents? A systematic review. <i>BMC Family Practice</i> , 2020 , 21, 49	2.6	2
170	TNFR1 is associated with short-term mortality in patients with diabetes and acute dyspnea seeking care at the emergency department. <i>Acta Diabetologica</i> , 2020 , 57, 1145-1150	3.9	1
169	Parkinson's Disease Among Immigrant Groups and Swedish-Born Individuals: A Cohort Study of All Adults 50 Years of Age and Older in Sweden. <i>Journal of Parkinsonis Disease</i> , 2020 , 10, 1133-1141	5.3	2
168	Distal forearm fractures in immigrant groups: A national Swedish study. <i>Bone</i> , 2020 , 138, 115508	4.7	2
167	Epilepsy in immigrants and Swedish-born: A cohort study of all adults 18 years of age and older in Sweden. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2020 , 76, 116-122	3.2	1
166	Health care consumption among adolescent girls prior to diagnoses of sexual abuse, a case-control study in the Stockholm Region. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 1363-1369	5.5	3
165	A One-Session Treatment of PTSD After Single Sexual Assault Trauma. A Pilot Study of the WONSA MLI Project: A Randomized Controlled Trial. <i>Journal of Interpersonal Violence</i> , 2020 , 886260520965973	2.2	2
164	Use of cardiovascular drugs and risk of incident heart failure in patients with atrial fibrillation. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 1396-1405	2.3	1
163	Multiple sclerosis among first- and second-generation immigrant groups in Sweden. <i>Acta Neurologica Scandinavica</i> , 2020 , 142, 339-349	3.8	2
162	The impact of diabetes, education and income on mortality and cardiovascular events in hypertensive patients: A cohort study from the Swedish Primary Care Cardiovascular Database (SPCCD). <i>PLoS ONE</i> , 2020 , 15, e0237107	3.7	3
161	Levothyroxine treatment and incident dementia in adults with atrial fibrillation. <i>Aging Clinical and Experimental Research</i> , 2020 , 32, 433-439	4.8	2

160	Effects of hatha yoga on self-reported health outcomes in a randomized controlled trial of patients with obstructive pulmonary disorders. <i>Nordic Psychology</i> , 2020 , 72, 65-79	1.1	О
159	Epilepsy in second-generation immigrants: a cohort study of all children up to 18 years of age in Sweden. <i>European Journal of Neurology</i> , 2020 , 27, 152-159	6	1
158	Levothyroxine treatment is associated with an increased relative risk of overall and organ specific incident cancers - a cohort study of the Swedish population. <i>Cancer Epidemiology</i> , 2020 , 66, 101707	2.8	4
157	An evidence-based toolbox for the design and implementation of selective-prevention primary-care initiatives targeting cardio-metabolic disease. <i>Preventive Medicine Reports</i> , 2019 , 16, 10097	7 3 .6	2
156	Venous thromboembolism 2011-2018 in Stockholm: a demographic study. <i>Journal of Thrombosis and Thrombolysis</i> , 2019 , 48, 668-673	5.1	7
155	Association Between Relevant Co-Morbidities and Dementia With Atrial Fibrillation-A National Study. <i>Archives of Medical Research</i> , 2019 , 50, 29-35	6.6	6
154	The use of anthropometric measures in the prediction of incident gout: results from a Swedish community-based cohort study. <i>Scandinavian Journal of Rheumatology</i> , 2019 , 48, 294-299	1.9	3
153	Dementia in immigrant groups: A cohort study of all adults 45 years of age and older in Sweden. <i>Archives of Gerontology and Geriatrics</i> , 2019 , 82, 251-258	4	11
152	The association between gout and cardiovascular disease in patients with atrial fibrillation. <i>SN Comprehensive Clinical Medicine</i> , 2019 , 1, 304-310	2.7	5
151	End-Stage Kidney Diseases in Immigrant Groups: A Nationwide Cohort Study in Sweden. <i>American Journal of Nephrology</i> , 2019 , 49, 186-192	4.6	1
150	Selective prevention of cardiometabolic diseases: activities and attitudes of general practitioners across Europe. <i>European Journal of Public Health</i> , 2019 , 29, 88-93	2.1	12
149	Urolithiasis in immigrant groups: a nationwide cohort study in Sweden. <i>Scandinavian Journal of Urology</i> , 2019 , 53, 69-76	1.6	2
148	A randomized controlled pilot study of the effects of 6-week high intensity hatha yoga protocol on health-related outcomes among students. <i>Journal of Bodywork and Movement Therapies</i> , 2019 , 23, 766-7	772	9
147	Limited value of NT-proBNP as a prognostic marker of all-cause mortality in patients with heart failure with preserved and mid-range ejection fraction in primary care: A report from the swedish heart failure register. <i>Scandinavian Journal of Primary Health Care</i> , 2019 , 37, 434-443	2.7	5
146	Effects of cardiovascular pharmacotherapies on incident dementia in patients with atrial fibrillation: A cohort study of all patients above 45 years diagnosed with AF in hospitals in Sweden. <i>International Journal of Cardiology</i> , 2019 , 297, 55-60	3.2	O
145	Effect of Levothyroxine Treatment on Incident Dementia in Adults with Atrial Fibrillation and Hypothyroidism. <i>Clinical Drug Investigation</i> , 2019 , 39, 187-195	3.2	4
144	Atrial fibrillation in immigrants under the age of 45 y in Sweden. <i>International Health</i> , 2019 , 11, 193-202	2.4	O
143	Comorbidities, risk factors and outcomes in patients with heart failure and an ejection fraction of more than or equal to 40% in primary care- and hospital care-based outpatient clinics. <i>Scandinavian Journal of Brimary Health Care</i> , 2019, 36, 207, 215	2.7	8

(2018-2018)

142	The association between relevant co-morbidities and prevalent as well as incident heart failure in patients with atrial fibrillation. <i>Journal of Cardiology</i> , 2018 , 72, 26-32	3	21
141	Mortality trends and cause of death in patients with new-onset type 2 diabetes and controls: A 24-year follow-up prospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 138, 81-89	7.4	16
140	Barriers and facilitators among health professionals in primary care to prevention of cardiometabolic diseases: A systematic review. <i>Family Practice</i> , 2018 , 35, 383-398	1.9	29
139	High prevalence of diabetes mellitus, hypertension and obesity among persons with a recorded diagnosis of intellectual disability or autism spectrum disorder. <i>Journal of Intellectual Disability Research</i> , 2018 , 62, 269-280	3.2	45
138	Effect of traditional yoga, mindfulness-based cognitive therapy, and cognitive behavioral therapy, on health related quality of life: a randomized controlled trial on patients on sick leave because of burnout. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 80	4.7	16
137	Coping strategies among patients newly diagnosed with diabetes or rheumatoid arthritis at baseline and after 24 months. <i>Journal of Health Psychology</i> , 2018 , 23, 1273-1286	3.1	4
136	Psychometric Testing of an Instrument About Intimate Partner Violence. <i>Clinical Nursing Research</i> , 2018 , 27, 497-515	1.7	1
135	Impact of an educational intervention for district nurses about preparedness to encounter women exposed to intimate partner violence. <i>Scandinavian Journal of Caring Sciences</i> , 2018 , 32, 902-913	2.3	4
134	Antihypertensive drugs and relevant cardiovascular pharmacotherapies and the risk of incident dementia in patients with atrial fibrillation. <i>International Journal of Cardiology</i> , 2018 , 272, 149-154	3.2	10
133	Barriers and facilitators to participation in a health check for cardiometabolic diseases in primary care: A systematic review. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1326-1340	3.9	31
132	Vitamin D deficiency was common in all patients at a Swedish primary care centre, but more so in patients born outside of Europe. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2018 , 26, 649-652	1.4	2
131	Socioeconomic factors and mortality in patients with atrial fibrillation-a cohort study in Swedish primary care. <i>European Journal of Public Health</i> , 2018 , 28, 1103-1109	2.1	18
130	Cardiovascular events in patients under age fifty with early findings of elevated lipid and glucose levels - The AMORIS study. <i>PLoS ONE</i> , 2018 , 13, e0201972	3.7	5
129	Associations between relevant cardiovascular pharmacotherapies and incident heart failure in patients with atrial fibrillation: a cohort study in primary care. <i>Journal of Hypertension</i> , 2018 , 36, 1929-1	9 1 38	3
128	Mortality in patients with atrial fibrillation and common co-morbidities - a cohort study in primary care. <i>Annals of Medicine</i> , 2018 , 50, 156-163	1.5	7
127	Experiences of hatha yogic exercises among patients with obstructive pulmonary diseases: A qualitative study. <i>Journal of Bodywork and Movement Therapies</i> , 2018 , 22, 896-903	1.6	3
126	Heart failure in immigrant groups: a cohort study of adults aged 45 years and over in Sweden. <i>Scandinavian Cardiovascular Journal</i> , 2018 , 52, 292-300	2	8
125	Circling the undefined-A grounded theory study of intercultural consultations in Swedish primary care. <i>PLoS ONE</i> , 2018 , 13, e0203383	3.7	8

124	The association between relevant comorbidities and dementia in patients with atrial fibrillation. <i>GeroScience</i> , 2018 , 40, 317	8.9	14
123	To ask, or not to ask: the hesitation process described by district nurses encountering women exposed to intimate partner violence. <i>Journal of Clinical Nursing</i> , 2017 , 26, 2256-2265	3.2	24
122	Gout in immigrant groups: a cohort study in Sweden. <i>Clinical Rheumatology</i> , 2017 , 36, 1091-1102	3.9	3
121	Diagnoses of sexual abuse and their common registered comorbidities in the total population of Stockholm. <i>Journal of Epidemiology and Community Health</i> , 2017 , 71, 592-598	5.1	7
120	The use of a Swedish telephone medical advice service by the elderly - a population-based study. <i>Scandinavian Journal of Primary Health Care</i> , 2017 , 35, 98-104	2.7	6
119	Neighborhood socioeconomic status at the age of 40 years and ischemic stroke before the age of 50 years: A nationwide cohort study from Sweden. <i>International Journal of Stroke</i> , 2017 , 12, 815-826	6.3	18
118	Comparison of Mortality and Nonfatal Cardiovascular Events in Adults With Atrial Fibrillation With Versus Without Levothyroxine Treatment. <i>American Journal of Cardiology</i> , 2017 , 120, 1974-1979	3	8
117	Recording a diagnosis of stroke, transient ischaemic attack or myocardial infarction in primary healthcare and the association with dispensation of secondary preventive medication: a registry-based prospective cohort study. <i>BMJ Open</i> , 2017 , 7, e015723	3	6
116	Effects of yogic exercises on functional capacity, lung function and quality of life in participants with obstructive pulmonary disease: a randomized controlled study. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017 , 53, 447-461	4.4	19
115	Atrial fibrillation in immigrant groups: a cohort study of all adults 45 years of age and older in Sweden. <i>European Journal of Epidemiology</i> , 2017 , 32, 785-796	12.1	10
114	HIV-infection and psychiatric illnesses - A double edged sword that threatens the vision of a contained epidemic: The Greater Stockholm HIV Cohort Study. <i>Journal of Infection</i> , 2017 , 74, 22-28	18.9	23
113	Association between antithrombotic treatment and hemorrhagic stroke in patients with atrial fibrillation-a cohort study in primary care. <i>European Journal of Clinical Pharmacology</i> , 2017 , 73, 215-221	2.8	1
112	Health-related quality of life in patients with Burnout on sick leave: descriptive and comparative results from a clinical study. <i>International Archives of Occupational and Environmental Health</i> , 2016 , 89, 319-29	3.2	6
111	Low fructosamine and mortality - A long term follow-up of 215,011 non-diabetic subjects in the Swedish AMORIS study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016 , 26, 1120-1128	4.5	6
110	Reply. Journal of Hypertension, 2016 , 34, 1441-2	1.9	
109	Response to Carlsson etlal.: Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. <i>Diabetic Medicine</i> , 2016 , 33, 1150-2	3.5	
108	How to best assess quality of drug treatment in patients with heart failure. <i>European Journal of Clinical Pharmacology</i> , 2016 , 72, 965-75	2.8	2
107	Chronic kidney disease and 10-year risk of cardiovascular death. European Journal of Preventive Cardiology, 2016 , 23, 1187-94	3.9	13

(2014-2016)

106	Effects of High-Intensity Hatha Yoga on Cardiovascular Fitness, Adipocytokines, and Apolipoproteins in Healthy Students: A Randomized Controlled Study. <i>Journal of Alternative and Complementary Medicine</i> , 2016 , 22, 81-7	2.4	16	
105	Depression or anxiety and all-cause mortality in adults with atrial fibrillationA cohort study in Swedish primary care. <i>Annals of Medicine</i> , 2016 , 48, 59-66	1.5	18	
104	Neighbourhood socioeconomic status and coronary heart disease in individuals between 40 and 50 years. <i>Heart</i> , 2016 , 102, 775-82	5.1	28	
103	Psychiatric comorbidities in patients with hypertensiona study of registered diagnoses 2009-2013 in the total population in Stockholm County, Sweden. <i>Journal of Hypertension</i> , 2016 , 34, 414-20; discussion 420	1.9	32	
102	Depression and anxiety after 2 years of follow-up in patients diagnosed with diabetes or rheumatoid arthritis. <i>Health Psychology Open</i> , 2016 , 3, 2055102916678107	1.9	5	
101	Mental disorder and long-term risk of mortality: 41 years of follow-up of a population sample in Stockholm, Sweden. <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 384-92	5.1	7	
100	Neighbourhood socio-economic status and all-cause mortality in adults with atrial fibrillation: A cohort study of patients treated in primary care in Sweden. <i>International Journal of Cardiology</i> , 2016 , 202, 776-81	3.2	24	
99	Warfarin treatment and risk of myocardial infarction - A cohort study of patients with atrial fibrillation treated in primary health care. <i>International Journal of Cardiology</i> , 2016 , 221, 789-93	3.2	4	
98	Warfarin treatment and risk of stroke among primary care patients with atrial fibrillation. <i>Scandinavian Cardiovascular Journal</i> , 2016 , 50, 311-316	2	8	
97	Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. <i>Diabetic Medicine</i> , 2015 , 32, 1319-28	3.5	64	
96	Pharmacotherapy and mortality in atrial fibrillationa cohort of men and women 75 years or older in Sweden. <i>Age and Ageing</i> , 2015 , 44, 232-8	3	5	
95	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden - the Greater Stockholm HIV Cohort Study. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2015 , 27, 142-9	2.2	16	
94	Neighborhood deprivation and warfarin, aspirin and statin prescription - A cohort study of men and women treated for atrial fibrillation in Swedish primary care. <i>International Journal of Cardiology</i> , 2015 , 187, 547-52	3.2	18	
93	Gout and its comorbidities in the total population of Stockholm. <i>Preventive Medicine</i> , 2015 , 81, 387-91	4.3	23	
92	Low anthropometric measures and mortalityresults from the MalmDiet and Cancer Study. <i>Annals of Medicine</i> , 2015 , 47, 325-31	1.5	8	
91	Effects of prescribed antihypertensives and other cardiovascular drugs on mortality in patients with atrial fibrillation and hypertension: a cohort study from Sweden. <i>Hypertension Research</i> , 2014 , 37, 553-9	4.7	10	
90	Response to: Modifiable lifestyle risks, cardiovascular disease, and all-cause mortality. <i>International Journal of Cardiology</i> , 2014 , 173, 560	3.2	1	
89	Effect of cardiovascular drugs on mortality in atrial fibrillation and chronic heart failure. Scandinavian Cardiovascular Journal, 2014 , 48, 291-8	2	3	

88	Follow-up two years after diagnosis of diabetes in patients with psychosocial problems receiving an intervention by a medical social worker. <i>Social Work in Health Care</i> , 2014 , 53, 584-600	2	4
87	Differences in anthropometric measures in immigrants and Swedish-born individuals: results from two community-based cohort studies. <i>Preventive Medicine</i> , 2014 , 69, 151-6	4.3	9
86	What predicts negative effects of rheumatoid arthritis? A follow-up two years after diagnosis. <i>SpringerPlus</i> , 2014 , 3, 118		8
85	Diabetes and psychiatric illness in the total population of Stockholm. <i>Journal of Psychosomatic Research</i> , 2014 , 77, 169-73	4.1	28
84	Personality measured as Murray psychological needs and all-cause mortality: 41years of follow-up of a population-based sample. <i>Personality and Individual Differences</i> , 2014 , 68, 32-36	3.3	2
83	Integrative medicine for back and neck pain: Exploring cost-effectiveness alongside a randomized clinical pilot trial. <i>European Journal of Integrative Medicine</i> , 2014 , 6, 29-38	1.7	3
82	Impact of symptomatic hypoglycemia on medication adherence, patient satisfaction with treatment, and glycemic control in patients with type 2 diabetes. <i>Patient Preference and Adherence</i> , 2014 , 8, 593-601	2.4	48
81	Risks for stroke and bleeding with warfarin or aspirin treatment in patients with atrial fibrillation at different CHA(2)DS(2)VASc scores: experience from the Stockholm region. <i>European Journal of Clinical Pharmacology</i> , 2014 , 70, 1477-85	2.8	39
80	Psychometric evaluation of a questionnaire and primary healthcare nurses' attitudes towards research and use of research findings. <i>Scandinavian Journal of Caring Sciences</i> , 2014 , 28, 173-85	2.3	12
79	Gender differences and time trends in incidence and prevalence of type 2 diabetes in Swedena model explaining the diabetes epidemic worldwide today?. <i>Diabetes Research and Clinical Practice</i> , 2014 , 106, e90-2	7.4	42
78	Effects of prescribed antithrombotics and other cardiovascular pharmacotherapies on all-cause mortality in patients with diabetes and atrial fibrillation - a cohort study from Sweden using propensity score analyses. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 2	5.6	5
77	Increased heart rate variability but no effect on blood pressure from 8 weeks of hatha yoga - a pilot study. <i>BMC Research Notes</i> , 2013 , 6, 59	2.3	30
76	Differences and time trends in drug treatment of atrial fibrillation in men and women and doctors' adherence to warfarin therapy recommendations: a Swedish study of prescribed drugs in primary care in 2002 and 2007. European Journal of Clinical Pharmacology, 2013 , 69, 245-53	2.8	25
75	High prevalence of diagnosis of diabetes, depression, anxiety, hypertension, asthma and COPD in the total population of Stockholm, Sweden - a challenge for public health. <i>BMC Public Health</i> , 2013 , 13, 670	4.1	86
74	Seven modifiable lifestyle factors predict reduced risk for ischemic cardiovascular disease and all-cause mortality regardless of body mass index: a cohort study. <i>International Journal of Cardiology</i> , 2013 , 168, 946-52	3.2	70
73	Most common diseases diagnosed in primary care in Stockholm, Sweden, in 2011. <i>Family Practice</i> , 2013 , 30, 506-13	1.9	52
72	Lack of long-term effects from a pedagogical intervention upon blood pressure controla randomized primary care study. <i>Scandinavian Cardiovascular Journal</i> , 2013 , 47, 289-96	2	3
71	Effects of Nordic walking on cardiovascular risk factors in overweight individuals with type 2 diabetes, impaired or normal glucose tolerance. <i>Diabetes/Metabolism Research and Reviews</i> , 2013 , 20, 25, 22	7.5	40

(2012-2013)

70	High levels of leptin are associated with poor self-rated health in men and women with type 2 diabetes treated with metformin. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, e11-2	4.5	1
69	Country of birth-specific and gender differences in prevalence of diabetes in Sweden. <i>Diabetes Research and Clinical Practice</i> , 2013 , 100, 404-8	7.4	26
68	Risk scoring and thromboprophylactic treatment of patients with atrial fibrillation with and without access to primary healthcare data: experience from the Stockholm health care system. <i>International Journal of Cardiology</i> , 2013 , 170, 208-14	3.2	60
67	Cardiovascular medication in relation to renal function after coronary artery bypass surgery. <i>International Journal of Cardiology</i> , 2013 , 168, 4033-8	3.2	1
66	Effects of tactile massage on metabolic biomarkers in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2013 , 39, 411-7	5.4	10
65	Effect of cardiovascular drug classes on all-cause mortality among atrial fibrillation patients treated in primary care in Sweden: a cohort study. <i>European Journal of Clinical Pharmacology</i> , 2013 , 69, 279-87	2.8	13
64	Blood pressure measures and their predictive ability of cardiovascular mortality: a 26-year follow-up. <i>Blood Pressure Monitoring</i> , 2013 , 18, 72-7	1.3	8
63	Maximal step-up height as a simple and relevant health indicator: a study of leg muscle strength and the associations to age, anthropometric variables, aerobic fitness and physical function. <i>British Journal of Sports Medicine</i> , 2013 , 47, 992-7	10.3	9
62	The epidemiology of heart failure, based on data for 2.1 million inhabitants in Sweden. <i>European Journal of Heart Failure</i> , 2013 , 15, 995-1002	12.3	184
61	Population groups in dietary transition. Food and Nutrition Research, 2013, 57,	3.1	25
60	Psychometric evaluation of a coping questionnaire in two independent samples of people with diabetes. <i>Stress and Health</i> , 2013 , 29, 286-96	3.7	5
59	Time trends and gender differences in incidence and prevalence of type 1 diabetes in Sweden. <i>Current Diabetes Reviews</i> , 2013 , 9, 342-9	2.7	40
58	Psychosocial problems among newly diagnosed rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2012 , 31, 521-9	3.9	13
57	Measuring possible effect on health-related quality of life by tactile massage or relaxation in patients with type 2 diabetes. <i>Complementary Therapies in Medicine</i> , 2012 , 20, 8-15	3.5	16
56	Utilization and costs of lipid modifying therapies following health technology assessment for the new reimbursement scheme in Sweden. <i>Health Policy</i> , 2012 , 104, 84-91	3.2	25
55	Hypertriglyceridemic waist may explain ethnic differences in hypertension among patients with type 2 diabetes in Sweden. <i>BMC Research Notes</i> , 2012 , 5, 474	2.3	2
54	Utilization and costs of glucose lowering therapies following health technology assessment for the new reimbursement scheme in Sweden. <i>Health Policy</i> , 2012 , 108, 207-15	3.2	3
53	Nurses' preparedness to care for women exposed to Intimate Partner Violence: a quantitative study in primary health care. <i>BMC Nursing</i> , 2012 , 11, 1	3.2	51

52	Cross-cultural adaptation of an intimate partner violence questionnaire. <i>Clinical Nursing Research</i> , 2012 , 21, 450-66	1.7	5
51	Repeatability and validity of a standardised maximal step-up test for leg functiona diagnostic accuracy study. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 191	2.8	10
50	Poor self-rated health is not associated with a high total allostatic load in type 2 diabetic patientsbut high blood pressure is. <i>Diabetes and Metabolism</i> , 2011 , 37, 446-51	5.4	16
49	Self-reported experience of hypoglycemia among adults with type 2 diabetes mellitus (Exhype). <i>Diabetes Research and Clinical Practice</i> , 2011 , 92, 19-25	7.4	18
48	Diabetes and impaired glucose tolerance among Turkish immigrants in Sweden. <i>Diabetes Research and Clinical Practice</i> , 2011 , 92, 118-23	7.4	10
47	Total mortality among levothyroxine-treated women with atrial fibrillation in Swedish primary health care. <i>International Journal of Cardiology</i> , 2011 , 152, 147-8	3.2	9
46	Prevalence of blood lipid disturbances in Swedish and foreign-born 60-year-old men and women in Stockholm, Sweden. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 173-81	4.5	26
45	Effects of Nordic walking on health-related quality of life in overweight individuals with type 2 diabetes mellitus, impaired or normal glucose tolerance. <i>Diabetic Medicine</i> , 2011 , 28, 1362-72	3.5	33
44	Physicians' gender is associated with risk factor control in patients on antihypertensive and lipid lowering treatment. <i>Blood Pressure</i> , 2010 , 19, 240-8	1.7	24
43	Daily energy expenditure and cardiovascular risk in Masai, rural and urban Bantu Tanzanians. <i>British Journal of Sports Medicine</i> , 2010 , 44, 121-6	10.3	14
42	Effect of heart-rate recovery on long-term mortality among men and women. <i>International Journal of Cardiology</i> , 2010 , 144, 276-9	3.2	9
41	Health factors and longevity in men and women: a 26-year follow-up study. <i>European Journal of Epidemiology</i> , 2010 , 25, 547-51	12.1	17
40	Prevalence of lipid abnormalities before and after introduction of lipid modifying therapy among Swedish patients with dyslipidemia (PRIMULA). <i>BMC Public Health</i> , 2010 , 10, 737	4.1	8
39	Prevalence of diabetes among immigrants in the Nordic countries. <i>Current Diabetes Reviews</i> , 2010 , 6, 126-33	2.7	64
38	Tactile Massage or Relaxation Exercises Do Not Improve the Metabolic Control of Type 2 Diabetics~!2009-12-22~!2010-03-25~!2010-04-28~!. <i>The Open Diabetes Journal</i> , 2010 , 3, 6-10	0.3	8
37	Is a unified definition of metabolic syndrome needed? Comparison of three definitions of metabolic syndrome in 60-year-old men and women. <i>Metabolic Syndrome and Related Disorders</i> , 2009 , 7, 231-41	2.6	21
36	Exploring integrative medicine for back and neck pain - a pragmatic randomised clinical pilot trial. <i>BMC Complementary and Alternative Medicine</i> , 2009 , 9, 33	4.7	29
35	The association between BMI value and long-term mortality. <i>International Journal of Obesity</i> , 2009 , 33, 577-82	5.5	42

(2005-2009)

34	Tactile massage within the primary health care setting. <i>Complementary Therapies in Clinical Practice</i> , 2009 , 15, 158-60	3.5	18
33	Cardiovascular and total mortality in men and women with different blood pressure levelsA 26-year follow-up. <i>Blood Pressure</i> , 2009 , 18, 105-10	1.7	14
32	Factors associated with uncontrolled hypertension and cardiovascular risk in hypertensive 60-year-old men and womena population-based study. <i>Hypertension Research</i> , 2009 , 32, 780-5	4.7	19
31	Risk factors associated with newly diagnosed high blood pressure in men and women. <i>American Journal of Hypertension</i> , 2008 , 21, 771-7	2.3	32
30	Blood glucose level and mortality. <i>Diabetologia</i> , 2008 , 1	10.3	
29	Estimation of diabetes prevalence among immigrants from the Middle East in Sweden by using three different data sources. <i>Diabetes and Metabolism</i> , 2008 , 34, 328-33	5.4	31
28	Prevalence of hypertension in immigrants and Swedish-born individuals, a cross-sectional study of 60-year-old men and women in Sweden. <i>Journal of Hypertension</i> , 2008 , 26, 2295-302	1.9	31
27	Improving quality of life using compound mind-body therapies: evaluation of a course intervention with body movement and breath therapy, guided imagery, chakra experiencing and mindfulness meditation. <i>Quality of Life Research</i> , 2008 , 17, 367-76	3.7	34
26	Association between metabolic effects and tobacco use in 60-year-old Swedish men. <i>European Journal of Epidemiology</i> , 2008 , 23, 431-4	12.1	7
25	High prevalence of diabetes among immigrants from non-European countries in Sweden. <i>Primary Care Diabetes</i> , 2007 , 1, 13-6	2.4	25
24	Working with tactile massagea grounded theory about the energy controlling system. <i>Complementary Therapies in Clinical Practice</i> , 2007 , 13, 258-65	3.5	8
23	Self-reported anxiety, sleeping problems and pain among Turkish-born immigrants in Sweden. <i>Ethnicity and Health</i> , 2007 , 12, 363-79	2.2	19
22	Increased prevalence of diabetes among immigrants from non-European countries in 60-year-old men and women in Sweden. <i>Diabetes and Metabolism</i> , 2007 , 33, 30-6	5.4	42
21	Effect of heart rate on long-term mortality among men and women. <i>Acta Cardiologica</i> , 2007 , 62, 275-9	0.9	11
20	The association between low fasting blood glucose value and mortality. <i>Current Diabetes Reviews</i> , 2007 , 3, 274-9	2.7	12
19	Are there differences in all-cause and coronary heart disease mortality between immigrants in Sweden and in their country of birth? A follow-up study of total populations. <i>BMC Public Health</i> , 2006 , 6, 102	4.1	56
18	Walking for exercisedoes three times per week influence risk factors in type 2 diabetes?. <i>Diabetes Research and Clinical Practice</i> , 2006 , 71, 21-7	7.4	41
17	The association between blood glucose value and long-term mortality. <i>Diabetes and Metabolism</i> , 2005 , 31, 588-94	5.4	14

16	Quality of life of patients with diabetes mellitus. An overview of research in primary health care in the Nordic countries. <i>Scandinavian Journal of Primary Health Care</i> , 2005 , 23, 68-74	2.7	162
15	The trend of cardiovascular disease in immigrants in Sweden. <i>European Journal of Epidemiology</i> , 2005 , 20, 755-60	12.1	29
14	Quality of life of participants in a mind-body-based self-development course: a descriptive study. <i>Quality of Life Research</i> , 2005 , 14, 521-8	3.7	7
13	Do immigrants have an increased prevalence of unhealthy behaviours and risk factors for coronary heart disease?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2005 , 12, 535-41		95
12	Tactile massage improves glycaemic control in women with type 2 diabetes: a pilot study. <i>Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide</i> , 2004 , 21, 105-109		17
11	Morbidity in cardiovascular diseases in immigrants in Sweden. <i>Journal of Internal Medicine</i> , 2003 , 254, 236-43	10.8	93
10	Drug prescription in men and women with type-2 diabetes in Stockholm in 1995 and 2001: change over time. <i>European Journal of Clinical Pharmacology</i> , 2002 , 58, 547-53	2.8	15
9	Metabolic control and quality of data in medical records for subjects with type 2 diabetes in Swedish primary care: improvement between 1995 and 2001. <i>Scandinavian Journal of Primary Health Care</i> , 2002 , 20, 230-5	2.7	12
8	Risk factors in established coronary heart disease: evaluation of a secondary prevention programme. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2001 , 8, 73-80		6
7	. European Journal of Cardiovascular Prevention and Rehabilitation, 2001 , 8, 73-79		11
6	The quality of life of elderly diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2000 , 14, 25-30	3.2	42
5	Assessing sexual functioning in patients with chronic disorders by using a generic health-related quality of life questionnaire. <i>Quality of Life Research</i> , 2000 , 9, 1081-92	3.7	19
4	Functioning and well-being of patients with type 2 diabetes or angina pectoris, compared with the general population. <i>Diabetes and Metabolism</i> , 2000 , 26, 465-71	5.4	20
3	Diagnostic tests, treatment and follow-up in heart failure patientsis there a gender bias in the coherence to guidelines?. <i>European Journal of Heart Failure</i> , 1999 , 1, 407-10	12.3	42
2	Foreign- and Swedish-born diabetic patientsmedical situation and quality of life. <i>Scandinavian Journal of Primary Health Care</i> , 1999 , 17, 158-63	2.7	5
1	Quality of life among patients with glaucoma in Sweden. <i>Acta Ophthalmologica</i> , 1997 , 75, 584-8		40