Per E Wändell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/81021/publications.pdf Version: 2024-02-01



DED F WANDELL

#	Article	IF	CITATIONS
1	The epidemiology of heart failure, based on data for 2.1 million inhabitants in Sweden. European Journal of Heart Failure, 2013, 15, 995-1002.	2.9	229
2	Quality of life of patients with diabetes mellitus An overview of research in primary health care in the Nordic countries. Scandinavian Journal of Primary Health Care, 2005, 23, 68-74.	0.6	207
3	Do immigrants have an increased prevalence of unhealthy behaviours and risk factors for coronary heart disease?. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 535-541.	3.1	110
4	High prevalence of diagnosis of diabetes, depression, anxiety, hypertension, asthma and COPD in the total population of Stockholm, Sweden – a challenge for public health. BMC Public Health, 2013, 13, 670.	1.2	105
5	Morbidity in cardiovascular diseases in immigrants in Sweden. Journal of Internal Medicine, 2003, 254, 236-243.	2.7	97
6	Seven modifiable lifestyle factors predict reduced risk for ischemic cardiovascular disease and all-cause mortality regardless of body mass index: A cohort study. International Journal of Cardiology, 2013, 168, 946-952.	0.8	88
7	Prevalence and incidence of diabetes mellitus: a nationwide populationâ€based pharmacoâ€epidemiological study in Sweden. Diabetic Medicine, 2015, 32, 1319-1328.	1.2	79
8	Most common diseases diagnosed in primary care in Stockholm, Sweden, in 2011. Family Practice, 2013, 30, 506-513.	0.8	77
9	Prevalence of Diabetes Among Immigrants in the Nordic Countries. Current Diabetes Reviews, 2010, 6, 126-133.	0.6	75
10	High prevalence of diabetes mellitus, hypertension and obesity among persons with a recorded diagnosis of intellectual disability or autism spectrum disorder. Journal of Intellectual Disability Research, 2018, 62, 269-280.	1.2	72
11	Are there differences in all-cause and coronary heart disease mortality between immigrants in Sweden and in their country of birth? A follow-up study of total populations. BMC Public Health, 2006, 6, 102.	1.2	69
12	Nurses' preparedness to care for women exposed to Intimate Partner Violence: a quantitative study in primary health care. BMC Nursing, 2012, 11, 1.	0.9	69
13	Risk scoring and thromboprophylactic treatment of patients with atrial fibrillation with and without access to primary healthcare data: Experience from the Stockholm health care system. International Journal of Cardiology, 2013, 170, 208-214.	0.8	69
14	Increased prevalence ofÂdiabetes among immigrants from non-European countries inÂ60-year-old men andÂwomen inÂSweden. Diabetes and Metabolism, 2007, 33, 30-36.	1.4	62
15	Impact of symptomatic hypoglycemia on medication adherence, patient satisfaction with treatment, and glycemic control in patients with type 2 diabetes. Patient Preference and Adherence, 2014, 8, 593.	0.8	62
16	Gender differences and time trends in incidence and prevalence of type 2 diabetes in Sweden—A model explaining the diabetes epidemic worldwide today?. Diabetes Research and Clinical Practice, 2014, 106, e90-e92.	1.1	61
17	The quality of life of elderly diabetic patients. Journal of Diabetes and Its Complications, 2000, 14, 25-30.	1.2	57
18	Barriers and facilitators among health professionals in primary care to prevention of cardiometabolic diseases: A systematic review. Family Practice, 2018, 35, 383-398.	0.8	55

#	Article	IF	CITATIONS
19	Barriers and facilitators to participation in a health check for cardiometabolic diseases in primary care: A systematic review. European Journal of Preventive Cardiology, 2018, 25, 1326-1340.	0.8	55
20	The association between BMI value and long-term mortality. International Journal of Obesity, 2009, 33, 577-582.	1.6	53
21	Time Trends and Gender Differences in Incidence and Prevalence of Type 1 Diabetes in Sweden. Current Diabetes Reviews, 2013, 9, 342-349.	0.6	51
22	Diagnostic tests, treatment and follow-up in heart failure patients - is there a gender bias in the coherence to guidelines?. European Journal of Heart Failure, 1999, 1, 407-410.	2.9	50
23	Walking for exercise—does three times per week influence risk factors in type 2 diabetes?. Diabetes Research and Clinical Practice, 2006, 71, 21-27.	1.1	48
24	Effects of Nordic walking on cardiovascular risk factors in overweight individuals with type 2 diabetes, impaired or normal glucose tolerance. Diabetes/Metabolism Research and Reviews, 2013, 29, 25-32.	1.7	47
25	Psychiatric comorbidities in patients with hypertension – a study of registered diagnoses 2009–2013 in the total population in Stockholm County, Sweden. Journal of Hypertension, 2016, 34, 414-420.	0.3	47
26	Quality of life among patients with glaucoma in Sweden. Acta Ophthalmologica, 1997, 75, 584-588.	0.4	46
27	Improving quality of life using compound mind-body therapies: evaluation of a course intervention with body movement and breath therapy, guided imagery, chakra experiencing and mindfulness meditation. Quality of Life Research, 2008, 17, 367-376.	1.5	44
28	Risks for stroke and bleeding with warfarin or aspirin treatment in patients with atrial fibrillation at different CHA2DS2VASc scores: experience from the Stockholm region. European Journal of Clinical Pharmacology, 2014, 70, 1477-1485.	0.8	44
29	Effects of Nordic walking on healthâ€related quality of life in overweight individuals with Type 2 diabetes mellitus, impaired or normal glucose tolerance. Diabetic Medicine, 2011, 28, 1362-1372.	1.2	41
30	Estimation of diabetes prevalence among immigrants from the Middle East in Sweden by using three different data sources. Diabetes and Metabolism, 2008, 34, 328-333.	1.4	39
31	Increased heart rate variability but no effect on blood pressure from 8 weeks of hatha yoga – a pilot study. BMC Research Notes, 2013, 6, 59.	0.6	39
32	Effect of traditional yoga, mindfulness–based cognitive therapy, and cognitive behavioral therapy, on health related quality of life: a randomized controlled trial on patients on sick leave because of burnout. BMC Complementary and Alternative Medicine, 2018, 18, 80.	3.7	39
33	Prevalence of hypertension in immigrants and Swedish-born individuals, a cross-sectional study of 60-year-old men and women in Sweden. Journal of Hypertension, 2008, 26, 2295-2302.	0.3	38
34	Neighbourhood socioeconomic status and coronary heart disease in individuals between 40 and 50â€years. Heart, 2016, 102, 775-782.	1.2	38
35	Risk Factors Associated With Newly Diagnosed High Blood Pressure in Men and Women. American Journal of Hypertension, 2008, 21, 771-777.	1.0	36
36	Exploring integrative medicine for back and neck pain - a pragmatic randomised clinical pilot trial. BMC Complementary and Alternative Medicine, 2009, 9, 33.	3.7	35

Per E WÃNDELL

#	Article	IF	CITATIONS
37	The Trend of Cardiovascular Disease in Immigrants in Sweden. European Journal of Epidemiology, 2005, 20, 755-760.	2.5	34
38	Neighbourhood socio-economic status and all-cause mortality in adults with atrial fibrillation: A cohort study of patients treated in primary care in Sweden. International Journal of Cardiology, 2016, 202, 776-781.	0.8	34
39	Diabetes and psychiatric illness in the total population of Stockholm. Journal of Psychosomatic Research, 2014, 77, 169-173.	1.2	33
40	To ask, or not to ask: the hesitation process described by district nurses encountering women exposed to intimate partner violence. Journal of Clinical Nursing, 2017, 26, 2256-2265.	1.4	33
41	HIV-infection and psychiatric illnesses – A double edged sword that threatens the vision of a contained epidemic. Journal of Infection, 2017, 74, 22-28.	1.7	31
42	Selective prevention of cardiometabolic diseases: activities and attitudes of general practitioners across Europe. European Journal of Public Health, 2019, 29, 88-93.	0.1	31
43	High prevalence of diabetes among immigrants from non-European countries in Sweden. Primary Care Diabetes, 2007, 1, 13-16.	0.9	30
44	Population groups in dietary transition. Food and Nutrition Research, 2013, 57, 21668.	1.2	30
45	Determinants for use of direct-to-consumer telemedicine consultations in primary healthcare—a registry based total population study from Stockholm, Sweden. BMC Family Practice, 2021, 22, 133.	2.9	30
46	Country of birth-specific and gender differences in prevalence of diabetes in Sweden. Diabetes Research and Clinical Practice, 2013, 100, 404-408.	1.1	29
47	Gout and its comorbidities in the total population of Stockholm. Preventive Medicine, 2015, 81, 387-391.	1.6	29
48	Prevalence of blood lipid disturbances in Swedish and foreign-born 60-year-old men and women in Stockholm, Sweden. Nutrition, Metabolism and Cardiovascular Diseases, 2011, 21, 173-181.	1.1	27
49	Utilization and costs of lipid modifying therapies following health technology assessment for the new reimbursement scheme in Sweden. Health Policy, 2012, 104, 84-91.	1.4	27
50	Effects of yogic exercises on functional capacity, lung function and quality of life in participants with obstructive pulmonary disease: a randomized controlled study. European Journal of Physical and Rehabilitation Medicine, 2017, 53, 447-461.	1.1	27
51	Tactile massage within the primary health care setting. Complementary Therapies in Clinical Practice, 2009, 15, 158-160.	0.7	26
52	Differences and time trends in drug treatment of atrial fibrillation in men and women and doctors' adherence to warfarin therapy recommendations. European Journal of Clinical Pharmacology, 2013, 69, 245-253.	0.8	26
53	Depression or anxiety and all-cause mortality in adults with atrial fibrillation – A cohort study in Swedish primary care. Annals of Medicine, 2016, 48, 59-66.	1.5	26
54	Self-Reported Anxiety, Sleeping Problems and Pain Among Turkish-Born Immigrants in Sweden. Ethnicity and Health, 2007, 12, 363-379.	1.5	25

#	Article	IF	CITATIONS
55	Socioeconomic factors and mortality in patients with atrial fibrillation—a cohort study in Swedish primary care. European Journal of Public Health, 2018, 28, 1103-1109.	0.1	25
56	Physicians' gender is associated with risk factor control in patients on antihypertensive and lipid lowering treatment. Blood Pressure, 2010, 19, 240-248.	0.7	24
57	Neighborhood socioeconomic status at the age of 40 years and ischemic stroke before the age of 50 years: A nationwide cohort study from Sweden. International Journal of Stroke, 2017, 12, 815-826.	2.9	24
58	Functioning and well-being of patients with type 2 diabetes or angina pectoris, compared with the general population. Diabetes and Metabolism, 2000, 26, 465-71.	1.4	24
59	Assessing sexual functioning in patients with chronic disorders by using a generic health-related quality of life questionnaire. Quality of Life Research, 2000, 9, 1081-1092.	1.5	23
60	Is a Unified Definition of Metabolic Syndrome Needed? Comparison of Three Definitions of Metabolic Syndrome in 60-Year-Old Men and Women. Metabolic Syndrome and Related Disorders, 2009, 7, 231-242.	0.5	23
61	Prevalence, incidence, mortality and co-morbidities amongst human immunodeficiency virus (HIV) patients in Stockholm County, Sweden – The Greater Stockholm HIV Cohort Study. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 142-149.	0.6	23
62	Neighborhood deprivation and warfarin, aspirin and statin prescription — A cohort study of men and women treated for atrial fibrillation in Swedish primary care. International Journal of Cardiology, 2015, 187, 547-552.	0.8	23
63	Effects of High-Intensity Hatha Yoga on Cardiovascular Fitness, Adipocytokines, and Apolipoproteins in Healthy Students: A Randomized Controlled Study. Journal of Alternative and Complementary Medicine, 2016, 22, 81-87.	2.1	23
64	Self-reported experience of hypoglycemia among adults with type 2 diabetes mellitus (Exhype). Diabetes Research and Clinical Practice, 2011, 92, 19-25.	1.1	22
65	The association between relevant co-morbidities and prevalent as well as incident heart failure in patients with atrial fibrillation. Journal of Cardiology, 2018, 72, 26-32.	0.8	22
66	Tactile massage improves glycaemic control in women with type 2 diabetes: a pilot study. Practical Diabetes International: the International Journal for Diabetes Care Teams Worldwide, 2004, 21, 105-109.	0.2	21
67	Health factors and longevity in men and women: a 26-year follow-up study. European Journal of Epidemiology, 2010, 25, 547-551.	2.5	21
68	Measuring possible effect on health-related quality of life by tactile massage or relaxation in patients with type 2 diabetes. Complementary Therapies in Medicine, 2012, 20, 8-15.	1.3	21
69	Poor self-rated health is not associated with a high total allostatic load in type 2 diabetic patients – But high blood pressure is. Diabetes and Metabolism, 2011, 37, 446-451.	1.4	20
70	Factors associated with uncontrolled hypertension and cardiovascular risk in hypertensive 60-year-old men and women—a population-based study. Hypertension Research, 2009, 32, 780-785.	1.5	19
71	Daily energy expenditure and cardiovascular risk in Masai, rural and urban Bantu Tanzanians. British Journal of Sports Medicine, 2010, 44, 121-126.	3.1	19
72	Psychometric evaluation of a questionnaire and primary healthcare nurses' attitudes towards research and use of research findings. Scandinavian Journal of Caring Sciences, 2014, 28, 173-185.	1.0	18

#	Article	IF	CITATIONS
73	Drug prescription in men and women with type-2 diabetes in Stockholm in 1995 and 2001:change over time. European Journal of Clinical Pharmacology, 2002, 58, 547-553.	0.8	17
74	Psychosocial problems among newly diagnosed rheumatoid arthritis patients. Clinical Rheumatology, 2012, 31, 521-529.	1.0	17
75	Mortality trends and cause of death in patients with new-onset type 2 diabetes and controls: A 24-year follow-up prospective cohort study. Diabetes Research and Clinical Practice, 2018, 138, 81-89.	1.1	17
76	The association between blood glucose value and long-term mortality. Diabetes and Metabolism, 2005, 31, 588-594.	1.4	16
77	Chronic kidney disease and 10-year risk of cardiovascular death. European Journal of Preventive Cardiology, 2016, 23, 1187-1194.	0.8	15
78	Heart failure in immigrant groups: a cohort study of adults aged 45 years and over in Sweden. Scandinavian Cardiovascular Journal, 2018, 52, 292-300.	0.4	15
79	The association between relevant comorbidities and dementia in patients with atrial fibrillation. GeroScience, 2018, 40, 317-324.	2.1	15
80	The association between length of stay in the emergency department and short-term mortality. Internal and Emergency Medicine, 2022, 17, 233-240.	1.0	15
81	Metabolic control and quality of data in medical records for subjects with type 2 diabetes in Swedish primary care: improvement between 1995 and 2001. Scandinavian Journal of Primary Health Care, 2002, 20, 230-235.	0.6	14
82	Cardiovascular and total mortality in men and women with different blood pressure levels – A 26-year follow-up. Blood Pressure, 2009, 18, 105-110.	0.7	14
83	Effects of tactile massage on metabolic biomarkers in patients with type 2 diabetes. Diabetes and Metabolism, 2013, 39, 411-417.	1.4	14
84	Effects of prescribed antihypertensives and other cardiovascular drugs on mortality in patients with atrial fibrillation and hypertension: a cohort study from Sweden. Hypertension Research, 2014, 37, 553-559.	1.5	14
85	Atrial fibrillation in immigrant groups: a cohort study of all adults 45Âyears of age and older in Sweden. European Journal of Epidemiology, 2017, 32, 785-796.	2.5	14
86	Antihypertensive drugs and relevant cardiovascular pharmacotherapies and the risk of incident dementia in patients with atrial fibrillation. International Journal of Cardiology, 2018, 272, 149-154.	0.8	14
87	Effect of heart rate on long-term mortality among men and women. Acta Cardiologica, 2007, 62, 271-275.	0.3	14
88	The Association Between Low Fasting Blood Glucose Value and Mortality. Current Diabetes Reviews, 2007, 3, 274-279.	0.6	14
89	Effect of cardiovascular drug classes on all-cause mortality among atrial fibrillation patients treated in primary care in Sweden: a cohort study. European Journal of Clinical Pharmacology, 2013, 69, 279-287.	0.8	13
90	Maximal step-up height as a simple and relevant health indicator: a study of leg muscle strength and the associations to age, anthropometric variables, aerobic fitness and physical function. British Journal of Sports Medicine, 2013, 47, 992-997.	3.1	13

#	Article	IF	CITATIONS
91	Venous thromboembolism 2011–2018 in Stockholm: a demographic study. Journal of Thrombosis and Thrombolysis, 2019, 48, 668-673.	1.0	13
92	Dementia in immigrant groups: A cohort study of all adults 45 years of age and older in Sweden. Archives of Gerontology and Geriatrics, 2019, 82, 251-258.	1.4	13
93	Levothyroxine treatment is associated with an increased relative risk of overall and organ specific incident cancers – a cohort study of the Swedish population. Cancer Epidemiology, 2020, 66, 101707.	0.8	13
94	Title is missing!. European Journal of Cardiovascular Prevention and Rehabilitation, 2001, 8, 73-79.	1.5	12
95	Association between metabolic effects and tobacco use in 60-year-old Swedish men. European Journal of Epidemiology, 2008, 23, 431-434.	2.5	12
96	Repeatability and validity of a standardised maximal step-up test for leg function-a diagnostic accuracy study. BMC Musculoskeletal Disorders, 2011, 12, 191.	0.8	12
97	The use of a Swedish telephone medical advice service by the elderly – a population-based study. Scandinavian Journal of Primary Health Care, 2017, 35, 98-104.	0.6	12
98	A randomized controlled pilot study of the effects of 6-week high intensity hatha yoga protocol on health-related outcomes among students. Journal of Bodywork and Movement Therapies, 2019, 23, 766-772.	0.5	12
99	Working with tactile massage—A grounded theory about the energy controlling system. Complementary Therapies in Clinical Practice, 2007, 13, 258-265.	0.7	11
100	Diabetes and impaired glucose tolerance among Turkish immigrants in Sweden. Diabetes Research and Clinical Practice, 2011, 92, 118-123.	1.1	11
101	Diagnoses of sexual abuse and their common registered comorbidities in the total population of Stockholm. Journal of Epidemiology and Community Health, 2017, 71, 592-598.	2.0	11
102	Comorbidities, risk factors and outcomes in patients with heart failure and an ejection fraction of more than or equal to 40% in primary care- and hospital care-based outpatient clinics. Scandinavian Journal of Primary Health Care, 2018, 36, 207-215.	0.6	11
103	Circling the undefined—A grounded theory study of intercultural consultations in Swedish primary care. PLoS ONE, 2018, 13, e0203383.	1.1	11
104	Association Between Relevant Co-Morbidities and Dementia With Atrial Fibrillation–A National Study. Archives of Medical Research, 2019, 50, 29-35.	1.5	11
105	Tactile Massage or Relaxation Exercises Do Not Improve the Metabolic Control of Type 2 Diabetics~!2009-12-22~!2010-03-25~!2010-04-28~!. The Open Diabetes Journal, 2010, 3, 6-10.	0.4	11
106	Prevalence of lipid abnormalities before and after introduction of lipid modifying therapy among Swedish patients with dyslipidemia (PRIMULA). BMC Public Health, 2010, 10, 737.	1.2	10
107	Low anthropometric measures and mortality—results from the Malmö Diet and Cancer Study. Annals of Medicine, 2015, 47, 325-331.	1.5	10
108	Health care consumption and psychiatric diagnoses among adolescent girls 1 and 2Âyears after a first-time registered child sexual abuse experience: a cohort study in the Stockholm Region. European Child and Adolescent Psychiatry, 2021, 30, 1803-1811.	2.8	10

#	Article	IF	CITATIONS
109	Mortality in first- and second-generation immigrants to Sweden diagnosed with type 2 diabetes: a 10Âyear nationwide cohort study. Diabetologia, 2021, 64, 95-108.	2.9	10
110	Effect of heart-rate recovery on long-term mortality among men and women. International Journal of Cardiology, 2010, 144, 276-279.	0.8	9
111	Total mortality among levothyroxine-treated women with atrial fibrillation in Swedish primary health care. International Journal of Cardiology, 2011, 152, 147-148.	0.8	9
112	Blood pressure measures and their predictive ability of cardiovascular mortality. Blood Pressure Monitoring, 2013, 18, 72-77.	0.4	9
113	Differences in anthropometric measures in immigrants and Swedish-born individuals: Results from two community-based cohort studies. Preventive Medicine, 2014, 69, 151-156.	1.6	9
114	What predicts negative effects of rheumatoid arthritis? A follow-up two years after diagnosis. SpringerPlus, 2014, 3, 118.	1.2	9
115	Depression and anxiety after 2 years of follow-up in patients diagnosed with diabetes or rheumatoid arthritis. Health Psychology Open, 2016, 3, 205510291667810.	0.7	9
116	Mental disorder and long-term risk of mortality: 41 years of follow-up of a population sample in Stockholm, Sweden. Epidemiology and Psychiatric Sciences, 2016, 25, 384-392.	1.8	9
117	Health-related quality of life in patients with Burnout on sick leave: descriptive and comparative results from a clinical study. International Archives of Occupational and Environmental Health, 2016, 89, 319-329.	1.1	9
118	Mortality in patients with atrial fibrillation and common co-morbidities – a cohort study in primary care. Annals of Medicine, 2018, 50, 156-163.	1.5	9
119	Quality of life of participants in a mind-body-based self-development course: A descriptive study. Quality of Life Research, 2005, 14, 521-528.	1.5	8
120	Utilization and costs of glucose lowering therapies following health technology assessment for the new reimbursement scheme in Sweden. Health Policy, 2012, 108, 207-215.	1.4	8
121	Warfarin treatment and risk of stroke among primary care patients with atrial fibrillation. Scandinavian Cardiovascular Journal, 2016, 50, 311-316.	0.4	8
122	Low fructosamine and mortality – A long term follow-up of 215,011 non-diabetic subjects in the Swedish AMORIS study. Nutrition, Metabolism and Cardiovascular Diseases, 2016, 26, 1120-1128.	1.1	8
123	Comparison of Mortality and Nonfatal Cardiovascular Events in Adults With Atrial Fibrillation With Versus Without Levothyroxine Treatment. American Journal of Cardiology, 2017, 120, 1974-1979.	0.7	8
124	Recording a diagnosis of stroke, transient ischaemic attack or myocardial infarction in primary healthcare and the association with dispensation of secondary preventive medication: a registry-based prospective cohort study. BMJ Open, 2017, 7, e015723.	0.8	8
125	Impact of an educational intervention for district nurses about preparedness to encounter women exposed to intimate partner violence. Scandinavian Journal of Caring Sciences, 2018, 32, 902-913.	1.0	8
126	Cardiovascular events in patients under age fifty with early findings of elevated lipid and glucose levels – The AMORIS study. PLoS ONE, 2018, 13, e0201972.	1.1	8

#	Article	IF	CITATIONS
127	Limited value of NT-proBNP as a prognostic marker of all-cause mortality in patients with heart failure with preserved and mid-range ejection fraction in primary care: A report from the swedish heart failure register. Scandinavian Journal of Primary Health Care, 2019, 37, 434-443.	0.6	8
128	The informal curriculum of family medicine – what does it entail and how is it taught to residents? A systematic review. BMC Family Practice, 2020, 21, 49.	2.9	8
129	Systemic diseases and their association with open-angle glaucoma in the population of Stockholm. International Ophthalmology, 2022, 42, 1481-1489.	0.6	8
130	Risk Factors in Established Coronary Heart Disease: Evaluation of a Secondary Prevention Programme. European Journal of Cardiovascular Prevention and Rehabilitation, 2001, 8, 73-79.	3.1	7
131	Cross-Cultural Adaptation of an Intimate Partner Violence Questionnaire. Clinical Nursing Research, 2012, 21, 450-466.	0.7	7
132	Effects of prescribed antithrombotics and other cardiovascular pharmacotherapies on all-cause mortality in patients with diabetes and atrial fibrillation – a cohort study from Sweden using propensity score analyses. Diabetology and Metabolic Syndrome, 2014, 6, 2.	1.2	7
133	Pharmacotherapy and mortality in atrial fibrillationa cohort of men and women 75 years or older in Sweden. Age and Ageing, 2015, 44, 232-238.	0.7	7
134	Gout in immigrant groups: a cohort study in Sweden. Clinical Rheumatology, 2017, 36, 1091-1102.	1.0	7
135	Osteoporotic fractures among foreign-born individuals: a national Swedish study. Osteoporosis International, 2021, 32, 343-352.	1.3	7
136	The risk of venous thromboembolism and physical activity level, especially high level: a systematic review. Journal of Thrombosis and Thrombolysis, 2021, 52, 508-516.	1.0	7
137	Simply the best? The impact of quality on choice of primary healthcare provider in Sweden. Health Policy, 2021, 125, 1448-1454.	1.4	7
138	Lack of long-term effects from a pedagogical intervention upon blood pressure control—a randomized primary care study. Scandinavian Cardiovascular Journal, 2013, 47, 289-296.	0.4	6
139	Coping strategies among patients newly diagnosed with diabetes or rheumatoid arthritis at baseline and after 24 months. Journal of Health Psychology, 2018, 23, 1273-1286.	1.3	6
140	The use of anthropometric measures in the prediction of incident gout: results from a Swedish community-based cohort study. Scandinavian Journal of Rheumatology, 2019, 48, 294-299.	0.6	6
141	The Association Between Gout and Cardiovascular Disease in Patients with Atrial Fibrillation. SN Comprehensive Clinical Medicine, 2019, 1, 304-310.	0.3	6
142	Effect of Levothyroxine Treatment on Incident Dementia in Adults with Atrial Fibrillation and Hypothyroidism. Clinical Drug Investigation, 2019, 39, 187-195.	1.1	6
143	The association between sociodemographic characteristics and dementia in patients with atrial fibrillation. Aging Clinical and Experimental Research, 2020, 32, 2319-2327.	1.4	6
144	Association between self-rated health and the risk of hip fracture and mortality in a cohort of older women during a 10-year follow-up. PLoS ONE, 2021, 16, e0247924.	1.1	6

#	Article	IF	CITATIONS
145	Foreign- and Swedish-born diabetic patients - medical situation and quality of life. Scandinavian Journal of Primary Health Care, 1999, 17, 158-163.	0.6	5
146	Psychometric Evaluation of a Coping Questionnaire in Two Independent Samples of People with Diabetes. Stress and Health, 2013, 29, 286-296.	1.4	5
147	Effect of cardiovascular drugs on mortality in atrial fibrillation and chronic heart failure. Scandinavian Cardiovascular Journal, 2014, 48, 291-298.	0.4	5
148	Warfarin treatment and risk of myocardial infarction — A cohort study of patients with atrial fibrillation treated in primary health care. International Journal of Cardiology, 2016, 221, 789-793.	0.8	5
149	Experiences of hatha yogic exercises among patients with obstructive pulmonary diseases: A qualitative study. Journal of Bodywork and Movement Therapies, 2018, 22, 896-903.	0.5	5
150	An evidence-based toolbox for the design and implementation of selective-prevention primary-care initiatives targeting cardio-metabolic disease. Preventive Medicine Reports, 2019, 16, 100979.	0.8	5
151	A One-Session Treatment of PTSD After Single Sexual Assault Trauma. A Pilot Study of the WONSA MLI Project: A Randomized Controlled Trial. Journal of Interpersonal Violence, 2020, , 088626052096597.	1.3	5
152	Multiple sclerosis among first―and secondâ€generation immigrant groups in Sweden. Acta Neurologica Scandinavica, 2020, 142, 339-349.	1.0	5
153	The impact of diabetes, education and income on mortality and cardiovascular events in hypertensive patients: A cohort study from the Swedish Primary Care Cardiovascular Database (SPCCD). PLoS ONE, 2020, 15, e0237107.	1.1	5
154	Virtual patients reflecting the clinical reality of primary care – a useful tool to improve cultural competence. BMC Medical Education, 2021, 21, 270.	1.0	5
155	Plasma calprotectin in the emergency department: a potential clinical biomarker for patients with infectious diseases. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 593-597.	0.6	5
156	Country of birth and mortality risk in hypertension with and without diabetes: the Swedish primary care cardiovascular database. Journal of Hypertension, 2021, 39, 1155-1162.	0.3	5
157	Follow-Up Two Years After Diagnosis of Diabetes in Patients With Psychosocial Problems Receiving an Intervention by a Medical Social Worker. Social Work in Health Care, 2014, 53, 584-600.	0.8	4
158	Integrative medicine for back and neck pain: Exploring cost-effectiveness alongside a randomized clinical pilot trial. European Journal of Integrative Medicine, 2014, 6, 29-38.	0.8	4
159	Health care consumption among adolescent girls prior to diagnoses of sexual abuse, a case–control study in the Stockholm Region. European Child and Adolescent Psychiatry, 2020, 29, 1363-1369.	2.8	4
160	Parkinson's Disease Among Immigrant Groups and Swedish-Born Individuals: A Cohort Study of All Adults 50 Years of Age and Older in Sweden. Journal of Parkinson's Disease, 2020, 10, 1133-1141.	1.5	4
161	Delayed healthcare access among victims of sexual abuse, understood through internal and external gatekeeping mechanisms. Nordic Journal of Psychiatry, 2021, 75, 370-377.	0.7	4
162	Personality measured as Murray's psychological needs and all-cause mortality: 41years of follow-up of a population-based sample. Personality and Individual Differences, 2014, 68, 32-36.	1.6	3

Per E WÃNDELL

#	Article	IF	CITATIONS
163	How to best assess quality of drug treatment in patients with heart failure. European Journal of Clinical Pharmacology, 2016, 72, 965-975.	0.8	3
164	Association between antithrombotic treatment and hemorrhagic stroke in patients with atrial fibrillation—a cohort study in primary care. European Journal of Clinical Pharmacology, 2017, 73, 215-221.	0.8	3
165	Vitamin D deficiency was common in all patients at a Swedish primary care centre, but more so in patients born outside of Europe. Zeitschrift Fur Gesundheitswissenschaften, 2018, 26, 649-652.	0.8	3
166	Associations between relevant cardiovascular pharmacotherapies and incident heart failure in patients with atrial fibrillation. Journal of Hypertension, 2018, 36, 1929-1935.	0.3	3
167	End-Stage Kidney Diseases in Immigrant Groups: A Nationwide Cohort Study in Sweden. American Journal of Nephrology, 2019, 49, 186-192.	1.4	3
168	Atrial fibrillation in immigrants under the age of 45 y in Sweden. International Health, 2019, 11, 193-202.	0.8	3
169	Levothyroxine treatment and incident dementia in adults with atrial fibrillation. Aging Clinical and Experimental Research, 2020, 32, 433-439.	1.4	3
170	Hypertriglyceridemic waist may explain ethnic differences in hypertension among patients with type 2 diabetes in Sweden. BMC Research Notes, 2012, 5, 474.	0.6	2
171	Psychometric Testing of an Instrument About Intimate Partner Violence. Clinical Nursing Research, 2018, 27, 497-515.	0.7	2
172	Urolithiasis in immigrant groups: a nationwide cohort study in Sweden. Scandinavian Journal of Urology, 2019, 53, 69-76.	0.6	2
173	Effects of cardiovascular pharmacotherapies on incident dementia in patients with atrial fibrillation: A cohort study of all patients above 45 years diagnosed with AF in hospitals in Sweden. International Journal of Cardiology, 2019, 297, 55-60.	0.8	2
174	Effects of hatha yoga on self-reported health outcomes in a randomized controlled trial of patients with obstructive pulmonary disorders. Nordic Psychology, 2020, 72, 65-79.	0.4	2
175	Epilepsy in secondâ€generation immigrants: a cohort study of all children up to 18 years of age in Sweden. European Journal of Neurology, 2020, 27, 152-159.	1.7	2
176	Long-term effects of group exercise intervention on maximal step-up height in middle-aged female primary care patients with obesity and other cardio-metabolic risk factors. BMC Sports Science, Medicine and Rehabilitation, 2020, 12, 11.	0.7	2
177	TNFR1 is associated with short-term mortality in patients with diabetes and acute dyspnea seeking care at the emergency department. Acta Diabetologica, 2020, 57, 1145-1150.	1.2	2
178	Distal forearm fractures in immigrant groups: A national Swedish study. Bone, 2020, 138, 115508.	1.4	2
179	Osteoporotic fractures in second-generation immigrants and Swedish natives. Osteoporosis International, 2021, 32, 1343-1350.	1.3	2
180	Hearing impairment among children in Sweden with foreignâ€born parents and natives: A national Swedish study. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 2817-2824.	0.7	2

#	Article	IF	CITATIONS
181	Narcolepsy among first―and secondâ€generation immigrants in Sweden: A study of the total population. Acta Neurologica Scandinavica, 2022, 146, 160-166.	1.0	2
182	Cohort Profile: The Stockholm Diabetes Prevention Programme (SDPP). International Journal of Epidemiology, 2022, 51, e401-e413.	0.9	2
183	High levels of leptin are associated with poor self-rated health in men and women with type 2 diabetes treated with metformin. Nutrition, Metabolism and Cardiovascular Diseases, 2013, 23, e11-e12.	1.1	1
184	Cardiovascular medication in relation to renal function after coronary artery bypass surgery. International Journal of Cardiology, 2013, 168, 4033-4038.	0.8	1
185	Response to: Modifiable lifestyle risks, cardiovascular disease, and all-cause mortality. International Journal of Cardiology, 2014, 173, 560.	0.8	1
186	Use of cardiovascular drugs and risk of incident heart failure in patients with atrial fibrillation. Journal of Clinical Hypertension, 2020, 22, 1396-1405.	1.0	1
187	Epilepsy in immigrants and Swedish-born: A cohort study of all adults 18 years of age and older in Sweden. Seizure: the Journal of the British Epilepsy Association, 2020, 76, 116-122.	0.9	1
188	Huntington's disease among immigrant groups and Swedish-born individuals: a cohort study of all adults 18 years of age and older in Sweden. Neurological Sciences, 2021, 42, 3851-3856.	0.9	1
189	Visual impairment among children in Sweden with foreignâ€born parents and natives: a national Swedish study. Acta Paediatrica, International Journal of Paediatrics, 2021, , .	0.7	1
190	The association between BMI and 90-day mortality in patients with and without diabetes seeking care at the emergency department. Upsala Journal of Medical Sciences, 2021, 126, .	0.4	1
191	Walking for exercise?does three times per week influence risk factors in type 2 diabetes?. Diabetes Research and Clinical Practice, 2005, , .	1.1	1
192	Gender Differences Regarding Novel Biomarkers and Metabolic Risk Factors in Metformin Treated Type 2 Diabetic Patients. The Open Diabetes Journal, 2012, 5, 13-19.	0.4	1
193	Experiences of physical activity and exercise among women with obstructive pulmonary disease. Physiotherapy Theory and Practice, 2023, 39, 1681-1691.	0.6	1
194	Valvular heart diseases in immigrants and Swedish-born individuals: a national cohort study. Scandinavian Cardiovascular Journal, 2022, 56, 217-223.	0.4	1
195	Blood glucose level and mortality. Diabetologia, 2008, , 1.	2.9	0
196	Reply. Journal of Hypertension, 2016, 34, 1441-1442.	0.3	0
197	Response to CarlssonetÂal.: Prevalence and incidence of diabetes mellitus: a nationwide population-based pharmaco-epidemiological study in Sweden. Diabetic Medicine, 2016, 33, 1150-1152.	1.2	0
198	High Variability in Implementation of Selective-Prevention Services for Cardiometabolic Diseases in Five European Primary Care Settings. International Journal of Environmental Research and Public Health, 2020, 17, 9080.	1.2	0

#	Article	IF	CITATIONS
199	Urolithiasis in secondâ€generation immigrant children younger than 18Âyears of age in Sweden. Acta Paediatrica, International Journal of Paediatrics, 2021, 110, 340-346.	0.7	0
200	Primary care consultations on emotional distress $\hat{a} \in \hat{a}$ a part of the acculturation process in patients with refugee backgrounds: a grounded theory approach. BMC Family Practice, 2021, 22, 138.	2.9	0
201	Amyotrophic lateral sclerosis (ALS) among immigrant groups and Swedish-born individuals: a cohort study of all adults 18Âyears of age and older in Sweden. Journal of Neurology, 2021, , 1.	1.8	0
202	Incident cases of vision impairment and blindness among adult foreign-born and Swedish-born individuals: A national Swedish study. European Journal of Ophthalmology, 2022, , 112067212210907.	0.7	0