

# Taskin Tuna

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8102260/publications.pdf>

Version: 2024-02-01

10  
papers

149  
citations

1874746

5  
h-index

1427216

11  
g-index

11  
all docs

11  
docs citations

11  
times ranked

218  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of different dental implant drilling template designs on heat generation during osteotomy â€“ an in vitro study. <i>Clinical Oral Implants Research</i> , 2022, 33, 53-64.	1.9	5
2	Retention Forces of Implant-Supported Single Crowns and Fixed Dental Protheses after Cementation: An In-Vitro Study. <i>Oral</i> , 2022, 2, 29-40.	0.6	3
3	Biofunctionalization of Dental Abutment Surfaces by Crosslinked ECM Proteins Strongly Enhances Adhesion and Proliferation of Gingival Fibroblasts. <i>Advanced Healthcare Materials</i> , 2021, 10, e2100132.	3.9	13
4	Patientâ€™reported outcome measures (PROMs) of implantâ€™supported reconstructions using digital workflows: A systematic review and metaâ€™analysis. <i>Clinical Oral Implants Research</i> , 2021, 32, 318-335.	1.9	11
5	Randomized clinical trial evaluating the effect of splinting crowns on short implants in the mandible 3Â¥years after loading. <i>Clinical Oral Implants Research</i> , 2020, 31, 1061-1071.	1.9	5
6	Removal of simulated biofilm at different implant crown designs with interproximal oral hygiene aids: An <i>in vitro</i> study. <i>Clinical Oral Implants Research</i> , 2019, 30, 627-636.	1.9	9
7	Influence of additional reinforcement of fixed long-term temporary restorations on fracture load. <i>Journal of Prosthodontic Research</i> , 2018, 62, 416-421.	1.1	3
8	Modified Glass Ionomer Cement with â€œRemove on Demandâ€•Properties: An In Vitro Study. <i>Dentistry Journal</i> , 2017, 5, 9.	0.9	5
9	The Effect of UV Treatment on the Osteoconductive Capacity of Zirconia-Based Materials. <i>Materials</i> , 2016, 9, 958.	1.3	33
10	Influence of ultraviolet photofunctionalization on the surface characteristics of zirconia-based dental implant materials. <i>Dental Materials</i> , 2015, 31, e14-e24.	1.6	60