

Hannie C Comijs

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/810420/publications.pdf>

Version: 2024-02-01

105
papers

3,823
citations

109321

35
h-index

155660

55
g-index

109
all docs

109
docs citations

109
times ranked

5244
citing authors

#	ARTICLE	IF	CITATIONS
1	Sleep characteristics across the lifespan in 1.1 million people from the Netherlands, United Kingdom and United States: a systematic review and meta-analysis. <i>Nature Human Behaviour</i> , 2021, 5, 113-122.	12.0	193
2	The Longitudinal Aging Study Amsterdam: cohort update 2016 and major findings. <i>European Journal of Epidemiology</i> , 2016, 31, 927-945.	5.7	170
3	Major Depressive and Anxiety Disorders in Visually Impaired Older Adults. <i>Investigative Ophthalmology and Visual Science</i> , 2015, 56, 849-854.	3.3	169
4	The Netherlands study of depression in older persons (NESDO); a prospective cohort study. <i>BMC Research Notes</i> , 2011, 4, 524.	1.4	130
5	Cognitive Impairment in Early and Late Bipolar Disorder. <i>American Journal of Geriatric Psychiatry</i> , 2009, 17, 508-515.	1.2	114
6	The two-year course of late-life depression; results from the Netherlands study of depression in older persons. <i>BMC Psychiatry</i> , 2015, 15, 20.	2.6	99
7	Loneliness is associated with poor prognosis in late-life depression: Longitudinal analysis of the Netherlands study of depression in older persons. <i>Journal of Affective Disorders</i> , 2015, 185, 1-7.	4.1	99
8	Associations between age and the course of major depressive disorder: a 2-year longitudinal cohort study. <i>Lancet Psychiatry</i> , 2018, 5, 581-590.	7.4	97
9	Risk Factors for Depression: Differential Across Age?. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 966-977.	1.2	92
10	The association between depressive symptoms and cognitive decline in community-dwelling elderly persons. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 361-367.	2.7	89
11	Childhood abuse in late-life depression. <i>Journal of Affective Disorders</i> , 2013, 147, 241-246.	4.1	89
12	Depression and Cognition: How Do They Interrelate in Old Age?. <i>American Journal of Geriatric Psychiatry</i> , 2013, 21, 398-410.	1.2	80
13	The Association Between Serum Cortisol and Cognitive Decline in Older Persons. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 42-50.	1.2	78
14	Physical frailty: vulnerability of patients suffering from late-life depression. <i>Aging and Mental Health</i> , 2014, 18, 570-578.	2.8	76
15	Accumulated and Differential Effects of Life Events on Cognitive Decline in Older Persons: Depending on Depression, Baseline Cognition, or ApoE ϵ 4 Status?. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2011, 66B, i111-i120.	3.9	71
16	Neutrophil gelatinase-associated lipocalin: A novel inflammatory marker associated with late-life depression. <i>Journal of Psychosomatic Research</i> , 2013, 75, 444-450.	2.6	71
17	The Relationships Between ADHD and Social Functioning and Participation in Older Adults in a Population-Based Study. <i>Journal of Attention Disorders</i> , 2015, 19, 368-379.	2.6	71
18	Frailty as a Predictor of the Incidence and Course of Depressed Mood. <i>Journal of the American Medical Directors Association</i> , 2015, 16, 509-514.	2.5	64

#	ARTICLE	IF	CITATIONS
19	Childhood adversity, recent life events and depression in late life. <i>Journal of Affective Disorders</i> , 2007, 103, 243-246.	4.1	60
20	Five-year follow-up of cognitive impairment in older adults with bipolar disorder. <i>Bipolar Disorders</i> , 2016, 18, 148-154.	1.9	59
21	Early- and Late-Onset Depression in Late Life: A Prospective Study on Clinical and Structural Brain Characteristics and Response to Electroconvulsive Therapy. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 178-189.	1.2	59
22	Perceived stress and cognitive function in older adults: which aspect of perceived stress is important?. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 439-445.	2.7	55
23	The Impact of Change in Cognitive Functioning and Cognitive Decline on Disability, Well-Being, and the Use of Healthcare Services in Older Persons. <i>Dementia and Geriatric Cognitive Disorders</i> , 2005, 19, 316-323.	1.5	53
24	Association of Thyroid Dysfunction With Cognitive Function. <i>JAMA Internal Medicine</i> , 2021, 181, 1440.	5.1	51
25	Heterogeneity of late-life depression: relationship with cognitive functioning. <i>International Psychogeriatrics</i> , 2014, 26, 953-963.	1.0	49
26	Correlates of Alcohol Abstinence and At-Risk Alcohol Consumption in Older Adults with Depression: the NESDO Study. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 866-874.	1.2	48
27	Somatic chronic diseases and 6-year change in cognitive functioning among older persons. <i>Archives of Gerontology and Geriatrics</i> , 2009, 48, 191-196.	3.0	44
28	Cognitive decline in elderly bipolar disorder patients: a follow-up study. <i>Bipolar Disorders</i> , 2012, 14, 749-755.	1.9	44
29	Adverse Childhood and Recent Negative Life Events. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2014, 27, 128-138.	2.3	43
30	The impact of frailty on depressive disorder in later life: Findings from the Netherlands Study of depression in older persons. <i>European Psychiatry</i> , 2017, 43, 66-72.	0.2	43
31	Episodic memory function is affected by lifestyle factors: a 14-year follow-up study in an elderly population. <i>Aging, Neuropsychology, and Cognition</i> , 2017, 24, 528-542.	1.3	42
32	A Six-Year Prospective Study of the Prognosis and Predictors in Patients With Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 985-997.	1.2	42
33	Vitamin D and Memory Decline: Two Population-Based Prospective Studies. <i>Journal of Alzheimer's Disease</i> , 2016, 50, 1099-1108.	2.6	41
34	Risk factors for cognitive impairment in elderly bipolar patients. <i>Journal of Affective Disorders</i> , 2010, 125, 330-335.	4.1	40
35	A Healthy Lifestyle in Old Age and Prospective Change in Four Domains of Functioning. <i>Journal of Aging and Health</i> , 2019, 31, 1297-1314.	1.7	39
36	Comorbid anxiety disorders in late-life depression: results of a cohort study. <i>International Psychogeriatrics</i> , 2015, 27, 1157-1165.	1.0	38

#	ARTICLE	IF	CITATIONS
37	The subscale structure of the Inventory of Depressive Symptomatology Self Report (IDS-SR) in older persons. <i>Journal of Psychiatric Research</i> , 2012, 46, 1383-1388.	3.1	36
38	Gait Speed and the Natural Course of Depressive Symptoms in Late Life; An Independent Association With Chronicity?. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 331-335.	2.5	36
39	Plasma Testosterone and the Course of Major Depressive Disorder in Older Men and Women. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 425-437.	1.2	36
40	Physical, lifestyle, psychological, and social determinants of pain intensity, pain disability, and the number of pain locations in depressed older adults. <i>Pain</i> , 2014, 155, 2088-2096.	4.2	34
41	Role of vision loss, functional limitations and the supporting network in depression in a general population. <i>Acta Ophthalmologica</i> , 2016, 94, 76-82.	1.1	33
42	Self-Reported Cognitive Complaints in Elderly Bipolar Patients. <i>American Journal of Geriatric Psychiatry</i> , 2012, 20, 700-706.	1.2	29
43	Serum insulin-like growth factor 1 and late-life depression: A population-based study. <i>Psychoneuroendocrinology</i> , 2015, 54, 31-40.	2.7	29
44	Long-Term Exposure to Anticholinergic and Sedative Medications and Cognitive and Physical Function in Later Life. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 357-365.	3.6	29
45	Late-life depression symptom profiles are differentially associated with immunometabolic functioning. <i>Brain, Behavior, and Immunity</i> , 2014, 41, 109-115.	4.1	28
46	Do severity and duration of depressive symptoms predict cognitive decline in older persons? Results of the Longitudinal Aging Study Amsterdam. <i>Aging Clinical and Experimental Research</i> , 2004, 16, 226-232.	2.9	27
47	Attention Deficit Hyperactivity Disorder and Personality Characteristics in Older Adults in the General Dutch Population. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1623-1632.	1.2	27
48	Apathy in early and late-life depression. <i>Journal of Affective Disorders</i> , 2017, 223, 76-81.	4.1	26
49	Dysregulation of the hypothalamic pituitary adrenal (HPA) axis and cognitive capability at older ages: individual participant meta-analysis of five cohorts. <i>Scientific Reports</i> , 2019, 9, 4555.	3.3	26
50	Longitudinal mediation of processing speed on age-related change in memory and fluid intelligence.. <i>Psychology and Aging</i> , 2013, 28, 887-901.	1.6	25
51	White Matter Hyperintensities and Cognitive Impairment During Electroconvulsive Therapy in Severely Depressed Elderly Patients. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 157-166.	1.2	25
52	The structure of the geriatric depressed brain and response to electroconvulsive therapy. <i>Psychiatry Research - Neuroimaging</i> , 2014, 222, 1-9.	1.8	25
53	Screening for Metabolic Syndrome in Older Patients with Severe Mental Illness. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1116-1120.	1.2	24
54	A 13-year prospective cohort study on the effects of aging and frailty on the depression-pain relationship in older adults. <i>International Journal of Geriatric Psychiatry</i> , 2015, 30, 751-757.	2.7	24

#	ARTICLE	IF	CITATIONS
55	Admixture analysis of age of onset in generalized anxiety disorder. <i>Journal of Anxiety Disorders</i> , 2017, 50, 47-51.	3.2	24
56	Relapse and long-term cognitive performance after brief pulse or ultrabrief pulse right unilateral electroconvulsive therapy: A multicenter naturalistic follow up. <i>Journal of Affective Disorders</i> , 2015, 184, 137-144.	4.1	22
57	Lifestyle factors and the course of depression in older adults: A NESDO study. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, 1000-1008.	2.7	21
58	The role of frailty in the association between depression and somatic comorbidity: Results from baseline data of an ongoing prospective cohort study. <i>International Journal of Nursing Studies</i> , 2015, 52, 188-196.	5.6	20
59	Vitamin D deficiency, depression course and mortality: Longitudinal results from the Netherlands Study on Depression in Older persons (NESDO). <i>Journal of Psychosomatic Research</i> , 2016, 83, 50-56.	2.6	19
60	Inflammation in older subjects with early- and late-onset depression in the NESDO study: a cross-sectional and longitudinal case-only design. <i>Psychoneuroendocrinology</i> , 2019, 99, 20-27.	2.7	19
61	Increases in Neuroticism May Be an Early Indicator of Dementia: A Coordinated Analysis. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2020, 75, 251-262.	3.9	19
62	Prevalence and correlates of depressive symptoms in a catchment-area based cohort of older community-living schizophrenia patients. <i>Schizophrenia Research</i> , 2014, 157, 285-291.	2.0	18
63	The relationship between cognitive and social functioning in older patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 240, 177-182.	4.1	18
64	Coping and personality in older patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 184, 67-71.	4.1	17
65	Mortality and Its Determinants in Late-Life Schizophrenia: A 5-Year Prospective Study in a Dutch Catchment Area. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 272-277.	1.2	17
66	The impact of personality on memory function in older adults—results from the Longitudinal Aging Study Amsterdam. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 798-804.	2.7	17
67	Sarcopenic obesity predicts nonremission of late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1226-1234.	2.7	17
68	Mediators of the Relationship Between Life Events and Memory Functioning in a Community Sample of Adults. <i>Applied Cognitive Psychology</i> , 2014, 28, 626-633.	1.6	16
69	Loneliness and cardiovascular disease and the role of late-life depression. <i>International Journal of Geriatric Psychiatry</i> , 2018, 33, e65-e72.	2.7	16
70	The Perception of Sexuality in Older Adults and Its Relationship with Cognitive Functioning. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 243-252.	1.2	15
71	Apathy in Older Persons With Depression: Course and Predictors. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2016, 29, 178-186.	2.3	15
72	Waist circumference and Neutrophil Gelatinase-Associated Lipocalin in late-life depression. <i>Brain, Behavior, and Immunity</i> , 2014, 37, 231-239.	4.1	14

#	ARTICLE	IF	CITATIONS
73	Autism Characteristics in Older Adults with Depressive Disorders. <i>American Journal of Geriatric Psychiatry</i> , 2016, 24, 161-169.	1.2	14
74	Childhood Abuse and the Two-Year Course of Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2017, 25, 633-643.	1.2	14
75	Associations between cognitive functioning, mood symptoms and coping styles in older age bipolar disorder. <i>Journal of Affective Disorders</i> , 2018, 235, 357-361.	4.1	14
76	Depression in context of low neuroticism is a risk factor for stroke. <i>Neurology</i> , 2014, 83, 1692-1698.	1.1	13
77	Benefits for elders with vulnerable health from the Chronic Disease Self-management Program (CDSMP) at short and longer term. <i>BMC Geriatrics</i> , 2015, 15, 101.	2.7	13
78	Defining Anxious Depression in Later Life: A Scaring Heterogeneity in Results. <i>American Journal of Geriatric Psychiatry</i> , 2014, 22, 1375-1378.	1.2	12
79	Cohort Differences in Cognitive Aging in the Longitudinal Aging Study Amsterdam. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2016, 73, gbw129.	3.9	12
80	Symptomatic and functional recovery in depression in later life. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 1071-1079.	3.1	12
81	Prevalence and Incidence of Memory Complaints in Employed Compared to Non-Employed Aged 55-64 Years and the Role of Employment Characteristics. <i>PLoS ONE</i> , 2015, 10, e0119192.	2.5	11
82	Development and external validation of a prediction rule for an unfavorable course of late-life depression: A multicenter cohort study. <i>Journal of Affective Disorders</i> , 2018, 235, 105-113.	4.1	11
83	The clinical course of late-life bipolar disorder, looking back and forward. <i>Bipolar Disorders</i> , 2018, 20, 459-469.	1.9	11
84	Contribution of white matter hyperintensities, medial temporal lobe atrophy and cortical atrophy on outcome, seven to twelve years after ECT in severely depressed geriatric patients. <i>Journal of Affective Disorders</i> , 2015, 185, 144-148.	4.1	10
85	The predictive value of cortisol levels on 2-year course of depression in older persons. <i>Psychoneuroendocrinology</i> , 2016, 63, 320-326.	2.7	10
86	Reliability of retrospective reports on childhood abuse and its determinants in older adults during a 6-year follow-up. <i>Journal of Psychiatric Research</i> , 2018, 105, 9-16.	3.1	10
87	Vascular Burden and Cognitive Function in Late-Life Depression. <i>American Journal of Geriatric Psychiatry</i> , 2015, 23, 514-524.	1.2	9
88	The inflammatory marker GDF-15 is not independently associated with late-life depression. <i>Journal of Psychosomatic Research</i> , 2016, 83, 46-49.	2.6	9
89	Prognostic effect of serum BDNF levels in late-life depression: Moderated by childhood trauma and SSRI usage?. <i>Psychoneuroendocrinology</i> , 2019, 103, 276-283.	2.7	9
90	The Association Between High-Molecular-Weight Adiponectin, Ghrelin and Leptin and Age-Related Cognitive Decline: Results From Longitudinal Aging Study Amsterdam. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 131-140.	3.6	9

#	ARTICLE	IF	CITATIONS
91	Classification models for identification of at-risk groups for incident memory complaints. <i>International Psychogeriatrics</i> , 2014, 26, 257-271.	1.0	8
92	The relationship between serum 25(OH)D levels and anxiety symptoms in older persons: Results from the Longitudinal Aging Study Amsterdam. <i>Journal of Psychosomatic Research</i> , 2017, 97, 90-95.	2.6	8
93	Subjective insomnia symptoms and sleep duration are not related to hypothalamic-pituitary-adrenal axis activity in older adults. <i>Journal of Sleep Research</i> , 2018, 27, 40-46.	3.2	8
94	Determinants and consequences of polypharmacy in patients with a depressive disorder in later life. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 85-97.	4.5	7
95	Value of Physical Activity and Sedentary Behavior in Predicting Depression in Older Adults. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 647-649.	2.6	6
96	Secular trends in excess mortality of late-life depression. <i>Journal of Affective Disorders</i> , 2018, 234, 28-33.	4.1	6
97	Vitamin D deficiency and course of frailty in a depressed older population. <i>Aging and Mental Health</i> , 2020, 24, 49-55.	2.8	6
98	Cognitive performance in depressed older persons: the impact of vascular burden and remission. A two-year follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2016, 31, 1029-1039.	2.7	5
99	Associations between testosterone and metabolic syndrome in depressed and non-depressed older men and women. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 463-471.	2.7	5
100	The tide has turned: incidence of depression declined in community living young-old adults over one decade. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e16.	3.9	5
101	Hypothalamus-Pituitary-Adrenal-axis activity and cognitive functioning in older adults. <i>Psychoneuroendocrinology</i> , 2018, 91, 50-54.	2.7	3
102	O3-05-03: Modifiable Risk Factors for Prevention of Dementia in Midlife and Late Life: The Libra Index. , 2016, 12, P295-P296.		2
103	The Association Between Loneliness and Psychiatric Symptomatology in Older Psychiatric Outpatients. <i>Journal of Geriatric Psychiatry and Neurology</i> , 2021, , 089198872110600.	2.3	2
104	P2-137: THE ASSOCIATION OF NEUTROPHIL GELATINASE-ASSOCIATED LIPOCALIN WITH COGNITIVE PERFORMANCE IN LATE-LIFE DEPRESSION AND ITS INTERACTIONS WITH GENDER. , 2014, 10, P520-P521.		1
105	O4-09-05: Risk Factors for Cognitive Decline are Age Dependent. <i>Alzheimer's and Dementia</i> , 2016, 12, P356.	0.8	0