

Junichi Arita

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8105064/junichi-arita-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115
papers

1,545
citations

20
h-index

36
g-index

124
ext. papers

2,031
ext. citations

3.9
avg, IF

4.5
L-index

#	Paper	IF	Citations
115	Complete removal of the tumor-bearing portal territory decreases local tumor recurrence and improves disease-specific survival of patients with hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2016 , 64, 594-600	13.4	113
114	Anatomical Liver Resections Guided by 3-Dimensional Parenchymal Staining Using Fusion Indocyanine Green Fluorescence Imaging. <i>Annals of Surgery</i> , 2015 , 262, 105-11	7.8	99
113	Near-infrared photothermal/photodynamic therapy with indocyanine green induces apoptosis of hepatocellular carcinoma cells through oxidative stress. <i>Scientific Reports</i> , 2017 , 7, 13958	4.9	96
112	Long-term Risk of Malignancy in Branch-Duct Intraductal Papillary Mucinous Neoplasms. <i>Gastroenterology</i> , 2020 , 158, 226-237.e5	13.3	80
111	CPT2 downregulation adapts HCC to lipid-rich environment and promotes carcinogenesis via acylcarnitine accumulation in obesity. <i>Gut</i> , 2018 , 67, 1493-1504	19.2	66
110	Usefulness of contrast-enhanced intraoperative ultrasound in identifying disappearing liver metastases from colorectal carcinoma after chemotherapy. <i>Annals of Surgical Oncology</i> , 2014 , 21 Suppl 3, S390-7	3.1	58
109	Routine Preoperative Liver-specific Magnetic Resonance Imaging Does Not Exclude the Necessity of Contrast-enhanced Intraoperative Ultrasound in Hepatic Resection for Colorectal Liver Metastasis. <i>Annals of Surgery</i> , 2015 , 262, 1086-91	7.8	55
108	Usefulness of contrast-enhanced intraoperative ultrasound using Sonazoid in patients with hepatocellular carcinoma. <i>Annals of Surgery</i> , 2011 , 254, 992-9	7.8	51
107	Biliary epithelial injury-induced regenerative response by IL-33 promotes cholangiocarcinogenesis from peribiliary glands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E3806-E3815	11.5	49
106	Efficacy of Preoperative Portal Vein Embolization Among Patients with Hepatocellular Carcinoma, Biliary Tract Cancer, and Colorectal Liver Metastases: A Comparative Study Based on Single-Center Experience of 319 Cases. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1557-1568	3.1	44
105	Correlation between contrast-enhanced intraoperative ultrasound using Sonazoid and histologic grade of resected hepatocellular carcinoma. <i>American Journal of Roentgenology</i> , 2011 , 196, 1314-21	5.4	37
104	Splenectomy is not indicated in living donor liver transplantation. <i>Liver Transplantation</i> , 2016 , 22, 1526-1535	4.3	37
103	Assessment of Preoperative Liver Function in Patients with Hepatocellular Carcinoma - The Albumin-Indocyanine Green Evaluation (ALICE) Grade. <i>PLoS ONE</i> , 2016 , 11, e0159530	3.7	36
102	Distal Pancreatectomy with En Bloc Resection of the Celiac Axis with Preservation or Reconstruction of the Left Gastric Artery in Patients with Pancreatic Body Cancer. <i>World Journal of Surgery</i> , 2016 , 40, 2245-53	3.3	36
101	Portal vein territory identification using indocyanine green fluorescence imaging: Technical details and short-term outcomes. <i>Journal of Surgical Oncology</i> , 2017 , 116, 921-931	2.8	34
100	Salvage liver transplantation or repeat hepatectomy for recurrent hepatocellular carcinoma: An intent-to-treat analysis. <i>Liver Transplantation</i> , 2017 , 23, 1553-1563	4.5	33
99	Venous drainage map of the liver for complex hepatobiliary surgery and liver transplantation. <i>Hpb</i> , 2016 , 18, 1031-1038	3.8	33

98	Detection of new tumors by intraoperative ultrasonography during repeated hepatic resections for hepatocellular carcinoma. <i>Archives of Surgery</i> , 2007 , 142, 1170-5; discussion 1176		28
97	Intrahepatic cholangiocarcinoma frequently shows loss of BAP1 and PBRM1 expression, and demonstrates specific clinicopathological and genetic characteristics with BAP1 loss. <i>Histopathology</i> , 2017 , 70, 766-774	7.3	27
96	Clinical implications of disappearing colorectal liver metastases have changed in the era of hepatocyte-specific MRI and contrast-enhanced intraoperative ultrasonography. <i>Hpb</i> , 2018 , 20, 708-714	3.8	24
95	NK cell and IFN signatures are positive prognostic biomarkers for resectable pancreatic cancer. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 495, 2058-2065	3.4	19
94	Statin use is associated with a reduced risk of hepatocellular carcinoma recurrence after initial liver resection. <i>BioScience Trends</i> , 2017 , 11, 574-580	9.9	18
93	EVI1 modulates oncogenic role of GPC1 in pancreatic carcinogenesis. <i>Oncotarget</i> , 2017 , 8, 99552-99566	3.3	18
92	Assessment of Preoperative Liver Function for Surgical Decision Making in Patients with Hepatocellular Carcinoma. <i>Liver Cancer</i> , 2019 , 8, 447-456	9.1	18
91	Postoperative Outcomes for Patients with Non-B Non-C Hepatocellular Carcinoma: A Subgroup Analysis of Patients with a History of Hepatitis B Infection. <i>Annals of Surgical Oncology</i> , 2015 , 22 Suppl 3, S1034-40	3.1	16
90	Reconstruction of hepatic venous tributary in right liver living donor liver transplantation: The importance of the inferior right hepatic vein. <i>Liver Transplantation</i> , 2016 , 22, 410-9	4.5	16
89	The AFSUMB Consensus Statements and Recommendations for the Clinical Practice of Contrast-Enhanced Ultrasound using Sonazoid. <i>Ultrasonography</i> , 2020 , 39, 191-220	4.3	15
88	Management of disappearing lesions after chemotherapy for colorectal liver metastases: Relation between detectability and residual tumors. <i>Journal of Surgical Oncology</i> , 2018 , 117, 191-197	2.8	14
87	Multi-center clinical evaluation of streptozocin-based chemotherapy for advanced pancreatic neuroendocrine tumors in Japan: focus on weekly regimens and monotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2018 , 82, 661-668	3.5	14
86	Impact of Sustained Virological Response to Interferon Therapy on Recurrence of Hepatitis C Virus-Related Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2017 , 24, 3196-3202	3.1	14
85	Albumin-Indocyanine Green Evaluation (ALICE) grade combined with portal hypertension to predict post-hepatectomy liver failure. <i>Hepatology Research</i> , 2019 , 49, 942-949	5.1	13
84	Tumor Budding in Intrahepatic Cholangiocarcinoma: A Predictor of Postsurgery Outcomes. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 1180-1190	6.7	13
83	Behavior and clinical impact of ascites after living donor liver transplantation: risk factors associated with massive ascites. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2016 , 23, 688-696	2.8	12
82	Laparoscopic deroofing for polycystic liver disease using laparoscopic fusion indocyanine green fluorescence imaging. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 2620-3	5.2	10
81	Clinical Significance of Spontaneous Portosystemic Shunts in Living Donor Liver Transplantation. <i>Liver Transplantation</i> , 2021 , 27, 77-87	4.5	10

80	Delayed Gastric Emptying After Stapled Versus Hand-Sewn Anastomosis of Duodenojejunostomy in Pylorus-Preserving Pancreaticoduodenectomy: a Randomized Controlled trial. <i>Journal of Gastrointestinal Surgery</i> , 2016 , 20, 595-603	3.3	9
79	Anatomical Boundary Between the Caudate Lobe of the Liver and Adjacent Segments Based on Three-Dimensional Analysis for Precise Resections. <i>Journal of Gastrointestinal Surgery</i> , 2018 , 22, 1709-1714	3.3	9
78	Liver Resection for Hepatocellular Carcinoma in Patients with Renal Dysfunction. <i>World Journal of Surgery</i> , 2018 , 42, 4054-4062	3.3	9
77	Pharmacokinetics of a Once-Daily Dose of Tacrolimus Early After Liver Transplantation: With Special Reference to CYP3A5 and ABCB1 Single Nucleotide Polymorphisms. <i>Annals of Transplantation</i> , 2016 , 21, 491-9	1.4	9
76	Silk fibroin vascular graft: a promising tissue-engineered scaffold material for abdominal venous system replacement. <i>Scientific Reports</i> , 2020 , 10, 21041	4.9	9
75	A new rapid diagnostic system with ambient mass spectrometry and machine learning for colorectal liver metastasis. <i>BMC Cancer</i> , 2021 , 21, 262	4.8	9
74	Indocyanine green administration a day before surgery may increase bile duct detectability on fluorescence cholangiography during laparoscopic cholecystectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 , 28, 202-210	2.8	9
73	Usefulness of indocyanine green-fluorescence imaging for real-time visualization of pancreas neuroendocrine tumor and cystic neoplasm. <i>Journal of Surgical Oncology</i> , 2018 , 118, 1012-1020	2.8	9
72	Parenchyma-sparing liver resection for hepatocellular carcinoma in left lateral section is associated with better liver volume recovery. <i>Hpb</i> , 2018 , 20, 949-955	3.8	9
71	Diagnostic accuracy of indocyanine green fluorescence imaging and multidetector row computed tomography for identifying hepatocellular carcinoma with liver explant correlation. <i>Hepatology Research</i> , 2017 , 47, 1299-1307	5.1	8
70	Daclatasvir and asunaprevir for recurrent hepatitis C following living donor liver transplantation with HIV co-infection. <i>Hepatology Research</i> , 2016 , 46, 829-32	5.1	8
69	Evaluation of hepatic perfusion in the liver graft using fluorescence imaging with indocyanine green. <i>International Journal of Surgery Case Reports</i> , 2015 , 14, 149-51	0.8	8
68	Living donor liver transplantation for hemophilia with special reference to the management of perioperative clotting factor replacement. <i>Liver Transplantation</i> , 2016 , 22, 366-70	4.5	8
67	The Impact of MDCT and Endoscopic Transpapillary Mapping Biopsy to Predict Longitudinal Spread of Extrahepatic Cholangiocarcinoma. <i>Journal of Gastrointestinal Surgery</i> , 2018 , 22, 1528-1537	3.3	8
66	A phase II trial of gemcitabine, S-1 and LV combination (GSL) neoadjuvant chemotherapy for patients with borderline resectable and locally advanced pancreatic cancer. <i>Medical Oncology</i> , 2018 , 35, 100	3.7	8
65	One-year extended, monthly vaccination prophylaxis combined with hepatitis B immune globulin for hepatitis B after liver transplantation. <i>Hepatology Research</i> , 2016 , 46, E51-9	5.1	7
64	Hepatitis B virus recurrence after living donor liver transplantation of anti-HBc-positive grafts: A 22-year experience at a single center. <i>BioScience Trends</i> , 2019 , 13, 448-455	9.9	7
63	Three-dimensional visualization of liver segments on contrast-enhanced intraoperative sonography. <i>American Journal of Roentgenology</i> , 2007 , 188, W464-6	5.4	7

62	Liver resection in patients with Gilbert's syndrome. <i>Surgery</i> , 2003 , 134, 835-7	3.6	6
61	Histologic Assessment of Intratumoral Lymphoplasmacytic Infiltration Is Useful in Predicting Prognosis of Patients with Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2016 , 11, e0155744	3.7	6
60	Drain Placement After Uncomplicated Hepatic Resection Increases Severe Postoperative Complication Rate: A Japanese Multi-institutional Randomized Controlled Trial (ND-trial). <i>Annals of Surgery</i> , 2021 , 273, 224-231	7.8	6
59	Aggressive Hemihepatectomy Combined with Resection and Reconstruction of Middle Hepatic Vein for Intrahepatic Cholangiocarcinoma. <i>Annals of Surgical Oncology</i> , 2016 , 23, 494-500	3.1	6
58	Stent placement for benign portal vein stenosis following pancreaticoduodenectomy in a hybrid operating room. <i>BioScience Trends</i> , 2019 , 12, 641-644	9.9	6
57	Significance of Glisson's capsule invasion in patients with colorectal liver metastases undergoing resection. <i>American Journal of Surgery</i> , 2019 , 218, 887-893	2.7	5
56	Endoscopic ultrasound-guided gallbladder drainage with a combined internal and external drainage tubes for acute cholecystitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1821-1827	4	5
55	Contrast-enhanced intraoperative ultrasound in the resection of colorectal liver metastases with intrabiliary growth. <i>Clinical Journal of Gastroenterology</i> , 2018 , 11, 348-353	1.1	5
54	Asunaprevir/daclatasvir and sofosbuvir/ledipasvir for recurrent hepatitis C following living donor liver transplantation. <i>Hepatology Research</i> , 2017 , 47, 1093-1101	5.1	5
53	The AFSUMB Consensus Statements and Recommendations for the Clinical Practice of Contrast-Enhanced Ultrasound using Sonazoid. <i>Journal of Medical Ultrasound</i> , 2020 , 28, 59-82	0.8	5
52	Liver Regeneration is Preserved After At Least Four Repeated Liver Resections for Hepatocellular Carcinoma. <i>World Journal of Surgery</i> , 2018 , 42, 4070-4080	3.3	4
51	Real-time confocal laser endomicroscopic evaluation of primary liver cancer based on human liver autofluorescence. <i>Journal of Surgical Oncology</i> , 2017 , 115, 151-157	2.8	4
50	Possible efficacy of recombinant human soluble thrombomodulin for the treatment of thrombotic microangiopathy after liver transplantation. <i>Liver Transplantation</i> , 2016 , 22, 689-92	4.5	4
49	Vascular anatomy of the jejunal mesentery and complications associated with division of the first jejunal venous trunk during pancreaticoduodenectomy. <i>Journal of Surgical Oncology</i> , 2018 , 117, 1297-1304	2.8	4
48	Hepatectomy in patients with inherited blood coagulation disorders can be safely performed with adequate coagulation factor replacement. <i>Haemophilia</i> , 2019 , 25, 463-467	3.3	3
47	Timing for removing prophylactic drains after liver resection: an evaluation of drain removal on the third and first postoperative days. <i>Annals of Translational Medicine</i> , 2020 , 8, 454	3.2	3
46	Primary hepatic schwannoma: A case report. <i>International Journal of Surgery Case Reports</i> , 2016 , 29, 146-150	1.50	3
45	Laparoscopic pancreatoduodenectomy combined with a novel self-assessment system and feedback discussion: a phase 1 surgical trial following the IDEAL guidelines. <i>Langenbeck's Archives of Surgery</i> , 2016 , 401, 1123-1130	3.4	3

44	Hereditary Hemorrhagic Telangiectasia with Hepatic Vascular Malformations. <i>Case Reports in Medicine</i> , 2015 , 2015, 917818	0.7	3
43	Repeat hepatectomy for patients with recurrent neuroendocrine liver metastasis: Comparison with first hepatectomy. <i>Surgery</i> , 2020 , 167, 404-409	3.6	3
42	5-Aminolevulinic acid-mediated photodynamic activity in patient-derived cholangiocarcinoma organoids. <i>Surgical Oncology</i> , 2020 , 35, 484-490	2.5	3
41	Impact of board certification system and adherence to the clinical practice guidelines for liver cancer on post-hepatectomy risk-adjusted mortality rate in Japan: A questionnaire survey of departments registered with the National Clinical Database. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 , 28, 801-811	2.8	3
40	Intraoperative real-time tissue elastography during laparoscopic hepatectomy. <i>Hpb</i> , 2018 , 20, 93-99	3.8	2
39	Interleukin-2 receptor antagonist immunosuppression and consecutive viral management in living-donor liver transplantation for human immunodeficiency virus/hepatitis C-co-infected patients: a report of 2 cases. <i>Clinical Journal of Gastroenterology</i> , 2016 , 9, 32-7	1.1	2
38	Extended Segmentectomy II to Left Hepatic Vein: Importance of Preserving Umbilical Fissure Vein to Avoid Congestion of Segment III. <i>Journal of the American College of Surgeons</i> , 2017 , 225, e5-e11	4.4	2
37	Index of convexity: A novel method for assessing liver functional reserve using technetium-99m-galactosyl human serum albumin liver scintigraphy. <i>BioScience Trends</i> , 2017 , 11, 333-339	3.9	2
36	Simulation and navigation liver surgery: an update after 2,000 virtual hepatectomies. <i>Global Health & Medicine</i> , 2020 , 2, 298-305	2.4	2
35	MRI Findings of Liver Parenchyma Peripheral to Colorectal Liver Metastasis: A Potential Predictor of Long-term Prognosis. <i>Radiology</i> , 2020 , 297, 584-594	20.5	2
34	Axin2 Peribiliary Glands in the Periapillary Region Generate Biliary Epithelial Stem Cells That Give Rise to Ampullary Carcinoma. <i>Gastroenterology</i> , 2021 , 160, 2133-2148.e6	13.3	2
33	EV11 expression is associated with aggressive behavior in intrahepatic cholangiocarcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 39-46	5.1	2
32	Effect of home enteral nutrition after pancreaticoduodenectomy. <i>Nutrition</i> , 2019 , 60, 206-211	4.8	2
31	Oncological benefit of complete metastasectomy for simultaneous colorectal liver and lung metastases. <i>American Journal of Surgery</i> , 2020 , 219, 80-87	2.7	2
30	Quantitative Assessment of the Accuracy of Real-Time Virtual Sonography for Liver Surgery. <i>Surgical Innovation</i> , 2020 , 27, 60-67	2	2
29	Identification of liver lesions using fluorescence imaging: comparison of methods for administering indocyanine green. <i>Hpb</i> , 2021 , 23, 262-269	3.8	2
28	Conversion surgery after preoperative therapy for advanced hepatocellular carcinoma in the era of molecular targeted therapy and immune checkpoint inhibitors.. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022 ,	2.8	2
27	A selective oral vasopressin V2-receptor antagonist for patients with end-stage liver disease awaiting liver transplantation: a preliminary study. <i>BioScience Trends</i> , 2019 , 13, 189-196	9.9	1

26	Germline MICA Polymorphism Is Associated with the Long-Term Outcomes in Patients Undergoing Hepatectomy for Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 2137-2139	3.3	1
25	Sex differences in postsurgical skeletal muscle depletion after donation of living-donor liver transplantation, although minimal, should not be ignored. <i>BMC Surgery</i> , 2020 , 20, 119	2.3	1
24	Multicenter prospective study to evaluate the efficacy of lenvatinib to achieve conversion surgery for initially unresectable hepatocellular carcinoma: LENS-HCC trial.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 458-458	2.2	1
23	High-performance Collective Biomarker from Liquid Biopsy for Diagnosis of Pancreatic Cancer Based on Mass Spectrometry and Machine Learning.. <i>Journal of Cancer</i> , 2021 , 12, 7477-7487	4.5	1
22	Artificial intelligence enhances the accuracy of portal and hepatic vein extraction in computed tomography for virtual hepatectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 ,	2.8	1
21	Intestinal-type histology is associated with better prognosis in patients undergoing liver resection for gastric/esophagogastric-junction liver metastasis. <i>Global Health & Medicine</i> , 2019 , 1, 101-109	2.4	1
20	ABO Blood Group and Risk of Pancreatic Carcinogenesis in Intraductal Papillary Mucinous Neoplasms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021 , 30, 1020-1028	4	1
19	Understanding conditional cumulative incidence of complications following liver resection to optimize hospital stay. <i>Hpb</i> , 2021 ,	3.8	1
18	Phase 1 study on S-1 and oxaliplatin therapy as an adjuvant after hepatectomy for colorectal liver metastases. <i>Investigational New Drugs</i> , 2016 , 34, 468-73	4.3	1
17	Evaluation of preoperative nutritional variables to predict postoperative complications after pancreaticoduodenectomy 2019 , 67-68S, 100006		1
16	Late-Evening Carbohydrate and Branched-Chain Amino Acid Snacks Improve the Nutritional Status of Patients Undergoing Hepatectomy Based on Bioelectrical Impedance Analysis of Body Composition. <i>Gastrointestinal Tumors</i> , 2019 , 6, 81-91	1.3	1
15	An aberrant right hepatic artery arising from the gastroduodenal artery: a pitfall encountered during pancreaticoduodenectomy. <i>Surgery Today</i> , 2021 , 51, 1577-1582	3	1
14	Therapeutic effect of portal vein stenting for portal vein stenosis after upper-abdominal surgery. <i>Hpb</i> , 2021 , 23, 238-244	3.8	1
13	Effect of the response to preoperative treatment for hepatorenal syndrome on the outcome of recipients of living-donor liver transplantation.. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022 ,	2.8	1
12	Usefulness of preoperative drip infusion cholangiography with computed tomography for predicting surgical difficulty during laparoscopic cholecystectomy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020 , 27, 315-323	2.8	0
11	Efficacy and Safety of Lenvatinib for the Treatment of Recurrent Hepatocellular Carcinoma After Living Donor Liver Transplantation: A Report of Two Cases.. <i>Anticancer Research</i> , 2022 , 42, 1161-1167	2.3	0
10	Risk factors for hepatitis B virus recurrence after living donor liver transplantation: A 22-year experience at a single center. <i>BioScience Trends</i> , 2021 , 14, 443-449	9.9	0
9	Survey of surgical resections for neuroendocrine liver metastases: A project study of the Japan Neuroendocrine Tumor Society (JNETS). <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021 , 28, 489-497	2.8	0

8	Impact of Abdominal Incision Type on Postoperative Pain and Quality of Life Following Hepatectomy. <i>World Journal of Surgery</i> , 2021 , 45, 1887-1896	3.3	0
7	A multicenter phase II trial to assess the efficacy and safety of bevacizumab plus mFOLFOX6 as induction chemotherapy toward R0 surgical resection in advanced colorectal liver metastases with mutant-type KRAS: NEXTO-mt trial.. <i>Journal of Clinical Oncology</i> , 2022 , 40, 450-450	2.2	
6	Preoperative portal vein embolization: a comparison of ethanol and coils ethanol alone.. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2022 , 1-9	2.1	
5	Prognostic impact of complete removal of the tumor-bearing portal territory of the liver for hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e15162-e15162	2.2	
4	Assessment of preoperative liver function in patients with hepatocellular carcinoma: The albumin-indocyanine green evaluation (ALICE) grade.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 4066-4066	2.2	
3	Detection of a new hepatic lesion suspicious for malignancy in a living donor using intraoperative ultrasonography. <i>Transplant International</i> , 2016 , 29, 1139-41	3	
2	Identification of Glisson's Capsule Invasion During Hepatectomy for Colorectal Liver Metastasis by Contrast-Enhanced Ultrasonography Using Perflubutane. <i>World Journal of Surgery</i> , 2021 , 45, 1168-1177	3.3	
1	Proximal total splenic artery embolization for refractory hepatic encephalopathy. <i>Clinical Journal of Gastroenterology</i> , 2018 , 11, 156-160	1.1	