

# Maja Rupnik

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8105272/publications.pdf>

Version: 2024-02-01

89  
papers

6,697  
citations

94433

37  
h-index

62596

80  
g-index

92  
all docs

92  
docs citations

92  
times ranked

4406  
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of novel, cryptic <i>Clostridioides</i> species isolates from environmental samples collected from diverse geographical locations. <i>Microbial Genomics</i> , 2022, 8, .	2.0	11
2	Analysis of seed-associated bacteria and fungi on staple crops using the cultivation and metagenomic approaches. <i>Folia Microbiologica</i> , 2022, 67, 351-361.	2.3	10
3	<i>Clostridioides difficile</i> positivity rate and PCR ribotype distribution on retail potatoes in 12 European countries, January to June 2018. <i>Eurosurveillance</i> , 2022, 27, .	7.0	7
4	<i>Clostridioides difficile</i> : New global perspectives. <i>Anaerobe</i> , 2022, 74, 102557.	2.1	3
5	A point-prevalence study on community and inpatient <i>Clostridioides difficile</i> infections (CDI): results from Combatting Bacterial Resistance in Europe CDI (COMBACTE-CDI), July to November 2018. <i>Eurosurveillance</i> , 2022, 27, .	7.0	14
6	Possible contribution of shoes to <i>Clostridioides difficile</i> transmission within hospitals. <i>Clinical Microbiology and Infection</i> , 2021, 27, 797-799.	6.0	5
7	High contamination rates of shoes of veterinarians, veterinary support staff and veterinary students with <i>Clostridioides difficile</i> spores. <i>Transboundary and Emerging Diseases</i> , 2021, , .	3.0	3
8	Novel Siphoviridae Bacteriophages Infecting <i>Bacteroides uniformis</i> Contain Diversity Generating Retroelement. <i>Microorganisms</i> , 2021, 9, 892.	3.6	7
9	Anaerobes in the microbiome. <i>Anaerobe</i> , 2021, 68, 102362.	2.1	0
10	Comparison of Microbial Populations in Saliva and Feces from Healthy and Celiac Adolescents with Conventional and Molecular Approaches after Cultivation on Gluten-Containing Media: An Exploratory Study. <i>Microorganisms</i> , 2021, 9, 2375.	3.6	0
11	<i>Clostridioides difficile</i> ribotype distribution in a large teaching hospital in Serbia. <i>Gut Pathogens</i> , 2020, 12, 26.	3.4	6
12	Ribotype Classification of <i>Clostridioides difficile</i> Isolates Is Not Predictive of the Amino Acid Sequence Diversity of the Toxin Virulence Factors TcdA and TcdB. <i>Frontiers in Microbiology</i> , 2020, 11, 1310.	3.5	15
13	Distinct Types of Gut Microbiota Dysbiosis in Hospitalized Gastroenterological Patients Are Disease Non-related and Characterized With the Predominance of Either Enterobacteriaceae or Enterococcus. <i>Frontiers in Microbiology</i> , 2020, 11, 120.	3.5	22
14	Isolation of <i>Clostridioides difficile</i> from different outdoor sites in the domestic environment. <i>Anaerobe</i> , 2020, 62, 102183.	2.1	7
15	Microbiota in vitro modulated with polyphenols shows decreased colonization resistance against <i>Clostridioides difficile</i> but can neutralize cytotoxicity. <i>Scientific Reports</i> , 2020, 10, 8358.	3.3	15
16	<i>Clostridioides difficile</i> in national food surveillance, Slovenia, 2015 to 2017. <i>Eurosurveillance</i> , 2020, 25, .	7.0	13
17	Latent brain infection with <i>Moraxella osloensis</i> as a possible cause of cerebral gliomatosis type 2: A case report. <i>World Journal of Clinical Oncology</i> , 2020, 11, 1064-1069.	2.3	2
18	Comparative genomics of <i>Clostridioides difficile</i> toxinotypes identifies module-based toxin gene evolution. <i>Microbial Genomics</i> , 2020, 6, .	2.0	8

#	ARTICLE	IF	CITATIONS
19	Highly Protein Repellent and Antiadhesive Polysaccharide Biomaterial Coating for Urinary Catheter Applications. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 5825-5832.	5.2	29
20	<i>Clostridium</i> ( <i>Clostridioides</i> ) <i>difficile</i> shedding by polar bears ( <i>Ursus maritimus</i> ) in the Canadian Arctic. <i>Anaerobe</i> , 2019, 57, 35-38.	2.1	8
21	<i>Clostridioides</i> ( <i>Clostridium</i> ) <i>difficile</i> – Interesting and difficult. <i>Anaerobe</i> , 2019, 60, 102124.	2.1	0
22	High <i>Clostridium difficile</i> contamination rates of domestic and imported potatoes compared to some other vegetables in Slovenia. <i>Food Microbiology</i> , 2019, 78, 194-200.	4.2	38
23	Molecular epidemiology of <i>Clostridioides</i> (previously <i>Clostridium</i> ) <i>difficile</i> isolates from a university hospital in Minas Gerais, Brazil. <i>Anaerobe</i> , 2019, 56, 34-39.	2.1	17
24	Dissemination of <i>Clostridium difficile</i> spores between environment and households: Dog paws and shoes. <i>Zoonoses and Public Health</i> , 2018, 65, 669-674.	2.2	37
25	Defining and Evaluating a Core Genome Multilocus Sequence Typing Scheme for Genome-Wide Typing of <i>Clostridium difficile</i> . <i>Journal of Clinical Microbiology</i> , 2018, 56, .	3.9	64
26	Non-human <i>C. difficile</i> Reservoirs and Sources: Animals, Food, Environment. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1050, 227-243.	1.6	66
27	The incidence of <i>Clostridioides difficile</i> and <i>Clostridium perfringens</i> netF -positive strains in diarrheic dogs. <i>Anaerobe</i> , 2018, 49, 58-62.	2.1	26
28	Different host factors are associated with patterns in bacterial and fungal gut microbiota in Slovenian healthy cohort. <i>PLoS ONE</i> , 2018, 13, e0209209.	2.5	35
29	Prevalence and Strain Characterization of <i>Clostridioides</i> ( <i>Clostridium</i> ) <i>difficile</i> in Representative Regions of Germany, Ghana, Tanzania and Indonesia – A Comparative Multi-Center Cross-Sectional Study. <i>Frontiers in Microbiology</i> , 2018, 9, 1843.	3.5	26
30	<i>Clostridium difficile</i> and <i>Clostridioides difficile</i> : Two validly published and correct names. <i>Anaerobe</i> , 2018, 52, 125-126.	2.1	55
31	Clinical epidemiology of <i>Clostridium difficile</i> infection among hospitalized patients with antibiotic-associated diarrhea in a university hospital of Brazil. <i>Anaerobe</i> , 2018, 54, 65-71.	2.1	22
32	Interactions Between <i>Clostridioides difficile</i> and Fecal Microbiota in in Vitro Batch Model: Growth, Sporulation, and Microbiota Changes. <i>Frontiers in Microbiology</i> , 2018, 9, 1633.	3.5	17
33	Evaluating the effect of <i>Clostridium difficile</i> conditioned medium on fecal microbiota community structure. <i>Scientific Reports</i> , 2017, 7, 16448.	3.3	9
34	Low overlap between carbapenem resistant <i>Pseudomonas aeruginosa</i> genotypes isolated from hospitalized patients and wastewater treatment plants. <i>PLoS ONE</i> , 2017, 12, e0186736.	2.5	16
35	Sporulation properties and antimicrobial susceptibility in endemic and rare <i>Clostridium difficile</i> PCR ribotypes. <i>Anaerobe</i> , 2016, 39, 183-188.	2.1	14
36	High prevalence of nontoxigenic <i>Clostridium difficile</i> isolated from hospitalized and non-hospitalized individuals in rural Ghana. <i>International Journal of Medical Microbiology</i> , 2016, 306, 652-656.	3.6	27

#	ARTICLE	IF	CITATIONS
37	Letter to Editor. <i>Anaerobe</i> , 2016, 42, 205.	2.1	1
38	Distribution of <i>Clostridium difficile</i> PCR ribotypes and high proportion of 027 and 176 in some hospitals in four South Eastern European countries. <i>Anaerobe</i> , 2016, 42, 142-144.	2.1	23
39	A MLST Clade 2 <i>Clostridium difficile</i> strain with a variant TcdB induces severe inflammatory and oxidative response associated with mucosal disruption. <i>Anaerobe</i> , 2016, 40, 76-84.	2.1	16
40	Identification of risk factors influencing <i>Clostridium difficile</i> prevalence in middle-size dairy farms. <i>Veterinary Research</i> , 2016, 47, 41.	3.0	30
41	Diversity of the microbiota involved in wine and organic apple cider submerged vinegar production as revealed by DHPLC analysis and next-generation sequencing. <i>International Journal of Food Microbiology</i> , 2016, 223, 57-62.	4.7	39
42	Introduction to the special issue on <i>Clostridium difficile</i> and the history of the International <i>Clostridium difficile</i> Symposium (ICDS). <i>Anaerobe</i> , 2016, 37, 1-2.	2.1	1
43	An Update on <i>Clostridium difficile</i> Toxinotyping. <i>Journal of Clinical Microbiology</i> , 2016, 54, 13-18.	3.9	96
44	Highly Divergent <i>Clostridium difficile</i> Strains Isolated from the Environment. <i>PLoS ONE</i> , 2016, 11, e0167101.	2.5	82
45	<i>Clostridium difficile</i> ribotypes in humans and animals in Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2015, 110, 1062-1065.	1.6	34
46	Genomic diversity of <i>Clostridium difficile</i> strains. <i>Research in Microbiology</i> , 2015, 166, 353-360.	2.1	49
47	Toward a True Bacteriotherapy for <i>Clostridium difficile</i> Infection. <i>New England Journal of Medicine</i> , 2015, 372, 1566-1568.	27.0	18
48	A New Type of Toxin A-Negative, Toxin B-Positive <i>Clostridium difficile</i> Strain Lacking a Complete <i>tcdA</i> Gene. <i>Journal of Clinical Microbiology</i> , 2015, 53, 692-695.	3.9	47
49	Recombination Drives Evolution of the <i>Clostridium difficile</i> 16S-23S rRNA Intergenic Spacer Region. <i>PLoS ONE</i> , 2014, 9, e106545.	2.5	11
50	International <i>Clostridium difficile</i> animal strain collection and large diversity of animal associated strains. <i>BMC Microbiology</i> , 2014, 14, 173.	3.3	105
51	<i>Clostridium difficile</i> binary toxin CDT. <i>Gut Microbes</i> , 2014, 5, 15-27.	9.8	360
52	<i>Clostridium difficile</i> infection and gut microbiota. <i>Seminars in Colon and Rectal Surgery</i> , 2014, 25, 124-127.	0.3	3
53	Underdiagnosis of <i>Clostridium difficile</i> across Europe: the European, multicentre, prospective, biannual, point-prevalence study of <i>Clostridium difficile</i> infection in hospitalised patients with diarrhoea (EUCLID). <i>Lancet Infectious Diseases</i> , The, 2014, 14, 1208-1219.	9.1	308
54	Carriage of <i>Clostridium difficile</i> in free-living South American coati ( <i>Nasua nasua</i> ) in Brazil. <i>Anaerobe</i> , 2014, 30, 99-101.	2.1	23

#	ARTICLE	IF	CITATIONS
55	<i>Clostridium difficile</i> in goats and sheep in Slovenia: Characterisation of strains and evidence of age-related shedding. <i>Anaerobe</i> , 2014, 28, 163-167.	2.1	12
56	<i>Clostridium difficile</i> and <i>Clostridium perfringens</i> from wild carnivore species in Brazil. <i>Anaerobe</i> , 2014, 28, 207-211.	2.1	28
57	Sequence Similarity of <i>Clostridium difficile</i> Strains by Analysis of Conserved Genes and Genome Content Is Reflected by Their Ribotype Affiliation. <i>PLoS ONE</i> , 2014, 9, e86535.	2.5	39
58	Antimicrobial susceptibility of animal and human isolates of <i>Clostridium difficile</i> by broth microdilution. <i>Journal of Medical Microbiology</i> , 2013, 62, 1478-1485.	1.8	54
59	Gut Microbiota Patterns Associated with Colonization of Different <i>Clostridium difficile</i> Ribotypes. <i>PLoS ONE</i> , 2013, 8, e58005.	2.5	63
60	<i>Clostridium difficile</i> genotypes other than ribotype 078 that are prevalent among human, animal and environmental isolates. <i>BMC Microbiology</i> , 2012, 12, 48.	3.3	89
61	Prevalence and distribution of <i>Clostridium difficile</i> PCR ribotypes in cats and dogs from animal shelters in Thuringia, Germany. <i>Anaerobe</i> , 2012, 18, 484-488.	2.1	55
62	New types of toxin A-negative, toxin B-positive strains among clinical isolates of <i>Clostridium difficile</i> in Australia. <i>Journal of Medical Microbiology</i> , 2011, 60, 1108-1111.	1.8	54
63	<i>Clostridium difficile</i> infection in Europe: a hospital-based survey. <i>Lancet, The</i> , 2011, 377, 63-73.	13.7	924
64	Isolation and characterization of <i>Clostridium difficile</i> from shellfish and marine environments. <i>Folia Microbiologica</i> , 2011, 56, 431-437.	2.3	46
65	Fourteen-Genome Comparison Identifies DNA Markers for Severe-Disease-Associated Strains of <i>Clostridium difficile</i> . <i>Journal of Clinical Microbiology</i> , 2011, 49, 2230-2238.	3.9	43
66	<i>Clostridium difficile</i> toxinotype XI (A-B-) exhibits unique arrangement of PaLoc and its upstream region. <i>Anaerobe</i> , 2010, 16, 393-395.	2.1	12
67	The occurrence and high diversity of <i>Clostridium difficile</i> genotypes in rivers. <i>Anaerobe</i> , 2010, 16, 371-375.	2.1	61
68	<i>Clostridium difficile</i> . <i>Advances in Food and Nutrition Research</i> , 2010, 60, 53-66.	3.0	58
69	Molecular Typing Methods for <i>Clostridium difficile</i> : Pulsed-Field Gel Electrophoresis and PCR Ribotyping. <i>Methods in Molecular Biology</i> , 2010, 646, 55-65.	0.9	56
70	<i>Clostridium difficile</i> Toxinotyping. <i>Methods in Molecular Biology</i> , 2010, 646, 67-76.	0.9	45
71	Diversity of <i>Clostridium difficile</i> in pigs and other animals in Slovenia. <i>Anaerobe</i> , 2009, 15, 252-255.	2.1	88
72	<i>Clostridium difficile</i> infection: new developments in epidemiology and pathogenesis. <i>Nature Reviews Microbiology</i> , 2009, 7, 526-536.	28.6	1,249

#	ARTICLE	IF	CITATIONS
73	Heterogeneity of large clostridial toxins: importance of <i>Clostridium difficile</i> toxinotypes. FEMS Microbiology Reviews, 2008, 32, 541-555.	8.6	142
74	High diversity of <i>Clostridium difficile</i> genotypes isolated from a single poultry farm producing replacement laying hens. Anaerobe, 2008, 14, 325-327.	2.1	79
75	Isolation of <i>Clostridium difficile</i> from food animals in Slovenia. Journal of Medical Microbiology, 2008, 57, 790-792.	1.8	81
76	<i>Clostridium difficile</i> Toxinotype V, Ribotype 078, in Animals and Humans. Journal of Clinical Microbiology, 2008, 46, 2146-2146.	3.9	89
77	Variant forms of the binary toxin CDT locus and tcdC gene in <i>Clostridium difficile</i> strains. Journal of Medical Microbiology, 2007, 56, 329-335.	1.8	42
78	Characterization of polymorphisms in the toxin A and B genes of <i>Clostridium difficile</i> . FEMS Microbiology Letters, 2006, 148, 197-202.	1.8	90
79	Revised nomenclature of <i>Clostridium difficile</i> toxins and associated genes. Journal of Medical Microbiology, 2005, 54, 113-117.	1.8	88
80	Detection of binary-toxin genes (cdtA and cdtB) among <i>Clostridium difficile</i> strains isolated from patients with <i>C. difficile</i> -associated diarrhoea (CDAD) in Poland. Journal of Medical Microbiology, 2005, 54, 143-147.	1.8	27
81	Distribution of <i>Clostridium difficile</i> variant toxinotypes and strains with binary toxin genes among clinical isolates in an American hospital. Journal of Medical Microbiology, 2004, 53, 887-894.	1.8	144
82	New Types of Toxin A-Negative, Toxin B-Positive Strains among <i>Clostridium difficile</i> Isolates from Asia. Journal of Clinical Microbiology, 2003, 41, 1118-1125.	3.9	120
83	Isopod gut microflora parameters as endpoints in toxicity studies. Environmental Toxicology and Chemistry, 2002, 21, 604-609.	4.3	21
84	A chimeric ribozyme in <i>Clostridium difficile</i> combines features of group I introns and insertion elements. Molecular Microbiology, 2002, 36, 1447-1459.	2.5	43
85	Comparison of toxinotyping and PCR ribotyping of <i>Clostridium difficile</i> strains and description of novel toxinotypes. Microbiology (United Kingdom), 2001, 147, 439-447.	1.8	113
86	Production of actin-specific ADP-ribosyltransferase (binary toxin) by strains of <i>Clostridium difficile</i> . FEMS Microbiology Letters, 2000, 186, 307-312.	1.8	415
87	Genomic Relatedness of <i>Clostridium difficile</i> strains from different toxinotypes and serogroups. Anaerobe, 2000, 6, 261-267.	2.1	12
88	Production of actin-specific ADP-ribosyltransferase (binary toxin) by strains of <i>Clostridium difficile</i> . FEMS Microbiology Letters, 2000, 186, 307-312.	1.8	9
89	A Novel Toxinotyping Scheme and Correlation of Toxinotypes with Serogroups of <i>Clostridium difficile</i> Isolates. Journal of Clinical Microbiology, 1998, 36, 2240-2247.	3.9	305