

James I Koenig

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8105458/james-i-koenig-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

84
papers

4,565
citations

37
h-index

66
g-index

90
ext. papers

4,986
ext. citations

4.7
avg, IF

5.24
L-index

#	Paper	IF	Citations
84	The Stroke Preclinical Assessment Network: Rationale, Design, Feasibility, and Stage 1 Results.. <i>Stroke</i> , 2022 , 101161STROKEAHA121038047	6.7	2
83	Organizational Update: The NINDS-Sponsored Stroke Preclinical Assessment Network Is Moving to Its Next Stage. <i>Stroke</i> , 2021 , 52, e842-e843	6.7	0
82	Top Priorities for Cerebroprotective Studies-A Paradigm Shift: Report From STAIR XI. <i>Stroke</i> , 2021 , 52, 3063-3071	6.7	18
81	Baseline Characteristics of Patients With Cavernous Angiomas With Symptomatic Hemorrhage in Multisite Trial Readiness Project. <i>Stroke</i> , 2021 , 52, 3829-3838	6.7	1
80	Vascular contributions to cognitive impairment and dementia (VCID): A report from the 2018 National Heart, Lung, and Blood Institute and National Institute of Neurological Disorders and Stroke Workshop. <i>Alzheimers and Dementia</i> , 2020 , 16, 1714-1733	1.2	36
79	Phantom validation of quantitative susceptibility and dynamic contrast-enhanced permeability MR sequences across instruments and sites. <i>Journal of Magnetic Resonance Imaging</i> , 2020 , 51, 1192-1199	5.6	4
78	Endogenous oxytocin levels are associated with impaired social cognition and neurocognition in schizophrenia. <i>Journal of Psychiatric Research</i> , 2019 , 112, 38-43	5.2	21
77	Atorvastatin Treatment of Cavernous Angiomas with Symptomatic Hemorrhage Exploratory Proof of Concept (AT CASH EPOC) Trial. <i>Neurosurgery</i> , 2019 , 85, 843-853	3.2	30
76	A common data language for clinical research studies: the National Institute of Neurological Disorders and Stroke and American Academy for Cerebral Palsy and Developmental Medicine Cerebral Palsy Common Data Elements Version 1.0 recommendations. <i>Developmental Medicine and Child Neurology</i> , 2018 , 60, 976-986	3.3	30
75	Translational Stroke Research: Vision and Opportunities. <i>Stroke</i> , 2017 , 48, 2632-2637	6.7	62
74	"Small Blood Vessels: Big Health Problems?": Scientific Recommendations of the National Institutes of Health Workshop. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	53
73	The Science of Vascular Contributions to Cognitive Impairment and Dementia (VCID): A Framework for Advancing Research Priorities in the Cerebrovascular Biology of Cognitive Decline. <i>Cellular and Molecular Neurobiology</i> , 2016 , 36, 281-8	4.6	109
72	Understanding the Cellular and Molecular Mechanisms of Physical Activity-Induced Health Benefits. <i>Cell Metabolism</i> , 2015 , 22, 4-11	24.6	238
71	Plasma oxytocin levels predict social cue recognition in individuals with schizophrenia. <i>Schizophrenia Research</i> , 2015 , 162, 47-51	3.6	34
70	Plasma oxytocin levels predict olfactory identification and negative symptoms in individuals with schizophrenia. <i>Schizophrenia Research</i> , 2015 , 162, 57-61	3.6	34
69	Endogenous oxytocin levels are associated with the perception of emotion in dynamic body expressions in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 162, 52-6	3.6	32
68	Social interaction and social withdrawal in rodents as readouts for investigating the negative symptoms of schizophrenia. <i>European Neuropsychopharmacology</i> , 2014 , 24, 759-73	1.2	78

67	Prenatal drug exposure moderates the association between stress reactivity and cognitive function in adolescence. <i>Developmental Neuroscience</i> , 2014 , 36, 329-37	2.2	4
66	Periadolescent maturation of the prefrontal cortex is sex-specific and is disrupted by prenatal stress. <i>Journal of Comparative Neurology</i> , 2013 , 521, 1828-43	3.4	61
65	The involvement of Type II Neuregulin-1 in rat visuospatial learning and memory. <i>Neuroscience Letters</i> , 2012 , 531, 131-5	3.3	6
64	Sex-specific neuroendocrine and behavioral phenotypes in hypomorphic Type II Neuregulin 1 rats. <i>Behavioural Brain Research</i> , 2011 , 224, 223-32	3.4	20
63	Strain dependent effects of prenatal stress on gene expression in the rat hippocampus. <i>Physiology and Behavior</i> , 2011 , 104, 334-9	3.5	39
62	Prenatal stress: role in psychotic and depressive diseases. <i>Psychopharmacology</i> , 2011 , 214, 89-106	4.7	193
61	Effects of stress across the lifespan. <i>Stress</i> , 2011 , 14, 475-80	3	31
60	Characterization of the cognitive impairments induced by prenatal exposure to stress in the rat. <i>Frontiers in Behavioral Neuroscience</i> , 2010 , 4, 173	3.5	83
59	Corticotropin-releasing factor, serotonin, and sex: keys to the castle of depressive illness. <i>Endocrinology</i> , 2009 , 150, 3440-2	4.8	
58	Prenatal stress or high-fat diet increases susceptibility to diet-induced obesity in rat offspring. <i>Diabetes</i> , 2009 , 58, 1116-25	0.9	232
57	The evolution of drug development in schizophrenia: past issues and future opportunities. <i>Neuropsychopharmacology</i> , 2008 , 33, 2061-79	8.7	157
56	Prenatal stress generates deficits in rat social behavior: Reversal by oxytocin. <i>Brain Research</i> , 2007 , 1156, 152-67	3.7	210
55	Corticotropin-releasing hormone heterogeneous nuclear RNA (hnRNA) and immunoreactivity are induced in extrahypothalamic brain sites by kainic-acid-induced seizures and are modulated by estrogen. <i>Brain Research</i> , 2007 , 1164, 44-54	3.7	12
54	Evidence for the involvement of ERbeta and RGS9-2 in 17-beta estradiol enhancement of amphetamine-induced place preference behavior. <i>Hormones and Behavior</i> , 2007 , 52, 146-55	3.7	46
53	Schizophrenia: a unique translational opportunity in behavioral neuroendocrinology. <i>Hormones and Behavior</i> , 2006 , 50, 602-11	3.7	22
52	Prenatal exposure to a repeated variable stress paradigm elicits behavioral and neuroendocrinological changes in the adult offspring: potential relevance to schizophrenia. <i>Behavioural Brain Research</i> , 2005 , 156, 251-61	3.4	255
51	Social interaction deficits caused by chronic phencyclidine administration are reversed by oxytocin. <i>Neuropsychopharmacology</i> , 2005 , 30, 1883-94	8.7	165
50	At issue: A model for academic/industry collaboration. <i>Schizophrenia Bulletin</i> , 2004 , 30, 997-1004	1.3	6

49	Centrally administered oxytocin elicits exaggerated grooming in oxytocin null mice. <i>Pharmacology Biochemistry and Behavior</i> , 2004 , 78, 333-9	3.9	38
48	Regional distribution of SK3 mRNA-containing neurons in the adult and adolescent rat ventral midbrain and their relationship to dopamine-containing cells. <i>Synapse</i> , 2004 , 53, 104-13	2.4	42
47	Estrogen modulates RGS9 expression in the nucleus accumbens. <i>NeuroReport</i> , 2004 , 15, 2433-6	1.7	13
46	Repeated variable prenatal stress alters pre- and postsynaptic gene expression in the rat frontal pole. <i>Journal of Neurochemistry</i> , 2003 , 86, 736-48	6	136
45	Corticosterone alters N-methyl-D-aspartate receptor subunit mRNA expression before puberty. <i>Molecular Brain Research</i> , 2003 , 115, 55-62		71
44	Glucocorticoid hormones and early brain development in schizophrenia. <i>Neuropsychopharmacology</i> , 2002 , 27, 309-18	8.7	161
43	PreproTRH(178-199) and two novel peptides (pFQ7 and pSE14) derived from its processing, which are produced in the paraventricular nucleus of the rat hypothalamus, are regulated during suckling. <i>Endocrinology</i> , 2001 , 142, 896-906	4.8	36
42	Stimulation of anterior pituitary galanin and prolactin gene expression in suckling rats. <i>Endocrine</i> , 1999 , 11, 251-6		9
41	The 1998 Neuroendocrine Workshop on Stress: a Report on the American Neuroendocrine Society Annual Workshop. <i>Trends in Endocrinology and Metabolism</i> , 1999 , 10, 5-8	8.8	
40	The 1999 Neuroendocrine Workshop on Food Intake, Energy Metabolism and Obesity, San Diego, CA, USA, 9-11 June 1999. <i>Trends in Endocrinology and Metabolism</i> , 1999 , 10, 420-2	8.8	0
39	Regulation of leptin expression and secretion by corticosteroids and insulin. Implications for body weight. <i>Endocrine</i> , 1998 , 8, 85-92		21
38	Effects of anterolateral and posterolateral cuts around the medial hypothalamus on the immunoreactive ACTH and beta-endorphin levels in selected brain regions of the rat. <i>Brain Research Bulletin</i> , 1997 , 42, 353-7	3.9	9
37	Age-dependent muscarinic stimulation of beta-endorphin secretion from rat neurointermediate lobe in vitro. <i>Brain Research Bulletin</i> , 1997 , 44, 719-25	3.9	2
36	Effect of interleukin-1 beta on plasma ACTH, beta-endorphin, and corticosterone levels in infant and prepubertal rats. <i>Pediatric Research</i> , 1995 , 37, 714-9	3.2	6
35	Adrenocorticotropin, prolactin and beta-endorphin stimulatory actions of alpha-2-adrenoceptor antagonists. <i>Neuroendocrinology</i> , 1995 , 61, 152-8	5.6	12
34	Diurnal rhythm of galanin-like immunoreactivity in the paraventricular and suprachiasmatic nuclei and other hypothalamic areas. <i>Peptides</i> , 1994 , 15, 1437-44	3.8	26
33	Adrenalectomy alters discrete galanin mRNA levels in the hypothalamus and mesencephalon of the rat. <i>Neuroscience Letters</i> , 1994 , 170, 77-82	3.3	21
32	Effects of Hypnorm (fentanyl) on ACTH/beta-endorphin levels in plasma, pituitary and brain of 10-day old rats. <i>Life Sciences</i> , 1993 , 52, 1417-24	6.8	6

31	Estrogen stimulation of galanin gene expression and galanin-like immunoreactivity in the rat and its blockade by the estrogen antagonist keoxifene (LY156758). <i>Regulatory Peptides</i> , 1993 , 45, 407-19		22
30	Neuropeptide Y Actions on Reproductive and Endocrine Functions 1993 , 419-456		11
29	Effects of mediobasal hypothalamic lesion on immunoreactive ACTH/beta-endorphin levels in cerebrospinal fluid, in discrete brain regions, in plasma, and in pituitary of the rat. <i>Brain Research</i> , 1992 , 593, 69-76	3.7	33
28	Neonatal treatment with monosodium glutamate: effects of prolonged growth hormone (GH)-releasing hormone deficiency on pulsatile GH secretion and growth in female rats. <i>Endocrinology</i> , 1991 , 128, 1100-6	4.8	61
27	Sexually dimorphic expression of the growth hormone-releasing hormone gene is not mediated by circulating gonadal hormones in the adult rat. <i>Endocrinology</i> , 1991 , 128, 1709-16	4.8	45
26	Sexual differentiation of growth hormone feedback effects on hypothalamic growth hormone-releasing hormone and somatostatin. <i>Neuroendocrinology</i> , 1990 , 51, 174-80	5.6	44
25	Galanin-like immunoreactivity is influenced by estrogen in peripubertal and adult rats. <i>Neuroendocrinology</i> , 1990 , 51, 168-73	5.6	71
24	Influence of thyroid hormone on the concentration of galanin in the rat brain and pituitary. <i>Neuroendocrinology</i> , 1990 , 51, 351-6	5.6	38
23	Abnormal cortisol secretion and responses to corticotropin-releasing hormone in women with hypothalamic amenorrhea. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1990 , 70, 311-7	5.6	150
22	Galanin is a physiological regulator of spontaneous pulsatile secretion of growth hormone in the male rat. <i>Endocrinology</i> , 1990 , 126, 1216-22	4.8	86
21	Galaninergic mechanisms are involved in the regulation of corticotropin and thyrotropin secretion in the rat. <i>Endocrinology</i> , 1990 , 127, 2281-9	4.8	95
20	Regulation of the hypothalamo-pituitary axis by neuropeptide Y. <i>Annals of the New York Academy of Sciences</i> , 1990 , 611, 317-28	6.5	20
19	Pituitary gland: neuropeptides, neurotransmitters and growth factors. <i>Toxicologic Pathology</i> , 1989 , 17, 256-65	2.1	19
18	Sexual and developmental differences in peptides regulating growth hormone secretion in the rat. <i>Neuroendocrinology</i> , 1989 , 50, 299-307	5.6	43
17	Sex differences in vasoactive intestinal peptide (VIP) concentrations in the anterior pituitary and hypothalamus of rats. <i>Neuroscience Letters</i> , 1989 , 105, 215-20	3.3	10
16	Tissue-specific sex differences in galanin-like immunoreactivity and galanin mRNA during development in the rat. <i>Peptides</i> , 1989 , 10, 369-74	3.8	71
15	Neuropeptide Y (NPY) and vasopressin (AVP) in the hypothalamo-neurohypophysial axis of salt-loaded or Brattleboro rats. <i>Brain Research</i> , 1989 , 486, 214-20	3.7	33
14	Potential involvement of galanin in the regulation of fluid homeostasis in the rat. <i>Regulatory Peptides</i> , 1989 , 24, 81-6		33

13	Melperone and clozapine: neuroendocrine effects of atypical neuroleptic drugs. <i>Acta Psychiatrica Scandinavica</i> , 1989 , 352, 24-9	6.5	27
12	Characterization of galanin-like immunoreactivity in the rat brain: effects of neonatal glutamate treatment. <i>Neuroscience Letters</i> , 1988 , 87, 114-21	3.3	39
11	High concentrations of neuropeptide Y in pituitary portal blood of rats. <i>Neuroendocrinology</i> , 1987 , 46, 538-41	5.6	71
10	Stimulation of corticosterone and beta-endorphin secretion in the rat by selective 5-HT receptor subtype activation. <i>European Journal of Pharmacology</i> , 1987 , 137, 1-8	5.3	170
9	Suppression of the hypo- and hyperthermic responses to 5-HT agonists following the repeated administration of monoamine oxidase inhibitors. <i>Psychopharmacology</i> , 1986 , 90, 403-7	4.7	15
8	Differential effect of subchronic treatment with various neuroleptic agents on serotonin ₂ receptors in rat cerebral cortex. <i>Journal of Neurochemistry</i> , 1986 , 46, 191-7	6	75
7	Opioid kappa receptors and the secretion of prolactin (PRL) and growth hormone (GH) in the rat. I. Effects of opioid kappa receptor agonists bremazocine and U-50,488 on secretion of PRL and GH: comparison with morphine. <i>Neuroendocrinology</i> , 1986 , 42, 75-81	5.6	64
6	Morphine or capsaicin administration alters the secretion of beta-endorphin into the hypophysial portal vasculature of the rat. <i>Neuroendocrinology</i> , 1986 , 43, 611-7	5.6	26
5	Opioid kappa receptors and the secretion of prolactin (PRL) and growth hormone (GH) in the rat. II. GH and PRL release-inhibiting effects of the opioid kappa receptor agonists bremazocine and U-50,488. <i>Neuroendocrinology</i> , 1986 , 42, 82-7	5.6	32
4	Altered responses to serotonergic agents in Fawn-Hooded rats. <i>Pharmacology Biochemistry and Behavior</i> , 1985 , 22, 489-92	3.9	49
3	Possible delta receptor mediation of the effect of beta-endorphin on luteinizing hormone (LH) release, but not on prolactin (PRL) release, in the ovariectomized rat. <i>Endocrinology</i> , 1985 , 116, 475-7	4.8	32
2	The morphology and distribution of peptide-containing neurons in the adult and developing visual cortex of the rat. I. Somatostatin. <i>Journal of Neurocytology</i> , 1982 , 11, 809-24		119
1	PreproTRH ₁₇₈₋₁₉₉ and Two Novel Peptides (pFQ7 and pSE14) Derived from Its Processing, Which Are Produced in the Paraventricular Nucleus of the Rat Hypothalamus, Are Regulated during Suckling*This work was supported by the National Science Foundation (Grant No. IBN-9507952 to E.A.N.).		14