Frans J Walther

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8105681/frans-j-walther-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

255
papers

7,755
citations

47
h-index

67
g-index

278
ext. papers

8,644
ext. citations

3.3
avg, IF

L-index

#	Paper	IF	Citations
255	Efficacy, dose-response, and aerosol delivery of dry powder synthetic lung surfactant treatment in surfactant-deficient rabbits and premature lambs <i>Respiratory Research</i> , 2022 , 23, 78	7.3	O
254	Structural and functional stability of the sulfur-free surfactant protein B peptide mimic B-YL in synthetic surfactant lipids. <i>BMC Pulmonary Medicine</i> , 2021 , 21, 330	3.5	1
253	Synthetic Lung Surfactant Treatment for COVID-19 Pneumonia. <i>Coronaviruses</i> , 2021 , 2, 8-10	1.5	1
252	Close Association Between Platelet Biogenesis and Alveolarization of the Developing Lung. <i>Frontiers in Pediatrics</i> , 2021 , 9, 625031	3.4	2
251	Aerosol, chemical and physical properties of dry powder synthetic lung surfactant for noninvasive treatment of neonatal respiratory distress syndrome. <i>Scientific Reports</i> , 2021 , 11, 16439	4.9	2
250	Neonatal ibuprofen exposure and bronchopulmonary dysplasia in extremely premature infants. <i>Journal of Perinatology</i> , 2020 , 40, 124-129	3.1	4
249	Neonatal hematological parameters and the risk of moderate-severe bronchopulmonary dysplasia in extremely premature infants. <i>BMC Pediatrics</i> , 2019 , 19, 138	2.6	8
248	Aerosol delivery of dry powder synthetic lung surfactant to surfactant-deficient rabbits and preterm lambs on non-invasive respiratory support. <i>Gates Open Research</i> , 2019 , 3, 6	2.4	1
247	Aerosol delivery of dry powder synthetic lung surfactant to surfactant-deficient rabbits and preterm lambs on non-invasive respiratory support. <i>Gates Open Research</i> , 2019 , 3, 6	2.4	11
246	A Combination of the Aerosolized PPAR-Agonist Pioglitazone and a Synthetic Surfactant Protein B Peptide Mimic Prevents Hyperoxia-Induced Neonatal Lung Injury in Rats. <i>Neonatology</i> , 2018 , 113, 296	5- 3 04	9
245	Effect of a smaller target range on the compliance in targeting and distribution of oxygen saturation in preterm infants. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2018 , 103, F430-F435	4.7	5
244	A sulfur-free peptide mimic of surfactant protein B (B-YL) exhibits high in vitro and in vivo surface activities. <i>Gates Open Research</i> , 2018 , 2, 13	2.4	5
243	Epidemiology of Sepsis-like Illness in Young Infants: Major Role of Enterovirus and Human Parechovirus. <i>Pediatric Infectious Disease Journal</i> , 2018 , 37, 113-118	3.4	27
242	Cerebral imaging and neurodevelopmental outcome after entero- and human parechovirus sepsis in young infants. <i>European Journal of Pediatrics</i> , 2017 , 176, 1595-1602	4.1	11
241	Adult Lysophosphatidic Acid Receptor 1-Deficient Rats with Hyperoxia-Induced Neonatal Chronic Lung Disease Are Protected against Lipopolysaccharide-Induced Acute Lung Injury. <i>Frontiers in Physiology</i> , 2017 , 8, 155	4.6	13
240	Bone Morphogenetic Protein 9 Protects against Neonatal Hyperoxia-Induced Impairment of Alveolarization and Pulmonary Inflammation. <i>Frontiers in Physiology</i> , 2017 , 8, 486	4.6	22
239	Design of Surfactant Protein B Peptide Mimics Based on the Saposin Fold for Synthetic Lung Surfactants. <i>Biomedicine Hub</i> , 2016 , 1,	1.3	18

238	The perfusion index of healthy term infants during transition at birth. <i>European Journal of Pediatrics</i> , 2016 , 175, 475-9	4.1	17
237	Activity and biophysical inhibition resistance of a novel synthetic lung surfactant containing Super-Mini-B DATK peptide. <i>PeerJ</i> , 2016 , 4, e1528	3.1	8
236	Synthetic lung surfactants containing SP-B and SP-C peptides plus novel phospholipase-resistant lipids or glycerophospholipids. <i>PeerJ</i> , 2016 , 4, e2635	3.1	6
235	Deficiency or inhibition of lysophosphatidic acid receptor 1 protects against hyperoxia-induced lung injury in neonatal rats. <i>Acta Physiologica</i> , 2016 , 216, 358-75	5.6	13
234	Stability of an amphipathic helix-hairpin surfactant peptide in liposomes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 3113-3119	3.8	9
233	Synthetic lung surfactant reduces alveolar-capillary protein leakage in surfactant-deficient rabbits. <i>Experimental Lung Research</i> , 2015 , 41, 293-9	2.3	3
232	Bacillus cereus cerebral abscesses in a term neonate with Rhesus hemolytic disease treated with exchange transfusion. <i>Journal of Pediatric Infectious Diseases</i> , 2015 , 05, 277-280	0.4	6
231	Reproductive outcomes of women and men born very preterm and/or with a very low birth weight in 1983: a longitudinal cohort study in the Netherlands. <i>European Journal of Pediatrics</i> , 2015 , 174, 819-2	.5 ^{4.1}	3
230	Metformin attenuates hyperoxia-induced lung injury in neonatal rats by reducing the inflammatory response. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015 , 309, L262-70	5.8	28
229	Health-Related Quality of Life and Behavioral Functioning after Intrauterine Transfusion for Alloimmune Anemia. <i>Journal of Pediatrics</i> , 2015 , 167, 1130-5.e2	3.6	2
228	The influence of crying on the ductus arteriosus shunt and left ventricular output at birth. <i>Neonatology</i> , 2015 , 107, 108-12	4	10
227	Mask versus Nasal Tube for Stabilization of Preterm Infants at Birth: Respiratory Function Measurements. <i>Journal of Pediatrics</i> , 2015 , 167, 81-5.e1	3.6	20
226	Posterior fossa abnormalities in high-risk term infants: comparison of ultrasound and MRI. <i>European Radiology</i> , 2015 , 25, 2575-83	8	18
225	Profiling the preterm or VLBW born adolescent; implications of the Dutch POPS cohort follow-up studies. <i>Early Human Development</i> , 2015 , 91, 97-102	2.2	21
224	Neonatal outcome in alloimmune thrombocytopenia after maternal treatment with intravenous immunoglobulin. <i>Blood Transfusion</i> , 2015 , 13, 66-71	3.6	11
223	Auditing documentation on delivery room management using video and physiological recordings. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2014 , 99, F485-90	4.7	29
222	Acute peripartum twin-twin transfusion syndrome: incidence, risk factors, placental characteristics and neonatal outcome. <i>Journal of Obstetrics and Gynaecology Research</i> , 2014 , 40, 18-24	1.9	26
221	Improvement in neurodevelopmental outcome in survivors of twin-twin transfusion syndrome treated with laser surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 210, 540.e1-7	6.4	32

220	Noninvasive measurements of hemodynamic transition directly after birth. <i>Pediatric Research</i> , 2014 , 75, 448-52	3.2	43
219	Angiotensin II type 2 receptor ligand PD123319 attenuates hyperoxia-induced lung and heart injury at a low dose in newborn rats. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2014 , 307, L261-72	5.8	27
218	The effect of early catch-up growth on health and well-being in young adults. <i>Annals of Nutrition and Metabolism</i> , 2014 , 65, 220-6	4.5	12
217	Measuring physiological changes during the transition to life after birth. <i>Neonatology</i> , 2014 , 105, 230-	42 ₄	72
216	Necrotizing enterocolitis in small-for-gestational-age neonates: a matched case-control study. <i>Neonatology</i> , 2014 , 105, 74-8	4	29
215	Feasibility of pulse oximetry for assessment of infants born in community based midwifery care. <i>Midwifery</i> , 2014 , 30, 539-43	2.8	4
214	Synthetic surfactant containing SP-B and SP-C mimics is superior to single-peptide formulations in rabbits with chemical acute lung injury. <i>PeerJ</i> , 2014 , 2, e393	3.1	21
213	Aerosol delivery of synthetic lung surfactant. <i>PeerJ</i> , 2014 , 2, e403	3.1	32
212	Surfactant protein C peptides with salt-bridges ("ion-locks") promote high surfactant activities by mimicking the Ehelix and membrane topography of the native protein. <i>PeerJ</i> , 2014 , 2, e485	3.1	12
211	Iron status in infants with alloimmune haemolytic disease in the first three months of life. <i>Vox Sanguinis</i> , 2013 , 105, 328-33	3.1	11
210	Revised formula to determine the insertion length of umbilical vein catheters. <i>European Journal of Pediatrics</i> , 2013 , 172, 1011-5	4.1	24
209	Small cerebellar hemorrhage in preterm infants: perinatal and postnatal factors and outcome. <i>Cerebellum</i> , 2013 , 12, 794-801	4.3	62
208	Prevalence, size, number and localization of vascular anastomoses in monochorionic placentas. <i>Placenta</i> , 2013 , 34, 589-93	3.4	70
207	Postnatal outcome in neonates with severe Rhesus c compared to rhesus D hemolytic disease. <i>Transfusion</i> , 2013 , 53, 1580-5	2.9	8
206	Ambrisentan reduces pulmonary arterial hypertension but does not stimulate alveolar and vascular development in neonatal rats with hyperoxic lung injury. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2013 , 304, L264-75	5.8	17
205	Acute hemorrhage in monochorionic twins with ruptured velamentous vessels: anemic twin resuscitated by its co-twin through placental vascular anastomoses?. <i>Fetal Diagnosis and Therapy</i> , 2013 , 34, 56-8	2.4	5
204	Evaluating manual inflations and breathing during mask ventilation in preterm infants at birth. <i>Journal of Pediatrics</i> , 2013 , 162, 457-63	3.6	65
203	Placental characteristics in monochorionic twins with spontaneous versus post-laser twin anemia-polycythemia sequence. <i>Placenta</i> , 2013 , 34, 456-9	3.4	36

(2012-2013)

202	Outcomes of gastric residuals whilst feeding preterm infants in various body positions. <i>Journal of Neonatal Nursing</i> , 2013 , 19, 337-341	1	15	
201	How to use neonatal TORCH testing. <i>Archives of Disease in Childhood: Education and Practice Edition</i> , 2013 , 98, 93-8	0.5	30	
200	Agonists of MAS oncogene and angiotensin II type 2 receptors attenuate cardiopulmonary disease in rats with neonatal hyperoxia-induced lung injury. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2013 , 305, L341-51	5.8	68	
199	Influence of the hand squeeze and mask distensibility on tidal volume measurements during neonatal mask ventilation. <i>Neonatology</i> , 2013 , 104, 216-21	4	3	
198	Hypoalbuminemia in donors with twin-twin transfusion syndrome. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 98-102	2.4	9	
197	Neonatal morbidity after exchange transfusion for red cell alloimmune hemolytic disease. <i>Neonatology</i> , 2013 , 103, 141-7	4	18	
196	Hypoalbuminemia in donors with twin anemia-polycythemia sequence: a matched case-control study. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 241-5	2.4	13	
195	Cerebral injury and neurodevelopmental impairment after amnioreduction versus laser surgery in twin-twin transfusion syndrome: a systematic review and meta-analysis. <i>Fetal Diagnosis and Therapy</i> , 2013 , 33, 81-9	2.4	43	
194	Outcome and management in neonatal thrombocytopenia due to maternal idiopathic thrombocytopenic purpura. <i>Vox Sanguinis</i> , 2013 , 105, 236-43	3.1	31	
193	Mask versus nasal tube for stabilization of preterm infants at birth: a randomized controlled trial. <i>Pediatrics</i> , 2013 , 132, e381-8	7.4	38	
192	The administration of 100% oxygen and respiratory drive in very preterm infants at birth. <i>PLoS ONE</i> , 2013 , 8, e76898	3.7	7	
191	Do we deliver the pressures we intend to when using a T-piece resuscitator?. <i>PLoS ONE</i> , 2013 , 8, e6470	63.7	6	
190	Role of the N-terminal seven residues of surfactant protein B (SP-B). PLoS ONE, 2013, 8, e72821	3.7	8	
189	Ultrasound detection of posterior fossa abnormalities in full-term neonates. <i>Early Human Development</i> , 2012 , 88, 233-9	2.2	20	
188	Fetal, neonatal and developmental outcomes of lithium-exposed pregnancies. <i>Early Human Development</i> , 2012 , 88, 375-8	2.2	55	
187	Effects of naloxone on the breathing pattern of a newborn exposed to maternal opiates. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012 , 101, e309-12	3.1	4	
186	Arterio-arterial vascular anastomoses in monochorionic twin placentas with and without twin anemia-polycythemia sequence. <i>Placenta</i> , 2012 , 33, 227-9	3.4	22	
185	Thrombocytopenia at birth in neonates with red cell alloimmune haemolytic disease. <i>Vox Sanguinis</i> , 2012 , 102, 228-33	3.1	3	

184	Repeated courses of ibuprofen are effective in closure of a patent ductus arteriosus. <i>European Journal of Pediatrics</i> , 2012 , 171, 1673-7	4.1	17
183	Auditing resuscitation of preterm infants at birth by recording video and physiological parameters. <i>Resuscitation</i> , 2012 , 83, 1135-9	4	69
182	Brain ultrasound findings in neonates treated with intrauterine transfusion for fetal anaemia. <i>Early Human Development</i> , 2012 , 88, 717-24	2.2	9
181	Thrombocytopaenia and intraventricular haemorrhage in very premature infants: a tale of two cities. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2012 , 97, F348-52	4.7	35
180	Arterio-arterial vascular anastomoses in monochorionic placentas with and without twin-twin transfusion syndrome. <i>Placenta</i> , 2012 , 33, 652-4	3.4	34
179	Is lung surfactant ready © o protect and to serve Q n necrotizing enterocolitis? Commentary on F.E. Canpolat et al.: Effects of enterally administered surfactant in a rat model of necrotizing enterocolitis (Neonatology 2012;102:53-58). <i>Neonatology</i> , 2012 , 102, 59-60	4	1
178	Changes in respiratory support of preterm infants in the last decade: are we improving?. <i>Neonatology</i> , 2012 , 101, 247-53	4	14
177	Mortality, neonatal morbidity and two year follow-up of extremely preterm infants born in The Netherlands in 2007. <i>PLoS ONE</i> , 2012 , 7, e41302	3.7	41
176	Long-term neurodevelopmental outcome after intrauterine transfusion for hemolytic disease of the fetus/newborn: the LOTUS study. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 141.e ⁻²	1-8 ^{6.4}	91
175	Intrauterine transfusion for parvovirus B19 infection: long-term neurodevelopmental outcome. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 204.e1-5	6.4	43
174	Cholestasis in neonates with red cell alloimmune hemolytic disease: incidence, risk factors and outcome. <i>Neonatology</i> , 2012 , 101, 306-10	4	29
173	Oral ibuprofen for patent ductus arteriosus: effective and safe or just cheap? Commentary on R. Neumann et al.: Oral ibuprofen versus intravenous ibuprofen or intravenous indomethacin for the treatment of patent ductus arteriosus in preterm infants: a systematic review and meta-analysis	4	3
172	Compressive force applied to a manikin@ head during mask ventilation. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2012 , 97, F254-8	4.7	14
171	Phosphodiesterase 4 inhibition attenuates persistent heart and lung injury by neonatal hyperoxia in rats. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2012 , 302, L56-67	5.8	33
170	Parvovirus B19 in pregnancy: prenatal diagnosis and management of fetal complications. <i>Current Opinion in Obstetrics and Gynecology</i> , 2012 , 24, 95-101	2.4	46
169	Neonatal morbidity in growth-discordant monochorionic twins: comparison between the larger and the smaller twin. <i>Twin Research and Human Genetics</i> , 2012 , 15, 541-6	2.2	27
168	Cerebral injury in twin-twin transfusion syndrome treated with fetoscopic laser surgery. <i>Obstetrics and Gynecology</i> , 2012 , 120, 15-20	4.9	39
167	KLIpeptide induces reversible collapse structures on multiple length scales in model lung surfactant. <i>Biophysical Journal</i> , 2011 , 101, 2957-65	2.9	19

(2010-2011)

166	A ToF-SIMS study of the lateral organization of lipids and proteins in pulmonary surfactant systems. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011 , 1808, 614-21	3.8	12	
165	Accurate and simple evaluation of vascular anastomoses in monochorionic placenta using colored dye. <i>Journal of Visualized Experiments</i> , 2011 , e3208	1.6	27	
164	Long-term neurodevelopmental outcome after intrauterine transfusion for fetal anemia. <i>Early Human Development</i> , 2011 , 87, 589-93	2.2	64	
163	Neonatal morbidity in twin-twin transfusion syndrome. <i>Early Human Development</i> , 2011 , 87, 595-9	2.2	24	
162	Long-term neurodevelopmental outcome in monochorionic twins after fetal therapy. <i>Early Human Development</i> , 2011 , 87, 601-6	2.2	33	
161	Neonatal outcome after prenatal interventions for congenital lung lesions. <i>Early Human Development</i> , 2011 , 87, 611-8	2.2	31	
160	Hematological morbidity and management in neonates with hemolytic disease due to red cell alloimmunization. <i>Early Human Development</i> , 2011 , 87, 583-8	2.2	30	
159	Long-term neurodevelopmental outcome in TTTS in the Eurofoetus trial. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 205, e15; author reply e15-6	6.4	13	
158	Thrombocytopenia in neonates and the risk of intraventricular hemorrhage: a retrospective cohort study. <i>BMC Pediatrics</i> , 2011 , 11, 16	2.6	61	
157	Long-term outcome in relationship to neonatal transfusion volume in extremely premature infants: a comparative cohort study. <i>BMC Pediatrics</i> , 2011 , 11, 48	2.6	9	
156	Synthesis and activity of a novel diether phosphonoglycerol in phospholipase-resistant synthetic lipid:peptide lung surfactants(). <i>MedChemComm</i> , 2011 , 2, 1167-1173	5	15	
155	Abdominal fat accumulation in adults born preterm exposed antenatally to maternal glucocorticoid treatment is dependent on glucocorticoid receptor gene variation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E1650-5	5.6	16	
154	Intravenous immunoglobulin in neonates with rhesus hemolytic disease: a randomized controlled trial. <i>Pediatrics</i> , 2011 , 127, 680-6	7.4	58	
153	Low versus high gas flow rate for respiratory support of infants at birth: a manikin study. <i>Neonatology</i> , 2011 , 99, 266-71	4	9	
152	Diffuse hyperechogenicity of basal ganglia and thalami in preterm neonates: a physiologic finding?. <i>Radiology</i> , 2011 , 258, 944-50	20.5	19	
151	Does parenteral nutrition influence electrolyte and fluid balance in preterm infants in the first days after birth?. <i>PLoS ONE</i> , 2010 , 5, e9033	3.7	13	
150	Humidified and heated air during stabilization at birth improves temperature in preterm infants. <i>Pediatrics</i> , 2010 , 125, e1427-32	7.4	71	
149	Leak and obstruction with mask ventilation during simulated neonatal resuscitation. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2010 , 95, F398-402	4.7	65	

148	Growth-restricted preterm newborns are predisposed to functional adrenal hyperandrogenism in adult life. <i>European Journal of Endocrinology</i> , 2010 , 163, 681-9	6.5	21
147	Functional importance of the NH2-terminal insertion sequence of lung surfactant protein B. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2010 , 298, L335-47	5.8	17
146	Poor accuracy of methods currently used to determine umbilical catheter insertion length. <i>International Journal of Pediatrics (United Kingdom)</i> , 2010 , 2010, 873167	2.1	32
145	Pulmonary secretory phospholipase A2 in infants with respiratory distress syndrome stimulates in vitro neutrophil migration. <i>Neonatology</i> , 2010 , 97, 1-9	4	7
144	Apelin attenuates hyperoxic lung and heart injury in neonatal rats. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2010 , 182, 1239-50	10.2	73
143	Critical structural and functional roles for the N-terminal insertion sequence in surfactant protein B analogs. <i>PLoS ONE</i> , 2010 , 5, e8672	3.7	40
142	Synthetic surfactant based on analogues of SP-B and SP-C is superior to single-peptide surfactants in ventilated premature rabbits. <i>Neonatology</i> , 2010 , 98, 91-9	4	44
141	Is sequential cranial ultrasound reliable for detection of white matter injury in very preterm infants?. <i>Neuroradiology</i> , 2010 , 52, 397-406	3.2	52
140	Long-Term follow up after intra-Uterine transfusionS; the LOTUS study. <i>BMC Pregnancy and Childbirth</i> , 2010 , 10, 77	3.2	22
139	Short and long term outcome of neonatal hyperglycemia in very preterm infants: a retrospective follow-up study. <i>BMC Pediatrics</i> , 2010 , 10, 52	2.6	71
138	Use of rifampin in persistent coagulase negative staphylococcal bacteremia in neonates. <i>BMC Pediatrics</i> , 2010 , 10, 84	2.6	18
137	Clinical outcome in neonates with twin anemia-polycythemia sequence. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 54.e1-5	6.4	28
136	Monitoring of neonatal haemodynamics: light shining at the end of the tunnel?. <i>Early Human Development</i> , 2010 , 86, 135	2.2	
135	Discordance for Schimmelpenning-Feuerstein-Mims syndrome in monochorionic twins supports the concept of a postzygotic mutation. <i>American Journal of Medical Genetics, Part A</i> , 2010 , 152A, 2816-9	2.5	24
134	Cerebellar injury in preterm infants: incidence and findings on US and MR images. <i>Radiology</i> , 2009 , 252, 190-9	20.5	122
133	No short-term benefits of antenatal corticosteroid treatment in severely preterm growth restricted fetuses: a case-control study. <i>Early Human Development</i> , 2009 , 85, 253-7	2.2	25
132	Neonatal cranial ultrasonography: how to optimize its performance. <i>Early Human Development</i> , 2009 , 85, 93-9	2.2	36
131	Magnetic resonance imaging of the brain in newborn infants: practical aspects. <i>Early Human Development</i> , 2009 , 85, 85-92	2.2	45

(2008-2009)

130	Brain imaging findings in very preterm infants throughout the neonatal period: part I. Incidences and evolution of lesions, comparison between ultrasound and MRI. <i>Early Human Development</i> , 2009 , 85, 101-9	2.2	72
129	Neonatal brain injury: imaging, monitoring and protection. Early Human Development, 2009, 85, 71	2.2	6
128	Brain imaging findings in very preterm infants throughout the neonatal period: part II. Relation with perinatal clinical data. <i>Early Human Development</i> , 2009 , 85, 111-5	2.2	20
127	The pregnancy and long-term neurodevelopmental outcome of monochorionic diamniotic twin gestations: a multicenter prospective cohort study from the first trimester onward. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 200, 494.e1-8	6.4	93
126	Effects of individualized developmental care in a randomized trial of preterm infants . <i>Pediatrics</i> , 2009 , 124, 1021-30	7.4	37
125	Sildenafil attenuates pulmonary inflammation and fibrin deposition, mortality and right ventricular hypertrophy in neonatal hyperoxic lung injury. <i>Respiratory Research</i> , 2009 , 10, 30	7.3	90
124	Follow-up outcomes at 1 and 2 years of infants born less than 32 weeks after Newborn Individualized Developmental Care and Assessment Program. <i>Pediatrics</i> , 2009 , 123, 1081-7	7.4	34
123	Risk factors for neurodevelopment impairment in twin-twin transfusion syndrome treated with fetoscopic laser surgery. <i>Obstetrics and Gynecology</i> , 2009 , 113, 361-6	4.9	93
122	Neonatal carnitine palmitoyltransferase II deficiency: failure of treatment despite prolonged survival. <i>BMJ Case Reports</i> , 2009 , 2009,	0.9	2
121	Cardiac arrhythmias associated with umbilical venous catheterisation in neonates. <i>BMJ Case Reports</i> , 2009 , 2009,	0.9	19
120	A clinical study on the feasibility of autologous cord blood transfusion for anemia of prematurity. <i>Transfusion</i> , 2008 , 48, 1634-43	2.9	31
119	Early nasal continuous positive airway pressure and low threshold for intubation in very preterm infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008 , 97, 1049-54	3.1	18
118	Perinatal outcome, health, growth, and medical care utilization of 5- to 8-year-old intracytoplasmic sperm injection singletons. <i>Fertility and Sterility</i> , 2008 , 89, 1133-1146	4.8	68
117	Cognitive development of singletons born after intracytoplasmic sperm injection compared with in vitro fertilization and natural conception. <i>Fertility and Sterility</i> , 2008 , 90, 289-96	4.8	66
116	Lateral stress relaxation and collapse in lipid monolayers. Soft Matter, 2008, 4, 2019-2029	3.6	58
115	Effects of basic developmental care on neonatal morbidity, neuromotor development, and growth at term age of infants who were born at . <i>Pediatrics</i> , 2008 , 121, e239-45	7.4	23
114	Measurement of the Qhoulder-umbilicalQdistance for insertion of umbilical catheters in newborn babies: questionnaire study. <i>Neonatology</i> , 2008 , 94, 35-7	4	14
113	Parental Stress and Child Behavior and Temperament in the First Year After the Newborn Individualized Developmental Care and Assessment Program. <i>Journal of Early Intervention</i> , 2008 , 30, 102-115	1.4	11

112	Comparing brain white matter on sequential cranial ultrasound and MRI in very preterm infants. <i>Neuroradiology</i> , 2008 , 50, 799-811	3.2	42
111	Cord blood Clara cell protein CC16 predicts the development of bronchopulmonary dysplasia. <i>European Journal of Pediatrics</i> , 2008 , 167, 1305-12	4.1	21
110	In utero acquired limb ischemia in monochorionic twins with and without twin-to-twin transfusion syndrome. <i>Prenatal Diagnosis</i> , 2008 , 28, 800-4	3.2	23
109	Very pre-term infants@ehaviour at 1 and 2 years of age and parental stress following basic developmental care. <i>British Journal of Developmental Psychology</i> , 2008 , 26, 103-115	2	12
108	Term perinatal mortality and morbidity in monochorionic and dichorionic twin pregnancies: a retrospective study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2008 , 87, 541-5	3.8	36
107	Pediatric outcome in Rhesus hemolytic disease treated with and without intrauterine transfusion. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 198, 54.e1-4	6.4	43
106	Cerebral injury in monochorionic twins with selective intrauterine growth restriction and/or birthweight discordance. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 628.e1-5	6.4	23
105	Phosphodiesterase-5 inhibition attenuates pulmonary inflammation and fibrin deposition, and prolongs survival in neonatal hyperoxic lung injury. <i>FASEB Journal</i> , 2008 , 22, 583-583	0.9	
104	A randomized, controlled trial of delivery-room respiratory management in very preterm infants. <i>Pediatrics</i> , 2007 , 120, 322-9	7.4	195
103	Structure of mini-B, a functional fragment of surfactant protein B, in detergent micelles. <i>Biochemistry</i> , 2007 , 46, 11047-56	3.2	50
102	Ethics of maintaining extremely preterm infants. <i>Paediatrics and Child Health (United Kingdom)</i> , 2007 , 17, 58-63	0.6	7
101	Parvovirus B19 infection in pregnancy: maternal and fetal viral load measurements related to clinical parameters. <i>Prenatal Diagnosis</i> , 2007 , 27, 46-50	3.2	23
100	Polymicrogyria in a neonate with severe autoimmune thrombocytopenia: rare coincidence or related disorder?. <i>Prenatal Diagnosis</i> , 2007 , 27, 87-9	3.2	3
99	Reading preterm infants Dehavioral cues: an intervention study with parents of premature infants born . <i>Early Human Development</i> , 2007 , 83, 419-24	2.2	38
98	Staff opinions regarding the Newborn Individualized Developmental Care and Assessment Program (NIDCAP). <i>Early Human Development</i> , 2007 , 83, 425-32	2.2	28
97	Congenital heart disease in twin-to-twin transfusion syndrome treated with fetoscopic laser surgery. <i>Congenital Heart Disease</i> , 2007 , 2, 38-43	3.1	38
96	On the pathogenesis of recipient twin limb ischemia. <i>Journal of Pediatrics</i> , 2007 , 151, e4; author reply e4-5	3.6	2
95	Neurodevelopmental outcome after laser therapy for twin-twin transfusion syndrome. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, e20; author reply e20-1	6.4	7

(2006-2007)

94	Velamentous cord insertion and unequal placental territories in monochorionic twins with and without twin-to-twin-transfusion syndrome. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 159.e1-5	6.4	41	
93	Long-term neurodevelopmental outcome in twin-to-twin transfusion syndrome treated with fetoscopic laser surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 231.e1-4	6.4	58	
92	Postnatal management of fetal and neonatal alloimmune thrombocytopenia: the role of matched platelet transfusion and IVIG. <i>European Journal of Pediatrics</i> , 2007 , 166, 1057-63	4.1	29	
91	Matched follow-up study of 5-8 year old ICSI-singletons: comparison of their neuromotor development to IVF and naturally conceived singletons. <i>Human Reproduction</i> , 2007 , 22, 1638-46	5.7	43	
90	Hydrophobic surfactant proteins and their analogues. <i>Neonatology</i> , 2007 , 91, 303-10	4	48	
89	Risk of persistent pulmonary hypertension of the neonate in twin-to-twin transfusion syndrome. <i>Neonatology</i> , 2007 , 92, 134-8	4	13	
88	Inhaled nitric oxide attenuates pulmonary inflammation and fibrin deposition and prolongs survival in neonatal hyperoxic lung injury. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2007 , 293, L35-44	5.8	47	
87	Twins with cardiomyopathy and complete heart block born to an HIV-infected mother treated with HAART. <i>Aids</i> , 2007 , 21, 2564-5	3.5	10	
86	Long-term outcome after fetal transfusion for hydrops associated with parvovirus B19 infection. <i>Obstetrics and Gynecology</i> , 2007 , 109, 42-7	4.9	85	
85	Structure and conformation of the disulfide bond in dimeric lung surfactant peptides SP-B1-25 and SP-B8-25. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007 , 1768, 1070-82	3.8	32	
84	The kangaroo method is safe for premature infants under 30 weeks of gestation during ventilatory support. <i>Journal of Neonatal Nursing</i> , 2007 , 13, 186-190	1	16	
83	Parvovirus B19 infection in pregnancy studied by maternal viral load and immune responses. <i>Fetal Diagnosis and Therapy</i> , 2007 , 22, 55-62	2.4	20	
82	Early respiratory management of respiratory distress syndrome in very preterm infants and bronchopulmonary dysplasia: a case-control study. <i>PLoS ONE</i> , 2007 , 2, e192	3.7	14	
81	Dynamic surface activity of a fully synthetic phospholipase-resistant lipid/peptide lung surfactant. <i>PLoS ONE</i> , 2007 , 2, e1039	3.7	26	
80	Twin-to-twin transfusion syndrome, vein of galen malformation, and transposition of the great arteries in a pair of monochorionic twins: coincidence or related association?. <i>Pediatric and Developmental Pathology</i> , 2006 , 9, 52-5	2.2	13	
79	Intravenous immunoglobulins without initial and follow-up cordocentesis in alloimmune fetal and neonatal thrombocytopenia at high risk for intracranial hemorrhage. <i>Fetal Diagnosis and Therapy</i> , 2006 , 21, 55-60	2.4	33	
78	Fetal stroke and congenital parvovirus B19 infection complicated by activated protein C resistance. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006 , 95, 863-7	3.1	15	
77	Ventilation of Very Preterm Infants in the Delivery Room. <i>Current Pediatric Reviews</i> , 2006 , 2, 187-197	2.8	7	

76	Parvovirus B19 infection in pregnancy. Journal of Clinical Virology, 2006, 36, 1-7	14.5	111
<i>75</i>	Spatial and temporal expression of surfactant proteins in hyperoxia-induced neonatal rat lung injury. <i>BMC Pulmonary Medicine</i> , 2006 , 6, 8	3.5	19
74	Potential use of autologous umbilical cord blood red blood cells for early transfusion needs of premature infants. <i>Transfusion</i> , 2006 , 46, 1049-56	2.9	29
73	Incidence, origin, and character of cerebral injury in twin-to-twin transfusion syndrome treated with fetoscopic laser surgery. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 1215-20	6.4	91
72	Neonatal outcome in twin-to-twin transfusion syndrome treated with fetoscopic laser occlusion of vascular anastomoses. <i>Journal of Pediatrics</i> , 2005 , 147, 597-602	3.6	56
71	Structure and properties of phospholipid-peptide monolayers containing monomeric SP-B(1-25) I. Phases and morphology by epifluorescence microscopy. <i>Biophysical Chemistry</i> , 2005 , 113, 223-32	3.5	11
70	Structure and properties of phospholipid-peptide monolayers containing monomeric SP-B(1-25) II. Peptide conformation by infrared spectroscopy. <i>Biophysical Chemistry</i> , 2005 , 113, 233-44	3.5	29
69	Withholding treatment, withdrawing treatment, and palliative care in the neonatal intensive care unit. <i>Early Human Development</i> , 2005 , 81, 965-72	2.2	35
68	Parainfluenza virus 4 detection in infants. European Journal of Pediatrics, 2005, 164, 528-9	4.1	4
67	Haemoglobin differences at birth in monochorionic twins without chronic twin-to-twin transfusion syndrome. <i>Prenatal Diagnosis</i> , 2005 , 25, 844-50	3.2	27
66	Comparison of three lipid formulations for synthetic surfactant with a surfactant protein B analog. <i>Experimental Lung Research</i> , 2005 , 31, 563-79	2.3	24
65	Aetiology, Diagnosis and Treatment of Hydrops Foetalis. <i>Current Pediatric Reviews</i> , 2005 , 1, 63-72	2.8	11
64	Twin-to-Twin Transfusion Syndrome: From Placental Anastomoses to Long-Term Neurodevelopmental Outcome. <i>Current Pediatric Reviews</i> , 2005 , 1, 191-203	2.8	24
63	Preoperative cranial ultrasound findings in infants with major congenital heart disease. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2005 , 94, 1597-1603	3.1	2
62	Pentoxifylline reduces fibrin deposition and prolongs survival in neonatal hyperoxic lung injury. Journal of Applied Physiology, 2004 , 97, 2014-9	3.7	30
61	Correct use of the Apgar score for resuscitated and intubated newborn babies: questionnaire study. <i>BMJ, The</i> , 2004 , 329, 143-4	5.9	31
60	Gene expression profile and histopathology of experimental bronchopulmonary dysplasia induced by prolonged oxidative stress. <i>Free Radical Biology and Medicine</i> , 2004 , 36, 782-801	7.8	132
59	NMR structures of the C-terminal segment of surfactant protein B in detergent micelles and hexafluoro-2-propanol. <i>Biochemistry</i> , 2004 , 43, 15187-94	3.2	26

[1996-2003]

58	Adrenal suppression and extubation rate after moderately early low-dose dexamethasone therapy in very preterm infants. <i>Early Human Development</i> , 2003 , 74, 37-45	2.2	29
57	Long-term neurodevelopmental outcome in twin-to-twin transfusion syndrome. <i>American Journal of Obstetrics and Gynecology</i> , 2003 , 189, 1314-9	6.4	116
56	Surfactant with SP-B and SP-C analogues improves lung function in surfactant-deficient rats. <i>Neonatology</i> , 2002 , 82, 181-7	4	16
55	Transepidermal water loss during halogen spotlight phototherapy in preterm infants. <i>Pediatric Research</i> , 2002 , 51, 402-5	3.2	32
54	Dimeric surfactant protein B peptide sp-b(1-25) in neonatal and acute respiratory distress syndrome. <i>Experimental Lung Research</i> , 2002 , 28, 623-40	2.3	29
53	Multilayer formation upon compression of surfactant monolayers depends on protein concentration as well as lipid composition. An atomic force microscopy study. <i>Journal of Biological Chemistry</i> , 2002 , 277, 21179-88	5.4	64
52	Looking back in time: outcome of a national cohort of very preterm infants born in The Netherlands in 1983. <i>Early Human Development</i> , 2000 , 59, 175-91	2.2	121
51	Surfactant protein B and C analogues. <i>Molecular Genetics and Metabolism</i> , 2000 , 71, 342-51	3.7	38
50	Dimeric N-terminal segment of human surfactant protein B (dSP-B(1-25)) has enhanced surface properties compared to monomeric SP-B(1-25). <i>Biophysical Journal</i> , 2000 , 79, 377-84	2.9	57
49	Sensitivity of synthetic surfactants to albumin inhibition in preterm rabbits. <i>Molecular Genetics and Metabolism</i> , 1999 , 66, 40-8	3.7	23
48	Umbilical arteriovenous PO2 and PCO2 differences and neonatal morbidity in term infants with severe acidosis. <i>American Journal of Obstetrics and Gynecology</i> , 1998 , 178, 13-9	6.4	47
47	Synthetic mimics of surfactant proteins B and C: in vitro surface activity and effects on lung compliance in two animal models of surfactant deficiency. <i>Molecular Genetics and Metabolism</i> , 1998 , 63, 116-25	3.7	10
46	Repetitive prenatal glucocorticoid therapy reduces oxidative stress in the lungs of preterm lambs. <i>Journal of Applied Physiology</i> , 1998 , 85, 273-8	3.7	49
45	Protein composition of synthetic surfactant affects gas exchange in surfactant-deficient rats. <i>Pediatric Research</i> , 1998 , 43, 666-73	3.2	31
44	Lung CuZn-superoxide dismutase and catalase gene expression in premature rabbits treated intratracheally with antioxidant-surfactant liposomes. <i>Biochemical and Molecular Medicine</i> , 1996 , 59, 169-73		4
43	Surfactant Replacement Therapy for Meconium Aspiration Syndrome. <i>Pediatrics</i> , 1996 , 97, 48-52	7.4	120
42	Inactivation of surfactant in rat lungs. <i>Pediatric Research</i> , 1996 , 39, 236-40	3.2	19
41	A synthetic segment of surfactant protein A: structure, in vitro surface activity, and in vivo efficacy. <i>Pediatric Research</i> , 1996 , 39, 938-46	3.2	20

40	Gene expression of fatty acid synthesizing enzymes in fetal rat lung in prolonged pregnancy. <i>Neonatology</i> , 1995 , 68, 128-34	4	1
39	Time of onset of necrotizing enterocolitis in newborn infants with known prenatal cocaine exposure. <i>Clinical Pediatrics</i> , 1995 , 34, 424-9	1.2	25
38	One-year follow-up of 66 premature infants weighing 500 to 699 grams treated with a single dose of synthetic surfactant or air placebo at birth: results of a double-blind trial. American Exosurf Neonatal Study Group I. <i>Journal of Pediatrics</i> , 1995 , 126, S13-9	3.6	19
37	Plasma xanthine oxidase activity and lipid hydroperoxide levels in preterm infants. <i>Pediatric Research</i> , 1994 , 36, 283-7	3.2	43
36	Early changes in the neonatal circulatory transition. <i>Journal of Pediatrics</i> , 1993 , 123, 625-32	3.6	53
35	Temporary Enlargement of the Subarachnoid Space in Very Premature Infants. <i>Journal of Diagnostic Medical Sonography</i> , 1993 , 9, 237-240	0.4	
34	Are small for gestational age infants at higher risk for intracranial lesions?. <i>American Journal of Perinatology</i> , 1992 , 9, 152-3	3.3	3
33	Phospholipid and surfactant protein A concentrations in tracheal aspirates from infants requiring extracorporeal membrane oxygenation. <i>Journal of Pediatrics</i> , 1992 , 121, 271-4	3.6	28
32	Controlled trial of a single dose of synthetic surfactant at birth in premature infants weighing 500 to 699 grams. The American Exosurf Neonatal Study Group I. <i>Journal of Pediatrics</i> , 1992 , 120, S3-12	3.6	79
31	Augmentation of superoxide dismutase and catalase activity in alveolar type II cells. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1991 , 4, 364-8	5.7	19
30	Corticosteroids, thyrotropin-releasing hormone, and antioxidant enzymes in preterm lamb lungs. <i>Pediatric Research</i> , 1991 , 30, 518-21	3.2	32
29	Cerebral blood flow velocity after surfactant instillation in preterm infants. <i>Journal of Pediatrics</i> , 1991 , 118, 285-7	3.6	56
28	Ontogeny of antioxidant enzymes in the fetal lamb lung. Experimental Lung Research, 1991, 17, 39-45	2.3	44
27	Cerebral blood flow velocity regulation in preterm infants. <i>Neonatology</i> , 1991 , 59, 329-35	4	46
26	Cerebral blood flow velocity in healthy term infants. <i>American Journal of the Medical Sciences</i> , 1991 , 301, 91-6	2.2	7
25	Left and right ventricular output in newborn infants undergoing extracorporeal membrane oxygenation. <i>Critical Care Medicine</i> , 1990 , 18, 148-51	1.4	20
24	Acceleration time in cerebral arteries of preterm and term infants. <i>Journal of Clinical Ultrasound</i> , 1990 , 18, 167-71	1	6
23	Cardiovascular effects of caffeine therapy in preterm infants. <i>JAMA Pediatrics</i> , 1990 , 144, 1164-6		10

22	Mitigation of pulmonary oxygen toxicity in premature lambs with intravenous antioxidants. <i>Experimental Lung Research</i> , 1990 , 16, 177-89	2.3	12
21	Prevalence and etiology of respiratory distress in infants of diabetic mothers: predictive value of fetal lung maturation tests. <i>American Journal of Obstetrics and Gynecology</i> , 1990 , 163, 898-903	6.4	55
20	Decreased Cardiac Output in Infants of Mothers Who Abused Cocaine. <i>Pediatrics</i> , 1990 , 85, 30-32	7.4	21
19	Increased Cerebral Blood Flow Velocity in Infants of Mothers Who Abuse Cocaine. <i>Pediatrics</i> , 1990 , 85, 733-736	7.4	21
18	Neonatal morbidity and mortality and long-term outcome of postdate infants. <i>Clinical Obstetrics and Gynecology</i> , 1989 , 32, 285-93	1.7	10
17	Comparative evaluation of caffeine and theophylline for weaning premature infants from the ventilator. <i>American Journal of Perinatology</i> , 1989 , 6, 72-5	3.3	13
16	A prospective survey of necrotising enterocolitis in very low birthweight infants. <i>Paediatric and Perinatal Epidemiology</i> , 1989 , 3, 53-61	2.7	8
15	Pulsed Doppler measurement of left ventricular output as early predictor of symptomatic patent ductus arteriosus in very preterm infants. <i>Neonatology</i> , 1989 , 56, 121-8	4	46
14	Growth and development of term disproportionate small-for-gestational age infants at the age of 7 years. <i>Early Human Development</i> , 1988 , 18, 1-11	2.2	94
13	Prophylactic oral nystatin and fungal infections in very-low-birthweight infants. <i>American Journal of Perinatology</i> , 1988 , 5, 33-6	3.3	76
12	Use of Combined Higb-Frequency Oscillation and Intermittent Mandatory Ventilation in Rabbits with Saline-Lavaged Lungs. <i>Journal of Intensive Care Medicine</i> , 1987 , 2, 214-217	3.3	4
11	A comparison of high-frequency oscillation superimposed onto backup mechanical ventilation and conventional mechanical ventilation on the distribution of exogenous surfactant in premature lambs. <i>Pediatric Research</i> , 1987 , 22, 725-9	3.2	36
10	Echocardiographic measurement of left ventricular stroke volume in newborn infants: a correlative study with pulsed Doppler and M-mode echocardiography. <i>Journal of Clinical Ultrasound</i> , 1986 , 14, 37-4	1 ¹	11
9	Blood flow in the ascending and descending aorta in term newborn infants. <i>Early Human Development</i> , 1986 , 13, 21-5	2.2	8
8	Prevention of oxygen toxicity with superoxide dismutase and catalase in premature lambs. <i>Journal of Free Radicals in Biology & Medicine</i> , 1986 , 2, 289-93		23
7	Cardiac output changes secondary to theophylline therapy in preterm infants. <i>Journal of Pediatrics</i> , 1986 , 109, 874-6	3.6	13
6	Normal values of aortic root measurements in neonates. <i>Pediatric Cardiology</i> , 1985 , 6, 61-3	2.1	14
5	Single versus repetitive doses of natural surfactant as treatment of respiratory distress syndrome in premature lambs. <i>Pediatric Research</i> , 1985 , 19, 224-7	3.2	26

4	Cardiac output in newborn infants with transient myocardial dysfunction. <i>Journal of Pediatrics</i> , 1985 , 107, 781-5	3.6	109
3	Cardiac output in infants of insulin-dependent diabetic mothers. <i>Journal of Pediatrics</i> , 1985 , 107, 109-1	43.6	28
2	Comparative antitumor activity of actinomycin analogs in mice bearing Ridgway osteogenic sarcoma or P388 leukemia. <i>Pediatric Research</i> , 1978 , 62, 779-89	3.2	35
1	An oxidation-resistant peptide mimic of surfactant protein B (B-YL) forms an amphipathic helix-hairpin in liposomes with high surface activity. <i>Gates Open Research</i> , 2, 13	2.4	1