

Shigeru Inoue

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8105728/publications.pdf>

Version: 2024-02-01

156
papers

5,861
citations

101543

36
h-index

88630

70
g-index

165
all docs

165
docs citations

165
times ranked

7684
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Development, validity, and reliability of the Japanese version of the 7C of vaccination readiness scale. <i>American Journal of Infection Control</i> , 2023, 51, 426-433. | 2.3 | 3 |
| 2 | Preventing infectious diseases outbreaks at exercise facilities. <i>Managing Sport and Leisure</i> , 2022, 27, 22-25. | 3.5 | 9 |
| 3 | Objectively Measured Intensity-specific Physical Activity and Hippocampal Volume Among Community-dwelling Older Adults. <i>Journal of Epidemiology</i> , 2022, 32, 489-495. | 2.4 | 11 |
| 4 | Time Trends in Physical Activity Using Wearable Devices: A Systematic Review and Meta-analysis of Studies from 1995 to 2017. <i>Medicine and Science in Sports and Exercise</i> , 2022, 54, 288-298. | 0.4 | 34 |
| 5 | Relationship Between Neighborhood Food Environment and Diet Variety in Japanese Rural Community-dwelling Elderly: A Cross-sectional Study. <i>Journal of Epidemiology</i> , 2022, 32, 290-297. | 2.4 | 7 |
| 6 | Association of accelerometer-measured physical activity with kidney function in a Japanese population: the DOSANCO Health Study. <i>BMC Nephrology</i> , 2022, 23, 7. | 1.8 | 5 |
| 7 | Association between adverse childhood experiences and brain volumes among Japanese community-dwelling older people: Findings from the NEIGE study. <i>Child Abuse and Neglect</i> , 2022, 124, 105456. | 2.6 | 9 |
| 8 | The global case fatality rate of coronavirus disease 2019 by continents and national income: A meta-analysis. <i>Journal of Medical Virology</i> , 2022, 94, 2402-2413. | 5.0 | 46 |
| 9 | Association between gratitude, the brain and cognitive function in older adults: Results from the NEIGE study. <i>Archives of Gerontology and Geriatrics</i> , 2022, 100, 104645. | 3.0 | 2 |
| 10 | Persistence of Mental Health Deterioration Among People Living Alone During the COVID-19 Pandemic: A Periodically-repeated Longitudinal Study. <i>Journal of Epidemiology</i> , 2022, 32, 345-353. | 2.4 | 5 |
| 11 | Machine learning approach to predict subtypes of primary aldosteronism is helpful to estimate indication of adrenal vein sampling. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2022, 29, 375-383. | 2.2 | 2 |
| 12 | Comparison of daily step counts by pedometers under free-living conditions in young children. <i>Japan Journal of Human Growth and Development Research</i> , 2022, 2022, 12-21. | 0.1 | 0 |
| 13 | Individual-level social capital and COVID-19 vaccine hesitancy in Japan: a cross-sectional study. <i>Human Vaccines and Immunotherapeutics</i> , 2022, 18, . | 3.3 | 10 |
| 14 | Differences in Brain Volume by Tooth Loss and Cognitive Function in Older Japanese Adults. <i>American Journal of Geriatric Psychiatry</i> , 2022, 30, 1271-1279. | 1.2 | 8 |
| 15 | Unwillingness to cooperate with COVID-19 contact tracing in Japan. <i>Public Health</i> , 2022, 210, 34-40. | 2.9 | 3 |
| 16 | Differences in Accelerometer-Measured Physical Activity and Sedentary Behavior Between Middle-Aged Men and Women in Japan: A Compositional Data Analysis. <i>Journal of Physical Activity and Health</i> , 2022, 19, 500-508. | 2.0 | 5 |
| 17 | Adherence to the Japanese Physical Activity Guideline During Early Childhood Among Rural Preschoolers: A Cross-sectional Study. <i>Journal of Epidemiology</i> , 2021, 31, 194-202. | 2.4 | 3 |
| 18 | Older Adults'™ Daily Step Counts and Time in Sedentary Behavior and Different Intensities of Physical Activity. <i>Journal of Epidemiology</i> , 2021, 31, 350-355. | 2.4 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Associations of older adults' physical activity and bout-specific sedentary time with frailty status: Compositional analyses from the NEIGE study. <i>Experimental Gerontology</i> , 2021, 143, 111149. | 2.8 | 14 |
| 20 | Association between accelerometer-measured physical activity and falls among community-dwelling older people living in cold, snowy areas. <i>European Geriatric Medicine</i> , 2021, 12, 91-98. | 2.8 | 1 |
| 21 | Associations of older adults'™ excursions from home with health-related physical activity and sedentary behavior. <i>Archives of Gerontology and Geriatrics</i> , 2021, 92, 104276. | 3.0 | 4 |
| 22 | Social participation and mortality according to company size of the longest-held job among older men in Japan: A 6-year follow-up study from the JAGES. <i>Journal of Occupational Health</i> , 2021, 63, e12216. | 2.1 | 5 |
| 23 | Prevalence and associated factors of circadian rhythm sleep-wake disorders and insomnia among visually impaired Japanese individuals. <i>BMC Public Health</i> , 2021, 21, 31. | 2.9 | 4 |
| 24 | Associations of working from home with occupational physical activity and sedentary behavior under the COVID-19 pandemic. <i>Journal of Occupational Health</i> , 2021, 63, e12212. | 2.1 | 80 |
| 25 | Development of severe psychological distress among low-income individuals during the COVID-19 pandemic: longitudinal study. <i>BJPsych Open</i> , 2021, 7, e50. | 0.7 | 19 |
| 26 | Acceptance of a COVID-19 Vaccine in Japan during the COVID-19 Pandemic. <i>Vaccines</i> , 2021, 9, 210. | 4.4 | 196 |
| 27 | Changes in the medical treatment status of Japanese outpatients during the coronavirus disease 2019 pandemic. <i>Journal of General and Family Medicine</i> , 2021, 22, 246-261. | 0.8 | 19 |
| 28 | Compliance with a physical activity guideline among junior high school students. <i>Pediatrics International</i> , 2021, 63, 1514-1520. | 0.5 | 1 |
| 29 | Increased Plasma Levels of Myosin Heavy Chain 11 Is Associated with Atherosclerosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 3155. | 2.4 | 0 |
| 30 | 513Ophthalmic disease and older adults'™ sedentary and physically-active behaviors: Findings from the NEIGE study. <i>International Journal of Epidemiology</i> , 2021, 50, . | 1.9 | 0 |
| 31 | Geographical socioeconomic inequalities in healthy life expectancy in Japan, 2010-2014: An ecological study. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 14, 100204. | 2.9 | 10 |
| 32 | A community-wide intervention to promote physical activity: A five-year quasi-experimental study. <i>Preventive Medicine</i> , 2021, 150, 106708. | 3.4 | 4 |
| 33 | How Frequently Do Ordinary Citizens Practice Hand Hygiene at Appropriate Moments during the COVID-19 Pandemic in Japan?. <i>Japanese Journal of Infectious Diseases</i> , 2021, 74, 405-410. | 1.2 | 8 |
| 34 | Survey on usage and concerns of a COVID-19 contact tracing application in Japan. <i>Public Health in Practice</i> , 2021, 2, 100125. | 1.5 | 8 |
| 35 | Exposure to prolonged sedentary behavior on weekdays rather than weekends in white-collar workers in comparison with blue-collar workers. <i>Journal of Occupational Health</i> , 2021, 63, e12246. | 2.1 | 6 |
| 36 | Do Social Ties Moderate the Association between Childhood Maltreatment and Gratitude in Older Adults? Results from the NEIGE Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11082. | 2.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Trends in COVID-19 vaccination intent from pre- to post-COVID-19 vaccine distribution and their associations with the 5C psychological antecedents of vaccination by sex and age in Japan. <i>Human Vaccines and Immunotherapeutics</i> , 2021, 17, 3954-3962. | 3.3 | 22 |
| 38 | Associations of neighborhood built, safety, and social environment with walking to and from school among elementary school-aged children in Chiba, Japan. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021, 18, 152. | 4.6 | 10 |
| 39 | Leisure Activity Variety and Brain Volume Among Community-Dwelling Older Adults: Analysis of the Neuron to Environmental Impact Across Generations Study Data. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 758562. | 3.4 | 3 |
| 40 | Relationships among changes in walking and sedentary behaviors, individual attributes, changes in work situation, and anxiety during the COVID-19 pandemic in Japan. <i>Preventive Medicine Reports</i> , 2021, 24, 101640. | 1.8 | 10 |
| 41 | A proposal of evaluation items for location optimization plans from the perspective of promoting physical activity. , 2021, 20, 217-220. | | 0 |
| 42 | Cohort Profile of the NEIGE Study in Tokamachi City, Japan. <i>Journal of Epidemiology</i> , 2020, 30, 281-287. | 2.4 | 14 |
| 43 | Associations of Sedentary and Physically-Active Behaviors With Cognitive-Function Decline in Community-Dwelling Older Adults: Compositional Data Analysis From the NEIGE Study. <i>Journal of Epidemiology</i> , 2020, 30, 503-508. | 2.4 | 23 |
| 44 | Intensity-specific validity and reliability of the Japan Public Health Center-based prospective study-physical activity questionnaire. <i>Preventive Medicine Reports</i> , 2020, 20, 101169. | 1.8 | 18 |
| 45 | Objective scoring of streetscape walkability related to leisure walking: Statistical modeling approach with semantic segmentation of Google Street View images. <i>Health and Place</i> , 2020, 66, 102428. | 3.3 | 99 |
| 46 | Artificial intelligence for the detection of vertebral fractures on plain spinal radiography. <i>Scientific Reports</i> , 2020, 10, 20031. | 3.3 | 50 |
| 47 | The actual implementation status of self-isolation among Japanese workers during the COVID-19 outbreak. <i>Tropical Medicine and Health</i> , 2020, 48, 63. | 2.8 | 18 |
| 48 | Changes in rural older adults' sedentary and physically-active behaviors between a non-snowfall and a snowfall season: compositional analysis from the NEIGE study. <i>BMC Public Health</i> , 2020, 20, 1248. | 2.9 | 7 |
| 49 | <p>Influence of Parenting Quality and Neuroticism on Perceived Job Stressors and Psychological and Physical Stress Response in Adult Workers from the Community</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 2007-2015. | 2.2 | 12 |
| 50 | Combined Effects of Parenting in Childhood and Resilience on Work Stress in Nonclinical Adult Workers From the Community. <i>Frontiers in Psychiatry</i> , 2020, 11, 776. | 2.6 | 10 |
| 51 | Long-term care and the coronavirus disease 2019 challenge in Japan. <i>Journal of General and Family Medicine</i> , 2020, 21, 292-293. | 0.8 | 4 |
| 52 | <p>Association of Chronotypes and Sleep Disturbance with Perceived Job Stressors and Stress Response: A Covariance Structure Analysis</p>. <i>Neuropsychiatric Disease and Treatment</i> , 2020, Volume 16, 1997-2005. | 2.2 | 10 |
| 53 | Incorrect Use of Face Masks during the Current COVID-19 Pandemic among the General Public in Japan. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6484. | 2.6 | 45 |
| 54 | Changes in implementation of personal protective measures by ordinary Japanese citizens: A longitudinal study from the early phase to the community transmission phase of the COVID-19 outbreak. <i>International Journal of Infectious Diseases</i> , 2020, 96, 371-375. | 3.3 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Sekentei as a Socio-Cultural Determinant of Cognitive Function among Older Japanese People: Findings from the NEIGE Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4480. | 2.6 | 3 |
| 56 | Proportion of Japanese primary school children meeting recommendations for 24-h movement guidelines and associations with weight status. <i>Obesity Research and Clinical Practice</i> , 2020, 14, 234-240. | 1.8 | 13 |
| 57 | Association of overtime work hours with various stress responses in 59,021 Japanese workers: Retrospective cross-sectional study. <i>PLoS ONE</i> , 2020, 15, e0229506. | 2.5 | 30 |
| 58 | Occupational sitting time and subsequent risk of cancer: The Japan Public Health Center-based Prospective Study. <i>Cancer Science</i> , 2020, 111, 974-984. | 3.9 | 11 |
| 59 | Size of company of the longest-held job and mortality in older Japanese adults: A 6-year follow-up study from the Japan Gerontological Evaluation Study. <i>Journal of Occupational Health</i> , 2020, 62, e12115. | 2.1 | 7 |
| 60 | Adoption of personal protective measures by ordinary citizens during the COVID-19 outbreak in Japan. <i>International Journal of Infectious Diseases</i> , 2020, 94, 139-144. | 3.3 | 82 |
| 61 | Are Japanese Women Less Physically Active Than Men? Findings From the DOSANCO Health Study. <i>Journal of Epidemiology</i> , 2020, 31, 530-536. | 2.4 | 10 |
| 62 | Changes in Psychological Distress During the COVID-19 Pandemic in Japan: A Longitudinal Study. <i>Journal of Epidemiology</i> , 2020, 30, 522-528. | 2.4 | 86 |
| 63 | Mobility Trends Reports Revealed "Self-isolation Fatigue" in Japan: Use of Mobility Data for Coronavirus Disease Control. <i>JMA Journal</i> , 2020, 3, 272-273. | 0.8 | 4 |
| 64 | Measurement and assessment of workers'™ physical activity and sedentary behavior. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2020, 69, 447-455. | 0.0 | 1 |
| 65 | Title is missing!. , 2020, 15, e0229506. | | 0 |
| 66 | Title is missing!. , 2020, 15, e0229506. | | 0 |
| 67 | Title is missing!. , 2020, 15, e0229506. | | 0 |
| 68 | Title is missing!. , 2020, 15, e0229506. | | 0 |
| 69 | Title is missing!. , 2020, 15, e0229506. | | 0 |
| 70 | Title is missing!. , 2020, 15, e0229506. | | 0 |
| 71 | Associations of neighborhood walkability with intensity- and bout-specific physical activity and sedentary behavior of older adults in Japan. <i>Geriatrics and Gerontology International</i> , 2019, 19, 861-867. | 1.5 | 24 |
| 72 | Gender differences in physical activity and sedentary behavior of Japanese primary school children during school cleaning time, morning recess and lunch recess. <i>BMC Public Health</i> , 2019, 19, 985. | 2.9 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Sekentei and objectively-measured physical activity among older Japanese people: a cross-sectional analysis from the NEIGE study. <i>BMC Public Health</i> , 2019, 19, 1331. | 2.9 | 10 |
| 74 | Virtual audits of streetscapes by crowdworkers. <i>Health and Place</i> , 2019, 59, 102203. | 3.3 | 23 |
| 75 | Intramucosal colorectal carcinoma with lymphovascular invasion: clinicopathological characteristics of nine cases. <i>Histopathology</i> , 2019, 74, 1055-1066. | 2.9 | 6 |
| 76 | Bout Length-Specific Physical Activity and Adherence to Physical Activity Recommendations among Japanese Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1991. | 2.6 | 7 |
| 77 | Validity of the Japanese Version of the Quick Mild Cognitive Impairment Screen. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 917. | 2.6 | 9 |
| 78 | Cytological differences between invasive and noninvasive or minimally invasive lung adenocarcinomas diagnosed in Japanese patients using needle biopsy specimens of pulmonary lesions ≥ 3 cm in diameter. <i>Diagnostic Cytopathology</i> , 2019, 47, 688-694. | 1.0 | 2 |
| 79 | Exposure to organisational injustice and serious psychological distress: longitudinal analysis of details of exposure from a private Japanese company. <i>BMJ Open</i> , 2019, 9, e029556. | 1.9 | 2 |
| 80 | Trends in Step-determined Physical Activity among Japanese Adults from 1995 to 2016. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 1852-1859. | 0.4 | 24 |
| 81 | The Choice of Pedometer Impacts on Daily Step Counts in Primary School Children under Free-Living Conditions. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4375. | 2.6 | 10 |
| 82 | Results from the Japan's 2018 report card on physical activity for children and youth. <i>Journal of Exercise Science and Fitness</i> , 2019, 17, 20-25. | 2.2 | 25 |
| 83 | Objectively-Assessed Patterns and Reported Domains of Sedentary Behavior Among Japanese Older Adults. <i>Journal of Epidemiology</i> , 2019, 29, 334-339. | 2.4 | 32 |
| 84 | How Well iPhones Measure Steps in Free-Living Conditions: Cross-Sectional Validation Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e10418. | 3.7 | 43 |
| 85 | Expression level of microRNA-200c is associated with cell morphology in vitro and histological differentiation through regulation of ZEB1/2 and E-cadherin in gastric carcinoma. <i>Oncology Reports</i> , 2018, 39, 91-100. | 2.6 | 11 |
| 86 | Community-wide intervention and population-level physical activity: a 5-year cluster randomized trial. <i>International Journal of Epidemiology</i> , 2018, 47, 642-653. | 1.9 | 44 |
| 87 | Comparison of accelerometer-measured sedentary behavior, and light and moderate-to-vigorous intensity physical activity in white and blue collar workers in a Japanese manufacturing plant. <i>Journal of Occupational Health</i> , 2018, 60, 246-253. | 2.1 | 30 |
| 88 | Impact of Moderate-Intensity and Vigorous-Intensity Physical Activity on Mortality. <i>Medicine and Science in Sports and Exercise</i> , 2018, 50, 715-721. | 0.4 | 30 |
| 89 | Community-wide physical activity intervention based on the Japanese physical activity guidelines for adults: A non-randomized controlled trial. <i>Preventive Medicine</i> , 2018, 107, 61-68. | 3.4 | 19 |
| 90 | Can neighborhood design support walking? Cross-sectional and prospective findings from Japan. <i>Journal of Transport and Health</i> , 2018, 11, 73-79. | 2.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Validity and Reliability of Japanese-Language Self-reported Measures for Assessing Adults Domain-Specific Sedentary Time. <i>Journal of Epidemiology</i> , 2018, 28, 149-155. | 2.4 | 28 |
| 92 | Infrainguinal Lesion of Peripheral Artery Disease and Levels of ω -3 Polyunsaturated Fatty Acids in Peripheral Artery Disease. <i>Annals of Vascular Diseases</i> , 2018, 11, 96-100. | 0.5 | 5 |
| 93 | Replacing sedentary time with physical activity: effects on health-related quality of life in older Japanese adults. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 240. | 2.4 | 26 |
| 94 | Associations of Physical Activity and Sedentary Time in Primary School Children with Their Parental Behaviors and Supports. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1995. | 2.6 | 14 |
| 95 | Lower youth steps/day values observed at both high and low population density areas: a cross-sectional study in metropolitan Tokyo. <i>BMC Public Health</i> , 2018, 18, 1132. | 2.9 | 7 |
| 96 | Drivers Are More Physically Active Than Non-Drivers in Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1094. | 2.6 | 18 |
| 97 | Association between age at onset of independent walking and objectively measured sedentary behavior is mediated by moderate-to-vigorous physical activity in primary school children. <i>PLoS ONE</i> , 2018, 13, e0204030. | 2.5 | 8 |
| 98 | Frequency and pattern of exercise and depression after two years in older Japanese adults: the JAGES longitudinal study. <i>Scientific Reports</i> , 2018, 8, 11224. | 3.3 | 50 |
| 99 | Associations among workplace environment, self-regulation, and domain-specific physical activities among white-collar workers: a multilevel longitudinal study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 47. | 4.6 | 14 |
| 100 | Objectively Measured Neighborhood Walkability and Change in Physical Activity in Older Japanese Adults: A Five-Year Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1814. | 2.6 | 37 |
| 101 | Is objectively measured light-intensity physical activity associated with health outcomes after adjustment for moderate-to-vigorous physical activity in adults? A systematic review. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018, 15, 65. | 4.6 | 137 |
| 102 | Variability in school children's activity occurs in the recess and before-school periods. <i>Pediatrics International</i> , 2018, 60, 727-734. | 0.5 | 8 |
| 103 | Association of low back and knee pain with falls in Japanese community-dwelling older adults: A 3-year prospective cohort study. <i>Geriatrics and Gerontology International</i> , 2017, 17, 875-884. | 1.5 | 19 |
| 104 | Social participation among older adults not engaged in full- or part-time work is associated with more physical activity and less sedentary time. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1921-1927. | 1.5 | 51 |
| 105 | Association between objectively evaluated physical activity and sedentary behavior and screen time in primary school children. <i>BMC Research Notes</i> , 2017, 10, 175. | 1.4 | 20 |
| 106 | L-type amino acid transporter 1 expression in esophageal carcinogenesis according to WHO and Japanese classifications of intraepithelial neoplasia. <i>Pathology International</i> , 2017, 67, 247-255. | 1.3 | 5 |
| 107 | Organizational justice and insomnia: a prospective cohort study examining insomnia onset and persistence. <i>International Archives of Occupational and Environmental Health</i> , 2017, 90, 133-140. | 2.3 | 9 |
| 108 | Sedentary time in older adults: a critical review of measurement, associations with health, and interventions. <i>British Journal of Sports Medicine</i> , 2017, 51, 1539-1539. | 6.7 | 155 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 109 | Sedentary time in older men and women: an international consensus statement and research priorities. <i>British Journal of Sports Medicine</i> , 2017, 51, 1526-1532. | 6.7 | 84 |
| 110 | Light and sporadic physical activity overlooked by current guidelines makes older women more active than older men. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2017, 14, 59. | 4.6 | 61 |
| 111 | Birth weight and infant motor development in relation to physical activity in childhood. <i>Japan Journal of Human Growth and Development Research</i> , 2017, 2017, 9-18. | 0.1 | 1 |
| 112 | Associations of sedentary behavior and physical activity with older adults' physical function: an isotemporal substitution approach. <i>BMC Geriatrics</i> , 2017, 17, 280. | 2.7 | 50 |
| 113 | Relationship between Self-Reported Dietary Nutrient Intake and Self-Reported Sleep Duration among Japanese Adults. <i>Nutrients</i> , 2017, 9, 134. | 4.1 | 39 |
| 114 | Types of social participation and psychological distress in Japanese older adults: A five-year cohort study. <i>PLoS ONE</i> , 2017, 12, e0175392. | 2.5 | 72 |
| 115 | Comparability of activity monitors used in Asian and Western-country studies for assessing free-living sedentary behaviour. <i>PLoS ONE</i> , 2017, 12, e0186523. | 2.5 | 53 |
| 116 | Sociodemographic, biological, psychological, and behavioral correlates of cycling in community-dwelling Japanese older adults: A cross-sectional study. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2017, 6, 175-182. | 0.3 | 0 |
| 117 | Influence of exercising condition and degree of improvement in sit-to-stand power index during a 12-week Chokin exercise program on exercise continuation after one year. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2017, 66, 445-453. | 0.0 | 2 |
| 118 | Results From Japan's 2016 Report Card on Physical Activity for Children and Youth. <i>Journal of Physical Activity and Health</i> , 2016, 13, S189-S194. | 2.0 | 21 |
| 119 | Progress in physical activity over the Olympic quadrennium. <i>Lancet</i> , 2016, 388, 1325-1336. | 13.7 | 676 |
| 120 | Social jetlag affects subjective daytime sleepiness in school-aged children and adolescents: A study using the Japanese version of the Pediatric Daytime Sleepiness Scale (PDSS-J). <i>Chronobiology International</i> , 2016, 33, 1311-1319. | 2.0 | 56 |
| 121 | Associations of Perceived and Objectively Measured Neighborhood Environmental Attributes With Leisure-Time Sitting for Transport. <i>Journal of Physical Activity and Health</i> , 2016, 13, 1372-1377. | 2.0 | 10 |
| 122 | Exercising alone versus with others and associations with subjective health status in older Japanese: The JAGES Cohort Study. <i>Scientific Reports</i> , 2016, 6, 39151. | 3.3 | 53 |
| 123 | Pedometer-determined physical activity among youth in the Tokyo Metropolitan area: a cross-sectional study. <i>BMC Public Health</i> , 2016, 16, 1104. | 2.9 | 15 |
| 124 | The meaning of behavioral medicine in the public health field—a review of documents related to medical education in Japan. <i>BioPsychoSocial Medicine</i> , 2016, 10, 5. | 2.1 | 0 |
| 125 | A Nationwide Cross-Sectional Survey of Sleep-Related Problems in Japanese Visually Impaired Patients: Prevalence and Association with Health-Related Quality of Life. <i>Journal of Clinical Sleep Medicine</i> , 2016, 12, 1659-1667. | 2.6 | 20 |
| 126 | Group exercise for adults and elderly: Determinants of participation in group exercise and its associations with health outcome. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2015, 4, 315-320. | 0.3 | 51 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Community-wide promotion of physical activity in middle-aged and older Japanese: a 3-year evaluation of a cluster randomized trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015, 12, 82. | 4.6 | 24 |
| 128 | Walkable Area Within Which Destinations Matter. <i>Asia-Pacific Journal of Public Health</i> , 2015, 27, NP2757-NP2763. | 1.0 | 10 |
| 129 | Occupational sitting time and risk of all-cause mortality among Japanese workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 519-528. | 3.4 | 22 |
| 130 | Differences in the physical activity patterns among young old adults by three residential locations in Japan. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2015, 64, 145-154. | 0.0 | 1 |
| 131 | Distinct associations of different sedentary behaviors with health-related attributes among older adults. <i>Preventive Medicine</i> , 2014, 67, 335-339. | 3.4 | 84 |
| 132 | Gender differences in association between psychological distress and detailed living arrangements among Japanese older adults, aged 65-74 years. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014, 49, 823-830. | 3.1 | 13 |
| 133 | Relationship Between Physical Activity and Chronic Musculoskeletal Pain Among Community-Dwelling Japanese Adults. <i>Journal of Epidemiology</i> , 2014, 24, 474-483. | 2.4 | 29 |
| 134 | A community-wide campaign to promote physical activity in middle-aged and elderly people: a cluster randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013, 10, 44. | 4.6 | 45 |
| 135 | Correlates of prolonged television viewing time in older Japanese men and women. <i>BMC Public Health</i> , 2013, 13, 213. | 2.9 | 55 |
| 136 | Factors Associated With Shift Work Disorder in Nurses Working With Rapid-Rotation Schedules in Japan: The Nurses' Sleep Health Project. <i>Chronobiology International</i> , 2013, 30, 628-636. | 2.0 | 113 |
| 137 | Mental illness and a high-risk, elderly Japanese population: characteristic differences related to gender and residential location. <i>Psychogeriatrics</i> , 2013, 13, 229-236. | 1.2 | 8 |
| 138 | Environmental and Individual Correlates of Various Types of Physical Activity among Community-Dwelling Middle-Aged and Elderly Japanese. <i>International Journal of Environmental Research and Public Health</i> , 2013, 10, 2028-2042. | 2.6 | 31 |
| 139 | Step-Defined Physical Activity and Cardiovascular Risk Among Middle-Aged Japanese: The National Health and Nutrition Survey of Japan 2006. <i>Journal of Physical Activity and Health</i> , 2012, 9, 1117-1124. | 2.0 | 17 |
| 140 | Television Viewing Time is Associated with Overweight/Obesity Among Older Adults, Independent of Meeting Physical Activity and Health Guidelines. <i>Journal of Epidemiology</i> , 2012, 22, 50-56. | 2.4 | 112 |
| 141 | Physical Activity of Japanese Older Adults Who Own and Walk Dogs. <i>American Journal of Preventive Medicine</i> , 2012, 43, 429-433. | 3.0 | 53 |
| 142 | The association of TV viewing time and moderate to vigorous physical activity with overweight/obesity among Japanese municipal office workers. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2012, 61, 421-426. | 0.0 | 0 |
| 143 | Sociodemographic Determinants of Pedometer-Determined Physical Activity Among Japanese Adults. <i>American Journal of Preventive Medicine</i> , 2011, 40, 566-571. | 3.0 | 21 |
| 144 | Perceived Environmental Factors Associated with Physical Activity among Normal-Weight and Overweight Japanese Men. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 931-943. | 2.6 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Strength-Training Behavior and Perceived Environment Among Japanese Older Adults. <i>Journal of Aging and Physical Activity</i> , 2011, 19, 262-272. | 1.0 | 21 |
| 146 | Differences in Association of Walking for Recreation and for Transport With Maximum Walking Speed in an Elderly Japanese Community Population. <i>Journal of Physical Activity and Health</i> , 2011, 8, 841-847. | 2.0 | 9 |
| 147 | Perceived Neighborhood Environment and Walking for Specific Purposes Among Elderly Japanese. <i>Journal of Epidemiology</i> , 2011, 21, 481-490. | 2.4 | 123 |
| 148 | How many steps/day are enough? for adults. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2011, 8, 79. | 4.6 | 733 |
| 149 | Time Trends for Step-Determined Physical Activity among Japanese Adults. <i>Medicine and Science in Sports and Exercise</i> , 2011, 43, 1913-1919. | 0.4 | 69 |
| 150 | Association between Perceived Neighborhood Environment and Walking among Adults in 4 Cities in Japan. <i>Journal of Epidemiology</i> , 2010, 20, 277-286. | 2.4 | 123 |
| 151 | Characteristics of Accelerometry Respondents to a Mail-Based Surveillance Study. <i>Journal of Epidemiology</i> , 2010, 20, 446-452. | 2.4 | 20 |
| 152 | RELIABILITY OF THE ABBREVIATED NEIGHBORHOOD ENVIRONMENT WALKABILITY SCALE JAPANESE VERSION. <i>Japanese Journal of Physical Fitness and Sports Medicine</i> , 2009, 58, 453-462. | 0.0 | 18 |
| 153 | Association of physical activity and neighborhood environment among Japanese adults. <i>Preventive Medicine</i> , 2009, 48, 321-325. | 3.4 | 125 |
| 154 | Environmental correlates of physical activity in driving and non-driving rural Japanese women. <i>Preventive Medicine</i> , 2009, 49, 490-496. | 3.4 | 44 |
| 155 | Neighborhood Environments and Physical Activity Among Adults in 11 Countries. <i>American Journal of Preventive Medicine</i> , 2009, 36, 484-490. | 3.0 | 389 |
| 156 | Reduced blood flow in abdominal viscera measured by Doppler ultrasound during one-legged knee extension. <i>Journal of Applied Physiology</i> , 1999, 86, 709-719. | 2.5 | 64 |