

# Mariana De Santis Filgueiras

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8106402/publications.pdf>

Version: 2024-02-01

28  
papers

321  
citations

1051969

10  
h-index

1051228

16  
g-index

33  
all docs

33  
docs citations

33  
times ranked

520  
citing authors

#	ARTICLE	IF	CITATIONS
1	Retail food outlets and metabolic syndrome: a systematic review of longitudinal studies. <i>Nutrition Reviews</i> , 2022, 80, 1599-1618.	2.6	5
2	Predictive capacity of triglyceride-glucose (TyG) index for insulin resistance and cardiometabolic risk in children and adolescents: a systematic review. <i>Critical Reviews in Food Science and Nutrition</i> , 2021, 61, 2783-2792.	5.4	32
3	TAG-glucose (TyG) index in childhood: an estimate of cut-off points and the relation to cardiometabolic risk in 4- to 9-year-old children. <i>Public Health Nutrition</i> , 2021, 24, 2603-2610.	1.1	3
4	The dietary inflammatory index is associated with anti- and pro-inflammatory adipokines in Brazilian schoolchildren. <i>European Journal of Nutrition</i> , 2021, 60, 2841-2849.	1.8	12
5	Pro- and anti-inflammatory adipokines are associated with cardiometabolic risk markers in Brazilian schoolchildren. <i>European Journal of Pediatrics</i> , 2021, 180, 2931-2941.	1.3	6
6	Vitamin D status, oxidative stress, and inflammation in children and adolescents: A systematic review. <i>Critical Reviews in Food Science and Nutrition</i> , 2020, 60, 660-669.	5.4	50
7	Neck circumference cutoff points to identify excess android fat. <i>Jornal De Pediatria</i> , 2020, 96, 356-363.	0.9	6
8	Cutoff point estimation for serum vitamin D concentrations to predict cardiometabolic risk in Brazilian children. <i>European Journal of Clinical Nutrition</i> , 2020, 74, 1698-1706.	1.3	5
9	Neck circumference cutoff points to identify excess android fat. <i>Jornal De Pediatria (Versão Em Inglês)</i> , 2020, 96, 356-363.	0.2	0
10	Vitamin D is associated with the hypertriglyceridemic waist phenotype in Brazilian children. <i>Journal of Public Health</i> , 2020, , .	1.0	1
11	Increased C-Reactive Protein in Brazilian Children: Association with Cardiometabolic Risk and Metabolic Syndrome Components (PASE Study). <i>Cardiology Research and Practice</i> , 2019, 2019, 1-10.	0.5	15
12	Increased ApoB/ApoA1 ratio is associated with excess weight, body adiposity, and altered lipid profile in children. <i>Jornal De Pediatria (Versão Em Português)</i> , 2019, 95, 238-246.	0.2	0
13	Agreement of body adiposity index (BAI) and paediatric body adiposity index (BAIp) in determining body fat in Brazilian children and adolescents. <i>Public Health Nutrition</i> , 2019, 22, 132-139.	1.1	11
14	Waist circumference, waist-to-height ratio and conicity index to evaluate android fat excess in Brazilian children. <i>Public Health Nutrition</i> , 2019, 22, 140-146.	1.1	22
15	Increased ApoB/ApoA1 ratio is associated with excess weight, body adiposity, and altered lipid profile in children. <i>Jornal De Pediatria</i> , 2019, 95, 238-246.	0.9	11
16	Dietary Inflammatory Index is Associated with Excessive Body Weight and Dietary Patterns in Subjects with Cardiometabolic Risk. <i>Journal of Food and Nutrition Research (Newark, Del)</i> , 2019, 7, 491-499.	0.1	12
17	Association of Dietary Patterns with Excess Weight and Body Adiposity in Brazilian Children: The PASE-Brasil Study. <i>Arquivos Brasileiros De Cardiologia</i> , 2019, 113, 52-59.	0.3	12
18	Inverse association of calcium intake with abdominal adiposity and C-reactive protein in Brazilian children. <i>Public Health Nutrition</i> , 2018, 21, 1912-1920.	1.1	14

#	ARTICLE	IF	CITATIONS
19	Lower vitamin D intake is associated with low HDL cholesterol and vitamin D insufficiency/deficiency in Brazilian children. Public Health Nutrition, 2018, 21, 2004-2012.	1.1	24
20	Vitamin D insufficiency/deficiency is associated with insulin resistance in Brazilian children, regardless of body fat distribution. Public Health Nutrition, 2017, 20, 2878-2886.	1.1	20
21	Sedentary behavior is associated with lower serum concentrations of vitamin D in Brazilian children. Public Health, 2017, 152, 75-78.	1.4	13
22	Prevalências de excesso de peso e de adiposidade excessiva em crianças brasileiras de escolas municipais. JMPHC   Journal of Management & Primary Health Care   ISSN 2179-6750, 2017, 7, 120-120.	0.0	0
23	Associação entre o excesso de peso e de gordura corporal nas crianças com sobrepeso/obesidade materno. JMPHC   Journal of Management & Primary Health Care   ISSN 2179-6750, 2017, 7, 60-60.	0.0	0
24	Relação entre insegurança alimentar e frequência do consumo da alimentação escolar em crianças matriculadas em escolas públicas de Viçosa, MG. JMPHC   Journal of Management & Primary Health Care   ISSN 2179-6750, 2017, 7, 121-121.	0.0	0
25	Associação do número diário de refeições com parâmetros antropométricos em crianças. JMPHC   Journal of Management & Primary Health Care   ISSN 2179-6750, 2017, 7, 72-72.	0.0	0
26	Importância do consumo de café da manhã para ingestão de vitamina D em crianças de Viçosa-Minas Gerais. JMPHC   Journal of Management & Primary Health Care   ISSN 2179-6750, 2017, 7, 50-50.	0.0	0
27	Educação alimentar e nutricional: estratégia de intervenção com docentes do ensino infantil. JMPHC   Journal of Management & Primary Health Care   ISSN 2179-6750, 2017, 7, 45-45.	0.0	0
28	EFFECT OF EICOSAPENTAENOIC ACID AND DOCOSAHEXAENOIC ACID SUPPLEMENTATIONS TO CONTROL COGNITIVE DECLINE IN DEMENTIA AND ALZHEIMER'S DISEASE: A SYSTEMATIC REVIEW. Nutricion Hospitalaria, 2015, 32, 528-33.	0.2	13