

Domenico Prezioso

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8106446/domenico-prezioso-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

45 papers	920 citations	16 h-index	29 g-index
46 ext. papers	1,049 ext. citations	3.4 avg, IF	3.1 L-index

#	Paper	IF	Citations
45	Prevalence, incidence estimation, risk factors and characterization of chronic prostatitis/chronic pelvic pain syndrome in urological hospital outpatients in Italy: results of a multicenter case-control observational study. <i>Journal of Urology</i> , 2007 , 178, 2411-5; discussion 2415	2.5	124
44	Dietary treatment of urinary risk factors for renal stone formation. A review of CLU Working Group. <i>Archivio Italiano Di Urologia Andrologia</i> , 2015 , 87, 105-20	1.6	93
43	galectin-1 and galectin-3 expression in human bladder transitional-cell carcinomas. <i>International Journal of Cancer</i> , 1999 , 84, 39-43	7.5	77
42	The endocrine-gland-derived vascular endothelial growth factor (EG-VEGF)/prokineticin 1 and 2 and receptor expression in human prostate: Up-regulation of EG-VEGF/prokineticin 1 with malignancy. <i>Endocrinology</i> , 2006 , 147, 4245-51	4.8	59
41	Estrogen receptor beta expression in human prostate tissue. <i>Molecular and Cellular Endocrinology</i> , 2001 , 178, 47-50	4.4	58
40	Italian validation of the International Consultation on Incontinence Questionnaires. <i>BJU International</i> , 2006 , 97, 101-8	5.6	52
39	Neoadjuvant hormone treatment with leuprolide acetate depot 3.75 mg and cyproterone acetate, before radical prostatectomy: a randomized study. <i>Urologia Internationalis</i> , 2004 , 72, 189-95	1.9	42
38	Overexpression of chromatin assembly factor-1 (CAF-1) p60 is predictive of adverse behaviour of prostatic cancer. <i>Histopathology</i> , 2009 , 54, 580-9	7.3	38
37	Efficacy and safety profile of a novel technique, ThuLEP (Thulium laser enucleation of the prostate) for the treatment of benign prostate hypertrophy. Our experience on 148 patients. <i>BMC Surgery</i> , 2012 , 12 Suppl 1, S21	2.3	36
36	Life-style in patients with LUTS suggestive of BPH. <i>European Urology</i> , 2001 , 40 Suppl 1, 9-12	10.2	35
35	Histopathologically proven prevention of post-prostatectomy cavernosal fibrosis with sildenafil. <i>Urologia Internationalis</i> , 2008 , 80, 249-52	1.9	33
34	Changes in tissue transglutaminase activity and expression during retinoic acid-induced growth arrest and apoptosis in primary cultures of human epithelial prostate cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999 , 84, 1463-9	5.6	27
33	Estrogens and aspects of prostate disease. <i>International Journal of Urology</i> , 2007 , 14, 1-16	2.3	23
32	Italian validation of the urogenital distress inventory and its application in LUTS patients. <i>European Urology</i> , 2006 , 50, 1323-9	10.2	22
31	Comparative study between Levobupivacaine and Bupivacaine for hernia surgery in the elderly. <i>BMC Surgery</i> , 2012 , 12 Suppl 1, S12	2.3	20
30	Testosterone deficiency causes penile fibrosis and organic erectile dysfunction in aging men. Evaluating association among Age, TDS and ED. <i>BMC Surgery</i> , 2012 , 12 Suppl 1, S24	2.3	19
29	Retrograde intra renal surgery versus percutaneous nephrolithotomy for renal stones >2 cm. A systematic review and meta-analysis. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2020 , 72, 441-450	4.4	16

28	Urolithiasis in Italy: an epidemiological study. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014 , 86, 99-102	1.6	14
27	Laboratory assessment. <i>Urologia Internationalis</i> , 2007 , 79 Suppl 1, 20-5	1.9	14
26	Tissue-resonance interaction method for the noninvasive diagnosis of prostate cancer: analysis of a multicentre clinical evaluation. <i>BJU International</i> , 2007 , 100, 1055-9	5.6	12
25	Tunical plication in the management of penile curvature due La Peyronie's disease. Our experience on 47 cases. <i>BMC Surgery</i> , 2012 , 12 Suppl 1, S25	2.3	9
24	Role of neoadjuvant treatment in clinically confined prostate cancer. Takeda NHT Italian Group. <i>European Urology</i> , 1999 , 35 Suppl 1, 17-21; discussion 22	10.2	9
23	Sexual asthenia: Tradamixina versus Tadalafil 5 mg daily. <i>BMC Surgery</i> , 2012 , 12 Suppl 1, S23	2.3	8
22	Prostate cancer treatment and quality of life. <i>Recent Results in Cancer Research</i> , 2007 , 175, 251-65	1.5	8
21	Evaluation of penile cavernosal artery intima-media thickness in patients with erectile dysfunction. A new parameter in the diagnosis of vascular erectile dysfunction. Our experience on 59 cases. <i>Archivio Italiano Di Urologia Andrologia</i> , 2014 , 86, 9-14	1.6	7
20	Presenting a case of a mucinous adenocarcinoma of an exstrophic bladder in an adult patient and a review of literature. <i>BMC Surgery</i> , 2013 , 13 Suppl 2, S36	2.3	6
19	Stress urinary incontinence: long-term results of laparoscopic Burch colposuspension. <i>BMC Surgery</i> , 2013 , 13 Suppl 2, S38	2.3	6
18	Observational study: daily treatment with a new compound "Tradamixina" plus serenoa repens for two months improved the lower urinary tract symptoms. <i>BMC Surgery</i> , 2012 , 12 Suppl 1, S22	2.3	6
17	Stone residual fragments: A thorny problem. <i>Urologia</i> , 2019 , 86, 169-176	1.2	5
16	Serum fetuin-A and recurrent urolithiasis in young adults. <i>Archivio Italiano Di Urologia Andrologia</i> , 2013 , 85, 180-3	1.6	5
15	Early versus delayed hormonal treatment in locally advanced or asymptomatic metastatic prostatic cancer patient dilemma. <i>World Journal of Urology</i> , 2014 , 32, 661-7	4	3
14	Prostate-specific antigen (protein and mRNA) analysis in the differential diagnosis and staging of prostate cancer. <i>Clinica Chimica Acta</i> , 1997 , 265, 65-76	6.2	3
13	Cavernous body reduction in four patients with erectile dysfunction due to insufficient venous occlusion and a deficit of elastic fibers in the tunica albuginea. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2007 , 33, 785-90; discussion 790-4	2	3
12	Osteoporosis is a Predictive Factor for Nephrolithiasis in an Adult Free-Living Caucasian Population From Southern Italy: A Longitudinal Retrospective Study Based on a General Practice Database. <i>Calcified Tissue International</i> , 2020 , 107, 446-452	3.9	3
11	Gynecomastia due to hormone therapy for advanced prostate cancer: a report of ten surgically treated cases and a review of treatment options. <i>Tumori</i> , 2004 , 90, 410-5	1.7	3

10	Ion specificity in determining physico-chemical properties of drinking water. <i>Food Science and Technology</i> , 2019 , 39, 485-490	2	2
9	Mannose-binding lectin genetic analysis: possible protective role of the HYPA haplotype in the development of recurrent urinary tract infections in men. <i>International Journal of Infectious Diseases</i> , 2014 , 19, 100-2	10.5	2
8	Actual chemotherapeutical possibilities in hormone-refractory prostate cancer (HRPC) patients. <i>Anticancer Research</i> , 2007 , 27, 1095-104	2.3	2
7	Retraction Note: Stress urinary incontinence: long-term results of laparoscopic Burch colposuspension. <i>BMC Surgery</i> , 2016 , 16, 26	2.3	1
6	A case of giant cell tumor of the hipbone invading the bladder. <i>Urologia</i> , 2011 , 78, 142-4	1.2	1
5	Chronic pain in urological diseases: a clinical review. <i>Open Medicine (Poland)</i> , 2008 , 3, 381-389	2.2	1
4	Aims and methods. LUTS suggestive of BPH. <i>European Urology</i> , 2001 , 40 Suppl 1, 2-4	10.2	1
3	Correlation between Ion Composition of Oligomineral Water and Calcium Oxalate Crystal Formation. <i>Crystals</i> , 2021 , 11, 1507	2.3	1
2	Leuporelin 1-month depot as neoadjuvant therapy for prostate cancer. Takeda NHT Italian Group. <i>Urologia Internationalis</i> , 1998 , 60 Suppl 2, 11-7; discussion 35	1.9	
1	Retraction Note: Observational study: daily treatment with a new compound "tradamixina" plus serenoa repens for two months improved the lower urinary tract symptoms. <i>BMC Surgery</i> , 2016 , 16, 23	2.3	