

Robin Bell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8107834/publications.pdf>

Version: 2024-02-01

237
papers

7,653
citations

61977

43
h-index

74160

75
g-index

239
all docs

239
docs citations

239
times ranked

7009
citing authors

#	ARTICLE	IF	CITATIONS
1	Androgen Levels in Adult Females: Changes with Age, Menopause, and Oophorectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 3847-3853.	3.6	841
2	Circulating Androgen Levels and Self-reported Sexual Function in Women. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 91.	7.4	451
3	The Relationship Between Self-Reported Sexual Satisfaction and General Well-Being in Women. <i>Journal of Sexual Medicine</i> , 2009, 6, 2690-2697.	0.6	267
4	Sexual Function After Breast Cancer. <i>Journal of Sexual Medicine</i> , 2011, 8, 294-302.	0.6	150
5	Safety and efficacy of testosterone for women: a systematic review and meta-analysis of randomised controlled trial data. <i>Lancet Diabetes and Endocrinology</i> , 2019, 7, 754-766.	11.4	140
6	Understanding variation in prevalence estimates of polycystic ovary syndrome: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2018, 24, 694-709.	10.8	134
7	Prevalence and incidence of urinary incontinence in women: Review of the literature and investigation of methodological issues. <i>International Journal of Urology</i> , 2008, 15, 230-234.	1.0	124
8	Testosterone for peri and postmenopausal women. <i>The Cochrane Library</i> , 2005, , CD004509.	2.8	104
9	Dehydroepiandrosterone Sulfate Levels Are Associated with More Favorable Cognitive Function in Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 801-808.	3.6	95
10	Greater superior than inferior parietal lobule activation with increasing rotation angle during mental rotation: An fMRI study. <i>Neuropsychologia</i> , 2010, 48, 529-535.	1.6	93
11	Moderate to severe vasomotor and sexual symptoms remain problematic for women aged 60 to 65 years. <i>Menopause</i> , 2015, 22, 694-701.	2.0	90
12	The Effect of Vigorous Exercise During Pregnancy on Birth-Weight. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1995, 35, 46-51.	1.0	89
13	Total cholesterol and triglycerides are associated with the development of new bone marrow lesions in asymptomatic middle-aged women - a prospective cohort study. <i>Arthritis Research and Therapy</i> , 2009, 11, R181.	3.5	87
14	Use of a decision aid for prenatal testing of fetal abnormalities to improve women's informed decision making: a cluster randomised controlled trial [ISRCTN22532458]. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 339-347.	2.3	84
15	Relaxin in human pregnancy serum measured with an homologous radioimmunoassay. <i>Obstetrics and Gynecology</i> , 1987, 69, 585-9.	2.4	82
16	A study of the prevalence and associations of subchondral bone marrow lesions in the knees of healthy, middle-aged women. <i>Osteoarthritis and Cartilage</i> , 2007, 15, 1437-1442.	1.3	81
17	Age-specific prevalence of, and factors associated with, different types of urinary incontinence in community-dwelling Australian women assessed with a validated questionnaire. <i>Maturitas</i> , 2009, 62, 134-139.	2.4	78
18	Effects of aromatase inhibition on sexual function and well-being in postmenopausal women treated with testosterone: a randomized, placebo-controlled trial. <i>Menopause</i> , 2006, 13, 37-45.	2.0	76

#	ARTICLE	IF	CITATIONS
19	Androgens During the Reproductive Years: What Is Normal for Women?. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 5382-5392.	3.6	76
20	Bone marrow lesions predict increase in knee cartilage defects and loss of cartilage volume in middle-aged women without knee pain over 2 years. Annals of the Rheumatic Diseases, 2009, 68, 850-855.	0.9	75
21	The association between vasomotor symptoms and depression during perimenopause: A systematic review. Maturitas, 2014, 77, 111-117.	2.4	75
22	Well-being, health-related quality of life and cardiovascular disease risk profile in women with subclinical thyroid disease ? a community-based study. Clinical Endocrinology, 2007, 66, 070210034307001-???	2.4	73
23	Prevalence and Predictors of Low Sexual Desire, Sexually Related Personal Distress, and Hypoactive Sexual Desire Dysfunction in a Community-Based Sample of Midlife Women. Journal of Sexual Medicine, 2017, 14, 675-686.	0.6	72
24	Androgen Physiology. Seminars in Reproductive Medicine, 2006, 24, 071-077.	1.1	69
25	RADIOIMMUNOASSAY OF RELAXIN IN PREGNANCY WITH AN ANALOGUE OF HUMAN RELAXIN. Lancet, The, 1986, 327, 1344-1346.	13.7	68
26	Sexual Function in Well Women: Stratification by Sexual Satisfaction, Hormone Use, and Menopause Status. Journal of Sexual Medicine, 2008, 5, 1214-1222.	0.6	68
27	Adipose aromatase gene expression is greater in older women and is unaffected by postmenopausal estrogen therapy. Menopause, 2005, 12, 210-215.	2.0	66
28	Differential expression of factors involved in fat metabolism with age and the menopause transition. Maturitas, 2005, 51, 299-306.	2.4	62
29	Endogenous androgen levels and cardiovascular risk profile in women across the adult life span. Menopause, 2007, 14, 630-638.	2.0	62
30	Negative beliefs about low back pain are associated with high pain intensity and high level disability in community-based women. BMC Musculoskeletal Disorders, 2008, 9, 148.	1.9	59
31	Prevalence of menopausal symptoms in Asian midlife women: a systematic review. Climacteric, 2015, 18, 157-176.	2.4	58
32	Why Do Women Decline Prenatal Screening and Diagnosis? Australian Women's Perspective. Women and Health, 2003, 37, 89-108.	1.0	57
33	Antenatal and intrapartum antecedents of cerebral palsy: a case-control study. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2002, 42, 138-146.	1.0	54
34	Endogenous androgen levels and well-being: differences between premenopausal and postmenopausal women. Menopause, 2006, 13, 65-71.	2.0	53
35	Adjuvant therapy, not mammographic screening, accounts for most of the observed breast cancer specific mortality reductions in Australian women since the national screening program began in 1991. Breast Cancer Research and Treatment, 2012, 131, 949-955.	2.5	52
36	Exercise and Pregnancy: A Review. Birth, 1994, 21, 85-95.	2.2	49

#	ARTICLE	IF	CITATIONS
37	Evaluation of the measurement of the fetal fat layer, interventricular septum and abdominal circumference percentile in the prediction of macrosomia in pregnancies affected by gestational diabetes. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003, 22, 586-590.	1.7	49
38	Osteoarthritis and the postmenopausal woman: Epidemiological, magnetic resonance imaging, and radiological findings. <i>Seminars in Arthritis and Rheumatism</i> , 2004, 34, 631-636.	3.4	49
39	The safety of 52 weeks of oral DHEA therapy for postmenopausal women. <i>Maturitas</i> , 2009, 63, 240-245.	2.4	49
40	Moderate-severely bothersome vasomotor symptoms are associated with lowered psychological general wellbeing in women at midlife. <i>Maturitas</i> , 2015, 81, 487-492.	2.4	49
41	Menopausal vasomotor symptoms are associated with poor self-assessed work ability. <i>Maturitas</i> , 2016, 87, 33-39.	2.4	49
42	Menopausal symptoms in breast cancer survivors nearly 6 years after diagnosis. <i>Menopause</i> , 2014, 21, 1075-1081.	2.0	48
43	Sexual Function, Incontinence, and Wellbeing in Women after Rectal Cancer—A Review of the Evidence. <i>Journal of Sexual Medicine</i> , 2012, 9, 2749-2758.	0.6	46
44	Moderate—Severe Vasomotor Symptoms Are Associated with Moderate—Severe Depressive Symptoms. <i>Journal of Women's Health</i> , 2017, 26, 712-718.	3.3	46
45	A Randomized Trial of Oral DHEA Treatment for Sexual Function, Well-Being, and Menopausal Symptoms in Postmenopausal Women with Low Libido. <i>Journal of Sexual Medicine</i> , 2009, 6, 2579-2590.	0.6	44
46	Prevalence of fecal incontinence and its relationship with urinary incontinence in women living in the community. <i>Menopause</i> , 2011, 18, 685-689.	2.0	43
47	Implanon users are less likely to be satisfied with their contraception after 6 months than IUD users. <i>Contraception</i> , 2009, 80, 452-456.	1.5	42
48	Testosterone improves verbal learning and memory in postmenopausal women: Results from a pilot study. <i>Maturitas</i> , 2011, 70, 307-311.	2.4	42
49	Intravaginal Testosterone Improves Sexual Satisfaction and Vaginal Symptoms Associated With Aromatase Inhibitors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 4146-4154.	3.6	42
50	Testosterone aromatization and cognition in women: a randomized, placebo-controlled trial. <i>Menopause</i> , 2006, 13, 600-608.	2.0	41
51	Symptomatic pelvic floor disorders in community-dwelling older Australian women. <i>Maturitas</i> , 2016, 85, 34-41.	2.4	41
52	Vasomotor and sexual symptoms in older Australian women: a cross-sectional study. <i>Fertility and Sterility</i> , 2016, 105, 149-155.e1.	1.0	41
53	Urinary Incontinence in Young Nulligravid Women. <i>Annals of Internal Medicine</i> , 2012, 157, 87.	3.9	40
54	Relaxin in paired samples of serum and milk from women after term and preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , 1989, 161, 970-973.	1.3	39

#	ARTICLE	IF	CITATIONS
55	The prediction of preterm labour by recording spontaneous antenatal uterine activity. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1983, 90, 884-887.	2.3	38
56	The Incidence of Invasive Breast Cancer Among Women Prescribed Testosterone for Low Libido. <i>Journal of Sexual Medicine</i> , 2009, 6, 1850-1856.	0.6	38
57	Urinary incontinence is associated with lower psychological general well-being in community-dwelling women. <i>Menopause</i> , 2010, 17, 332-337.	2.0	37
58	Testosterone and Estrone Increase From the Age of 70 Years: Findings From the Sex Hormones in Older Women Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 6291-6300.	3.6	37
59	Testosterone Improves Antidepressant-Emergent Loss of Libido in Women: Findings from a Randomized, Double-Blind, Placebo-Controlled Trial. <i>Journal of Sexual Medicine</i> , 2014, 11, 831-839.	0.6	36
60	Obesity is associated with a poorer prognosis in women with hormone receptor positive breast cancer. <i>Maturitas</i> , 2014, 79, 279-286.	2.4	36
61	Fetal Fibronectin in the Cervicovaginal Fluid of Women with Threatened Preterm Labour as a Predictor of Delivery Before 34 Weeks' Gestation. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1995, 35, 257-261.	1.0	35
62	Factors identified during the neonatal period associated with risk of cerebral palsy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004, 44, 342-346.	1.0	35
63	A pragmatic approach to the classification of menopausal status for community-based research. <i>Menopause</i> , 2008, 15, 978-983.	2.0	35
64	Incidence of Total Knee and Hip Replacement for Osteoarthritis in Relation to Circulating Sex Steroid Hormone Concentrations in Women. <i>Arthritis and Rheumatology</i> , 2014, 66, 2144-2151.	5.6	35
65	Antenatal exercise and birthweight. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2000, 40, 70-73.	1.0	34
66	Awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population based survey. <i>Maturitas</i> , 2016, 84, 68-74.	2.4	34
67	Factors affecting patella cartilage and bone in middle-aged women. <i>Arthritis and Rheumatism</i> , 2007, 57, 272-278.	6.7	33
68	Use of a cancer registry is preferable to a direct-to-community approach for recruitment to a cohort study of wellbeing in women newly diagnosed with invasive breast cancer. <i>BMC Cancer</i> , 2008, 8, 126.	2.6	33
69	A systematic review of intravaginal testosterone for the treatment of vulvovaginal atrophy. <i>Menopause</i> , 2018, 25, 704-709.	2.0	33
70	The cross-sectional relationship between fortnightly exercise and knee cartilage properties in healthy adult women in midlife. <i>Menopause</i> , 2007, 14, 830-834.	2.0	32
71	The determinants of change in patella cartilage volume—a cohort study of healthy middle-aged women. <i>Rheumatology</i> , 2008, 47, 1426-1429.	1.9	32
72	Hypoactive sexual desire dysfunction in community-dwelling older women. <i>Menopause</i> , 2017, 24, 391-399.	2.0	32

#	ARTICLE	IF	CITATIONS
73	A randomized community intervention trial to increase awareness and knowledge of the role of periconceptional folate in women of child-bearing age. <i>Health Expectations</i> , 1999, 2, 255-265.	2.6	30
74	What do obstetricians think about media influences on their patients?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2006, 46, 379-383.	1.0	30
75	Persistent breast pain 5 years after treatment of invasive breast cancer is largely unexplained by factors associated with treatment. <i>Journal of Cancer Survivorship</i> , 2014, 8, 1-8.	2.9	30
76	Low use of effective and safe therapies for moderate to severe menopausal symptoms. <i>Menopause</i> , 2016, 23, 11-17.	2.0	30
77	Associations between androgens and sexual function in premenopausal women: a cross-sectional study. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 693-702.	11.4	30
78	GESTATION-DEPENDENT ASPECTS OF THE RESPONSE OF THE OVINE FETUS TO THE OSMOTIC STRESS INDUCED BY MATERNAL WATER DEPRIVATION. <i>Quarterly Journal of Experimental Physiology (Cambridge)</i> , 1974, 59, 107-114.	0.0	0
79	The role of fetal adrenal hormones in the switch from fetal to adult globin synthesis in the sheep. <i>Journal of Endocrinology</i> , 1985, 104, 165-170.	2.6	29
80	The Relationship between Endogenous Testosterone, Preandrogens, and Sex Hormone Binding Globulin and Knee Joint Structure in Women at Midlife. <i>Seminars in Arthritis and Rheumatism</i> , 2007, 37, 56-62.	3.4	29
81	Breast cancer survivors' beliefs about the causes of breast cancer. <i>Psycho-Oncology</i> , 2012, 21, 724-729.	2.3	29
82	Women Who Spontaneously Quit Smoking in Early Pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1997, 37, 271-278.	1.0	28
83	People who influence women's decisions and preferred sources of information about prenatal testing for birth defects. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004, 44, 233-238.	1.0	28
84	The contribution of SHBG to the variation in HOMA-IR is not dependent on endogenous oestrogen or androgen levels in postmenopausal women. <i>Clinical Endocrinology</i> , 2012, 77, 541-547.	2.4	28
85	The prevalence of symptomatic pelvic floor disorders in women in Bangladesh. <i>Climacteric</i> , 2016, 19, 558-564.	2.4	28
86	Do Childbirth Classes Influence Decision Making about Labor and Postpartum Issues?. <i>Birth</i> , 1995, 22, 153-160.	2.2	27
87	Prenatal diagnosis for women aged 37 years and over: to have or not to have. <i>Prenatal Diagnosis</i> , 2001, 21, 842-847.	2.3	27
88	Evaluation of a decision aid for prenatal testing of fetal abnormalities: a cluster randomised trial [ISRCTN22532458]. <i>BMC Public Health</i> , 2006, 6, 96.	2.9	27
89	Incidence and Resolution Rates of Different Types of Urinary Incontinence in Women: Findings From a Cohort Study. <i>Journal of Urology</i> , 2011, 185, 1331-1337.	0.4	27
90	Measurement of total testosterone in women: comparison of a direct radioimmunoassay versus radioimmunoassay after organic solvent extraction and celite column partition chromatography. <i>Fertility and Sterility</i> , 2005, 84, 1698-1704.	1.0	26

#	ARTICLE	IF	CITATIONS
91	Ovarian status in healthy postmenopausal women. <i>Menopause</i> , 2008, 15, 1109-1114.	2.0	26
92	ALCOHOL CONSUMPTION, CIGARETTE SMOKING AND FETAL OUTCOME IN VICTORIA, 1985. <i>Community Health Studies</i> , 1989, 13, 484-491.	0.0	26
93	Transdermal testosterone improves verbal learning and memory in postmenopausal women not on oestrogen therapy. <i>Clinical Endocrinology</i> , 2014, 81, 621-628.	2.4	26
94	The increasing knowledge of the role of periconceptional folate in Victorian women of childbearing age: follow-up of a randomised community intervention trial. <i>Australian and New Zealand Journal of Public Health</i> , 2001, 25, 389-395.	1.8	25
95	Effect of long-term infusion of ovine corticotrophin-releasing factor in the immature ovine fetus. <i>Journal of Endocrinology</i> , 1986, 111, 469-475.	2.6	25
96	Prevalence of menopausal symptoms in Australian women at midlife: a systematic review. <i>Climacteric</i> , 2014, 17, 529-539.	2.4	24
97	Vasomotor symptoms in women in Asia appear comparable with women in Western countries: a systematic review. <i>Menopause</i> , 2017, 24, 1313-1322.	2.0	24
98	A Randomized Controlled Trial of a Smoking Cessation Intervention During Pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1999, 39, 312-317.	1.0	23
99	Cervical surveillance as an alternative to elective cervical cerclage for pregnancy management of suspected cervical incompetence. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004, 44, 228-232.	1.0	23
100	Breast reconstruction following mastectomy for invasive breast cancer is strongly influenced by demographic factors in women in Victoria, Australia. <i>Breast</i> , 2012, 21, 394-400.	2.2	23
101	Aromatase Inhibitors Are Associated with Low Sexual Desire Causing Distress and Fecal Incontinence in Women: An Observational Study. <i>Journal of Sexual Medicine</i> , 2017, 14, 1566-1574.	0.6	23
102	Effects of testosterone on visuospatial function and verbal fluency in postmenopausal women. <i>Menopause</i> , 2014, 21, 410-414.	2.0	22
103	Lack of Understanding of Cervical Cancer and Screening Is the Leading Barrier to Screening Uptake in Women at Midlife in Bangladesh: Population-Based Cross-Sectional Survey. <i>Oncologist</i> , 2015, 20, 1386-1392.	3.7	22
104	Vasomotor symptoms and urogenital atrophy in older women: a systematic review. <i>Climacteric</i> , 2015, 18, 112-120.	2.4	22
105	Prevalence and severity of vasomotor symptoms and joint pain in women at midlife in Bangladesh: a population-based survey. <i>Menopause</i> , 2016, 23, 731-739.	2.0	22
106	The prevalence of sexual dysfunctions and sexually related distress in young women: a cross-sectional survey. <i>Fertility and Sterility</i> , 2020, 113, 426-434.	1.0	22
107	Antenatal serum levels of relaxin in patients having preterm labour. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1988, 95, 1264-1267.	2.3	21
108	Do women know that prenatal testing detects fetuses with Down syndrome?. <i>Journal of Obstetrics and Gynaecology</i> , 2004, 24, 647-651.	0.9	21

#	ARTICLE	IF	CITATIONS
109	High sensitivity C-reactive protein is associated with lower tibial cartilage volume but not lower patella cartilage volume in healthy women at mid-life. <i>Arthritis Research and Therapy</i> , 2008, 10, R27.	3.5	21
110	Should women aged 70-74 be invited to participate in screening mammography? A report on two Australian community juries. <i>BMJ Open</i> , 2018, 8, e021174.	1.9	21
111	A core outcome set for vasomotor symptoms associated with menopause: the COMMA (Core Outcomes) Trial. <i>Menopause</i> , 2018, 25, 1414-1421.	2.0	21
112	Antenatal and Perinatal Antecedents of Moderate and Severe Spastic Cerebral Palsy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1998, 38, 377-383.	1.0	20
113	Understanding discontinuation of oral adjuvant endocrine therapy by women with hormone receptor-positive invasive breast cancer nearly 4 years from diagnosis. <i>Menopause</i> , 2013, 20, 15-21.	2.0	20
114	Pharmacokinetics of a transdermal testosterone cream in healthy postmenopausal women. <i>Menopause</i> , 2015, 22, 44-49.	2.0	20
115	The benefits of adding metformin to tamoxifen to protect the endometrium: A randomized placebo-controlled trial. <i>Clinical Endocrinology</i> , 2018, 89, 605-612.	2.4	20
116	Assessing Sexual Function in Well Women: Validity and Reliability of the Monash Women's Health Program Female Sexual Satisfaction Questionnaire. <i>Journal of Sexual Medicine</i> , 2008, 5, 2575-2586.	0.6	19
117	Management strategies in SSRI-associated sexual dysfunction in women at midlife. <i>Climacteric</i> , 2012, 15, 306-316.	2.4	19
118	Negative beliefs about back pain are associated with persistent, high levels of low back disability in community-based women. <i>Menopause</i> , 2018, 25, 977-984.	2.0	19
119	A core outcome set for genitourinary symptoms associated with menopause: the COMMA (Core) Trial. <i>Menopause</i> , 2018, 25, 1414-1421.	2.0	19
120	The Prevalence and Timing of Obstetric Ultrasound in Victoria 1991-1992: a Population-based Study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1995, 35, 375-379.	1.0	18
121	Exploring general practitioners' experience of informing women about prenatal screening tests for foetal abnormalities: A qualitative focus group study. <i>BMC Health Services Research</i> , 2008, 8, 114.	2.2	18
122	Endogenous estrogen and androgen levels are not independent predictors of lipid levels in postmenopausal women. <i>Menopause</i> , 2013, 20, 640-645.	2.0	18
123	Factors associated with magnetic resonance imaging defined patellar tendinopathy in community-based middle-aged women: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 184.	1.9	18
124	The effects of vigorous exercise during pregnancy on birth weight. <i>Journal of Science and Medicine in Sport</i> , 2002, 5, 32-36.	1.3	17
125	Low back pain and disability in community-based women. <i>Menopause</i> , 2009, 16, 24-29.	2.0	17
126	Psychological well-being in a cohort of women with invasive breast cancer nearly 2 years after diagnosis. <i>Supportive Care in Cancer</i> , 2010, 18, 921-929.	2.2	17

#	ARTICLE	IF	CITATIONS
127	Continuous-combined oral estradiol/drospirenone has no detrimental effect on cognitive performance and improves estrogen deficiency symptoms in early postmenopausal women. <i>Menopause</i> , 2013, 20, 1020-1026.	2.0	17
128	Cervicovaginal Fetal Fibronectin Testing in Threatened Preterm Labour " Translating Research Findings into Clinical Practice. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1998, 38, 399-402.	1.0	16
129	The Global Challenge of Reducing Breast Cancer Mortality. <i>Oncologist</i> , 2013, 18, 1200-1202.	3.7	16
130	Use of complementary and alternative medicines for menopausal symptoms in Australian women aged 40-65 years. <i>Medical Journal of Australia</i> , 2015, 203, 146-146.	1.7	16
131	Metformin for overweight women at midlife: a double-blind, randomized, controlled trial. <i>Climacteric</i> , 2015, 18, 270-277.	2.4	16
132	Challenges in recruitment to an epidemiological study of young Australian women: the Grollo-Ruzzene Foundation Young Women's Health Study. <i>Australian and New Zealand Journal of Public Health</i> , 2019, 43, 131-136.	1.8	16
133	Lymphedema: experience of a cohort of women with breast cancer followed for 4 years after diagnosis in Victoria, Australia. <i>Supportive Care in Cancer</i> , 2013, 21, 2017-2024.	2.2	15
134	Effects of testosterone therapy for women: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2019, 8, 19.	5.3	15
135	Australian women's understanding of menopause and its consequences: a qualitative study. <i>Climacteric</i> , 2020, 23, 622-628.	2.4	15
136	Associations between blood sex steroid concentrations and risk of major adverse cardiovascular events in healthy older women in Australia: a prospective cohort substudy of the ASPREE trial. <i>The Lancet Healthy Longevity</i> , 2022, 3, e109-e118.	4.6	15
137	THE EFFECT OF MATERNAL WATER DEPRIVATION ON OVINE FETAL BLOOD VOLUME. <i>Quarterly Journal of Experimental Physiology (Cambridge, England)</i> , 1985, 70, 95-99.	1.0	14
138	Use of complementary and alternative therapy by women in the first 2 years after diagnosis and treatment of invasive breast cancer. <i>Menopause</i> , 2010, 17, 1004-1009.	2.0	14
139	Changes in patterns of use of cigarettes and alcohol in women after a first diagnosis of invasive breast cancer: a cohort study of women from Victoria, Australia. <i>Supportive Care in Cancer</i> , 2012, 20, 783-789.	2.2	14
140	Screening mammography " early detection or over-diagnosis? Contribution from Australian data. <i>Climacteric</i> , 2014, 17, 66-72.	2.4	14
141	Moderate to severe vasomotor and sexual symptoms remain problematic for women aged 60 to 65 years. <i>Menopause</i> , 2018, 25, 1331-1338.	2.0	14
142	Estrone Is a Strong Predictor of Circulating Estradiol in Women Age 70 Years and Older. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3348-e3354.	3.6	14
143	Types of urinary incontinence in Bangladeshi women at midlife: Prevalence and risk factors. <i>Maturitas</i> , 2018, 116, 18-23.	2.4	13
144	Hormonal contraceptive use in Australian women: Who is using what?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019, 59, 717-724.	1.0	13

#	ARTICLE	IF	CITATIONS
145	What are popular magazines telling young women about pregnancy, birth, breastfeeding and parenting?. <i>Women and Birth</i> , 1996, 9, 10-14.	0.1	12
146	Lack of Knowledge of Hormone Receptor Status and Use of Endocrine Therapy in Invasive Breast Cancer. <i>Journal of Women's Health</i> , 2009, 18, 1975-1980.	3.3	12
147	Are low levels of low back pain intensity and disability associated with reduced well-being in community-based women?. <i>Climacteric</i> , 2009, 12, 266-275.	2.4	12
148	The Natural History of Bone Marrow Lesions in Community-Based Middle-Aged Women Without Clinical Knee Osteoarthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2009, 39, 213-217.	3.4	12
149	Prevalence of sexual symptoms in relation to menopause in women in Asia: a systematic review. <i>Menopause</i> , 2018, 25, 231-238.	2.0	12
150	Misoprostol versus dinoprostone for cervical priming prior to induction of labour in term pregnancy: a randomised controlled trial. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2001, 41, 145-152.	1.0	11
151	Bothersome menopausal symptoms amongst postmenopausal Iranian women. <i>Climacteric</i> , 2018, 21, 586-593.	2.4	11
152	Substituting serum anti-Müllerian hormone for polycystic ovary morphology increases the number of women diagnosed with polycystic ovary syndrome: a community-based cross-sectional study. <i>Human Reproduction</i> , 2021, 37, 109-118.	0.9	11
153	Regulation and function of arginine vasopressin in pregnant sheep. <i>American Journal of Physiology - Renal Physiology</i> , 1986, 250, F777-F780.	2.7	10
154	Homocysteine, estrogen and cognitive decline. <i>Climacteric</i> , 2006, 9, 77-87.	2.4	10
155	Do the benefits of screening mammography outweigh the harms of overdiagnosis and unnecessary treatment?. <i>Medical Journal of Australia</i> , 2012, 196, 17-17.	1.7	10
156	The Global Challenge of Reducing Breast Cancer Mortality. <i>Oncologist</i> , 2013, 18, 3-5.	3.7	10
157	Bangladesh Midlife Women's Health Study (BMWHS): Methods, challenges and experiences. <i>Maturitas</i> , 2015, 80, 89-94.	2.4	10
158	Poor general health and lower levels of vitality are associated with persistent, high-intensity low back pain and disability in community-based women: A prospective cohort study. <i>Maturitas</i> , 2018, 113, 7-12.	2.4	10
159	Exogenous Testosterone Does Not Influence 11-Oxygenated C19 Steroid Concentrations in Healthy Postmenopausal Women. <i>Journal of the Endocrine Society</i> , 2019, 3, 670-677.	0.2	10
160	Prevalence of Low Sexual Desire with Associated Distress Across the Adult Life Span: An Australian Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2020, 17, 1885-1895.	0.6	10
161	Distribution of Body Hair in Young Australian Women and Associations With Serum Androgen Concentrations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1186-1195.	3.6	10
162	Longitudinal changes over three years in sex steroid hormone levels in women aged 70 years and over. <i>Clinical Endocrinology</i> , 2021, 94, 443-448.	2.4	10

#	ARTICLE	IF	CITATIONS
163	Use of community-based reference ranges to estimate the prevalence of polycystic ovary syndrome by the recognised diagnostic criteria, a cross-sectional study. <i>Human Reproduction</i> , 2021, 36, 1611-1620.	0.9	10
164	Health-care providers' views of menopause and its management: a qualitative study. <i>Climacteric</i> , 2021, 24, 612-617.	2.4	10
165	Measurement of spontaneous uterine activity in the antenatal patient. <i>American Journal of Obstetrics and Gynecology</i> , 1981, 140, 713-715.	1.3	9
166	Relaxin in sera during the luteal phase of in-vitro fertilization cycles. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990, 97, 215-220.	2.3	9
167	Climacteric symptoms among indigenous Australian women and a model for the use of culturally relevant art in health promotion. <i>Menopause</i> , 2003, 10, 345-351.	2.0	9
168	The relationship between knowledge of family history and cancer characteristics at diagnosis in women newly-diagnosed with invasive breast cancer. <i>Familial Cancer</i> , 2009, 8, 299-305.	1.9	9
169	The prevalence of vitamin D deficiency and relationship with fracture risk in older women presenting in Australian general practice. <i>Australasian Journal on Ageing</i> , 2013, 32, 177-183.	0.9	9
170	Antenatal oestradiol and progesterone concentrations in patients subsequently having preterm labour. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1983, 90, 888-891.	2.3	8
171	A survey of antenatal clinic staff: Some perceived barriers to the promotion of smoking cessation in pregnancy. <i>Women and Birth</i> , 1998, 11, 14-18.	0.1	8
172	Vastus medialis cross-sectional area is associated with patella cartilage defects and bone volume in healthy women. <i>Osteoarthritis and Cartilage</i> , 2008, 16, 956-960.	1.3	8
173	Methodology and Challenges to Recruitment to a Randomized, Double-Blind, Placebo-Controlled Trial of Oral DHEA in Postmenopausal Women. <i>Journal of Women's Health</i> , 2008, 17, 1559-1565.	3.3	8
174	Effects of the route of estrogen administration on insulinlike growth factor-I, IGF binding protein-3, and insulin resistance in healthy postmenopausal women. <i>Menopause</i> , 2008, 15, 1065-1069.	2.0	8
175	Pregnancy-associated breast cancer and pregnancy following treatment for breast cancer, in a cohort of women from Victoria, Australia, with a first diagnosis of invasive breast cancer. <i>Breast</i> , 2013, 22, 980-985.	2.2	8
176	Patterns of use of oral adjuvant endocrine therapy in Australian breast cancer survivors 5 years from diagnosis. <i>Menopause</i> , 2013, 20, 721-726.	2.0	8
177	Minimal-trauma fracture in women with breast cancer surviving for at least 5 years from diagnosis. <i>Osteoporosis International</i> , 2015, 26, 795-800.	3.1	8
178	Estimation of fetal weight by ultrasound prior to 33 weeks gestation. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2000, 40, 180-184.	1.0	7
179	Ovarian status in healthy postmenopausal women. <i>Menopause</i> , 2009, 16, 1149-1155.	2.0	7
180	Association between urinary C-telopeptide fragments of type II collagen and knee structure in middle-aged women without clinical knee disease. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1136-1141.	1.3	7

#	ARTICLE	IF	CITATIONS
181	Targeted assessment of fracture risk in women at midlife. <i>Osteoporosis International</i> , 2015, 26, 1705-1712.	3.1	7
182	Variation in outcome reporting and measurement tools in clinical trials of treatments for genitourinary symptoms in peri- and postmenopausal women: a systematic review. <i>Menopause</i> , 2020, 27, 1070-1080.	2.0	7
183	Protocol for development of a core outcome set for menopausal symptoms (COMMA). <i>Menopause</i> , 2020, 27, 1371-1375.	2.0	7
184	Differing performance of two assays for the measurement of anti-Müllerian hormone in premenopausal women: A cross-sectional study. <i>Clinical Endocrinology</i> , 2021, 95, 169-175.	2.4	7
185	Antenatal uterine activity monitoring of women at increased risk of preterm labour. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1992, 46, 65-72.	1.1	6
186	Cross-cultural studies of menopause. <i>Menopause</i> , 2013, 20, 1107-1108.	2.0	6
187	A prospective controlled study of sexual function and sexually related personal distress up to 12 months after premenopausal risk-reducing bilateral salpingo-oophorectomy. <i>Menopause</i> , 2021, 28, 748-755.	2.0	6
188	Consequences of surveying folate awareness. <i>Health Expectations</i> , 2002, 5, 38-46.	2.6	5
189	A comparison of the characteristics, treatment and outcome after 5 years, of Australian women aged 70+ with those aged <70 years at the time of diagnosis of breast cancer. <i>Journal of Geriatric Oncology</i> , 2014, 5, 141-147.	1.0	5
190	Clinical audit of estradiol implant therapy: Long duration of action and implications in non-hysterectomised women. <i>Maturitas</i> , 2016, 94, 84-86.	2.4	5
191	Mammographic density and breast cancer screening. <i>Climacteric</i> , 2020, 23, 460-465.	2.4	5
192	Evidence synthesis in the time of COVID-19. <i>Climacteric</i> , 2021, 24, 211-213.	2.4	5
193	Intended follow up of women with breast cancer at low risk of recurrence and at least 5 years from diagnosis. <i>Internal Medicine Journal</i> , 2014, 44, 332-338.	0.8	4
194	Using an automated measure of breast density to explore the association between ethnicity and mammographic density in Australian women. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2019, 63, 183-189.	1.8	4
195	Depressive symptoms and associated factors among Iranian women at midlife: a community-based, cross-sectional study. <i>Menopause</i> , 2019, 26, 1125-1132.	2.0	4
196	Effects of maternal sodium depletion on the composition of ovine fetal fluids. <i>Journal of Endocrinology</i> , 1985, 107, 177-182.	2.6	3
197	Use of imaging in surveillance of women with early stage breast cancer. <i>ANZ Journal of Surgery</i> , 2013, 83, 129-134.	0.7	3
198	Aromatase inhibitors associated with knee subchondral bone expansion without cartilage loss. <i>Climacteric</i> , 2013, 16, 632-638.	2.4	3

#	ARTICLE	IF	CITATIONS
199	Vasomotor symptoms are associated with depressive symptoms in community-dwelling older women. <i>Menopause</i> , 2017, 24, 1365-1371.	2.0	3
200	What is wrong with the medical literature?. <i>Climacteric</i> , 2017, 20, 22-24.	2.4	3
201	Why do we need cohort studies?. <i>Climacteric</i> , 2020, 23, 321-322.	2.4	3
202	The prevalence of hypoactive sexual desire disorder in Australian and Iranian women at midlife. <i>Menopause</i> , 2020, 27, 1274-1280.	2.0	3
203	Method for cohort and nested case-control studies: the prevalence, timing and effectiveness of obstetric ultrasound, Victoria 1991-1992. <i>Paediatric and Perinatal Epidemiology</i> , 1995, 9, 225-240.	1.7	2
204	Acute administration of conjugated equine oestrogen does not improve exercise-induced myocardial ischaemia in men with coronary artery disease. <i>Internal Medicine Journal</i> , 2003, 33, 221-224.	0.8	2
205	A research participant's rights as an ethical dilemma. <i>Australian and New Zealand Journal of Public Health</i> , 2012, 36, 508-510.	1.8	2
206	Routine Screening for Urinary Incontinence in Women: Caution Advised. <i>Annals of Internal Medicine</i> , 2018, 169, 345-346.	3.9	2
207	Why are you reading about study design in <i>Climacteric</i> ?. <i>Climacteric</i> , 2020, 23, 317-318.	2.4	2
208	Factors involved in treatment decision making for women diagnosed with ductal carcinoma in situ: A qualitative study. <i>Breast</i> , 2021, 60, 123-130.	2.2	2
209	Maternal antecedents to cerebral palsy in preterm infants. <i>Developmental Medicine and Child Neurology</i> , 2002, 44, 498.	2.1	2
210	The Relationship Between Hormone Therapy Use at the Time of Diagnosis of Breast Cancer and Tumor Characteristics. <i>Hormones and Cancer</i> , 2010, 1, 93-99.	4.9	1
211	Comparison of plain vertebral X-ray and dual-energy X-ray absorptiometry for the identification of older women for fracture prevention in primary care. <i>Internal Medicine Journal</i> , 2013, 43, 38-45.	0.8	1
212	Authors' response to Letter to the Editor on awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population-based survey. <i>Maturitas</i> , 2016, 88, 58.	2.4	1
213	Identification of the Gender-Specific Health Needs of Women Following Lung Transplantation. <i>Journal of Women's Health</i> , 2018, 27, 485-491.	3.3	1
214	Awareness and use of iodine supplementation among Australian women attending a low-risk pregnancy clinic. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018, 58, E16-E17.	1.0	1
215	Lack of research reproducibility, the rise of open science and the need for continuing education in research methods. <i>Climacteric</i> , 2018, 21, 413-414.	2.4	1
216	Ringing the bell and then falling off a cliff - life after cancer. <i>Climacteric</i> , 2019, 22, 533-534.	2.4	1

#	ARTICLE	IF	CITATIONS
217	Prevalence of and Risk Factors for Depressive Symptoms and Antidepressant Use in Young Australian Women: A Cross-Sectional Study. <i>Journal of Women's Health</i> , 2020, 30, 997-1005.	3.3	1
218	When you are making plans to publish research, you need to plan for data sharing. <i>Climacteric</i> , 2020, 23, 466-467.	2.4	1
219	Don't skip the methods section! Randomized controlled trials are not all the same. <i>Climacteric</i> , 2020, 23, 224-225.	2.4	1
220	Testosterone and androstenedione are positively associated with anti-Müllerian hormone in premenopausal women. <i>Clinical Endocrinology</i> , 2021, 95, 752-759.	2.4	1
221	Human relaxin. <i>Reproductive Medicine Review</i> , 1993, 2, 109-118.	0.3	0
222	Postmenopausal women taking oestrogen plus progestin are at greater risk of ischaemic stroke. <i>Evidence-based Cardiovascular Medicine</i> , 2003, 7, 197-198.	0.0	0
223	Self-reported Sexual Function in Women and Androgen Levels. <i>JAMA - Journal of the American Medical Association</i> , 2005, 294, 2167.	7.4	0
224	Screening and Breast Cancer Mortality Letter. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2275-2275.	2.5	0
225	Cosmetic surgery prior to diagnosis of breast cancer. <i>Climacteric</i> , 2012, 15, 195-199.	2.4	0
226	Letter in response: the value of mammography screening. <i>Breast Cancer Research and Treatment</i> , 2012, 134, 1345-1346.	2.5	0
227	Urinary Incontinence in Young Nulligravid Women. <i>Annals of Internal Medicine</i> , 2013, 158, 139.	3.9	0
228	Reply. <i>Arthritis and Rheumatology</i> , 2015, 67, 315-316.	5.6	0
229	The use of micronised progesterone for menopausal hormone therapy, a clinical practice audit. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016, 56, 323-325.	1.0	0
230	What is the right dose of modern medicine?. <i>Climacteric</i> , 2017, 20, 185-186.	2.4	0
231	Screening for women at midlife: we need to remain vigilant. <i>Climacteric</i> , 2018, 21, 199-201.	2.4	0
232	Chronic pain and menopausal symptoms. <i>Menopause</i> , 2019, 26, 694-695.	2.0	0
233	Response to Letter to the Editor: "Distribution of Body Hair in Young Australian Women and Associations with Serum Androgen Concentrations". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e3049-e3050.	3.6	0
234	Menopausal status at diagnosis of breast cancer and risk of metastatic recurrence. <i>Menopause</i> , 2021, 28, 1079-1080.	2.0	0

#	ARTICLE	IF	CITATIONS
235	Letter to the Editor: Randolph J, et al. Masturbation Frequency and Sexual Function Domains Are Associated With Serum Reproductive Hormone Levels Across the Menopausal Transition. Journal of Clinical Endocrinology and Metabolism, 2015, 100, L25-L25.	3.6	0
236	Reply: A single cut-off value of anti-Mullerian hormone should not be used for the diagnosis of PCOS in all reproductive-aged women. Human Reproduction, 2022, , .	0.9	0
237	Changes to health screening “ we need to remain vigilant. Climacteric, 2022, 25, 319-320.	2.4	0