# Robin Bell

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/8107834/robin-bell-publications-by-citations.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 226
 5,928
 39
 66

 papers
 citations
 h-index
 g-index

 239
 6,676
 3.6
 5.82

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
226	Androgen levels in adult females: changes with age, menopause, and oophorectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 3847-53	5.6	709
225	Circulating androgen levels and self-reported sexual function in women. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 294, 91-6	27.4	376
224	The relationship between self-reported sexual satisfaction and general well-being in women. <i>Journal of Sexual Medicine</i> , <b>2009</b> , 6, 2690-7	1.1	211
223	Sexual function after breast cancer. <i>Journal of Sexual Medicine</i> , <b>2011</b> , 8, 294-302	1.1	112
222	Prevalence and incidence of urinary incontinence in women: review of the literature and investigation of methodological issues. <i>International Journal of Urology</i> , <b>2008</b> , 15, 230-4	2.3	97
221	Dehydroepiandrosterone sulfate levels are associated with more favorable cognitive function in women. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 801-8	5.6	87
220	Safety and efficacy of testosterone for women: a systematic review and meta-analysis of randomised controlled trial data. <i>Lancet Diabetes and Endocrinology,the</i> , <b>2019</b> , 7, 754-766	18.1	80
219	Relaxin in human pregnancy serum measured with an homologous radioimmunoassay. <i>Obstetrics and Gynecology</i> , <b>1987</b> , 69, 585-9	4.9	79
218	Testosterone for peri- and postmenopausal women. <i>The Cochrane Library</i> , <b>2005</b> , CD004509	5.2	76
217	The effect of vigorous exercise during pregnancy on birth-weight. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>1995</b> , 35, 46-51	1.7	73
216	Total cholesterol and triglycerides are associated with the development of new bone marrow lesions in asymptomatic middle-aged women - a prospective cohort study. <i>Arthritis Research and Therapy</i> , <b>2009</b> , 11, R181	5.7	72
215	Greater superior than inferior parietal lobule activation with increasing rotation angle during mental rotation: an fMRI study. <i>Neuropsychologia</i> , <b>2010</b> , 48, 529-35	3.2	72
214	A study of the prevalence and associations of subchondral bone marrow lesions in the knees of healthy, middle-aged women. <i>Osteoarthritis and Cartilage</i> , <b>2007</b> , 15, 1437-42	6.2	72
213	Understanding variation in prevalence estimates of polycystic ovary syndrome: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , <b>2018</b> , 24, 694-709	15.8	70
212	Moderate to severe vasomotor and sexual symptoms remain problematic for women aged 60 to 65 years. <i>Menopause</i> , <b>2015</b> , 22, 694-701	2.5	69
211	Effects of aromatase inhibition on sexual function and well-being in postmenopausal women treated with testosterone: a randomized, placebo-controlled trial. <i>Menopause</i> , <b>2006</b> , 13, 37-45	2.5	67
210	Bone marrow lesions predict increase in knee cartilage defects and loss of cartilage volume in middle-aged women without knee pain over 2 years. <i>Annals of the Rheumatic Diseases</i> , <b>2009</b> , 68, 850-5	2.4	65

### (2006-2009)

209	Age-specific prevalence of, and factors associated with, different types of urinary incontinence in community-dwelling Australian women assessed with a validated questionnaire. <i>Maturitas</i> , <b>2009</b> , 62, 134-9	5	65
208	Use of a decision aid for prenatal testing of fetal abnormalities to improve womenß informed decision making: a cluster randomised controlled trial [ISRCTN22532458]. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>2008</b> , 115, 339-47	3.7	63
207	Sexual function in well women: stratification by sexual satisfaction, hormone use, and menopause status. <i>Journal of Sexual Medicine</i> , <b>2008</b> , 5, 1214-1222	1.1	61
206	Androgen physiology. Seminars in Reproductive Medicine, <b>2006</b> , 24, 71-7	1.4	57
205	Adipose aromatase gene expression is greater in older women and is unaffected by postmenopausal estrogen therapy. <i>Menopause</i> , <b>2005</b> , 12, 210-5	2.5	57
204	Endogenous androgen levels and cardiovascular risk profile in women across the adult life span. <i>Menopause</i> , <b>2007</b> , 14, 630-8	2.5	56
203	Differential expression of factors involved in fat metabolism with age and the menopause transition. <i>Maturitas</i> , <b>2005</b> , 51, 299-306	5	54
202	Radioimmunoassay of relaxin in pregnancy with an analogue of human relaxin. <i>Lancet, The</i> , <b>1986</b> , 1, 134	1446	53
201	The association between vasomotor symptoms and depression during perimenopause: a systematic review. <i>Maturitas</i> , <b>2014</b> , 77, 111-7	5	52
200	Well-being, health-related quality of life and cardiovascular disease risk profile in women with subclinical thyroid disease - a community-based study. <i>Clinical Endocrinology</i> , <b>2007</b> , 66, 548-56	3.4	52
199	Prevalence and Predictors of Low Sexual Desire, Sexually Related Personal Distress, and Hypoactive Sexual Desire Dysfunction in a Community-Based Sample of Midlife Women. <i>Journal of Sexual Medicine</i> , <b>2017</b> , 14, 675-686	1.1	51
198	Negative beliefs about low back pain are associated with high pain intensity and high level disability in community-based women. <i>BMC Musculoskeletal Disorders</i> , <b>2008</b> , 9, 148	2.8	51
197	Adjuvant therapy, not mammographic screening, accounts for most of the observed breast cancer specific mortality reductions in Australian women since the national screening program began in 1991. <i>Breast Cancer Research and Treatment</i> , <b>2012</b> , 131, 949-55	4.4	47
196	Osteoarthritis and the postmenopausal woman: Epidemiological, magnetic resonance imaging, and radiological findings. <i>Seminars in Arthritis and Rheumatism</i> , <b>2004</b> , 34, 631-6	5.3	46
195	Why do women decline prenatal screening and diagnosis? Australian womenß perspective. <i>Women and Health</i> , <b>2003</b> , 37, 89-108	1.7	46
194	Androgens During the Reproductive Years: What Is Normal for Women?. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 5382-5392	5.6	42
193	The safety of 52 weeks of oral DHEA therapy for postmenopausal women. <i>Maturitas</i> , <b>2009</b> , 63, 240-5	5	42
192	Endogenous androgen levels and well-being: differences between premenopausal and postmenopausal women. <i>Menopause</i> , <b>2006</b> , 13, 65-71	2.5	42

191	Exercise and pregnancy: a review. Birth, 1994, 21, 85-95	3.1	41
190	Prevalence of menopausal symptoms in Asian midlife women: a systematic review. <i>Climacteric</i> , <b>2015</b> , 18, 157-76	3.1	39
189	A randomized trial of oral DHEA treatment for sexual function, well-being, and menopausal symptoms in postmenopausal women with low libido. <i>Journal of Sexual Medicine</i> , <b>2009</b> , 6, 2579-90	1.1	39
188	Antenatal and intrapartum antecedents of cerebral palsy: a case-control study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2002</b> , 42, 138-46	1.7	39
187	Sexual function, incontinence, and wellbeing in women after rectal cancera review of the evidence. <i>Journal of Sexual Medicine</i> , <b>2012</b> , 9, 2749-58	1.1	38
186	Relaxin in paired samples of serum and milk from women after term and preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , <b>1989</b> , 161, 970-3	6.4	38
185	Menopausal symptoms in breast cancer survivors nearly 6 years after diagnosis. <i>Menopause</i> , <b>2014</b> , 21, 1075-81	2.5	37
184	Prevalence of fecal incontinence and its relationship with urinary incontinence in women living in the community. <i>Menopause</i> , <b>2011</b> , 18, 685-9	2.5	36
183	The prediction of preterm labour by recording spontaneous antenatal uterine activity. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1983</b> , 90, 884-7	3.7	36
182	The incidence of invasive breast cancer among women prescribed testosterone for low libido. Journal of Sexual Medicine, 2009, 6, 1850-6	1.1	35
181	Evaluation of the measurement of the fetal fat layer, interventricular septum and abdominal circumference percentile in the prediction of macrosomia in pregnancies affected by gestational diabetes. <i>Ultrasound in Obstetrics and Gynecology</i> , <b>2003</b> , 22, 586-90	5.8	35
180	Testosterone aromatization and cognition in women: a randomized, placebo-controlled trial. <i>Menopause</i> , <b>2006</b> , 13, 600-8	2.5	34
179	Implanon users are less likely to be satisfied with their contraception after 6 months than IUD users. <i>Contraception</i> , <b>2009</b> , 80, 452-6	2.5	33
178	Moderate-severely bothersome vasomotor symptoms are associated with lowered psychological general wellbeing in women at midlife. <i>Maturitas</i> , <b>2015</b> , 81, 487-92	5	32
177	Antenatal exercise and birthweight. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2000</b> , 40, 70-3	1.7	32
176	Vasomotor and sexual symptoms in older Australian women: a cross-sectional study. <i>Fertility and Sterility</i> , <b>2016</b> , 105, 149-55.e1	4.8	31
175	Use of a cancer registry is preferable to a direct-to-community approach for recruitment to a cohort study of wellbeing in women newly diagnosed with invasive breast cancer. <i>BMC Cancer</i> , <b>2008</b> , 8, 126	4.8	31
174	A pragmatic approach to the classification of menopausal status for community-based research. <i>Menopause</i> , <b>2008</b> , 15, 978-83	2.5	31

## (2007-2004)

173	Factors identified during the neonatal period associated with risk of cerebral palsy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 44, 342-6	1.7	31	
172	Moderate-Severe Vasomotor Symptoms Are Associated with Moderate-Severe Depressive Symptoms. <i>Journal of Womenis Health</i> , <b>2017</b> , 26, 712-718	3	30	
171	Menopausal vasomotor symptoms are associated with poor self-assessed work ability. <i>Maturitas</i> , <b>2016</b> , 87, 33-9	5	30	
170	Testosterone improves verbal learning and memory in postmenopausal women: Results from a pilot study. <i>Maturitas</i> , <b>2011</b> , 70, 307-11	5	30	
169	Urinary incontinence in young nulligravid women: a cross-sectional analysis. <i>Annals of Internal Medicine</i> , <b>2012</b> , 157, 87-93	8	30	
168	Fetal fibronectin in the cervicovaginal fluid of women with threatened preterm labour as a predictor of delivery before 34 weeksPgestation. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>1995</b> , 35, 257-61	1.7	30	
167	Factors affecting patella cartilage and bone in middle-aged women. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 57, 272-8		29	
166	Gestation-dependent aspects of the response of the ovine fetus to the osmotic stress induced by maternal water deprivation. <i>Quarterly Journal of Experimental Physiology (Cambridge, England)</i> , <b>1984</b> , 69, 187-95		29	
165	Symptomatic pelvic floor disorders in community-dwelling older Australian women. <i>Maturitas</i> , <b>2016</b> , 85, 34-41	5	28	
164	Hypoactive sexual desire dysfunction in community-dwelling older women. <i>Menopause</i> , <b>2017</b> , 24, 391-	39 <u>9</u> .5	27	
163	Testosterone improves antidepressant-emergent loss of libido in women: findings from a randomized, double-blind, placebo-controlled trial. <i>Journal of Sexual Medicine</i> , <b>2014</b> , 11, 831-9	1.1	27	
162	Urinary incontinence is associated with lower psychological general well-being in community-dwelling women. <i>Menopause</i> , <b>2010</b> , 17, 332-7	2.5	27	
161	The determinants of change in patella cartilage volumea cohort study of healthy middle-aged women. <i>Rheumatology</i> , <b>2008</b> , 47, 1426-9	3.9	27	
160	Intravaginal Testosterone Improves Sexual Satisfaction and Vaginal Symptoms Associated With Aromatase Inhibitors. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 4146-4154	5.6	27	
159	A systematic review of intravaginal testosterone for the treatment of vulvovaginal atrophy. <i>Menopause</i> , <b>2018</b> , 25, 704-709	2.5	26	
158	Obesity is associated with a poorer prognosis in women with hormone receptor positive breast cancer. <i>Maturitas</i> , <b>2014</b> , 79, 279-86	5	26	
157	Incidence of total knee and hip replacement for osteoarthritis in relation to circulating sex steroid hormone concentrations in women. <i>Arthritis and Rheumatology</i> , <b>2014</b> , 66, 2144-51	9.5	26	
156	The cross-sectional relationship between fortnightly exercise and knee cartilage properties in healthy adult women in midlife. <i>Menopause</i> , <b>2007</b> , 14, 830-4	2.5	26	

155	The role of fetal adrenal hormones in the switch from fetal to adult globin synthesis in the sheep. Journal of Endocrinology, <b>1985</b> , 104, 165-70	4.7	26
154	The relationship between endogenous testosterone, preandrogens, and sex hormone binding globulin and knee joint structure in women at midlife. <i>Seminars in Arthritis and Rheumatism</i> , <b>2007</b> , 37, 56-62	5.3	25
153	A randomized community intervention trial to increase awareness and knowledge of the role of periconceptional folate in women of child-bearing age. <i>Health Expectations</i> , <b>1999</b> , 2, 255-265	3.7	25
152	Testosterone and Estrone Increase From the Age of 70 Years: Findings From the Sex Hormones in Older Women Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2019</b> , 104, 6291-6300	5.6	25
151	What do obstetricians think about media influences on their patients?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2006</b> , 46, 379-83	1.7	24
150	Prenatal diagnosis for women aged 37 years and over: to have or not to have. <i>Prenatal Diagnosis</i> , <b>2001</b> , 21, 842-7	3.2	24
149	The prevalence of symptomatic pelvic floor disorders in women in Bangladesh. <i>Climacteric</i> , <b>2016</b> , 19, 558-564	3.1	23
148	Awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population based survey. <i>Maturitas</i> , <b>2016</b> , 84, 68-74	5	23
147	Ovarian status in healthy postmenopausal women. <i>Menopause</i> , <b>2008</b> , 15, 1109-14	2.5	23
146	People who influence womenß decisions and preferred sources of information about prenatal testing for birth defects. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 44, 233-8	1.7	23
145	Alcohol consumption, cigarette smoking and fetal outcome in Victoria, 1985. <i>Community Health Studies</i> , <b>1989</b> , 13, 484-91		22
144	Women who spontaneously quit smoking in early pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>1997</b> , 37, 271-8	1.7	22
143	Measurement of total testosterone in women: comparison of a direct radioimmunoassay versus radioimmunoassay after organic solvent extraction and celite column partition chromatography. <i>Fertility and Sterility</i> , <b>2005</b> , 84, 1698-704	4.8	22
142	The increasing knowledge of the role of periconceptional folate in Victorian women of child-bearing age: follow-up of a randomised community intervention trial. <i>Australian and New Zealand Journal of Public Health</i> , <b>2001</b> , 25, 389-395	2.3	22
141	Do childbirth classes influence decision making about labor and postpartum issues?. <i>Birth</i> , <b>1995</b> , 22, 15,	3-60	22
140	Low use of effective and safe therapies for moderate to severe menopausal symptoms: a cross-sectional community study of Australian women. <i>Menopause</i> , <b>2016</b> , 23, 11-7	2.5	22
139	Persistent breast pain 5 years after treatment of invasive breast cancer is largely unexplained by factors associated with treatment. <i>Journal of Cancer Survivorship</i> , <b>2014</b> , 8, 1-8	5.1	21
138	Breast reconstruction following mastectomy for invasive breast cancer is strongly influenced by demographic factors in women in Victoria, Australia. <i>Breast</i> , <b>2012</b> , 21, 394-400	3.6	21

## (2010-2012)

137	The contribution of SHBG to the variation in HOMA-IR is not dependent on endogenous oestrogen or androgen levels in postmenopausal women. <i>Clinical Endocrinology</i> , <b>2012</b> , 77, 541-7	3.4	21	
136	Evaluation of a decision aid for prenatal testing of fetal abnormalities: a cluster randomised trial [ISRCTN22532458]. <i>BMC Public Health</i> , <b>2006</b> , 6, 96	4.1	21	
135	Transdermal testosterone improves verbal learning and memory in postmenopausal women not on oestrogen therapy. <i>Clinical Endocrinology</i> , <b>2014</b> , 81, 621-8	3.4	20	
134	Breast cancer survivorsPbeliefs about the causes of breast cancer. <i>Psycho-Oncology</i> , <b>2012</b> , 21, 724-9	3.9	20	
133	Do women know that prenatal testing detects fetuses with Down syndrome?. <i>Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 24, 647-51	1.3	20	
132	Vasomotor symptoms and urogenital atrophy in older women: a systematic review. <i>Climacteric</i> , <b>2015</b> , 18, 112-20	3.1	19	
131	Effects of testosterone on visuospatial function and verbal fluency in postmenopausal women: results from a functional magnetic resonance imaging pilot study. <i>Menopause</i> , <b>2014</b> , 21, 410-4	2.5	19	
130	High sensitivity C-reactive protein is associated with lower tibial cartilage volume but not lower patella cartilage volume in healthy women at mid-life. <i>Arthritis Research and Therapy</i> , <b>2008</b> , 10, R27	5.7	19	
129	A randomized controlled trial of a smoking cessation intervention during pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>1999</b> , 39, 312-7	1.7	19	
128	Antenatal serum levels of relaxin in patients having preterm labour. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1988</b> , 95, 1264-7	3.7	19	
127	Prevalence of menopausal symptoms in Australian women at midlife: a systematic review. <i>Climacteric</i> , <b>2014</b> , 17, 529-39	3.1	18	
126	Incidence and resolution rates of different types of urinary incontinence in women: findings from a cohort study. <i>Journal of Urology</i> , <b>2011</b> , 185, 1331-7	2.5	18	
125	Management strategies in SSRI-associated sexual dysfunction in women at midlife. <i>Climacteric</i> , <b>2012</b> , 15, 306-16	3.1	18	
124	Lack of Understanding of Cervical Cancer and Screening Is the Leading Barrier to Screening Uptake in Women at Midlife in Bangladesh: Population-Based Cross-Sectional Survey. <i>Oncologist</i> , <b>2015</b> , 20, 13	86 <sup>5</sup> 9 <sup>7</sup> 2	17	
123	The effects of vigorous exercise during pregnancy on birth weight. <i>Journal of Science and Medicine in Sport</i> , <b>2002</b> , 5, 32-6	4.4	17	
122	Effect of long-term infusion of ovine corticotrophin-releasing factor in the immature ovine fetus. <i>Journal of Endocrinology</i> , <b>1986</b> , 111, 469-75	4.7	17	
121	Vasomotor symptoms in women in Asia appear comparable with women in Western countries: a systematic review. <i>Menopause</i> , <b>2017</b> , 24, 1313-1322	2.5	16	
120	Psychological well-being in a cohort of women with invasive breast cancer nearly 2 years after diagnosis. <i>Supportive Care in Cancer</i> , <b>2010</b> , 18, 921-9	3.9	16	

119	Pharmacokinetics of a transdermal testosterone cream in healthy postmenopausal women. <i>Menopause</i> , <b>2015</b> , 22, 44-9	2.5	15
118	Factors associated with magnetic resonance imaging defined patellar tendinopathy in community-based middle-aged women: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , <b>2015</b> , 16, 184	2.8	15
117	Prevalence and severity of vasomotor symptoms and joint pain in women at midlife in Bangladesh: a population-based survey. <i>Menopause</i> , <b>2016</b> , 23, 731-9	2.5	15
116	Low back pain and disability in community-based women: prevalence and associated factors. <i>Menopause</i> , <b>2009</b> , 16, 24-9	2.5	15
115	Cervical surveillance as an alternative to elective cervical cerclage for pregnancy management of suspected cervical incompetence. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2004</b> , 44, 228-32	1.7	15
114	Challenges in recruitment to an epidemiological study of young Australian women: the Grollo-Ruzzene Foundation Young Womenß Health Study. <i>Australian and New Zealand Journal of Public Health</i> , <b>2019</b> , 43, 131-136	2.3	14
113	Use of complementary and alternative medicines for menopausal symptoms in Australian women aged 40-65 years. <i>Medical Journal of Australia</i> , <b>2015</b> , 203, 146, 146e.1-6	4	14
112	Understanding discontinuation of oral adjuvant endocrine therapy by women with hormone receptor-positive invasive breast cancer nearly 4 years from diagnosis. <i>Menopause</i> , <b>2013</b> , 20, 15-21	2.5	14
111	The prevalence and timing of obstetric ultrasound in Victoria 1991-1992: a population-based study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>1995</b> , 35, 375-9	1.7	14
110	Associations between androgens and sexual function in premenopausal women: a cross-sectional study. <i>Lancet Diabetes and Endocrinology,the</i> , <b>2020</b> , 8, 693-702	18.1	14
109	Aromatase Inhibitors Are Associated With Low Sexual Desire Causing Distress and Fecal Incontinence in Women: An Observational Study. <i>Journal of Sexual Medicine</i> , <b>2017</b> , 14, 1566-1574	1.1	13
108	Use of complementary and alternative therapy by women in the first 2 years after diagnosis and treatment of invasive breast cancer. <i>Menopause</i> , <b>2010</b> , 17, 1004-9	2.5	13
107	Antenatal and perinatal antecedents of moderate and severe spastic cerebral palsy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>1998</b> , 38, 377-83	1.7	13
106	Cervicovaginal fetal fibronectin testing in threatened preterm labourtranslating research findings into clinical practice. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>1998</b> , 38, 399-4	10 <del>2</del> 7	13
105	Exploring general practitionersPexperience of informing women about prenatal screening tests for foetal abnormalities: a qualitative focus group study. <i>BMC Health Services Research</i> , <b>2008</b> , 8, 114	2.9	13
104	The prevalence of sexual dysfunctions and sexually related distress in young women: a cross-sectional survey. <i>Fertility and Sterility</i> , <b>2020</b> , 113, 426-434	4.8	12
103	The benefits of adding metformin to tamoxifen to protect the endometrium-A randomized placebo-controlled trial. <i>Clinical Endocrinology</i> , <b>2018</b> , 89, 605-612	3.4	12
102	Lack of knowledge of hormone receptor status and use of endocrine therapy in invasive breast cancer. <i>Journal of Womenis Health</i> , <b>2009</b> , 18, 1975-80	3	12

#### (2009-2009)

101	The natural history of bone marrow lesions in community-based middle-aged women without clinical knee osteoarthritis. <i>Seminars in Arthritis and Rheumatism</i> , <b>2009</b> , 39, 213-7	5.3	12
100	Assessing sexual function in well women: validity and reliability of the Monash Womenß Health Program Female Sexual Satisfaction Questionnaire. <i>Journal of Sexual Medicine</i> , <b>2008</b> , 5, 2575-86	1.1	12
99	The effect of maternal water deprivation on ovine fetal blood volume. <i>Quarterly Journal of Experimental Physiology (Cambridge, England)</i> , <b>1985</b> , 70, 95-9		12
98	Effects of testosterone therapy for women: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , <b>2019</b> , 8, 19	3	11
97	Metformin for overweight women at midlife: a double-blind, randomized, controlled trial. <i>Climacteric</i> , <b>2015</b> , 18, 270-7	3.1	11
96	Lymphedema: experience of a cohort of women with breast cancer followed for 4 years after diagnosis in Victoria, Australia. <i>Supportive Care in Cancer</i> , <b>2013</b> , 21, 2017-24	3.9	11
95	The global challenge of reducing breast cancer mortality. <i>Oncologist</i> , <b>2013</b> , 18, 1200-2	5.7	11
94	Are low levels of low back pain intensity and disability associated with reduced well-being in community-based women?. <i>Climacteric</i> , <b>2009</b> , 12, 266-75	3.1	11
93	Moderate to severe vasomotor and sexual symptoms remain problematic for women aged 60 to 65 years. <i>Menopause</i> , <b>2018</b> , 25, 1331-1338	2.5	11
92	Negative beliefs about back pain are associated with persistent, high levels of low back disability in community-based women. <i>Menopause</i> , <b>2018</b> , 25, 977-984	2.5	10
91	Do the benefits of screening mammography outweigh the harms of overdiagnosis and unnecessary treatment?no. <i>Medical Journal of Australia</i> , <b>2012</b> , 196, 17	4	10
90	Changes in patterns of use of cigarettes and alcohol in women after a first diagnosis of invasive breast cancer: a cohort study of women from Victoria, Australia. <i>Supportive Care in Cancer</i> , <b>2012</b> , 20, 783	3 <b>3</b> 9	10
89	Continuous-combined oral estradiol/drospirenone has no detrimental effect on cognitive performance and improves estrogen deficiency symptoms in early postmenopausal women: a randomized placebo-controlled trial. <i>Menopause</i> , <b>2013</b> , 20, 1020-6	2.5	10
88	Endogenous estrogen and androgen levels are not independent predictors of lipid levels in postmenopausal women. <i>Menopause</i> , <b>2013</b> , 20, 640-5	2.5	10
87	Misoprostol versus dinoprostone for cervical priming prior to induction of labour in term pregnancy: a randomised controlled trial. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2001</b> , 41, 145-52	1.7	10
86	What are popular magazines telling young women about pregnancy, birth, breastfeeding and parenting?. <i>Women and Birth</i> , <b>1996</b> , 9, 10-4		10
85	The prevalence of vitamin D deficiency and relationship with fracture risk in older women presenting in Australian general practice. <i>Australasian Journal on Ageing</i> , <b>2013</b> , 32, 177-83	1.5	9
84	The relationship between knowledge of family history and cancer characteristics at diagnosis in women newly-diagnosed with invasive breast cancer. <i>Familial Cancer</i> , <b>2009</b> , 8, 299-305	3	9

83	Climacteric symptoms among indigenous Australian women and a model for the use of culturally	2.5	9
	relevant art in health promotion. <i>Menopause</i> , <b>2003</b> , 10, 345-51	2.5	9
82	Measurement of spontaneous uterine activity in the antenatal patient. <i>American Journal of Obstetrics and Gynecology</i> , <b>1981</b> , 140, 713-5	6.4	9
81	Should women aged 70-74 be invited to participate in screening mammography? A report on two Australian community juries. <i>BMJ Open</i> , <b>2018</b> , 8, e021174	3	9
80	Exogenous Testosterone Does Not Influence 11-Oxygenated C19 Steroid Concentrations in Healthy Postmenopausal Women. <i>Journal of the Endocrine Society</i> , <b>2019</b> , 3, 670-677	0.4	8
79	Bangladesh Midlife Womenß Health Study (BMWHS): methods, challenges and experiences. <i>Maturitas</i> , <b>2015</b> , 80, 89-94	5	8
78	Distribution of Body Hair in Young Australian Women and Associations With Serum Androgen Concentrations. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	8
77	Screening mammographyearly detection or over-diagnosis? Contribution from Australian data. <i>Climacteric</i> , <b>2014</b> , 17 Suppl 2, 66-72	3.1	8
76	Hormonal contraceptive use in Australian women: Who is using what?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2019</b> , 59, 717-724	1.7	7
75	Patterns of use of oral adjuvant endocrine therapy in Australian breast cancer survivors 5 years from diagnosis. <i>Menopause</i> , <b>2013</b> , 20, 721-6	2.5	7
74	Vastus medialis cross-sectional area is associated with patella cartilage defects and bone volume in healthy women. <i>Osteoarthritis and Cartilage</i> , <b>2008</b> , 16, 956-60	6.2	7
73	Homocysteine, estrogen and cognitive decline. <i>Climacteric</i> , <b>2006</b> , 9, 77-87	3.1	7
72	Antenatal oestradiol and progesterone concentrations in patients subsequently having preterm labour. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1983</b> , 90, 888-91	3.7	7
71	Prevalence of sexual symptoms in relation to menopause in women in Asia: a systematic review. <i>Menopause</i> , <b>2018</b> , 25, 231-238	2.5	6
70	Association between urinary C-telopeptide fragments of type II collagen and knee structure in middle-aged women without clinical knee disease. <i>Osteoarthritis and Cartilage</i> , <b>2014</b> , 22, 1136-41	6.2	6
69	The global challenge of reducing breast cancer mortality. <i>Oncologist</i> , <b>2013</b> , 18 Suppl, 3-5	5.7	6
68	"A survey of antenatal clinic staff: some perceived barriers to the promotion of smoking cessation in pregnancy". <i>Women and Birth</i> , <b>1998</b> , 11, 14-8		6
67	Methodology and challenges to recruitment to a randomized, double-blind, placebo-controlled trial of oral DHEA in postmenopausal women. <i>Journal of Womenis Health</i> , <b>2008</b> , 17, 1559-65	3	6
66	Effects of the route of estrogen administration on insulinlike growth factor-I, IGF binding protein-3, and insulin resistance in healthy postmenopausal women: results from a randomized, controlled study. <i>Menopause</i> , <b>2008</b> , 15, 1065-9	2.5	6

65	Antenatal uterine activity monitoring of women at increased risk of preterm labour. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , <b>1992</b> , 46, 65-72	2.4	6	
64	Minimal-trauma fracture in women with breast cancer surviving for at least 5 years from diagnosis. <i>Osteoporosis International</i> , <b>2015</b> , 26, 795-800	5.3	5	
63	Estrone Is a Strong Predictor of Circulating Estradiol in Women Age 70 Years and Older. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	5	
62	Poor general health and lower levels of vitality are associated with persistent, high-intensity low back pain and disability in community-based women: A prospective cohort study. <i>Maturitas</i> , <b>2018</b> , 113, 7-12	5	5	
61	Pregnancy-associated breast cancer and pregnancy following treatment for breast cancer, in a cohort of women from Victoria, Australia, with a first diagnosis of invasive breast cancer. <i>Breast</i> , <b>2013</b> , 22, 980-5	3.6	5	
60	Targeted assessment of fracture risk in women at midlife. <i>Osteoporosis International</i> , <b>2015</b> , 26, 1705-12	5.3	5	
59	Ovarian status in healthy postmenopausal women: follow-up 12 months after transvaginal ultrasound. <i>Menopause</i> , <b>2009</b> , 16, 1149-55	2.5	5	
58	Estimation of fetal weight by ultrasound prior to 33 weeks gestation. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2000</b> , 40, 180-4	1.7	5	
57	Relaxin in sera during the luteal phase of in-vitro fertilization cycles. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , <b>1990</b> , 97, 215-20	3.7	5	
56	Australian womenß understanding of menopause and its consequences: a qualitative study. <i>Climacteric</i> , <b>2020</b> , 23, 622-628	3.1	5	
55	Bothersome menopausal symptoms amongst postmenopausal Iranian women. <i>Climacteric</i> , <b>2018</b> , 21, 586-593	3.1	5	
54	Intended follow up of women with breast cancer at low risk of recurrence and at least 5 years from diagnosis. <i>Internal Medicine Journal</i> , <b>2014</b> , 44, 332-8	1.6	4	
53	Consequences of surveying folate awareness. <i>Health Expectations</i> , <b>2002</b> , 5, 38-46	3.7	4	
52	Regulation and function of arginine vasopressin in pregnant sheep. <i>American Journal of Physiology - Renal Physiology</i> , <b>1986</b> , 250, F777-80	4.3	4	
51	Variation in outcome reporting and measurement tools in clinical trials of treatments for genitourinary symptoms in peri- and postmenopausal women: a systematic review. <i>Menopause</i> , <b>2020</b> , 27, 1070-1080	2.5	4	
50	Use of community-based reference ranges to estimate the prevalence of polycystic ovary syndrome by the recognised diagnostic criteria, a cross-sectional study. <i>Human Reproduction</i> , <b>2021</b> , 36, 1611-1620	5.7	4	
49	A core outcome set for genitourinary symptoms associated with menopause: the COMMA (Core Outcomes in Menopause) global initiative. <i>Menopause</i> , <b>2021</b> , 28, 859-866	2.5	4	
48	Protocol for development of a core outcome set for menopausal symptoms (COMMA). <i>Menopause</i> , <b>2020</b> , 27, 1371-1375	2.5	3	

47	Mammographic density and breast cancer screening. <i>Climacteric</i> , <b>2020</b> , 23, 460-465	3.1	3
46	Types of urinary incontinence in Bangladeshi women at midlife: Prevalence and risk factors. <i>Maturitas</i> , <b>2018</b> , 116, 18-23	5	3
45	Use of imaging in surveillance of women with early stage breast cancer. <i>ANZ Journal of Surgery</i> , <b>2013</b> , 83, 129-34	1	3
44	Vasomotor symptoms are associated with depressive symptoms in community-dwelling older women. <i>Menopause</i> , <b>2017</b> , 24, 1365-1371	2.5	3
43	A comparison of the characteristics, treatment and outcome after 5 years, of Australian women aged 70+ with those aged . <i>Journal of Geriatric Oncology</i> , <b>2014</b> , 5, 141-7	3.6	3
42	Cross-cultural studies of menopause: the challenge continues. <i>Menopause</i> , <b>2013</b> , 20, 1107-8	2.5	3
41	Effects of maternal sodium depletion on the composition of ovine fetal fluids. <i>Journal of Endocrinology</i> , <b>1985</b> , 107, 177-82	4.7	3
40	Substituting serum anti-Mllerian hormone for polycystic ovary morphology increases the number of women diagnosed with polycystic ovary syndrome: a community-based cross-sectional study. <i>Human Reproduction</i> , <b>2021</b> ,	5.7	3
39	A core outcome set for vasomotor symptoms associated with menopause: the COMMA (Core Outcomes in Menopause) global initiative. <i>Menopause</i> , <b>2021</b> , 28, 852-858	2.5	3
38	Depressive symptoms and associated factors among Iranian women at midlife: a community-based, cross-sectional study. <i>Menopause</i> , <b>2019</b> , 26, 1125-1132	2.5	3
37	Longitudinal changes over three years in sex steroid hormone levels in women aged 70 lyears and over. <i>Clinical Endocrinology</i> , <b>2021</b> , 94, 443-448	3.4	3
36	Using an automated measure of breast density to explore the association between ethnicity and mammographic density in Australian women. <i>Journal of Medical Imaging and Radiation Oncology</i> , <b>2019</b> , 63, 183-189	1.7	2
35	Aromatase inhibitors associated with knee subchondral bone expansion without cartilage loss. <i>Climacteric</i> , <b>2013</b> , 16, 632-8	3.1	2
34	Method for cohort and nested case-control studies: the prevalence, timing and effectiveness of obstetric ultrasound, Victoria 1991-1992. <i>Paediatric and Perinatal Epidemiology</i> , <b>1995</b> , 9, 225-40	2.7	2
33	Associations between blood sex steroid concentrations and risk of major adverse cardiovascular events in healthy older women in Australia: a prospective cohort substudy of the ASPREE trial <i>The Lancet Healthy Longevity</i> , <b>2022</b> , 3, e109-e118	9.5	2
32	Differing performance of two assays for the measurement of anti-Mullerian hormone in premenopausal women: A cross-sectional study. <i>Clinical Endocrinology</i> , <b>2021</b> , 95, 169-175	3.4	2
31	Health-care providersPviews of menopause and its management: a qualitative study. <i>Climacteric</i> , <b>2021</b> , 24, 612-617	3.1	2
30	Clinical audit of estradiol implant therapy: Long duration of action and implications in non-hysterectomised women. <i>Maturitas</i> , <b>2016</b> , 94, 84-86	5	1

29	Lack of research reproducibility, the rise of open science and the need for continuing education in research methods. <i>Climacteric</i> , <b>2018</b> , 21, 413-414	3.1	1
28	Comparison of plain vertebral X-ray and dual-energy X-ray absorptiometry for the identification of older women for fracture prevention in primary care. <i>Internal Medicine Journal</i> , <b>2013</b> , 43, 38-45	1.6	1
27	What is wrong with the medical literature?. Climacteric, 2017, 20, 22-24	3.1	1
26	The relationship between hormone therapy use at the time of diagnosis of breast cancer and tumor characteristics. <i>Hormones and Cancer</i> , <b>2010</b> , 1, 93-9	5	1
25	Acute administration of conjugated equine oestrogen does not improve exercise-induced myocardial ischaemia in men with coronary artery disease. <i>Internal Medicine Journal</i> , <b>2003</b> , 33, 221-4	1.6	1
24	Prevalence of Low Sexual Desire With Associated Distress Across the Adult Life Span: An Australian Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , <b>2020</b> , 17, 1885-1895	1.1	1
23	AuthorsPresponse to Letter to the Editor on awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population-based survey. <i>Maturitas</i> , <b>2016</b> , 88, 58	5	1
22	A prospective controlled study of sexual function and sexually related personal distress up to 12 months after premenopausal risk-reducing bilateral salpingo-oophorectomy. <i>Menopause</i> , <b>2021</b> , 28, 748	- <del>7</del> 55	1
21	Awareness and use of iodine supplementation among Australian women attending a low-risk pregnancy clinic. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2018</b> , 58, E16-E17	1.7	1
20	Why do we need cohort studies?. Climacteric, 2020, 23, 321-322	3.1	O
19	Don Reskip the methods section! Randomized controlled trials are not all the same. <i>Climacteric</i> , <b>2020</b> , 23, 224-225	3.1	О
18	Self-reported sexual function in women and androgen levels. <i>JAMA - Journal of the American Medical Association</i> , <b>2005</b> , 294, 2167-8; author reply 2168	27.4	0
17	The prevalence of hypoactive sexual desire disorder in Australian and Iranian women at midlife. <i>Menopause</i> , <b>2020</b> , 27, 1274-1280	2.5	О
16	Identification of the Gender-Specific Health Needs of Women Following Lung Transplantation.  Journal of Womenis Health, 2018, 27, 485-491	3	Ο
15	Testosterone and androstenedione are positively associated with anti-Mllerian hormone in premenopausal women. <i>Clinical Endocrinology</i> , <b>2021</b> , 95, 752-759	3.4	О
14	Reply: To PMID 24692288. Arthritis and Rheumatology, <b>2015</b> , 67, 315-6	9.5	
13	When you are making plans to publish research, you need to plan for data sharing. <i>Climacteric</i> , <b>2020</b> , 23, 466-467	3.1	
12	Letter in response: the value of mammography screening. Breast Cancer Research and Treatment,	4.4	

11	Urinary incontinence in young nulligravid women. <i>Annals of Internal Medicine</i> , <b>2013</b> , 158, 139	8
10	Screening and breast cancer mortalityletter. <i>Cancer Epidemiology Biomarkers and Prevention</i> , <b>2012</b> , 21, 2275; author reply 2276-7	4
9	Cosmetic surgery prior to diagnosis of breast cancer. <i>Climacteric</i> , <b>2012</b> , 15, 195-9	3.1
8	Human relaxin. <i>Reproductive Medicine Review</i> , <b>1993</b> , 2, 109-118	
7	Reply: A single cut-off value of anti-Mullerian hormone should not be used for the diagnosis of PCOS in all reproductive-aged women <i>Human Reproduction</i> , <b>2022</b> ,	5.7
6	Letter to the editor: Randolph J, et al. Masturbation frequency and sexual function domains are associated with serum reproductive hormone levels across the menopausal transition. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, L25	5.6
5	Prevalence of and Risk Factors for Depressive Symptoms and Antidepressant Use in Young Australian Women: A Cross-Sectional Study. <i>Journal of Womenis Health</i> , <b>2021</b> , 30, 997-1005	3
4	Response to Letter to the Editor: "Distribution of Body Hair in Young Australian Women and Associations with Serum Androgen Concentrations". <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6
3	The use of micronised progesterone for menopausal hormone therapy, a clinical practice audit. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2016</b> , 56, 323-5	1.7
2	Chronic pain and menopausal symptoms. <i>Menopause</i> , <b>2019</b> , 26, 694-695	2.5
1	Factors involved in treatment decision making for women diagnosed with ductal carcinoma in situ: A qualitative study. <i>Breast</i> , <b>2021</b> , 60, 123-130	3.6