

Robin Bell

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8107834/robin-bell-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

226
papers

5,928
citations

39
h-index

66
g-index

239
ext. papers

6,676
ext. citations

3.6
avg, IF

5.82
L-index

#	Paper	IF	Citations
226	Reply: A single cut-off value of anti-Mullerian hormone should not be used for the diagnosis of PCOS in all reproductive-aged women.. <i>Human Reproduction</i> , 2022 ,	5.7	
225	Associations between blood sex steroid concentrations and risk of major adverse cardiovascular events in healthy older women in Australia: a prospective cohort substudy of the ASPREE trial.. <i>The Lancet Healthy Longevity</i> , 2022 , 3, e109-e118	9.5	2
224	Substituting serum anti-Mullerian hormone for polycystic ovary morphology increases the number of women diagnosed with polycystic ovary syndrome: a community-based cross-sectional study. <i>Human Reproduction</i> , 2021 ,	5.7	3
223	Prevalence of and Risk Factors for Depressive Symptoms and Antidepressant Use in Young Australian Women: A Cross-Sectional Study. <i>Journal of Women's Health</i> , 2021 , 30, 997-1005	3	
222	Differing performance of two assays for the measurement of anti-Mullerian hormone in premenopausal women: A cross-sectional study. <i>Clinical Endocrinology</i> , 2021 , 95, 169-175	3.4	2
221	A core outcome set for vasomotor symptoms associated with menopause: the COMMA (Core Outcomes in Menopause) global initiative. <i>Menopause</i> , 2021 , 28, 852-858	2.5	3
220	Use of community-based reference ranges to estimate the prevalence of polycystic ovary syndrome by the recognised diagnostic criteria, a cross-sectional study. <i>Human Reproduction</i> , 2021 , 36, 1611-1620	5.7	4
219	A core outcome set for genitourinary symptoms associated with menopause: the COMMA (Core Outcomes in Menopause) global initiative. <i>Menopause</i> , 2021 , 28, 859-866	2.5	4
218	Longitudinal changes over three years in sex steroid hormone levels in women aged 70 years and over. <i>Clinical Endocrinology</i> , 2021 , 94, 443-448	3.4	3
217	A prospective controlled study of sexual function and sexually related personal distress up to 12 months after premenopausal risk-reducing bilateral salpingo-oophorectomy. <i>Menopause</i> , 2021 , 28, 748-755	2.5	1
216	Health-care providers' views of menopause and its management: a qualitative study. <i>Climacteric</i> , 2021 , 24, 612-617	3.1	2
215	Testosterone and androstenedione are positively associated with anti-Mullerian hormone in premenopausal women. <i>Clinical Endocrinology</i> , 2021 , 95, 752-759	3.4	0
214	Factors involved in treatment decision making for women diagnosed with ductal carcinoma in situ: A qualitative study. <i>Breast</i> , 2021 , 60, 123-130	3.6	
213	Protocol for development of a core outcome set for menopausal symptoms (COMMA). <i>Menopause</i> , 2020 , 27, 1371-1375	2.5	3
212	Why do we need cohort studies?. <i>Climacteric</i> , 2020 , 23, 321-322	3.1	0
211	When you are making plans to publish research, you need to plan for data sharing. <i>Climacteric</i> , 2020 , 23, 466-467	3.1	
210	Don't skip the methods section! Randomized controlled trials are not all the same. <i>Climacteric</i> , 2020 , 23, 224-225	3.1	0

209	Estrone Is a Strong Predictor of Circulating Estradiol in Women Age 70 Years and Older. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	5
208	Mammographic density and breast cancer screening. <i>Climacteric</i> , 2020 , 23, 460-465	3.1	3
207	Distribution of Body Hair in Young Australian Women and Associations With Serum Androgen Concentrations. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	8
206	The prevalence of sexual dysfunctions and sexually related distress in young women: a cross-sectional survey. <i>Fertility and Sterility</i> , 2020 , 113, 426-434	4.8	12
205	The prevalence of hypoactive sexual desire disorder in Australian and Iranian women at midlife. <i>Menopause</i> , 2020 , 27, 1274-1280	2.5	0
204	Associations between androgens and sexual function in premenopausal women: a cross-sectional study. <i>Lancet Diabetes and Endocrinology</i> , 2020 , 8, 693-702	18.1	14
203	Australian women's understanding of menopause and its consequences: a qualitative study. <i>Climacteric</i> , 2020 , 23, 622-628	3.1	5
202	Prevalence of Low Sexual Desire With Associated Distress Across the Adult Life Span: An Australian Cross-Sectional Study. <i>Journal of Sexual Medicine</i> , 2020 , 17, 1885-1895	1.1	1
201	Response to Letter to the Editor: "Distribution of Body Hair in Young Australian Women and Associations with Serum Androgen Concentrations". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	
200	Variation in outcome reporting and measurement tools in clinical trials of treatments for genitourinary symptoms in peri- and postmenopausal women: a systematic review. <i>Menopause</i> , 2020 , 27, 1070-1080	2.5	4
199	Effects of testosterone therapy for women: a systematic review and meta-analysis protocol. <i>Systematic Reviews</i> , 2019 , 8, 19	3	11
198	Challenges in recruitment to an epidemiological study of young Australian women: the Grollo-Ruzzene Foundation Young Women's Health Study. <i>Australian and New Zealand Journal of Public Health</i> , 2019 , 43, 131-136	2.3	14
197	Exogenous Testosterone Does Not Influence 11-Oxygenated C19 Steroid Concentrations in Healthy Postmenopausal Women. <i>Journal of the Endocrine Society</i> , 2019 , 3, 670-677	0.4	8
196	Using an automated measure of breast density to explore the association between ethnicity and mammographic density in Australian women. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2019 , 63, 183-189	1.7	2
195	Safety and efficacy of testosterone for women: a systematic review and meta-analysis of randomised controlled trial data. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 754-766	18.1	80
194	Hormonal contraceptive use in Australian women: Who is using what?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2019 , 59, 717-724	1.7	7
193	Androgens During the Reproductive Years: What Is Normal for Women?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5382-5392	5.6	42
192	Testosterone and Estrone Increase From the Age of 70 Years: Findings From the Sex Hormones in Older Women Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 6291-6300	5.6	25

191	Chronic pain and menopausal symptoms. <i>Menopause</i> , 2019 , 26, 694-695	2.5	
190	Depressive symptoms and associated factors among Iranian women at midlife: a community-based, cross-sectional study. <i>Menopause</i> , 2019 , 26, 1125-1132	2.5	3
189	A systematic review of intravaginal testosterone for the treatment of vulvovaginal atrophy. <i>Menopause</i> , 2018 , 25, 704-709	2.5	26
188	Prevalence of sexual symptoms in relation to menopause in women in Asia: a systematic review. <i>Menopause</i> , 2018 , 25, 231-238	2.5	6
187	Understanding variation in prevalence estimates of polycystic ovary syndrome: a systematic review and meta-analysis. <i>Human Reproduction Update</i> , 2018 , 24, 694-709	15.8	70
186	Lack of research reproducibility, the rise of open science and the need for continuing education in research methods. <i>Climacteric</i> , 2018 , 21, 413-414	3.1	1
185	The benefits of adding metformin to tamoxifen to protect the endometrium-A randomized placebo-controlled trial. <i>Clinical Endocrinology</i> , 2018 , 89, 605-612	3.4	12
184	Types of urinary incontinence in Bangladeshi women at midlife: Prevalence and risk factors. <i>Maturitas</i> , 2018 , 116, 18-23	5	3
183	Poor general health and lower levels of vitality are associated with persistent, high-intensity low back pain and disability in community-based women: A prospective cohort study. <i>Maturitas</i> , 2018 , 113, 7-12	5	5
182	Negative beliefs about back pain are associated with persistent, high levels of low back disability in community-based women. <i>Menopause</i> , 2018 , 25, 977-984	2.5	10
181	Identification of the Gender-Specific Health Needs of Women Following Lung Transplantation. <i>Journal of Women's Health</i> , 2018 , 27, 485-491	3	0
180	Should women aged 70-74 be invited to participate in screening mammography? A report on two Australian community juries. <i>BMJ Open</i> , 2018 , 8, e021174	3	9
179	Moderate to severe vasomotor and sexual symptoms remain problematic for women aged 60 to 65 years. <i>Menopause</i> , 2018 , 25, 1331-1338	2.5	11
178	Awareness and use of iodine supplementation among Australian women attending a low-risk pregnancy clinic. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018 , 58, E16-E17	1.7	1
177	Intravaginal Testosterone Improves Sexual Satisfaction and Vaginal Symptoms Associated With Aromatase Inhibitors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 4146-4154	5.6	27
176	Bothersome menopausal symptoms amongst postmenopausal Iranian women. <i>Climacteric</i> , 2018 , 21, 586-593	3.1	5
175	Moderate-Severe Vasomotor Symptoms Are Associated with Moderate-Severe Depressive Symptoms. <i>Journal of Women's Health</i> , 2017 , 26, 712-718	3	30
174	Hypoactive sexual desire dysfunction in community-dwelling older women. <i>Menopause</i> , 2017 , 24, 391-399.5		27

173	Prevalence and Predictors of Low Sexual Desire, Sexually Related Personal Distress, and Hypoactive Sexual Desire Dysfunction in a Community-Based Sample of Midlife Women. <i>Journal of Sexual Medicine</i> , 2017 , 14, 675-686	1.1	51
172	Aromatase Inhibitors Are Associated With Low Sexual Desire Causing Distress and Fecal Incontinence in Women: An Observational Study. <i>Journal of Sexual Medicine</i> , 2017 , 14, 1566-1574	1.1	13
171	Vasomotor symptoms are associated with depressive symptoms in community-dwelling older women. <i>Menopause</i> , 2017 , 24, 1365-1371	2.5	3
170	Vasomotor symptoms in women in Asia appear comparable with women in Western countries: a systematic review. <i>Menopause</i> , 2017 , 24, 1313-1322	2.5	16
169	What is wrong with the medical literature?. <i>Climacteric</i> , 2017 , 20, 22-24	3.1	1
168	Clinical audit of estradiol implant therapy: Long duration of action and implications in non-hysterectomised women. <i>Maturitas</i> , 2016 , 94, 84-86	5	1
167	The prevalence of symptomatic pelvic floor disorders in women in Bangladesh. <i>Climacteric</i> , 2016 , 19, 558-564	3.1	23
166	Prevalence and severity of vasomotor symptoms and joint pain in women at midlife in Bangladesh: a population-based survey. <i>Menopause</i> , 2016 , 23, 731-9	2.5	15
165	Menopausal vasomotor symptoms are associated with poor self-assessed work ability. <i>Maturitas</i> , 2016 , 87, 33-9	5	30
164	Awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population based survey. <i>Maturitas</i> , 2016 , 84, 68-74	5	23
163	Vasomotor and sexual symptoms in older Australian women: a cross-sectional study. <i>Fertility and Sterility</i> , 2016 , 105, 149-55.e1	4.8	31
162	Low use of effective and safe therapies for moderate to severe menopausal symptoms: a cross-sectional community study of Australian women. <i>Menopause</i> , 2016 , 23, 11-7	2.5	22
161	The use of micronised progesterone for menopausal hormone therapy, a clinical practice audit. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2016 , 56, 323-5	1.7	
160	Authors' Response to Letter to the Editor on awareness of breast cancer and barriers to breast screening uptake in Bangladesh: A population-based survey. <i>Maturitas</i> , 2016 , 88, 58	5	1
159	Symptomatic pelvic floor disorders in community-dwelling older Australian women. <i>Maturitas</i> , 2016 , 85, 34-41	5	28
158	Reply: To PMID 24692288. <i>Arthritis and Rheumatology</i> , 2015 , 67, 315-6	9.5	
157	Prevalence of menopausal symptoms in Asian midlife women: a systematic review. <i>Climacteric</i> , 2015 , 18, 157-76	3.1	39
156	Vasomotor symptoms and urogenital atrophy in older women: a systematic review. <i>Climacteric</i> , 2015 , 18, 112-20	3.1	19

155	Minimal-trauma fracture in women with breast cancer surviving for at least 5 years from diagnosis. <i>Osteoporosis International</i> , 2015 , 26, 795-800	5.3	5
154	Pharmacokinetics of a transdermal testosterone cream in healthy postmenopausal women. <i>Menopause</i> , 2015 , 22, 44-9	2.5	15
153	Factors associated with magnetic resonance imaging defined patellar tendinopathy in community-based middle-aged women: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 184	2.8	15
152	Moderate-severely bothersome vasomotor symptoms are associated with lowered psychological general wellbeing in women at midlife. <i>Maturitas</i> , 2015 , 81, 487-92	5	32
151	Bangladesh Midlife Women's Health Study (BMWHS): methods, challenges and experiences. <i>Maturitas</i> , 2015 , 80, 89-94	5	8
150	Metformin for overweight women at midlife: a double-blind, randomized, controlled trial. <i>Climacteric</i> , 2015 , 18, 270-7	3.1	11
149	Lack of Understanding of Cervical Cancer and Screening Is the Leading Barrier to Screening Uptake in Women at Midlife in Bangladesh: Population-Based Cross-Sectional Survey. <i>Oncologist</i> , 2015 , 20, 1386-92	5.7	17
148	Moderate to severe vasomotor and sexual symptoms remain problematic for women aged 60 to 65 years. <i>Menopause</i> , 2015 , 22, 694-701	2.5	69
147	Use of complementary and alternative medicines for menopausal symptoms in Australian women aged 40-65 years. <i>Medical Journal of Australia</i> , 2015 , 203, 146, 146e.1-6	4	14
146	Targeted assessment of fracture risk in women at midlife. <i>Osteoporosis International</i> , 2015 , 26, 1705-12	5.3	5
145	Letter to the editor: Randolph J, et al. Masturbation frequency and sexual function domains are associated with serum reproductive hormone levels across the menopausal transition. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, L25	5.6	
144	Persistent breast pain 5 years after treatment of invasive breast cancer is largely unexplained by factors associated with treatment. <i>Journal of Cancer Survivorship</i> , 2014 , 8, 1-8	5.1	21
143	Testosterone improves antidepressant-emergent loss of libido in women: findings from a randomized, double-blind, placebo-controlled trial. <i>Journal of Sexual Medicine</i> , 2014 , 11, 831-9	1.1	27
142	Effects of testosterone on visuospatial function and verbal fluency in postmenopausal women: results from a functional magnetic resonance imaging pilot study. <i>Menopause</i> , 2014 , 21, 410-4	2.5	19
141	Prevalence of menopausal symptoms in Australian women at midlife: a systematic review. <i>Climacteric</i> , 2014 , 17, 529-39	3.1	18
140	Obesity is associated with a poorer prognosis in women with hormone receptor positive breast cancer. <i>Maturitas</i> , 2014 , 79, 279-86	5	26
139	Association between urinary C-telopeptide fragments of type II collagen and knee structure in middle-aged women without clinical knee disease. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, 1136-41	6.2	6
138	The association between vasomotor symptoms and depression during perimenopause: a systematic review. <i>Maturitas</i> , 2014 , 77, 111-7	5	52

137	Intended follow up of women with breast cancer at low risk of recurrence and at least 5 years from diagnosis. <i>Internal Medicine Journal</i> , 2014 , 44, 332-8	1.6	4
136	Incidence of total knee and hip replacement for osteoarthritis in relation to circulating sex steroid hormone concentrations in women. <i>Arthritis and Rheumatology</i> , 2014 , 66, 2144-51	9.5	26
135	Transdermal testosterone improves verbal learning and memory in postmenopausal women not on oestrogen therapy. <i>Clinical Endocrinology</i> , 2014 , 81, 621-8	3.4	20
134	Menopausal symptoms in breast cancer survivors nearly 6 years after diagnosis. <i>Menopause</i> , 2014 , 21, 1075-81	2.5	37
133	Screening mammography--early detection or over-diagnosis? Contribution from Australian data. <i>Climacteric</i> , 2014 , 17 Suppl 2, 66-72	3.1	8
132	A comparison of the characteristics, treatment and outcome after 5 years, of Australian women aged 70+ with those aged . <i>Journal of Geriatric Oncology</i> , 2014 , 5, 141-7	3.6	3
131	The prevalence of vitamin D deficiency and relationship with fracture risk in older women presenting in Australian general practice. <i>Australasian Journal on Ageing</i> , 2013 , 32, 177-83	1.5	9
130	Use of imaging in surveillance of women with early stage breast cancer. <i>ANZ Journal of Surgery</i> , 2013 , 83, 129-34	1	3
129	Lymphedema: experience of a cohort of women with breast cancer followed for 4 years after diagnosis in Victoria, Australia. <i>Supportive Care in Cancer</i> , 2013 , 21, 2017-24	3.9	11
128	Pregnancy-associated breast cancer and pregnancy following treatment for breast cancer, in a cohort of women from Victoria, Australia, with a first diagnosis of invasive breast cancer. <i>Breast</i> , 2013 , 22, 980-5	3.6	5
127	Comparison of plain vertebral X-ray and dual-energy X-ray absorptiometry for the identification of older women for fracture prevention in primary care. <i>Internal Medicine Journal</i> , 2013 , 43, 38-45	1.6	1
126	The global challenge of reducing breast cancer mortality. <i>Oncologist</i> , 2013 , 18, 1200-2	5.7	11
125	Cross-cultural studies of menopause: the challenge continues. <i>Menopause</i> , 2013 , 20, 1107-8	2.5	3
124	Continuous-combined oral estradiol/drospirenone has no detrimental effect on cognitive performance and improves estrogen deficiency symptoms in early postmenopausal women: a randomized placebo-controlled trial. <i>Menopause</i> , 2013 , 20, 1020-6	2.5	10
123	The global challenge of reducing breast cancer mortality. <i>Oncologist</i> , 2013 , 18 Suppl, 3-5	5.7	6
122	Aromatase inhibitors associated with knee subchondral bone expansion without cartilage loss. <i>Climacteric</i> , 2013 , 16, 632-8	3.1	2
121	Urinary incontinence in young nulligravid women. <i>Annals of Internal Medicine</i> , 2013 , 158, 139	8	
120	Endogenous estrogen and androgen levels are not independent predictors of lipid levels in postmenopausal women. <i>Menopause</i> , 2013 , 20, 640-5	2.5	10

119	Patterns of use of oral adjuvant endocrine therapy in Australian breast cancer survivors 5 years from diagnosis. <i>Menopause</i> , 2013 , 20, 721-6	2.5	7
118	Understanding discontinuation of oral adjuvant endocrine therapy by women with hormone receptor-positive invasive breast cancer nearly 4 years from diagnosis. <i>Menopause</i> , 2013 , 20, 15-21	2.5	14
117	Breast reconstruction following mastectomy for invasive breast cancer is strongly influenced by demographic factors in women in Victoria, Australia. <i>Breast</i> , 2012 , 21, 394-400	3.6	21
116	Adjuvant therapy, not mammographic screening, accounts for most of the observed breast cancer specific mortality reductions in Australian women since the national screening program began in 1991. <i>Breast Cancer Research and Treatment</i> , 2012 , 131, 949-55	4.4	47
115	Sexual function, incontinence, and wellbeing in women after rectal cancer--a review of the evidence. <i>Journal of Sexual Medicine</i> , 2012 , 9, 2749-58	1.1	38
114	The contribution of SHBG to the variation in HOMA-IR is not dependent on endogenous oestrogen or androgen levels in postmenopausal women. <i>Clinical Endocrinology</i> , 2012 , 77, 541-7	3.4	21
113	Letter in response: the value of mammography screening. <i>Breast Cancer Research and Treatment</i> , 2012 , 134, 1345-6	4.4	
112	Do the benefits of screening mammography outweigh the harms of overdiagnosis and unnecessary treatment?--no. <i>Medical Journal of Australia</i> , 2012 , 196, 17	4	10
111	Breast cancer survivors' beliefs about the causes of breast cancer. <i>Psycho-Oncology</i> , 2012 , 21, 724-9	3.9	20
110	Changes in patterns of use of cigarettes and alcohol in women after a first diagnosis of invasive breast cancer: a cohort study of women from Victoria, Australia. <i>Supportive Care in Cancer</i> , 2012 , 20, 783-9	3.9	10
109	Screening and breast cancer mortality--letter. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 2275; author reply 2276-7	4	
108	Cosmetic surgery prior to diagnosis of breast cancer. <i>Climacteric</i> , 2012 , 15, 195-9	3.1	
107	Management strategies in SSRI-associated sexual dysfunction in women at midlife. <i>Climacteric</i> , 2012 , 15, 306-16	3.1	18
106	Urinary incontinence in young nulligravid women: a cross-sectional analysis. <i>Annals of Internal Medicine</i> , 2012 , 157, 87-93	8	30
105	Incidence and resolution rates of different types of urinary incontinence in women: findings from a cohort study. <i>Journal of Urology</i> , 2011 , 185, 1331-7	2.5	18
104	Testosterone improves verbal learning and memory in postmenopausal women: Results from a pilot study. <i>Maturitas</i> , 2011 , 70, 307-11	5	30
103	Prevalence of fecal incontinence and its relationship with urinary incontinence in women living in the community. <i>Menopause</i> , 2011 , 18, 685-9	2.5	36
102	Sexual function after breast cancer. <i>Journal of Sexual Medicine</i> , 2011 , 8, 294-302	1.1	112

101	Urinary incontinence is associated with lower psychological general well-being in community-dwelling women. <i>Menopause</i> , 2010 , 17, 332-7	2.5	27
100	Use of complementary and alternative therapy by women in the first 2 years after diagnosis and treatment of invasive breast cancer. <i>Menopause</i> , 2010 , 17, 1004-9	2.5	13
99	Psychological well-being in a cohort of women with invasive breast cancer nearly 2 years after diagnosis. <i>Supportive Care in Cancer</i> , 2010 , 18, 921-9	3.9	16
98	The relationship between hormone therapy use at the time of diagnosis of breast cancer and tumor characteristics. <i>Hormones and Cancer</i> , 2010 , 1, 93-9	5	1
97	Greater superior than inferior parietal lobule activation with increasing rotation angle during mental rotation: an fMRI study. <i>Neuropsychologia</i> , 2010 , 48, 529-35	3.2	72
96	Lack of knowledge of hormone receptor status and use of endocrine therapy in invasive breast cancer. <i>Journal of Women's Health</i> , 2009 , 18, 1975-80	3	12
95	Are low levels of low back pain intensity and disability associated with reduced well-being in community-based women?. <i>Climacteric</i> , 2009 , 12, 266-75	3.1	11
94	Bone marrow lesions predict increase in knee cartilage defects and loss of cartilage volume in middle-aged women without knee pain over 2 years. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 850-5	2.4	65
93	The natural history of bone marrow lesions in community-based middle-aged women without clinical knee osteoarthritis. <i>Seminars in Arthritis and Rheumatism</i> , 2009 , 39, 213-7	5.3	12
92	The incidence of invasive breast cancer among women prescribed testosterone for low libido. <i>Journal of Sexual Medicine</i> , 2009 , 6, 1850-6	1.1	35
91	A randomized trial of oral DHEA treatment for sexual function, well-being, and menopausal symptoms in postmenopausal women with low libido. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2579-90	1.1	39
90	The relationship between self-reported sexual satisfaction and general well-being in women. <i>Journal of Sexual Medicine</i> , 2009 , 6, 2690-7	1.1	211
89	The relationship between knowledge of family history and cancer characteristics at diagnosis in women newly-diagnosed with invasive breast cancer. <i>Familial Cancer</i> , 2009 , 8, 299-305	3	9
88	Implanon users are less likely to be satisfied with their contraception after 6 months than IUD users. <i>Contraception</i> , 2009 , 80, 452-6	2.5	33
87	Age-specific prevalence of, and factors associated with, different types of urinary incontinence in community-dwelling Australian women assessed with a validated questionnaire. <i>Maturitas</i> , 2009 , 62, 134-9	5	65
86	The safety of 52 weeks of oral DHEA therapy for postmenopausal women. <i>Maturitas</i> , 2009 , 63, 240-5	5	42
85	Total cholesterol and triglycerides are associated with the development of new bone marrow lesions in asymptomatic middle-aged women - a prospective cohort study. <i>Arthritis Research and Therapy</i> , 2009 , 11, R181	5.7	72
84	Low back pain and disability in community-based women: prevalence and associated factors. <i>Menopause</i> , 2009 , 16, 24-9	2.5	15

83	Ovarian status in healthy postmenopausal women: follow-up 12 months after transvaginal ultrasound. <i>Menopause</i> , 2009 , 16, 1149-55	2.5	5
82	Use of a decision aid for prenatal testing of fetal abnormalities to improve women's informed decision making: a cluster randomised controlled trial [ISRCTN22532458]. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008 , 115, 339-47	3.7	63
81	Prevalence and incidence of urinary incontinence in women: review of the literature and investigation of methodological issues. <i>International Journal of Urology</i> , 2008 , 15, 230-4	2.3	97
80	Use of a cancer registry is preferable to a direct-to-community approach for recruitment to a cohort study of wellbeing in women newly diagnosed with invasive breast cancer. <i>BMC Cancer</i> , 2008 , 8, 126	4.8	31
79	Negative beliefs about low back pain are associated with high pain intensity and high level disability in community-based women. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 148	2.8	51
78	Exploring general practitioners' experience of informing women about prenatal screening tests for foetal abnormalities: a qualitative focus group study. <i>BMC Health Services Research</i> , 2008 , 8, 114	2.9	13
77	Sexual function in well women: stratification by sexual satisfaction, hormone use, and menopause status. <i>Journal of Sexual Medicine</i> , 2008 , 5, 1214-1222	1.1	61
76	Assessing sexual function in well women: validity and reliability of the Monash Women's Health Program Female Sexual Satisfaction Questionnaire. <i>Journal of Sexual Medicine</i> , 2008 , 5, 2575-86	1.1	12
75	Vastus medialis cross-sectional area is associated with patella cartilage defects and bone volume in healthy women. <i>Osteoarthritis and Cartilage</i> , 2008 , 16, 956-60	6.2	7
74	High sensitivity C-reactive protein is associated with lower tibial cartilage volume but not lower patella cartilage volume in healthy women at mid-life. <i>Arthritis Research and Therapy</i> , 2008 , 10, R27	5.7	19
73	Methodology and challenges to recruitment to a randomized, double-blind, placebo-controlled trial of oral DHEA in postmenopausal women. <i>Journal of Women's Health</i> , 2008 , 17, 1559-65	3	6
72	The determinants of change in patella cartilage volume--a cohort study of healthy middle-aged women. <i>Rheumatology</i> , 2008 , 47, 1426-9	3.9	27
71	Dehydroepiandrosterone sulfate levels are associated with more favorable cognitive function in women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 801-8	5.6	87
70	A pragmatic approach to the classification of menopausal status for community-based research. <i>Menopause</i> , 2008 , 15, 978-83	2.5	31
69	Ovarian status in healthy postmenopausal women. <i>Menopause</i> , 2008 , 15, 1109-14	2.5	23
68	Effects of the route of estrogen administration on insulinlike growth factor-I, IGF binding protein-3, and insulin resistance in healthy postmenopausal women: results from a randomized, controlled study. <i>Menopause</i> , 2008 , 15, 1065-9	2.5	6
67	Endogenous androgen levels and cardiovascular risk profile in women across the adult life span. <i>Menopause</i> , 2007 , 14, 630-8	2.5	56
66	Factors affecting patella cartilage and bone in middle-aged women. <i>Arthritis and Rheumatism</i> , 2007 , 57, 272-8		29

65	Well-being, health-related quality of life and cardiovascular disease risk profile in women with subclinical thyroid disease - a community-based study. <i>Clinical Endocrinology</i> , 2007 , 66, 548-56	3.4	52
64	The relationship between endogenous testosterone, preandrogens, and sex hormone binding globulin and knee joint structure in women at midlife. <i>Seminars in Arthritis and Rheumatism</i> , 2007 , 37, 56-62	5.3	25
63	A study of the prevalence and associations of subchondral bone marrow lesions in the knees of healthy, middle-aged women. <i>Osteoarthritis and Cartilage</i> , 2007 , 15, 1437-42	6.2	72
62	The cross-sectional relationship between fortnightly exercise and knee cartilage properties in healthy adult women in midlife. <i>Menopause</i> , 2007 , 14, 830-4	2.5	26
61	Evaluation of a decision aid for prenatal testing of fetal abnormalities: a cluster randomised trial [ISRCTN22532458]. <i>BMC Public Health</i> , 2006 , 6, 96	4.1	21
60	Androgen physiology. <i>Seminars in Reproductive Medicine</i> , 2006 , 24, 71-7	1.4	57
59	Homocysteine, estrogen and cognitive decline. <i>Climacteric</i> , 2006 , 9, 77-87	3.1	7
58	Testosterone aromatization and cognition in women: a randomized, placebo-controlled trial. <i>Menopause</i> , 2006 , 13, 600-8	2.5	34
57	Effects of aromatase inhibition on sexual function and well-being in postmenopausal women treated with testosterone: a randomized, placebo-controlled trial. <i>Menopause</i> , 2006 , 13, 37-45	2.5	67
56	Endogenous androgen levels and well-being: differences between premenopausal and postmenopausal women. <i>Menopause</i> , 2006 , 13, 65-71	2.5	42
55	What do obstetricians think about media influences on their patients?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2006 , 46, 379-83	1.7	24
54	Measurement of total testosterone in women: comparison of a direct radioimmunoassay versus radioimmunoassay after organic solvent extraction and celite column partition chromatography. <i>Fertility and Sterility</i> , 2005 , 84, 1698-704	4.8	22
53	Differential expression of factors involved in fat metabolism with age and the menopause transition. <i>Maturitas</i> , 2005 , 51, 299-306	5	54
52	Testosterone for peri- and postmenopausal women. <i>The Cochrane Library</i> , 2005 , CD004509	5.2	76
51	Self-reported sexual function in women and androgen levels. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 2167-8; author reply 2168	27.4	0
50	Adipose aromatase gene expression is greater in older women and is unaffected by postmenopausal estrogen therapy. <i>Menopause</i> , 2005 , 12, 210-5	2.5	57
49	Androgen levels in adult females: changes with age, menopause, and oophorectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 3847-53	5.6	709
48	Circulating androgen levels and self-reported sexual function in women. <i>JAMA - Journal of the American Medical Association</i> , 2005 , 294, 91-6	27.4	376

47	Do women know that prenatal testing detects fetuses with Down syndrome?. <i>Journal of Obstetrics and Gynaecology</i> , 2004 , 24, 647-51	1.3	20
46	Cervical surveillance as an alternative to elective cervical cerclage for pregnancy management of suspected cervical incompetence. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004 , 44, 228-32	1.7	15
45	People who influence women's decisions and preferred sources of information about prenatal testing for birth defects. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004 , 44, 233-8	1.7	23
44	Factors identified during the neonatal period associated with risk of cerebral palsy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2004 , 44, 342-6	1.7	31
43	Osteoarthritis and the postmenopausal woman: Epidemiological, magnetic resonance imaging, and radiological findings. <i>Seminars in Arthritis and Rheumatism</i> , 2004 , 34, 631-6	5.3	46
42	Climacteric symptoms among indigenous Australian women and a model for the use of culturally relevant art in health promotion. <i>Menopause</i> , 2003 , 10, 345-51	2.5	9
41	Evaluation of the measurement of the fetal fat layer, interventricular septum and abdominal circumference percentile in the prediction of macrosomia in pregnancies affected by gestational diabetes. <i>Ultrasound in Obstetrics and Gynecology</i> , 2003 , 22, 586-90	5.8	35
40	Acute administration of conjugated equine oestrogen does not improve exercise-induced myocardial ischaemia in men with coronary artery disease. <i>Internal Medicine Journal</i> , 2003 , 33, 221-4	1.6	1
39	Why do women decline prenatal screening and diagnosis? Australian women's perspective. <i>Women and Health</i> , 2003 , 37, 89-108	1.7	46
38	The effects of vigorous exercise during pregnancy on birth weight. <i>Journal of Science and Medicine in Sport</i> , 2002 , 5, 32-6	4.4	17
37	Consequences of surveying folate awareness. <i>Health Expectations</i> , 2002 , 5, 38-46	3.7	4
36	Antenatal and intrapartum antecedents of cerebral palsy: a case-control study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2002 , 42, 138-46	1.7	39
35	Prenatal diagnosis for women aged 37 years and over: to have or not to have. <i>Prenatal Diagnosis</i> , 2001 , 21, 842-7	3.2	24
34	Misoprostol versus dinoprostone for cervical priming prior to induction of labour in term pregnancy: a randomised controlled trial. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2001 , 41, 145-52	1.7	10
33	The increasing knowledge of the role of periconceptional folate in Victorian women of child-bearing age: follow-up of a randomised community intervention trial. <i>Australian and New Zealand Journal of Public Health</i> , 2001 , 25, 389-395	2.3	22
32	Estimation of fetal weight by ultrasound prior to 33 weeks gestation. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2000 , 40, 180-4	1.7	5
31	Antenatal exercise and birthweight. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2000 , 40, 70-3	1.7	32
30	A randomized community intervention trial to increase awareness and knowledge of the role of periconceptional folate in women of child-bearing age. <i>Health Expectations</i> , 1999 , 2, 255-265	3.7	25

29	A randomized controlled trial of a smoking cessation intervention during pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1999 , 39, 312-7	1.7	19
28	Antenatal and perinatal antecedents of moderate and severe spastic cerebral palsy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1998 , 38, 377-83	1.7	13
27	Cervicovaginal fetal fibronectin testing in threatened preterm labour--translating research findings into clinical practice. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1998 , 38, 399-402	1.7	13
26	"A survey of antenatal clinic staff: some perceived barriers to the promotion of smoking cessation in pregnancy". <i>Women and Birth</i> , 1998 , 11, 14-8		6
25	Women who spontaneously quit smoking in early pregnancy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1997 , 37, 271-8	1.7	22
24	What are popular magazines telling young women about pregnancy, birth, breastfeeding and parenting?. <i>Women and Birth</i> , 1996 , 9, 10-4		10
23	Do childbirth classes influence decision making about labor and postpartum issues?. <i>Birth</i> , 1995 , 22, 153-60		22
22	The effect of vigorous exercise during pregnancy on birth-weight. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1995 , 35, 46-51	1.7	73
21	Fetal fibronectin in the cervicovaginal fluid of women with threatened preterm labour as a predictor of delivery before 34 weeksPgestation. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1995 , 35, 257-61	1.7	30
20	The prevalence and timing of obstetric ultrasound in Victoria 1991-1992: a population-based study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1995 , 35, 375-9	1.7	14
19	Method for cohort and nested case-control studies: the prevalence, timing and effectiveness of obstetric ultrasound, Victoria 1991-1992. <i>Paediatric and Perinatal Epidemiology</i> , 1995 , 9, 225-40	2.7	2
18	Exercise and pregnancy: a review. <i>Birth</i> , 1994 , 21, 85-95	3.1	41
17	Human relaxin. <i>Reproductive Medicine Review</i> , 1993 , 2, 109-118		
16	Antenatal uterine activity monitoring of women at increased risk of preterm labour. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1992 , 46, 65-72	2.4	6
15	Relaxin in sera during the luteal phase of in-vitro fertilization cycles. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1990 , 97, 215-20	3.7	5
14	Alcohol consumption, cigarette smoking and fetal outcome in Victoria, 1985. <i>Community Health Studies</i> , 1989 , 13, 484-91		22
13	Relaxin in paired samples of serum and milk from women after term and preterm delivery. <i>American Journal of Obstetrics and Gynecology</i> , 1989 , 161, 970-3	6.4	38
12	Antenatal serum levels of relaxin in patients having preterm labour. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1988 , 95, 1264-7	3.7	19

11	Relaxin in human pregnancy serum measured with an homologous radioimmunoassay. <i>Obstetrics and Gynecology</i> , 1987 , 69, 585-9	4.9	79
10	Radioimmunoassay of relaxin in pregnancy with an analogue of human relaxin. <i>Lancet, The</i> , 1986 , 1, 1344-6	4.6	53
9	Regulation and function of arginine vasopressin in pregnant sheep. <i>American Journal of Physiology - Renal Physiology</i> , 1986 , 250, F777-80	4.3	4
8	Effect of long-term infusion of ovine corticotrophin-releasing factor in the immature ovine fetus. <i>Journal of Endocrinology</i> , 1986 , 111, 469-75	4.7	17
7	The effect of maternal water deprivation on ovine fetal blood volume. <i>Quarterly Journal of Experimental Physiology (Cambridge, England)</i> , 1985 , 70, 95-9		12
6	Effects of maternal sodium depletion on the composition of ovine fetal fluids. <i>Journal of Endocrinology</i> , 1985 , 107, 177-82	4.7	3
5	The role of fetal adrenal hormones in the switch from fetal to adult globin synthesis in the sheep. <i>Journal of Endocrinology</i> , 1985 , 104, 165-70	4.7	26
4	Gestation-dependent aspects of the response of the ovine fetus to the osmotic stress induced by maternal water deprivation. <i>Quarterly Journal of Experimental Physiology (Cambridge, England)</i> , 1984 , 69, 187-95		29
3	The prediction of preterm labour by recording spontaneous antenatal uterine activity. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1983 , 90, 884-7	3.7	36
2	Antenatal oestradiol and progesterone concentrations in patients subsequently having preterm labour. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1983 , 90, 888-91	3.7	7
1	Measurement of spontaneous uterine activity in the antenatal patient. <i>American Journal of Obstetrics and Gynecology</i> , 1981 , 140, 713-5	6.4	9