

Pascal marchet

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/810851/publications.pdf>

Version: 2024-02-01

77
papers

1,667
citations

279798

23
h-index

315739

38
g-index

84
all docs

84
docs citations

84
times ranked

1786
citing authors

#	ARTICLE	IF	CITATIONS
1	New Insight on the Effect of Yttria-Based Secondary Phases on Sintering and Electrical Behavior of Aluminum Nitride Ceramics. <i>Journal of Materials Engineering and Performance</i> , 2022, 31, 4545-4553.	2.5	7
2	Synthesis of 0.94 Na _{0.5} Bi _{0.5} TiO ₃ + 0.06 BaTiO ₃ (NBT-6BT) lead-free piezoelectric powder suitable for aerosol deposition (AD). <i>Ceramics International</i> , 2022, 48, 14697-14707.	4.8	3
3	Comparative Study on Electrical Conductivity of CeO ₂ -Doped AlN Ceramics Sintered by Hot-Pressing and Spark Plasma Sintering. <i>Materials</i> , 2022, 15, 2399.	2.9	6
4	Influence of microwave sintering on electrical properties of BCTZ lead free piezoelectric ceramics. <i>Journal of the European Ceramic Society</i> , 2020, 40, 1212-1216.	5.7	28
5	Elaboration and Characterization of Materials from the LaMnO ₃ + BiMnO ₃ Binary System. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2020, 217, 1900814.	1.8	1
6	Modeling the Electroelastic Moduli of Porous Textured Piezoceramics. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2019, 66, 949-957.	3.0	6
7	Structure and properties of (Na _{0.5} Bi _{0.5})ZrO ₃ (NBZ) lead-free perovskite compound. <i>Scripta Materialia</i> , 2019, 161, 13-17.	5.2	5
8	Composite microstructures and piezoelectric properties in tantalum substituted lead-free K _{0.5} Na _{0.5} Nb _{1-x} Ta _x O ₃ ceramics. <i>Ceramics International</i> , 2018, 44, 9463-9471.	4.8	22
9	Toward green three-phase composites with enhanced dielectric permittivity. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46147.	2.6	5
10	Structure and properties of Bi ₂ Ti ₂ O ₇ pyrochlore type phase stabilized by lithium. <i>Journal of Alloys and Compounds</i> , 2018, 732, 178-186.	5.5	13
11	Diffuse phase transition of BST thin films in the microwave domain. <i>Applied Physics Letters</i> , 2018, 112, .	3.3	10
12	Effect of the incident power on permittivity, losses and tunability of BaSrTiO ₃ thin films in the microwave frequency range. <i>Applied Physics Letters</i> , 2017, 110, .	3.3	13
13	Mechanical and electrical properties of a polyester resin reinforced with clay-based fillers. <i>Journal of Mechanical Science and Technology</i> , 2017, 31, 1151-1156.	1.5	1
14	The effects of PbZn _{1/3} Nb _{2/3} O ₃ -doping on structural, thermal, optical, dielectric, and ferroelectric properties of BaTiO ₃ ceramics. <i>Journal of Applied Physics</i> , 2017, 122, 124105.	2.5	3
15	Ultra-High Tunability of $\text{Ba}_{2/3}\text{Sr}_{1/3}\text{TiO}_3$ -Based Capacitors Under Low Electric Fields. <i>IEEE Microwave and Wireless Components Letters</i> , 2016, 26, 504-506.	3.2	15
16	Electrical transport properties and modelling of electrostrictive resonance phenomena in Ba _{2/3} Sr _{1/3} TiO ₃ thin films. <i>Journal of Applied Physics</i> , 2016, 120, .	2.5	11
17	Domain wall motions in BST ferroelectric thin films in the microwave frequency range. <i>Applied Physics Letters</i> , 2016, 109, 262902.	3.3	9
18	Microwave dielectric properties of BNT-BT _{0.08} thin films prepared by sol-gel technique. <i>Journal of Applied Physics</i> , 2016, 119, 144103.	2.5	3

#	ARTICLE	IF	CITATIONS
19	Electrical and Optical Properties of $\text{La}_{1-x}\text{A}_x\text{Fe}_y\text{B}_y\text{O}_{3-\delta}$ Perovskite Films (with A = Sr and Ca, and B= Co, Ga, Ti): Toward Interlayers for Optoelectronic Applications. <i>Journal of Physical Chemistry C</i> , 2016, 120, 28583-28590.	3.1	12
20	BaTiO_3 incorporation effect on the dielectric properties of polymer from aqueous emulsion: An enhanced dispersion technique. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	2.6	8
21	Elaboration of lead-free $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ BaTiO_3 (NBT-BT) thick films by aerosol deposition method (ADM). <i>Ceramics International</i> , 2016, 42, 14635-14641.	4.8	7
22	Thermal, Raman and dielectric study of $\text{K}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ PbTiO_3 ceramics. <i>Phase Transitions</i> , 2015, 88, 662-667.	1.3	5
23	Dense and highly textured coatings obtained by aerosol deposition method from Ti_3SiC_2 powder: Comparison to a dense material sintered by Spark Plasma Sintering. <i>Journal of the European Ceramic Society</i> , 2015, 35, 1179-1189.	5.7	13
24	Ferroelectric domain wall motion induced by polarized light. <i>Nature Communications</i> , 2015, 6, 6594.	12.8	138
25	Complete electroelastic set for the (YXt)-45° cut of a KNbO_3 single crystal. <i>Journal of Applied Physics</i> , 2014, 116, 194106.	2.5	7
26	Growth of dense Ti_3SiC_2 MAX phase films elaborated at room temperature by aerosol deposition method. <i>Journal of the European Ceramic Society</i> , 2014, 34, 1063-1072.	5.7	36
27	{111}-Textured BaTiO_3 ceramics elaborated by Templated Grain Growth using NaNbO_3 templates. <i>Materials Letters</i> , 2013, 113, 149-151.	2.6	8
28	Structure, microstructure and electrical properties of Cu^{2+} doped $(\text{K},\text{Na},\text{Li})(\text{Nb},\text{Ta},\text{Sb})\text{O}_3$ piezoelectric ceramics. <i>Ceramics International</i> , 2013, 39, 4139-4149.	4.8	43
29	Electrical properties of (110) epitaxial lead-free ferroelectric $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ thin films grown by pulsed laser deposition: Macroscopic and nanoscale data. <i>Journal of Applied Physics</i> , 2012, 111, .	2.5	46
30	Epitaxial growth and properties of lead-free ferroelectric $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ thin films grown by pulsed laser deposition on various single crystal substrates. , 2012, , .		0
31	Structure and electrical properties in the $\text{K}_{1/2}\text{Bi}_{1/2}\text{TiO}_3$ $\text{K}_{1/2}\text{Bi}_{1/2}\text{ZrO}_3$ solid solution (KBT $\hat{=}$ KBZ). <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012, 209, 2063-2072.	1.8	11
32	Mechanism of $\text{Ni}_x\text{Zn}_x\text{O}$ Formation by Thermal Treatments on NiO Nanoparticles Dispersed over ZnO . <i>Journal of Physical Chemistry C</i> , 2011, 115, 13577-13583.	3.1	23
33	Correlation between the structure and the piezoelectric properties of lead-free $(\text{K},\text{Na},\text{Li})(\text{Nb},\text{Ta},\text{Sb})\text{O}_3$ ceramics studied by XRD and Raman spectroscopy. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2011, 58, 1826-1834.	3.0	4
34	Effect of MnO doping on the structure, microstructure and electrical properties of the $(\text{K},\text{Na},\text{Li})(\text{Nb},\text{Ta},\text{Sb})\text{O}_3$ lead-free piezoceramics. <i>Journal of Alloys and Compounds</i> , 2011, 509, 8804-8811.	5.5	43
35	Control of the Crystalline Structure and Piezoelectric Properties of $(\text{K},\text{Na},\text{Li})(\text{Nb},\text{Ta},\text{Sb})\text{O}_3$ Ceramics through Transition Metal Oxide Doping. <i>Applied Physics Express</i> , 2011, 4, 101501.	2.4	21
36	Evolution of structural and electrical properties of $(\text{K},\text{Na},\text{Li})(\text{Nb},\text{Ta},\text{Sb})\text{O}_3$ lead-free piezoceramics through CoO doping. <i>Solid State Communications</i> , 2011, 151, 1463-1466.	1.9	17

#	ARTICLE	IF	CITATIONS
37	Structural, microstructural and electrical properties evolution of (K,Na,Li)(Nb,Ta,Sb)O ₃ lead-free piezoceramics through NiO doping. Journal of the European Ceramic Society, 2011, 31, 2309-2317.	5.7	42
38	Lead free (Li,Na,K)(Nb,Ta,Sb)O ₃ piezoelectric ceramics: Influence of sintering atmosphere and ZrO ₂ doping on densification, microstructure and piezoelectric properties. Journal of the European Ceramic Society, 2011, 31, 577-588.	5.7	17
39	Role of sintering time, crystalline phases and symmetry in the piezoelectric properties of lead-free KNN-modified ceramics. Materials Chemistry and Physics, 2010, 123, 91-97.	4.0	82
40	Macroscopic and nanoscale electrical properties of pulsed laser deposited (100) epitaxial lead-free Na _{0.5} Bi _{0.5} TiO ₃ thin films. Journal of Applied Physics, 2010, 107, .	2.5	43
41	Properties of the solid solution (1-x)Na _{0.5} Bi _{0.5} TiO ₃ -xBiFeO ₃ . Journal of Magnetism and Magnetic Materials, 2009, 321, 1762-1766.	2.3	36
42	Piezoceramics properties as a function of the structure in the system (K,Na,Li)(Nb,Ta,Sb)O ₃ . IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control, 2009, 56, 1835-1842.	3.0	40
43	Lead-free Na _{0.5} Bi _{0.5} TiO ₃ ferroelectric thin films grown by Pulsed Laser Deposition on epitaxial platinum bottom electrodes. Thin Solid Films, 2008, 517, 592-597.	1.8	48
44	Structural and dielectric studies of the Na _{0.5} Bi _{0.5} TiO ₃ -BiFeO ₃ system. Journal of the European Ceramic Society, 2007, 27, 4371-4374.	5.7	65
45	Dielectric properties of some low-lead or lead-free perovskite-derived materials: Na _{0.5} Bi _{0.5} TiO ₃ -PbZrO ₃ , Na _{0.5} Bi _{0.5} TiO ₃ -BiScO ₃ and Na _{0.5} Bi _{0.5} TiO ₃ -BiFeO ₃ ceramics. Journal of the European Ceramic Society, 2006, 26, 3037-3041.	5.7	38
46	Dielectric Properties of Na _{0.5} Bi _{0.5} TiO ₃ -PbZrO ₃ Ceramics. Ferroelectrics, 2006, 339, 29-35.	0.6	1
47	From ferroelectric to relaxor behaviour in the Aurivillius-type Bi _{4-3x} BaxTi _{3-x} NbxO ₁₂ (0 ≤ x ≤ 1.4) solid solutions. Materials Letters, 2005, 59, 376-382.	2.6	16
48	Thin Films of Na _{0.5} Bi _{0.5} TiO ₃ Deposited by Spin-Coating. Integrated Ferroelectrics, 2004, 61, 163-165.	0.7	17
49	Electrical Properties of Na _{0.5} Bi _{0.5} TiO ₃ - SrTiO ₃ Ceramics. Integrated Ferroelectrics, 2004, 61, 159-162.	0.7	30
50	Ferroelectric relaxor behaviour of Na _{0.5} Bi _{0.5} TiO ₃ -SrTiO ₃ ceramics. Physica Status Solidi (B): Basic Research, 2004, 241, 1949-1956.	1.5	51
51	Dielectric Properties of Na _{0.5} Bi _{0.5} TiO ₃ - BaTiO ₃ Ceramics. Integrated Ferroelectrics, 2004, 61, 155-158.	0.7	6
52	The TeO ₂ -rich part of the TeO ₂ -Ga ₂ O ₃ system: equilibrium and non-equilibrium phase diagram. Journal of Materials Chemistry, 2002, 12, 2803-2806.	6.7	14
53	New heavy metal oxide glasses: investigations within the TeO ₂ -Nb ₂ O ₅ -Bi ₂ O ₃ system. Journal of Alloys and Compounds, 2002, 347, 206-212.	5.5	43
54	Axial Pressure Influence on Dielectric and Ferroelectric Properties of Na _{0.5} Bi _{0.5} TiO ₃ Ceramic. Physica Status Solidi (B): Basic Research, 2001, 225, 459-466.	1.5	44

#	ARTICLE	IF	CITATIONS
55	The Crystal Structure of PbTe ₅ O ₁₁ . Materials Research Bulletin, 2001, 36, 693-703.	5.2	8
56	Optical conductivity of high-T _c cuprate thin films deposited by multi-target laser ablation. Journal of Physics Condensed Matter, 2000, 12, 1517-1525.	1.8	4
57	Combinatorial solid state chemistry by multitarget laser ablation: a way for the elaboration of new superconducting cuprates thin films?. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1999, 60, 205-211.	3.5	7
58	New investigations within the TeO ₂ -WO ₃ system: phase equilibrium diagram and glass crystallization. Journal of Materials Science, 1999, 34, 4285-4292.	3.7	90
59	Title is missing!. Journal of Materials Science Letters, 1999, 18, 1575-1577.	0.5	2
60	Glass Structure and Optical Nonlinearities in Thallium(I) Tellurium(IV) Oxide Glasses. Journal of Solid State Chemistry, 1999, 146, 329-335.	2.9	98
61	Equilibrium and non-equilibrium phase diagram within the TeO ₂ -rich part of the TeO ₂ -Nb ₂ O ₅ system. Journal of Materials Chemistry, 1999, 9, 1785-1788.	6.7	34
62	New investigations within the TeO ₂ -rich part of the Tl ₂ O-TeO ₂ system. Journal of Materials Chemistry, 1998, 8, 1039-1042.	6.7	13
63	<title>Multitarget laser ablation: a way for the elaboration of thin films of high-T _c superconducting copper oxides</title> . , 1998, , .		0
64	Structural and dielectric study of the Na _{0.5} Bi _{0.5} TiO ₃ -PbTiO ₃ and K _{0.5} Bi _{0.5} TiO ₃ -PbTiO ₃ systems. Journal of Materials Chemistry, 1997, 7, 91-97.	6.7	48
65	Thin films of high-T _c superconducting cuprates by multi-target laser ablation. Physica C: Superconductivity and Its Applications, 1997, 282-287, 1035-1036.	1.2	1
66	Epitaxial ferroelectric PZT and BST thin films by pulsed UV laser deposition. Applied Surface Science, 1996, 96-98, 775-778.	6.1	4
67	Preparation of TiO ₂ thin films by pulsed laser deposition for waveguiding applications. Applied Surface Science, 1996, 96-98, 836-841.	6.1	46
68	Epitaxial ferroelectric PZT and BST thin films by pulsed UV laser deposition. , 1996, , 775-778.		0
69	Preparation of TiO ₂ thin films by pulsed laser deposition for waveguiding applications. , 1996, , 836-841.		0
70	Unexpected behaviour of IR reflectivity of a YBa ₂ Cu ₃ O _{7-δ} oriented film. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1995, 34, 74-79.	3.5	12
71	Layered Ba _{1-x} K _x Pb _{1-x} Bi _x O superconductor family: characterization of laser-ablated films. Physica C: Superconductivity and Its Applications, 1994, 235-240, 709-710.	1.2	0
72	Analysis of infrared-visible-near-ultraviolet reflectivity of conducting and superconducting oxides. Physica C: Superconductivity and Its Applications, 1994, 235-240, 1071-1072.	1.2	6

#	ARTICLE	IF	CITATIONS
73	In situ growth of YBaCuO superconducting thin films by excimer laser ablation: influence of deposition and cooling parameters. Applied Surface Science, 1993, 69, 335-339.	6.1	21
74	Pulsed laser deposition of YBa ₂ Cu ₃ O _{7-x} superconducting thin films: correlation between preparation conditions and structural and electrical properties. Journal of Alloys and Compounds, 1993, 195, 207-210.	5.5	4
75	Couches minces supraconductrices Å haute tempÃ©rature critique : corrÃ©lation entre conditions de dÃ©pÃ©t et propriÃ©tÃ©s. Journal De Physique III, 1993, 3, 767-774.	0.3	4
76	Characterization of the KrF laser-induced plasma plume created above an YBaCuO superconducting target and preparation of superconducting thin films. Applied Surface Science, 1990, 46, 78-83.	6.1	11
77	Characterization of the KrF laser-induced plasma plume created above a BiSrCaCuO target. Applied Physics Letters, 1990, 56, 1472-1474.	3.3	17