

Naomi Allen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8109140/publications.pdf>

Version: 2024-02-01

147
papers

25,818
citations

19657
61
h-index

9589
142
g-index

152
all docs

152
docs citations

152
times ranked

30029
citing authors

#	ARTICLE	IF	CITATIONS
1	UK Biobank: An Open Access Resource for Identifying the Causes of a Wide Range of Complex Diseases of Middle and Old Age. PLoS Medicine, 2015, 12, e1001779.	8.4	6,753
2	The UK Biobank resource with deep phenotyping and genomic data. Nature, 2018, 562, 203-209.	27.8	5,221
3	Comparison of Sociodemographic and Health-Related Characteristics of UK Biobank Participants With Those of the General Population. American Journal of Epidemiology, 2017, 186, 1026-1034.	3.4	2,242
4	SARS-CoV-2 is associated with changes in brain structure in UK Biobank. Nature, 2022, 604, 697-707.	27.8	825
5	Endogenous Sex Hormones and Prostate Cancer: A Collaborative Analysis of 18 Prospective Studies. Journal of the National Cancer Institute, 2008, 100, 170-183.	6.3	708
6	Moderate Alcohol Intake and Cancer Incidence in Women. Journal of the National Cancer Institute, 2009, 101, 296-305.	6.3	497
7	UK Biobank: Current status and what it means for epidemiology. Health Policy and Technology, 2012, 1, 123-126.	2.5	378
8	UK Biobank Data: Come and Get It. Science Translational Medicine, 2014, 6, 224ed4.	12.4	334
9	The UK Biobank imaging enhancement of 100,000 participants: rationale, data collection, management and future directions. Nature Communications, 2020, 11, 2624.	12.8	324
10	Algorithms for the Capture and Adjudication of Prevalent and Incident Diabetes in UK Biobank. PLoS ONE, 2016, 11, e0162388.	2.5	232
11	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). Endocrine-Related Cancer, 2008, 15, 485-497.	3.1	228
12	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2010, 127, 442-451.	5.1	223
13	Mental health in UK Biobank – development, implementation and results from an online questionnaire completed by 157 366 participants: a reanalysis. BJPsych Open, 2020, 6, e18.	0.7	210
14	Identifying dementia outcomes in UK Biobank: a validation study of primary care, hospital admissions and mortality data. European Journal of Epidemiology, 2019, 34, 557-565.	5.7	201
15	Plasma Adiponectin Levels and Endometrial Cancer Risk in Pre- and Postmenopausal Women. Journal of Clinical Endocrinology and Metabolism, 2007, 92, 255-263.	3.6	191
16	Long-chain n-3 polyunsaturated fatty acids in plasma in British meat-eating, vegetarian, and vegan men. American Journal of Clinical Nutrition, 2005, 82, 327-334.	4.7	178
17	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. British Journal of Cancer, 2008, 98, 1574-1581.	6.4	157
18	Energy balance and cancer: the role of sex hormones. Proceedings of the Nutrition Society, 2001, 60, 81-89.	1.0	155

#	ARTICLE	IF	CITATIONS
19	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. <i>Endocrine-Related Cancer</i> , 2010, 17, 1007-1019.	3.1	143
20	Metformin Does Not Affect Cancer Risk: A Cohort Study in the U.K. Clinical Practice Research Datalink Analyzed Like an Intention-to-Treat Trial. <i>Diabetes Care</i> , 2014, 37, 2522-2532.	8.6	143
21	Lifestyle and nutritional determinants of bioavailable androgens and related hormones in British men. <i>Cancer Causes and Control</i> , 2002, 13, 353-363.	1.8	129
22	Impact of Cigarette Smoking on Cancer Risk in the European Prospective Investigation into Cancer and Nutrition Study. <i>Journal of Clinical Oncology</i> , 2012, 30, 4550-4557.	1.6	129
23	A prospective study of diet and prostate cancer in Japanese men. <i>Cancer Causes and Control</i> , 2004, 15, 911-920.	1.8	121
24	An Absolute Risk Model to Identify Individuals at Elevated Risk for Pancreatic Cancer in the General Population. <i>PLoS ONE</i> , 2013, 8, e72311.	2.5	120
25	UK Biobank: opportunities for cardiovascular research. <i>European Heart Journal</i> , 2019, 40, 1158-1166.	2.2	120
26	Dynamic linkage of COVID-19 test results between Public Health England's Second Generation Surveillance System and UK Biobank. <i>Microbial Genomics</i> , 2020, 6, .	2.0	120
27	Hormonal, Metabolic, and Inflammatory Profiles and Endometrial Cancer Risk Within the EPIC Cohort-A Factor Analysis. <i>American Journal of Epidemiology</i> , 2013, 177, 787-799.	3.4	119
28	Menopausal Hormone Therapy and Risk of Endometrial Carcinoma Among Postmenopausal Women in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2010, 172, 1394-1403.	3.4	117
29	The association of pattern of lifetime alcohol use and cause of death in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>International Journal of Epidemiology</i> , 2013, 42, 1772-1790.	1.9	117
30	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. <i>Cancer Research</i> , 2016, 76, 2288-2300.	0.9	117
31	Diabetes and risk of pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. <i>Cancer Causes and Control</i> , 2013, 24, 13-25.	1.8	114
32	A prospective study of serum insulin-like growth factor-I (IGF-I), IGF-II, IGF-binding protein-3 and breast cancer risk. <i>British Journal of Cancer</i> , 2005, 92, 1283-1287.	6.4	107
33	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. <i>American Journal of Clinical Nutrition</i> , 2015, 102, 1142-1157.	4.7	107
34	Body size and risk of differentiated thyroid carcinomas: Findings from the EPIC study. <i>International Journal of Cancer</i> , 2012, 131, E1004-14.	5.1	104
35	The acceptability of repeat Internet-based hybrid diet assessment of previous 24-h dietary intake: administration of the Oxford WebQ in UK Biobank. <i>British Journal of Nutrition</i> , 2016, 115, 681-686.	2.3	103
36	<i>Helicobacter pylori</i> infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. <i>Annals of Oncology</i> , 2012, 23, 1320-1324.	1.2	102

#	ARTICLE	IF	CITATIONS
37	Diet and risk of kidney stones in the Oxford cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>European Journal of Epidemiology</i> , 2014, 29, 363-369.	5.7	99
38	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; Results from the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2007, 120, 2656-2664.	5.1	96
39	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. <i>Breast Cancer Research</i> , 2012, 14, R76.	5.0	94
40	Lifestyle determinants of serum insulin-like growth-factor-I (IGF-I), C-peptide and hormone binding protein levels in British women. <i>Cancer Causes and Control</i> , 2003, 14, 65-74.	1.8	93
41	A Risk Model for Lung Cancer Incidence. <i>Cancer Prevention Research</i> , 2012, 5, 834-846.	1.5	93
42	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. <i>Human Molecular Genetics</i> , 2014, 23, 6616-6633.	2.9	90
43	Soya intake and plasma concentrations of daidzein and genistein: validity of dietary assessment among eighty British women (Oxford arm of the European Prospective Investigation into Cancer and Nutrition). <i>Tijdschrift voor Voeding</i> , 2014, 137, 107-114.	1.0	89
44	Dietary Fiber, Carbohydrate Quality and Quantity, and Mortality Risk of Individuals with Diabetes Mellitus. <i>PLoS ONE</i> , 2012, 7, e43127.	2.5	89
45	Serum Insulin-like Growth Factor (IGF)-I and IGF-Binding Protein-3 Concentrations and Prostate Cancer Risk: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2007, 16, 1121-1127.	2.5	88
46	Cohort profile: design and methods in the eye and vision consortium of UK Biobank. <i>BMJ Open</i> , 2019, 9, e025077.	1.9	85
47	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012, 21, 456-462.	2.9	81
48	C-Reactive Protein Concentrations and Subsequent Ovarian Cancer Risk. <i>Obstetrics and Gynecology</i> , 2007, 109, 933-941.	2.4	80
49	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2008, 88, 1567-1575.	4.7	77
50	Biomarkers of Oxidative Stress and Risk of Developing Colorectal Cancer: A Cohort-nested Case-Control Study in the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2012, 175, 653-663.	3.4	77
51	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , 2018, 74, 585-594.	1.9	75
52	The advantages of UK Biobank's open access strategy for health research. <i>Journal of Internal Medicine</i> , 2019, 286, 389-397.	6.0	74
53	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 131, E544-54.	5.1	73
54	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. <i>Carcinogenesis</i> , 2012, 33, 1211-1218.	2.8	72

#	ARTICLE	IF	CITATIONS
55	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. <i>International Journal of Cancer</i> , 2015, 136, 372-381.	5.1	72
56	Prospective investigation of risk factors for prostate cancer in the UK Biobank cohort study. <i>British Journal of Cancer</i> , 2017, 117, 1562-1571.	6.4	71
57	Fluid Intake and Dietary Factors and the Risk of Incident Kidney Stones in UK Biobank: A Population-based Prospective Cohort Study. <i>European Urology Focus</i> , 2020, 6, 752-761.	3.1	69
58	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>American Journal of Clinical Nutrition</i> , 2012, 96, 345-355.	4.7	67
59	Association of Type 2 Diabetes Susceptibility Variants With Advanced Prostate Cancer Risk in the Breast and Prostate Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2012, 176, 1121-1129.	3.4	67
60	Insulin-like Growth Factor-I Concentration and Risk of Prostate Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 1531-1541.	2.5	67
61	Phytanic acid: measurement of plasma concentrations by gas-liquid chromatography-mass spectrometry analysis and associations with diet and other plasma fatty acids. <i>British Journal of Nutrition</i> , 2008, 99, 653-659.	2.3	65
62	Leptin and Soluble Leptin Receptor in Risk of Colorectal Cancer in the European Prospective Investigation into Cancer and Nutrition Cohort. <i>Cancer Research</i> , 2012, 72, 5328-5337.	0.9	65
63	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body size The EPIC-InterAct study. <i>Journal of Internal Medicine</i> , 2012, 272, 358-370.	6.0	64
64	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). <i>Cancer Letters</i> , 2011, 311, 85-95.	7.2	62
65	Tumor necrosis factor (TNF)- α , soluble TNF receptors and endometrial cancer risk: The EPIC study. <i>International Journal of Cancer</i> , 2011, 129, 2032-2037.	5.1	61
66	Prostate stem cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: Results from the EPIC-EURGAST study. <i>International Journal of Cancer</i> , 2012, 130, 2417-2427.	5.1	60
67	The associations of diet with serum insulin-like growth factor I and its main binding proteins in 292 women meat-eaters, vegetarians, and vegans. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2002, 11, 1441-8.	2.5	60
68	Associations between unprocessed red and processed meat, poultry, seafood and egg intake and the risk of prostate cancer: A pooled analysis of 15 prospective cohort studies. <i>International Journal of Cancer</i> , 2016, 138, 2368-2382.	5.1	59
69	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. <i>British Journal of Cancer</i> , 2012, 106, 1866-1874.	6.4	58
70	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. <i>American Journal of Clinical Nutrition</i> , 2012, 95, 1172-1181.	4.7	56
71	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. <i>Carcinogenesis</i> , 2012, 33, 361-367.	2.8	55
72	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. <i>British Journal of Cancer</i> , 2012, 106, 1004-1010.	6.4	51

#	ARTICLE	IF	CITATIONS
73	Common Genetic Variants in Prostate Cancer Risk Prediction—Results from the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 437-444.	2.5	51
74	A case-control study of selenium in nails and prostate cancer risk in British men. <i>British Journal of Cancer</i> , 2004, 90, 1392-1396.	6.4	50
75	Circulating Fatty Acids and Prostate Cancer Risk: Individual Participant Meta-Analysis of Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2014, 106, .	6.3	49
76	Circulating Folate and Vitamin B12 and Risk of Prostate Cancer: A Collaborative Analysis of Individual Participant Data from Six Cohorts Including 6875 Cases and 8104 Controls. <i>European Urology</i> , 2016, 70, 941-951.	1.9	46
77	Insulin-like Growth Factor-I and Risk of Differentiated Thyroid Carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 976-985.	2.5	45
78	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. <i>Breast Cancer Research</i> , 2015, 17, 15.	5.0	45
79	Characteristics of the Million Women Study participants who have and have not worked at night. <i>Scandinavian Journal of Work, Environment and Health</i> , 2012, 38, 590-599.	3.4	44
80	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. <i>American Journal of Clinical Nutrition</i> , 2012, 96, 902-910.	4.7	43
81	An epidemiological model for prediction of endometrial cancer risk in Europe. <i>European Journal of Epidemiology</i> , 2016, 31, 51-60.	5.7	43
82	Demographic, lifestyle, and other factors in relation to antimüllerian hormone levels in mostly late premenopausal women. <i>Fertility and Sterility</i> , 2017, 107, 1012-1022.e2.	1.0	43
83	Lifestyle factors and prostate-specific antigen (PSA) testing in UK Biobank: Implications for epidemiological research. <i>Cancer Epidemiology</i> , 2016, 45, 40-46.	1.9	41
84	Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 130, 2204-2210.	5.1	40
85	The Associations of Advanced Glycation End Products and Its Soluble Receptor with Pancreatic Cancer Risk: A Case-Control Study within the Prospective EPIC Cohort. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 619-628.	2.5	39
86	Validation of Multiplex Serology detecting human herpesviruses 1-5. <i>PLoS ONE</i> , 2018, 13, e0209379.	2.5	39
87	Body Fat Distribution and Systolic Blood Pressure in 10,000 Adults with Whole-Body Imaging: UK Biobank and Oxford BioBank. <i>Obesity</i> , 2019, 27, 1200-1206.	3.0	38
88	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. <i>International Journal of Cancer</i> , 2012, 130, 2654-2663.	5.1	37
89	Genetic variation in the <i>lactase</i> gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2013, 132, 1901-1910.	5.1	37
90	Selenium and Prostate Cancer: Analysis of Individual Participant Data From Fifteen Prospective Studies. <i>Journal of the National Cancer Institute</i> , 2016, 108, djw153.	6.3	37

#	ARTICLE	IF	CITATIONS
91	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. International Journal of Cancer, 2014, 134, 2504-2511.	5.1	36
92	High Levels of C-Reactive Protein Are Associated with an Increased Risk of Ovarian Cancer: Results from the Ovarian Cancer Cohort Consortium. Cancer Research, 2019, 79, 5442-5451.	0.9	36
93	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. International Journal of Cancer, 2013, 132, 635-644.	5.1	34
94	Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. PLoS ONE, 2017, 12, e0187741.	2.5	34
95	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2009, 125, 982-987.	5.1	32
96	Pooling Biomarker Data from Different Studies of Disease Risk, with a Focus on Endogenous Hormones. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 960-965.	2.5	29
97	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. Carcinogenesis, 2013, 34, 1244-1250.	2.8	29
98	Insulin-like growth factor pathway genes and blood concentrations, dietary protein and risk of prostate cancer in the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). International Journal of Cancer, 2013, 133, 495-504.	5.1	28
99	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. International Journal of Cancer, 2017, 140, 1317-1323.	5.1	28
100	Accuracy of identifying incident stroke cases from linked health care data in UK Biobank. Neurology, 2020, 95, e697-e707.	1.1	28
101	United Kingdom Biobank (UK Biobank). Journal of the American College of Cardiology, 2021, 78, 56-65.	2.8	28
102	Identification of host-pathogen-disease relationships using a scalable multiplex serology platform in UK Biobank. Nature Communications, 2022, 13, 1818.	12.8	28
103	Protocol and quality assurance for carotid imaging in 100,000 participants of UK Biobank: development and assessment. European Journal of Preventive Cardiology, 2017, 24, 1799-1806.	1.8	27
104	Circulating isoflavone and lignan concentrations and prostate cancer risk: a meta-analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. International Journal of Cancer, 2018, 143, 2677-2686.	5.1	27
105	Approaches to minimising the epidemiological impact of sources of systematic and random variation that may affect biochemistry assay data in UK Biobank. Wellcome Open Research, 2020, 5, 222.	1.8	27
106	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. European Journal of Cancer, 2012, 48, 3267-3277.	2.8	26
107	Approaches to minimising the epidemiological impact of sources of systematic and random variation that may affect biochemistry assay data in UK Biobank. Wellcome Open Research, 2020, 5, 222.	1.8	26
108	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. International Journal of Cancer, 2012, 131, E1134-47.	5.1	25

#	ARTICLE	IF	CITATIONS
109	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. <i>Cancer Research</i> , 2019, 79, 274-285.	0.9	25
110	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. <i>Cancer Causes and Control</i> , 2012, 23, 1163-1171.	1.8	24
111	Fluid intake and incidence of renal cell carcinoma in UK women. <i>British Journal of Cancer</i> , 2011, 104, 1487-1492.	6.4	23
112	First-Morning Urinary Melatonin and Breast Cancer Risk in the Guernsey Study. <i>American Journal of Epidemiology</i> , 2014, 179, 584-593.	3.4	22
113	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. <i>Journal of Ovarian Research</i> , 2017, 10, 20.	3.0	22
114	Occupational self-coding and automatic recording (OSCAR): a novel web-based tool to collect and code lifetime job histories in large population-based studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 181-186.	3.4	22
115	Hormone-related diseases and prostate cancer: An English national record linkage study. <i>International Journal of Cancer</i> , 2020, 147, 803-810.	5.1	21
116	Characterization of human papillomavirus (HPV) 16 E6 seropositive individuals without HPV-associated malignancies after 10 years of follow-up in the UK Biobank. <i>EBioMedicine</i> , 2020, 62, 103123.	6.1	21
117	Impact of detecting potentially serious incidental findings during multi-modal imaging. <i>Wellcome Open Research</i> , 0, 2, 114.	1.8	21
118	Impact of detecting potentially serious incidental findings during multi-modal imaging. <i>Wellcome Open Research</i> , 2017, 2, 114.	1.8	21
119	Menstrual and reproductive factors in women, genetic variation in <i>CYP17A1</i> , and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. <i>International Journal of Cancer</i> , 2013, 132, 2164-2175.	5.1	20
120	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. <i>British Journal of Cancer</i> , 2015, 113, 840-847.	6.4	20
121	Multiple Miscarriages Are Associated with the Risk of Ovarian Cancer: Results from the European Prospective Investigation into Cancer and Nutrition. <i>PLoS ONE</i> , 2012, 7, e37141.	2.5	19
122	Serum insulin-like growth factor I (IGF-I) concentration in men is not associated with the cytosine-adenosine repeat polymorphism of the IGF-I gene. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2002, 11, 319-20.	2.5	19
123	Alcohol drinking and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. <i>Annals of Epidemiology</i> , 2013, 23, 93-98.	1.9	18
124	Validation of Multiplex Serology for human hepatitis viruses B and C, human T-lymphotropic virus 1 and <i>Toxoplasma gondii</i> . <i>PLoS ONE</i> , 2019, 14, e0210407.	2.5	18
125	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2021, 30, 104-113.	2.5	17
126	Interactions Between Genome-wide Significant Genetic Variants and Circulating Concentrations of Insulin-like Growth Factor 1, Sex Hormones, and Binding Proteins in Relation to Prostate Cancer Risk in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. <i>American Journal of Epidemiology</i> , 2012, 175, 926-935.	3.4	16

#	ARTICLE	IF	CITATIONS
127	Meat and Heme Iron Intake and Risk of Squamous Cell Carcinoma of the Upper Aero-Digestive Tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2138-2148.	2.5	16
128	Hematologic Markers and Prostate Cancer Risk: A Prospective Analysis in UK Biobank. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1615-1626.	2.5	16
129	Nitrosamines and Heme Iron and Risk of Prostate Cancer in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 547-551.	2.5	15
130	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. <i>European Journal of Epidemiology</i> , 2013, 28, 677-688.	5.7	15
131	Examination of potential novel biochemical factors in relation to prostate cancer incidence and mortality in UK Biobank. <i>British Journal of Cancer</i> , 2020, 123, 1808-1817.	6.4	15
132	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1739-1749.	2.5	15
133	Factors associated with potentially serious incidental findings and with serious final diagnoses on multi-modal imaging in the UK Biobank Imaging Study: A prospective cohort study. <i>PLoS ONE</i> , 2019, 14, e0218267.	2.5	14
134	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGFâ€I, IGFâ€II, IGFBPâ€1, IGFBPâ€2 and IGFBPâ€3 in a pooled analysis of 16,024 men from 22 studies. <i>International Journal of Cancer</i> , 2019, 145, 3244-3256.	5.1	14
135	Circulating insulinâ€like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. <i>International Journal of Cancer</i> , 2019, 144, 957-966.	5.1	12
136	Human Cytomegalovirus and Risk of Incident Cardiovascular Disease in United Kingdom Biobank. <i>Journal of Infectious Diseases</i> , 2022, 225, 1179-1188.	4.0	12
137	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. <i>International Journal of Cancer</i> , 2012, 131, 997-1002.	5.1	10
138	Association between two polymorphisms in the SRD5A2 gene and serum androgen concentrations in British men. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2003, 12, 578-81.	2.5	8
139	Prediagnostic circulating concentrations of plasma insulinâ€like growth factorâ€I</sc> and risk of lymphoma in the <sc>E</sc>uropean <sc>P</sc>rospective <sc>I</sc>nvestigation into <sc>C</sc>ancer and <sc>N</sc>utrition. <i>International Journal of Cancer</i> , 2017, 140, 1111-1118.	5.1	7
140	Neither vitamin E nor selenium prevent prostate cancer. <i>Nature Reviews Urology</i> , 2009, 6, 187-188.	3.8	6
141	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. <i>American Journal of Epidemiology</i> , 2019, 188, 274-281.	3.4	6
142	Ovarian Cancer Risk Factor Associations by Primary Anatomic Site: The Ovarian Cancer Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 2010-2018.	2.5	6
143	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. <i>International Journal of Cancer</i> , 2020, 147, 1325-1333.	5.1	6
144	Anti-Mullerian hormone and endometrial cancer: a multi-cohort study. <i>British Journal of Cancer</i> , 2017, 117, 1412-1418.	6.4	5

#	ARTICLE	IF	CITATIONS
145	Number of incident cases of the main eye diseases of ageing in the UK Biobank cohort, projected over a 25-year period from time of recruitment. British Journal of Ophthalmology, 2018, 102, 1533-1537.	3.9	5
146	Impact of detecting potentially serious incidental findings during multi-modal imaging. Wellcome Open Research, 0, 2, 114.	1.8	5
147	Sero-prevalence of 19 infectious pathogens and associated factors among middle-aged and elderly Chinese adults: a cross-sectional study. BMJ Open, 2022, 12, e058353.	1.9	5