Naomi Allen

List of Publications by Year in Descending Order

147 papers	**14,023** citations	**56** h-index	**117** g-index
152 ext. papers	**20,442** ext. citations	**6.8** avg, IF	**5.99** L-index

#	Paper	IF	Citations
147	SARS-CoV-2 is associated with changes in brain structure in UK Biobank.. *Nature*, **2022**,	50.4	74
146	Identification of host-pathogen-disease relationships using a scalable multiplex serology platform in UK Biobank.. *Nature Communications*, **2022**, 13, 1818	17.4	1
145	Sero-prevalence of 19 infectious pathogens and associated factors among middle-aged and elderly Chinese adults: a cross-sectional study.. *BMJ Open*, **2022**, 12, e058353	3	0
144	Brain imaging before and after COVID-19 in UK Biobank **2021**,		31
143	Adiposity and Endometrial Cancer Risk in Postmenopausal Women: A Sequential Causal Mediation Analysis. *Cancer Epidemiology Biomarkers and Prevention*, **2021**, 30, 104-113	4	8
142	Human cytomegalovirus and risk of incident cardiovascular disease in UK Biobank. *Journal of Infectious Diseases*, **2021**,	7	1
141	United Kingdom Biobank (UK Biobank): JACC Focus Seminar 6/8. *Journal of the American College of Cardiology*, **2021**, 78, 56-65	15.1	2
140	The UK Biobank imaging enhancement of 100,000 participants: rationale, data collection, management and future directions. *Nature Communications*, **2020**, 11, 2624	17.4	81
139	Hematologic Markers and Prostate Cancer Risk: A Prospective Analysis in UK Biobank. *Cancer Epidemiology Biomarkers and Prevention*, **2020**, 29, 1615-1626	4	4
138	Dietary and Circulating Fatty Acids and Ovarian Cancer Risk in the European Prospective Investigation into Cancer and Nutrition. *Cancer Epidemiology Biomarkers and Prevention*, **2020**, 29, 1739-1749	4	6
137	Accuracy of identifying incident stroke cases from linked health care data in UK Biobank. *Neurology*, **2020**, 95, e697-e707	6.5	12
136	Mental health in UK Biobank - development, implementation and results from an online questionnaire completed by 157 366 participants: a reanalysis. *BJPsych Open*, **2020**, 6, e18	5	76
135	Theoretical potential for endometrial cancer prevention through primary risk factor modification: Estimates from the EPIC cohort. *International Journal of Cancer*, **2020**, 147, 1325-1333	7.5	3
134	Approaches to minimising the epidemiological impact of sources of systematic and random variation that may affect biochemistry assay data in UK Biobank. *Wellcome Open Research*, **2020**, 5, 222	4.8	8
133	Dynamic linkage of COVID-19 test results between Public Health England's Second Generation Surveillance System and UK Biobank. *Microbial Genomics*, **2020**, 6,	4.4	73
132	Hormone-related diseases and prostate cancer: An English national record linkage study. *International Journal of Cancer*, **2020**, 147, 803-810	7.5	11
131	Characterization of human papillomavirus (HPV) 16 E6 seropositive individuals without HPV-associated malignancies after 10 years of follow-up in the UK Biobank. *EBioMedicine*, **2020**, 62, 103123	8.8	10

130	Ovarian Cancer Risk Factor Associations by Primary Anatomic Site: The Ovarian Cancer Cohort Consortium. *Cancer Epidemiology Biomarkers and Prevention*, **2020**, 29, 2010-2018	4	1
129	Examination of potential novel biochemical factors in relation to prostate cancer incidence and mortality in UK Biobank. *British Journal of Cancer*, **2020**, 123, 1808-1817	8.7	1
128	Fluid Intake and Dietary Factors and the Risk of Incident Kidney Stones in UK Biobank: A Population-based Prospective Cohort Study. *European Urology Focus*, **2020**, 6, 752-761	5.1	19
127	Approaches to minimising the epidemiological impact of sources of systematic and random variation that may affect biochemistry assay data in UK Biobank. *Wellcome Open Research*, **2020**, 5, 222	4.8	10
126	High Levels of C-Reactive Protein Are Associated with an Increased Risk of Ovarian Cancer: Results from the Ovarian Cancer Cohort Consortium. *Cancer Research*, **2019**, 79, 5442-5451	10.1	17
125	Factors associated with potentially serious incidental findings and with serious final diagnoses on multi-modal imaging in the UK Biobank Imaging Study: A prospective cohort study. *PLoS ONE*, **2019**, 14, e0218267	3.7	11
124	Body Fat Distribution and Systolic Blood Pressure in 10,000 Adults with Whole-Body Imaging: UK Biobank and Oxford BioBank. *Obesity*, **2019**, 27, 1200-1206	8	21
123	Identifying dementia outcomes in UK Biobank: a validation study of primary care, hospital admissions and mortality data. *European Journal of Epidemiology*, **2019**, 34, 557-565	12.1	61
122	Cohort profile: design and methods in the eye and vision consortium of UK Biobank. *BMJ Open*, **2019**, 9, e025077	3	31
121	The associations of anthropometric, behavioural and sociodemographic factors with circulating concentrations of IGF-I, IGF-II, IGFBP-1, IGFBP-2 and IGFBP-3 in a pooled analysis of 16,024 men from 22 studies. *International Journal of Cancer*, **2019**, 145, 3244-3256	7.5	9
120	The advantages of UK Biobank's open-access strategy for health research. *Journal of Internal Medicine*, **2019**, 286, 389-397	10.8	31
119	A Collaborative Analysis of Individual Participant Data from 19 Prospective Studies Assesses Circulating Vitamin D and Prostate Cancer Risk. *Cancer Research*, **2019**, 79, 274-285	10.1	17
118	Validation of Multiplex Serology for human hepatitis viruses B and C, human T-lymphotropic virus 1 and Toxoplasma gondii. *PLoS ONE*, **2019**, 14, e0210407	3.7	10
117	Reproductive Factors, Exogenous Hormone Use, and Risk of B-Cell Non-Hodgkin Lymphoma in a Cohort of Women From the European Prospective Investigation Into Cancer and Nutrition. *American Journal of Epidemiology*, **2019**, 188, 274-281	3.8	2
116	UK Biobank: opportunities for cardiovascular research. *European Heart Journal*, **2019**, 40, 1158-1166	9.5	62
115	Circulating insulin-like growth factor I in relation to melanoma risk in the European prospective investigation into cancer and nutrition. *International Journal of Cancer*, **2019**, 144, 957-966	7.5	7
114	Number of incident cases of the main eye diseases of ageing in the UK Biobank cohort, projected over a 25-year period from time of recruitment. *British Journal of Ophthalmology*, **2018**, 102, 1533-1537	5.5	3
113	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. *European Urology*, **2018**, 74, 585-594	10.2	36

112	Validation of Multiplex Serology detecting human herpesviruses 1-5. *PLoS ONE*, **2018**, 13, e0209379	3.7	28
111	The UK Biobank resource with deep phenotyping and genomic data. *Nature*, **2018**, 562, 203-209	50.4	2108
110	Circulating isoflavone and lignan concentrations and prostate cancer risk: a meta-analysis of individual participant data from seven prospective studies including 2,828 cases and 5,593 controls. *International Journal of Cancer*, **2018**, 143, 2677-2686	7.5	13
109	Correlates of circulating ovarian cancer early detection markers and their contribution to discrimination of early detection models: results from the EPIC cohort. *Journal of Ovarian Research*, **2017**, 10, 20	5.5	14
108	Demographic, lifestyle, and other factors in relation to antimüllerian hormone levels in mostly late premenopausal women. *Fertility and Sterility*, **2017**, 107, 1012-1022.e2	4.8	31
107	Endometrial cancer risk prediction including serum-based biomarkers: results from the EPIC cohort. *International Journal of Cancer*, **2017**, 140, 1317-1323	7.5	17
106	Protocol and quality assurance for carotid imaging in 100,000 participants of UK Biobank: development and assessment. *European Journal of Preventive Cardiology*, **2017**, 24, 1799-1806	3.9	15
105	Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. *PLoS ONE*, **2017**, 12, e0187741	3.7	23
104	Prospective investigation of risk factors for prostate cancer in the UK Biobank cohort study. *British Journal of Cancer*, **2017**, 117, 1562-1571	8.7	48
103	Anti-Mullerian hormone and endometrial cancer: a multi-cohort study. *British Journal of Cancer*, **2017**, 117, 1412-1418	8.7	3
102	Comparison of Sociodemographic and Health-Related Characteristics of UK Biobank Participants With Those of the General Population. *American Journal of Epidemiology*, **2017**, 186, 1026-1034	3.8	978
101	Prediagnostic circulating concentrations of plasma insulin-like growth factor-I and risk of lymphoma in the European Prospective Investigation into Cancer and Nutrition. *International Journal of Cancer*, **2017**, 140, 1111-1118	7.5	6
100	Impact of detecting potentially serious incidental findings during multi-modal imaging. *Wellcome Open Research*, **2017**, 2, 114	4.8	16
99	Occupational self-coding and automatic recording (OSCAR): a novel web-based tool to collect and code lifetime job histories in large population-based studies. *Scandinavian Journal of Work, Environment and Health*, **2017**, 43, 181-186	4.3	11
98	An epidemiological model for prediction of endometrial cancer risk in Europe. *European Journal of Epidemiology*, **2016**, 31, 51-60	12.1	29
97	A Meta-analysis of Individual Participant Data Reveals an Association between Circulating Levels of IGF-I and Prostate Cancer Risk. *Cancer Research*, **2016**, 76, 2288-2300	10.1	85
96	Algorithms for the Capture and Adjudication of Prevalent and Incident Diabetes in UK Biobank. *PLoS ONE*, **2016**, 11, e0162388	3.7	88
95	Selenium and Prostate Cancer: Analysis of Individual Participant Data From Fifteen Prospective Studies. *Journal of the National Cancer Institute*, **2016**, 108,	9.7	33

94	Associations between unprocessed red and processed meat, poultry, seafood and egg intake and the risk of prostate cancer: A pooled analysis of 15 prospective cohort studies. *International Journal of Cancer*, **2016**, 138, 2368-82	7.5	48
93	Circulating Folate and Vitamin B and Risk of Prostate Cancer: A Collaborative Analysis of Individual Participant Data from Six Cohorts Including 6875 Cases and 8104 Controls. *European Urology*, **2016**, 70, 941-951	10.2	36
92	The acceptability of repeat Internet-based hybrid diet assessment of previous 24-h dietary intake: administration of the Oxford WebQ in UK Biobank. *British Journal of Nutrition*, **2016**, 115, 681-6	3.6	57
91	Lifestyle factors and prostate-specific antigen (PSA) testing in UK Biobank: Implications for epidemiological research. *Cancer Epidemiology*, **2016**, 45, 40-46	2.8	21
90	UK biobank: an open access resource for identifying the causes of a wide range of complex diseases of middle and old age. *PLoS Medicine*, **2015**, 12, e1001779	11.6	3130
89	Coffee and tea consumption and risk of pre- and postmenopausal breast cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort study. *Breast Cancer Research*, **2015**, 17, 15	8.3	39
88	Carotenoids, retinol, tocopherols, and prostate cancer risk: pooled analysis of 15 studies. *American Journal of Clinical Nutrition*, **2015**, 102, 1142-57	7	89
87	Baseline and lifetime alcohol consumption and risk of differentiated thyroid carcinoma in the EPIC study. *British Journal of Cancer*, **2015**, 113, 840-7	8.7	13
86	Diabetes mellitus and risk of prostate cancer in the European Prospective Investigation into Cancer and Nutrition. *International Journal of Cancer*, **2015**, 136, 372-81	7.5	60
85	Diet and risk of kidney stones in the Oxford cohort of the European Prospective Investigation into Cancer and Nutrition (EPIC). *European Journal of Epidemiology*, **2014**, 29, 363-9	12.1	56
84	Metformin does not affect cancer risk: a cohort study in the U.K. Clinical Practice Research Datalink analyzed like an intention-to-treat trial. *Diabetes Care*, **2014**, 37, 2522-32	14.6	123
83	Circulating fatty acids and prostate cancer risk: individual participant meta-analysis of prospective studies. *Journal of the National Cancer Institute*, **2014**, 106,	9.7	41
82	Imputation and subset-based association analysis across different cancer types identifies multiple independent risk loci in the TERT-CLPTM1L region on chromosome 5p15.33. *Human Molecular Genetics*, **2014**, 23, 6616-33	5.6	77
81	Adherence to the Mediterranean diet and risk of bladder cancer in the EPIC cohort study. *International Journal of Cancer*, **2014**, 134, 2504-11	7.5	29
80	First-morning urinary melatonin and breast cancer risk in the Guernsey Study. *American Journal of Epidemiology*, **2014**, 179, 584-93	3.8	20
79	Insulin-like growth factor-i and risk of differentiated thyroid carcinoma in the European prospective investigation into cancer and nutrition. *Cancer Epidemiology Biomarkers and Prevention*, **2014**, 23, 976-85[4]		35
78	Macronutrient intake and risk of urothelial cell carcinoma in the European prospective investigation into cancer and nutrition. *International Journal of Cancer*, **2013**, 132, 635-44	7.5	23
77	Genetic variation in the lactase gene, dairy product intake and risk for prostate cancer in the European prospective investigation into cancer and nutrition. *International Journal of Cancer*, **2013**, 132, 1901-10	7.5	35

76	Menstrual and reproductive factors in women, genetic variation in CYP17A1, and pancreatic cancer risk in the European prospective investigation into cancer and nutrition (EPIC) cohort. *International Journal of Cancer*, **2013**, 132, 2164-75	7.5	19
75	The association of pattern of lifetime alcohol use and cause of death in the European prospective investigation into cancer and nutrition (EPIC) study. *International Journal of Epidemiology*, **2013**, 42, 1772-90	7.8	96
74	Diabetes and risk of pancreatic cancer: a pooled analysis from the pancreatic cancer cohort consortium. *Cancer Causes and Control*, **2013**, 24, 13-25	2.8	86
73	Insulin-like growth factor pathway genes and blood concentrations, dietary protein and risk of prostate cancer in the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). *International Journal of Cancer*, **2013**, 133, 495-504	7.5	19
72	Alcohol drinking and endometrial cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. *Annals of Epidemiology*, **2013**, 23, 93-8	6.4	16
71	A structural equation modelling approach to explore the role of B vitamins and immune markers in lung cancer risk. *European Journal of Epidemiology*, **2013**, 28, 677-88	12.1	13
70	Hemochromatosis (HFE) gene mutations and risk of gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC) study. *Carcinogenesis*, **2013**, 34, 1244-50	4.6	28
69	Hormonal, metabolic, and inflammatory profiles and endometrial cancer risk within the EPIC cohort--a factor analysis. *American Journal of Epidemiology*, **2013**, 177, 787-99	3.8	91
68	An absolute risk model to identify individuals at elevated risk for pancreatic cancer in the general population. *PLoS ONE*, **2013**, 8, e72311	3.7	82
67	Alcohol consumption and risk of type 2 diabetes in European men and women: influence of beverage type and body size The EPIC-InterAct study. *Journal of Internal Medicine*, **2012**, 272, 358-70	10.8	55
66	Cigarette smoking and risk of histological subtypes of epithelial ovarian cancer in the EPIC cohort study. *International Journal of Cancer*, **2012**, 130, 2204-10	7.5	37
65	Adiposity, hormone replacement therapy use and breast cancer risk by age and hormone receptor status: a large prospective cohort study. *Breast Cancer Research*, **2012**, 14, R76	8.3	82
64	Fruit and vegetable consumption and risk of aggressive and non-aggressive urothelial cell carcinomas in the European Prospective Investigation into Cancer and Nutrition. *European Journal of Cancer*, **2012**, 48, 3267-77	7.5	22
63	UK Biobank: Current status and what it means for epidemiology. *Health Policy and Technology*, **2012**, 1, 123-126	4.8	236
62	Multiple miscarriages are associated with the risk of ovarian cancer: results from the European Prospective Investigation into Cancer and Nutrition. *PLoS ONE*, **2012**, 7, e37141	3.7	13
61	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. *Human Molecular Genetics*, **2012**, 21, 456-62	5.6	74
60	Prostate stem-cell antigen gene is associated with diffuse and intestinal gastric cancer in Caucasians: results from the EPIC-EURGAST study. *International Journal of Cancer*, **2012**, 130, 2417-27	7.5	55
59	Dietary intake of heme iron and risk of gastric cancer in the European prospective investigation into cancer and nutrition study. *International Journal of Cancer*, **2012**, 130, 2654-63	7.5	30

58	Plasma cotinine levels and pancreatic cancer in the EPIC cohort study. *International Journal of Cancer*, **2012**, 131, 997-1002	7·5	7
57	Dietary total antioxidant capacity and gastric cancer risk in the European prospective investigation into cancer and nutrition study. *International Journal of Cancer*, **2012**, 131, E544-54	7·5	59
56	Dietary intake of iron, heme-iron and magnesium and pancreatic cancer risk in the European prospective investigation into cancer and nutrition cohort. *International Journal of Cancer*, **2012**, 131, E1134-47	7.5	24
55	Body size and risk of differentiated thyroid carcinomas: findings from the EPIC study. *International Journal of Cancer*, **2012**, 131, E1004-14	7·5	84
54	Biomarkers of oxidative stress and risk of developing colorectal cancer: a cohort-nested case-control study in the European Prospective Investigation Into Cancer and Nutrition. *American Journal of Epidemiology*, **2012**, 175, 653-63	3.8	64
53	Prediagnostic concentrations of plasma genistein and prostate cancer risk in 1,605 men with prostate cancer and 1,697 matched control participants in EPIC. *Cancer Causes and Control*, **2012**, 23, 1163-71	2.8	19
52	Genetic variation in alcohol dehydrogenase (ADH1A, ADH1B, ADH1C, ADH7) and aldehyde dehydrogenase (ALDH2), alcohol consumption and gastric cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC) cohort. *Carcinogenesis*, **2012**, 33, 361-7	4.6	48
51	Inflammation marker and risk of pancreatic cancer: a nested case-control study within the EPIC cohort. *British Journal of Cancer*, **2012**, 106, 1866-74	8.7	44
50	Dietary glycemic index and glycemic load and breast cancer risk in the European Prospective Investigation into Cancer and Nutrition (EPIC). *American Journal of Clinical Nutrition*, **2012**, 96, 345-55	7	52
49	Association of type 2 diabetes susceptibility variants with advanced prostate cancer risk in the Breast and Prostate Cancer Cohort Consortium. *American Journal of Epidemiology*, **2012**, 176, 1121-9	3.8	57
48	Insulin-like growth factor-I concentration and risk of prostate cancer: results from the European Prospective Investigation into Cancer and Nutrition. *Cancer Epidemiology Biomarkers and Prevention*, **2012**, 21, 1531-41	4	56
47	Total and high-molecular weight adiponectin and risk of colorectal cancer: the European Prospective Investigation into Cancer and Nutrition Study. *Carcinogenesis*, **2012**, 33, 1211-8	4.6	65
46	Interactions between genome-wide significant genetic variants and circulating concentrations of insulin-like growth factor 1, sex hormones, and binding proteins in relation to prostate cancer risk in the National Cancer Institute Breast and Prostate Cancer Cohort Consortium. *American Journal of Epidemiology*, **2012**, 175, 926-35	3.8	15
45	Concentrations of IGF-I and IGFBP-3 and pancreatic cancer risk in the European Prospective Investigation into Cancer and Nutrition. *British Journal of Cancer*, **2012**, 106, 1004-10	8.7	40
44	The associations of advanced glycation end products and its soluble receptor with pancreatic cancer risk: a case-control study within the prospective EPIC Cohort. *Cancer Epidemiology Biomarkers and Prevention*, **2012**, 21, 619-28	4	32
43	Impact of cigarette smoking on cancer risk in the European prospective investigation into cancer and nutrition study. *Journal of Clinical Oncology*, **2012**, 30, 4550-7	2.2	101
42	Coffee and tea consumption and the risk of ovarian cancer: a prospective cohort study and updated meta-analysis. *American Journal of Clinical Nutrition*, **2012**, 95, 1172-81	7	48
41	Plasma carotenoids and vitamin C concentrations and risk of urothelial cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. *American Journal of Clinical Nutrition*, **2012**, 96, 902-10	7	37

40	Nitrosamines and heme iron and risk of prostate cancer in the European prospective investigation into cancer and nutrition. *Cancer Epidemiology Biomarkers and Prevention*, **2012**, 21, 547-51	4	13
39	Leptin and soluble leptin receptor in risk of colorectal cancer in the European Prospective Investigation into Cancer and Nutrition cohort. *Cancer Research*, **2012**, 72, 5328-37	10.1	53
38	Common genetic variants in prostate cancer risk prediction--results from the NCI Breast and Prostate Cancer Cohort Consortium (BPC3). *Cancer Epidemiology Biomarkers and Prevention*, **2012**, 21, 437-44	4	49
37	A risk model for lung cancer incidence. *Cancer Prevention Research*, **2012**, 5, 834-46	3.2	66
36	Helicobacter pylori infection assessed by ELISA and by immunoblot and noncardia gastric cancer risk in a prospective study: the Eurgast-EPIC project. *Annals of Oncology*, **2012**, 23, 1320-1324	10.3	71
35	Meat and heme iron intake and risk of squamous cell carcinoma of the upper aero-digestive tract in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Cancer Epidemiology Biomarkers and Prevention*, **2012**, 21, 2138-48	4	15
34	Dietary fiber, carbohydrate quality and quantity, and mortality risk of individuals with diabetes mellitus. *PLoS ONE*, **2012**, 7, e43127	3.7	65
33	Characteristics of the Million Women Study participants who have and have not worked at night. *Scandinavian Journal of Work, Environment and Health*, **2012**, 38, 590-9	4.3	33
32	Aberrant DNA methylation of cancer-associated genes in gastric cancer in the European Prospective Investigation into Cancer and Nutrition (EPIC-EURGAST). *Cancer Letters*, **2011**, 311, 85-95	9.9	56
31	Fluid intake and incidence of renal cell carcinoma in UK women. *British Journal of Cancer*, **2011**, 104, 1487-92	7.7	19
30	Tumor necrosis factor (TNF)-soluble TNF receptors and endometrial cancer risk: the EPIC study. *International Journal of Cancer*, **2011**, 129, 2032-7	7.5	48
29	Menopausal hormone therapy and risk of endometrial carcinoma among postmenopausal women in the European Prospective Investigation Into Cancer and Nutrition. *American Journal of Epidemiology*, **2010**, 172, 1394-403	3.8	99
28	Pooling biomarker data from different studies of disease risk, with a focus on endogenous hormones. *Cancer Epidemiology Biomarkers and Prevention*, **2010**, 19, 960-5	4	22
27	Obesity, inflammatory markers, and endometrial cancer risk: a prospective case-control study. *Endocrine-Related Cancer*, **2010**, 17, 1007-19	5.7	116
26	Reproductive risk factors and endometrial cancer: the European Prospective Investigation into Cancer and Nutrition. *International Journal of Cancer*, **2010**, 127, 442-51	7.5	180
25	Moderate alcohol intake and cancer incidence in women. *Journal of the National Cancer Institute*, **2009**, 101, 296-305	9.7	407
24	A prospective analysis of the association between macronutrient intake and renal cell carcinoma in the European Prospective Investigation into Cancer and Nutrition. *International Journal of Cancer*, **2009**, 125, 982-7	7.5	23
23	Animal foods, protein, calcium and prostate cancer risk: the European Prospective Investigation into Cancer and Nutrition. *British Journal of Cancer*, **2008**, 98, 1574-81	8.7	132

22	Endogenous sex hormones and prostate cancer: a collaborative analysis of 18 prospective studies. *Journal of the National Cancer Institute*, **2008**, 100, 170-83	9.7	597
21	Endogenous sex hormones and endometrial cancer risk in women in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Endocrine-Related Cancer*, **2008**, 15, 485-97	5.7	184
20	Plasma selenium concentration and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition (EPIC). *American Journal of Clinical Nutrition*, **2008**, 88, 1567-75	7	68
19	Phytanic acid: measurement of plasma concentrations by gas-liquid chromatography-mass spectrometry analysis and associations with diet and other plasma fatty acids. *British Journal of Nutrition*, **2008**, 99, 653-9	3.6	54
18	Plasma adiponectin levels and endometrial cancer risk in pre- and postmenopausal women. *Journal of Clinical Endocrinology and Metabolism*, **2007**, 92, 255-63	5.6	169
17	Serum levels of C-peptide, IGFBP-1 and IGFBP-2 and endometrial cancer risk; results from the European prospective investigation into cancer and nutrition. *International Journal of Cancer*, **2007**, 120, 2656-64	7.5	85
16	Serum insulin-like growth factor (IGF)-I and IGF-binding protein-3 concentrations and prostate cancer risk: results from the European Prospective Investigation into Cancer and Nutrition. *Cancer Epidemiology Biomarkers and Prevention*, **2007**, 16, 1121-7	4	79
15	C-reactive protein concentrations and subsequent ovarian cancer risk. *Obstetrics and Gynecology*, **2007**, 109, 933-41	4.9	70
14	Long-chain n3 polyunsaturated fatty acids in plasma in British meat-eating, vegetarian, and vegan men. *American Journal of Clinical Nutrition*, **2005**, 82, 327-334	7	152
13	A prospective study of serum insulin-like growth factor-I (IGF-I), IGF-II, IGF-binding protein-3 and breast cancer risk. *British Journal of Cancer*, **2005**, 92, 1283-7	8.7	91
12	A case--control study of selenium in nails and prostate cancer risk in British men. *British Journal of Cancer*, **2004**, 90, 1392-6	8.7	44
11	A prospective study of diet and prostate cancer in Japanese men. *Cancer Causes and Control*, **2004**, 15, 911-20	2.8	108
10	Lifestyle determinants of serum insulin-like growth-factor-I (IGF-I), C-peptide and hormone binding protein levels in British women. *Cancer Causes and Control*, **2003**, 14, 65-74	2.8	78
9	Association between two polymorphisms in the SRD5A2 gene and serum androgen concentrations in British men. *Cancer Epidemiology Biomarkers and Prevention*, **2003**, 12, 578-81	4	8
8	Lifestyle and nutritional determinants of bioavailable androgens and related hormones in British men. *Cancer Causes and Control*, **2002**, 13, 353-63	2.8	113
7	Serum insulin-like growth factor I (IGF-I) concentration in men is not associated with the cytosine-adenosine repeat polymorphism of the IGF-I gene. *Cancer Epidemiology Biomarkers and Prevention*, **2002**, 11, 319-20	4	19
6	The associations of diet with serum insulin-like growth factor I and its main binding proteins in 292 women meat-eaters, vegetarians, and vegans. *Cancer Epidemiology Biomarkers and Prevention*, **2002**, 11, 1441-8	4	56
5	Soya intake and plasma concentrations of daidzein and genistein: validity of dietary assessment among eighty British women (Oxford arm of the European Prospective Investigation into Cancer and Nutrition). *British Journal of Nutrition*, **2001**, 86, 415-21	3.6	78

4	Energy balance and cancer: the role of sex hormones. *Proceedings of the Nutrition Society*, **2001**, 60, 81-9	2.9	132
3	Impact of detecting potentially serious incidental findings during multi-modal imaging. *Wellcome Open Research*, 2, 114	4.8	13
2	Impact of detecting potentially serious incidental findings during multi-modal imaging. *Wellcome Open Research*, 2, 114	4.8	3
1	Incidence of Microbial Infections in English UK Biobank Participants: Comparison with the General Population		3