

Vaughn A Bell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8110586/publications.pdf>

Version: 2024-02-01

20
papers

455
citations

1039880

9
h-index

887953

17
g-index

20
all docs

20
docs citations

20
times ranked

417
citing authors

#	ARTICLE	IF	CITATIONS
1	Ecology and management of grapevine leafroll disease. <i>Frontiers in Microbiology</i> , 2013, 4, 94.	1.5	137
2	Biology and Management of Mealybugs in Vineyards. , 2012, , 271-307.		103
3	Spatial analysis of mass trapping: how close is close enough?. <i>Pest Management Science</i> , 2015, 71, 1452-1461.	1.7	34
4	Mealybugs (Hemiptera: Pseudococcidae) and their natural enemies in New Zealand vineyards from 1993-2009. <i>New Zealand Entomologist</i> , 2010, 33, 84-91.	0.3	32
5	The Absolute Configuration of the Sex Pheromone of the Citrophilous Mealybug, <i>Pseudococcus calceolariae</i> . <i>Journal of Chemical Ecology</i> , 2011, 37, 166-172.	0.9	24
6	Trapping <i>Dasiuera mali</i> (Diptera: Cecidomyiidae) in Apples. <i>Journal of Economic Entomology</i> , 2007, 100, 745-751.	0.8	19
7	Insecticidal activity of natural products against vineyard mealybugs (Hemiptera: Pseudococcidae). <i>Crop Protection</i> , 2018, 111, 50-57.	1.0	17
8	Increasing vineyard floral resources may not enhance localised biological control of the leafroller <i>Epiphyas postvittana</i> (Lepidoptera: Tortricidae) by <i>Dolichogenidea</i> spp. (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 457		10
9	Synthetic pheromones as a management technique – dispensers reduce <i>Linepithema humile</i> activity in a commercial vineyard. <i>Pest Management Science</i> , 2016, 72, 719-724.	1.7	15
10	Vineyard-wide control of grapevine leafroll-associated virus 3 requires an integrated response. <i>Journal of Plant Pathology</i> , 2018, 100, 399-408.	0.6	15
11	Evaluation of the synthetic sex pheromone of the obscure mealybug, <i>Pseudococcus viburni</i> , as an attractant to conspecific males, and to females of the parasitoid <i>Acerophagus maculipennis</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2015, 157, 188-197.	0.7	7
12	Enantiospecific Synthesis of Both Enantiomers of the Longtailed Mealybug Pheromone and Their Evaluation in a New Zealand Vineyard. <i>Journal of Organic Chemistry</i> , 2015, 80, 7785-7789.	1.7	7
13	The management and financial implications of variable responses to grapevine leafroll disease. <i>Journal of Plant Pathology</i> , 2021, 103, 5-15.	0.6	6
14	Grapevine Leafroll-Associated Virus 3 Genotype Influences Foliar Symptom Development in New Zealand Vineyards. <i>Viruses</i> , 2022, 14, 1348.	1.5	6
15	Management of Grapevine Leafroll Disease and Associated Vectors in Vineyards. , 2017, , 531-560.		5
16	Reproductive success and progeny sex ratio of a laboratory colony of <i>Anagyrus fusciventris</i> (Hymenoptera: Encyrtidae). <i>Biocontrol Science and Technology</i> , 2021, 31, 1388-1402.	0.5	4
17	Retention and Transmission of Grapevine Leafroll-Associated Virus 3 by <i>Pseudococcus calceolariae</i> . <i>Frontiers in Microbiology</i> , 2021, 12, 663948.	1.5	3
18	Developing a mealybug pheromone monitoring tool to enhance IPM practices in New Zealand vineyards. <i>Journal of Pest Science</i> , 2023, 96, 29-39.	1.9	3

#	ARTICLE	IF	CITATIONS
19	Interspecific interaction between <i>Anagyrus fusciventris</i> and <i>Tetracnemoidea brevicornis</i> for controlling <i>Pseudococcus calceolariae</i> . <i>Biocontrol Science and Technology</i> , 2022, 32, 1002-1015.	0.5	2
20	The Long-Term Effects of Reduced Competitive Ability on Foraging Success of an Invasive Pest Species. <i>Journal of Economic Entomology</i> , 2016, 109, 1628-1635.	0.8	0