

Elizabeth Paxton

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8110695/elizabeth-paxton-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

132
papers

5,574
citations

38
h-index

71
g-index

142
ext. papers

6,548
ext. citations

4.4
avg, IF

5.82
L-index

#	Paper	IF	Citations
132	The effect of patient and prosthesis factors on revision rates after total knee replacement using a multi-registry meta-analytic approach.. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022 , 93, 284-293	4.3	0
131	Cause-Specific Stem Revision Risk in Primary Total Hip Arthroplasty Using Cemented vs Cementless Femoral Stem Fixation in a US Cohort. <i>Journal of Arthroplasty</i> , 2022 , 37, 89-96.e1	4.4	0
130	International variation in distribution of ASA class in patients undergoing total hip arthroplasty and its influence on mortality: data from an international consortium of arthroplasty registries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 304-310	4.3	2
129	The effect of a statewide COVID-19 shelter-in-place order on shoulder arthroplasty for proximal humerus fracture volume and length of stay. <i>Seminars in Arthroplasty</i> , 2021 , 31, 339-345	0.4	1
128	The association of multimorbidity to mortality in older adults after permanent pacemaker placement. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 919-928	1.6	0
127	Do PEEK Rods for Posterior Instrumented Fusion in the Lumbar Spine Reduce the Risk of Adjacent Segment Disease?. <i>International Journal of Spine Surgery</i> , 2021 , 15, 251-258	1.4	2
126	Modular Tibial Stem Use and Risk of Revision for Aseptic Loosening in Cemented Primary Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2021 , 36, 1577-1583	4.4	4
125	The Association Between Cement Viscosity and Revision Risk After Primary Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2021 , 36, 1987-1994	4.4	0
124	Frequency and Timing of Complications and Catastrophic Events After Same-Day Discharge Compared With Inpatient Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2021 , 36, S264-S271	4.4	1
123	Midterm outcomes for 605 patients receiving Endologix AFX or AFX2 Endovascular AAA Systems in an integrated healthcare system. <i>Journal of Vascular Surgery</i> , 2021 , 73, 856-866	3.5	4
122	Variation and trends in reasons for knee replacement revision: a multi-registry study of revision burden. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 182-188	4.3	3
121	Infection: The Final Frontier of Arthroplasty Management: A Proposal for a Global Periprosthetic Joint Infection Registry from a Multinational Collaborative Group, the GAIA (Global Arthroplasty Infection Association). <i>Journal of Bone and Joint Surgery - Series A</i> , 2021 , 103, e22	5.6	1
120	Association Between Same-Day Discharge Total Joint Arthroplasty and Risk of 90-Day Adverse Events in Patients with ASA Classification of B. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021 , 103, 2032-2044	5.6	0
119	The association between glenoid component design and revision risk in anatomic total shoulder arthroplasty. <i>Journal of Shoulder and Elbow Surgery</i> , 2020 , 29, 2089-2096	4.3	5
118	The Association of Race/Ethnicity and Total Knee Arthroplasty Outcomes in a Universally Insured Population. <i>Journal of Arthroplasty</i> , 2020 , 35, 1474-1479	4.4	20
117	Association Between Uncemented vs Cemented Hemiarthroplasty and Revision Surgery Among Patients With Hip Fracture. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1077-1084	27.4	21
116	A Comparison of Risk of Dislocation and Cause-Specific Revision Between Direct Anterior and Posterior Approach Following Elective Cementless Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2020 , 35, 1651-1657	4.4	25

115	Commercially Prepared Antibiotic-Loaded Bone Cement and Infection Risk Following Cemented Primary Total Knee Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 1930-1938	5.6	7
114	Treatment of Intertrochanteric Femur Fractures with Long versus Short Cephalomedullary Nails 2020 , 24,		4
113	Early revision in anatomic total shoulder arthroplasty in osteoarthritis: a cross-registry comparison. <i>Shoulder and Elbow</i> , 2020 , 12, 81-87	1.8	2
112	Patients With a History of a Cardiac Implantable Electronic Device Have a Higher Likelihood of 90-Day Cardiac Events After Total Joint Arthroplasty: A Matched Cohort Study. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2020 , 28, e612-e619	4.5	1
111	Lower-extremity total joint arthroplasty in shoulder arthroplasty patients: does the order of the lower-extremity total joint arthroplasty matter?. <i>Journal of Shoulder and Elbow Surgery</i> , 2020 , 29, e45-e51	4.3	2
110	Lumbar Spine Fusion Patients See Similar Improvements in Physical Activity Level to Non-Spine Fusion Patients Following Total Hip Arthroplasty. <i>Journal of Arthroplasty</i> , 2020 , 35, 451-456	4.4	2
109	Increases in the rates of primary and revision knee replacement are reducing: a 15-year registry study across 3 continents. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020 , 91, 414-419	4.3	4
108	Postmarket surveillance of arthroplasty device components using machine learning methods. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 1440-1447	2.6	3
107	An international comparison of THA patients, implants, techniques, and survivorship in Sweden, Australia, and the United States. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019 , 90, 148-152	4.3	16
106	Risk Factors for Opioid Use After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019 , 47, 2130-2137	6.8	17
105	Association of Type and Frequency of Postsurgery Care with Revision Surgery after Total Joint Replacement 2019 , 23,		1
104	Association of Race and Ethnicity with Total Hip Arthroplasty Outcomes in a Universally Insured Population. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019 , 101, 1160-1167	5.6	22
103	Diabetes Disease Severity Was Not Associated with Risk of Deep Infection or Revision After Shoulder Arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 1358-1369	2.2	11
102	Preoperative Risk Factors for Opioid Utilization After Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019 , 101, 1670-1678	5.6	31
101	Patient Factors Associated With Prolonged Postoperative Opioid Use After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2018 , 33, 2449-2454	4.4	88
100	Meta-analysis of individual registry results enhances international registry collaboration. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018 , 89, 369-373	4.3	10
99	Predicting risk for adverse health events using random forest. <i>Journal of Applied Statistics</i> , 2018 , 45, 2279-2294	1	15
98	Reasons for Ninety-Day Emergency Visits and Readmissions After Elective Total Joint Arthroplasty: Results From a US Integrated Healthcare System. <i>Journal of Arthroplasty</i> , 2018 , 33, 2075-2081	4.4	37

97	Persistent Opioid Use Following Total Knee Arthroplasty: A Signal for Close Surveillance. <i>Journal of Arthroplasty</i> , 2018 , 33, 331-336	4.4	40
96	Association Between Race and Ethnicity and Hip Fracture Outcomes in a Universally Insured Population. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018 , 100, 1126-1131	5.6	16
95	Opioid Prescribers to Total Joint Arthroplasty Patients Before and After Surgery: The Majority Are Not Orthopedists. <i>Journal of Arthroplasty</i> , 2018 , 33, 3118-3124.e3	4.4	21
94	Risk factors for postoperative opioid use after elective shoulder arthroplasty. <i>Journal of Shoulder and Elbow Surgery</i> , 2018 , 27, 1960-1968	4.3	47
93	Body Mass Index Is Associated With All-cause Mortality After THA and TKA. <i>Clinical Orthopaedics and Related Research</i> , 2018 , 476, 1139-1148	2.2	19
92	An underlying diagnosis of osteonecrosis of bone is associated with worse outcomes than osteoarthritis after total hip arthroplasty. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 8	2.8	12
91	Comparative Effectiveness and Safety of Drug Prophylaxis for Prevention of Venous Thromboembolism After Total Knee Arthroplasty. <i>Journal of Arthroplasty</i> , 2017 , 32, 3524-3528.e1	4.4	22
90	Are we throwing the baby out with the bath water?. <i>Journal of Shoulder and Elbow Surgery</i> , 2017 , 26, e137-e139	4.3	11
89	Mortality After Total Knee and Total Hip Arthroplasty in a Large Integrated Health Care System 2017 , 21, 16-171		13
88	Effect of body mass index on patient outcomes of surgical intervention for the lumbar spine. <i>Journal of Spine Surgery</i> , 2017 , 3, 349-357	2.5	18
87	Effect of Surgeon and Hospital Volume on Morbidity and Mortality After Hip Fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2017 , 99, 1547-1553	5.6	34
86	Does chronic kidney disease affect the mortality rate in patients undergoing spine surgery?. <i>Journal of Clinical Neuroscience</i> , 2017 , 43, 208-213	2.2	9
85	Bone morphogenetic protein (BMP-2) usage and cancer correlation: An analysis of 10,416 spine fusion patients from a multi-center spine registry. <i>Journal of Clinical Neuroscience</i> , 2017 , 43, 214-219	2.2	7
84	Is There a Difference in Revision Risk Between Metal and Ceramic Heads on Highly Crosslinked Polyethylene Liners?. <i>Clinical Orthopaedics and Related Research</i> , 2017 , 475, 1349-1355	2.2	15
83	Effect of Age on Outcomes of Shoulder Arthroplasty 2017 , 21, 16-056		13
82	Pediatric Hip Fractures in California: Results from a Community-Based Hip Fracture Registry 2017 , 21, 16-081		2
81	Lower Total Knee Arthroplasty Revision Risk Associated With Bisphosphonate Use, Even in Patients With Normal Bone Density. <i>Journal of Arthroplasty</i> , 2016 , 31, 537-41	4.4	14
80	Postoperative opioid use as an early indication of total hip arthroplasty failure. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87 Suppl 1, 37-43	4.3	29

79	Opioid use after total hip arthroplasty surgery is associated with revision surgery. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 122	2.8	36
78	Total joint replacement: A multiple risk factor analysis of physical activity level 1-2 years postoperatively. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87 Suppl 1, 44-9	4.3	17
77	Understanding Orthopaedic Registry Studies: A Comparison with Clinical Studies. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016 , 98, e3	5.6	22
76	Bilateral Simultaneous vs Staged Total Knee Arthroplasty: A Comparison of Complications and Mortality. <i>Journal of Arthroplasty</i> , 2016 , 31, 212-6	4.4	38
75	Antibiotic cement was associated with half the risk of re-revision in 1,154 aseptic revision total knee arthroplasties. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87, 55-9	4.3	21
74	Effect of Advancing Age and Multiple Chronic Conditions on Mortality in Patients with End-Stage Renal Disease after Implantable Cardioverter-Defibrillator Placement 2016 , 20, 27-32		0
73	Reoperation rates for symptomatic nonunions in posterior cervicothoracic fusions with and without bone morphogenetic protein in a cohort of 450 patients. <i>Journal of Neurosurgery: Spine</i> , 2016 , 25, 309-17	2.8	11
72	Reoperation rates for symptomatic nonunions in posterior cervical (subaxial) fusions with and without bone morphogenetic protein in a cohort of 1158 patients. <i>Journal of Neurosurgery: Spine</i> , 2016 , 24, 556-64	2.8	13
71	Type and frequency of healthcare encounters can predict poor surgical outcomes in anterior cruciate ligament reconstruction patients. <i>International Journal of Medical Informatics</i> , 2016 , 90, 32-9	5.3	5
70	Is there a difference in total knee arthroplasty risk of revision in highly crosslinked versus conventional polyethylene?. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 999-1008	2.2	33
69	Association of Bisphosphonate Use and Risk of Revision After THA: Outcomes From a US Total Joint Replacement Registry. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 3412-20	2.2	35
68	Are There Modifiable Risk Factors for Hospital Readmission After Total Hip Arthroplasty in a US Healthcare System?. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 3446-55	2.2	96
67	Anterior and Anterolateral Approaches for THA Are Associated With Lower Dislocation Risk Without Higher Revision Risk. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 3401-8	2.2	133
66	Statistics in Brief: An Introduction to the Use of Propensity Scores. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 2722-6	2.2	54
65	The Kaiser Permanente shoulder arthroplasty registry: results from 6,336 primary shoulder arthroplasties. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 286-92	4.3	51
64	Risk calculators predict failures of knee and hip arthroplasties: findings from a large health maintenance organization. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 3965-73	2.2	39
63	Rheumatoid arthritis is associated with higher ninety-day hospital readmission rates compared to osteoarthritis after hip or knee arthroplasty: a cohort study. <i>Arthritis Care and Research</i> , 2015 , 67, 718-24	4.7	43
62	Risk Factors Associated With 30-day Readmissions After Instrumented Spine Surgery in 14,939 Patients: 30-day readmissions after instrumented spine surgery. <i>Spine</i> , 2015 , 40, 1022-32	3.3	86

61	Revision total hip arthroplasty: factors associated with re-revision surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015 , 97, 359-66	5.6	44
60	Metal-on-conventional polyethylene total hip arthroplasty bearing surfaces have a higher risk of revision than metal-on-highly crosslinked polyethylene: results from a US registry. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 1011-21	2.2	36
59	A Community-Based Hip Fracture Registry: Population, Methods, and Outcomes 2015 , 19, 29-36		25
58	Same-day versus staged bilateral total knee arthroplasty poses no increase in complications in 6672 primary procedures. <i>Journal of Arthroplasty</i> , 2014 , 29, 694-7	4.4	39
57	Bariatric surgery prior to total joint arthroplasty may not provide dramatic improvements in post-arthroplasty surgical outcomes. <i>Journal of Arthroplasty</i> , 2014 , 29, 1359-64	4.4	77
56	Implementing unique device identification in electronic health record systems: organizational, workflow, and technological challenges. <i>Medical Care</i> , 2014 , 52, 26-31	3.1	13
55	International comparative evaluation of knee replacement with fixed or mobile-bearing posterior-stabilized prostheses. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96 Suppl 1, 59-64	5.6	19
54	Risk of revision following total hip arthroplasty: metal-on-conventional polyethylene compared with metal-on-highly cross-linked polyethylene bearing surfaces: international results from six registries. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96 Suppl 1, 19-24	5.6	22
53	Comparative effectiveness of ceramic-on-ceramic implants in stemmed hip replacement: a multinational study of six national and regional registries. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96 Suppl 1, 34-41	5.6	17
52	National and international postmarket research and surveillance implementation: achievements of the International Consortium of Orthopaedic Registries initiative. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96 Suppl 1, 1-6	5.6	11
51	International comparative evaluation of knee replacement with fixed or mobile non-posterior-stabilized implants. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96 Suppl 1, 52-8	5.6	19
50	A distributed health data network analysis of survival outcomes: the International Consortium of Orthopaedic Registries perspective. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96 Suppl 1, 7-11	5.6	7
49	Effect of femoral head size on metal-on-HXLPE hip arthroplasty outcome in a combined analysis of six national and regional registries. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96 Suppl 1, 12-8	5.6	20
48	Multinational comprehensive evaluation of the fixation method used in hip replacement: interaction with age in context. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96 Suppl 1, 42-51	5.6	29
47	Distributed analysis of hip implants using six national and regional registries: comparing metal-on-metal with metal-on-highly cross-linked polyethylene bearings in cementless total hip arthroplasty in young patients. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96 Suppl 1, 25-33	5.6	25
46	Does bone morphogenetic protein change the operative nonunion rates in spine fusions?. <i>Spine</i> , 2014 , 39, 1831-9	3.3	25
45	International comparative evaluation of fixed-bearing non-posterior-stabilized and posterior-stabilized total knee replacements. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96 Suppl 1, 65-72	5.6	24
44	Mortality after shoulder arthroplasty. <i>Journal of Arthroplasty</i> , 2014 , 29, 1823-6	4.4	6

43	Risk factors for total hip arthroplasty aseptic revision. <i>Journal of Arthroplasty</i> , 2014 , 29, 1412-7	4.4	37
42	Monoblock all-polyethylene tibial components have a lower risk of early revision than metal-backed modular components. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013 , 84, 530-6	4.3	19
41	Risk factors for total knee arthroplasty aseptic revision. <i>Journal of Arthroplasty</i> , 2013 , 28, 122-7	4.4	72
40	Do patients lose weight after joint arthroplasty surgery? A systematic review. <i>Clinical Orthopaedics and Related Research</i> , 2013 , 471, 291-8	2.2	23
39	Sex and risk of hip implant failure: assessing total hip arthroplasty outcomes in the United States. <i>JAMA Internal Medicine</i> , 2013 , 173, 435-41	11.5	48
38	Risk factors associated with deep surgical site infections after primary total knee arthroplasty: an analysis of 56,216 knees. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013 , 95, 775-82	5.6	393
37	Surgical outcomes of total knee replacement according to diabetes status and glycemic control, 2001 to 2009. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013 , 95, 481-7	5.6	111
36	Surgeon, implant, and patient variables may explain variability in early revision rates reported for unicompartmental arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013 , 95, 2195-202	5.6	33
35	Alternative bearings in total knee arthroplasty: risk of early revision compared to traditional bearings: an analysis of 62,177 primary cases. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013 , 84, 145-52	4.3	55
34	A different point of view on sex and risk of hip implant failure and failure rate in women--reply. <i>JAMA Internal Medicine</i> , 2013 , 173, 1558-9	11.5	
33	Kaiser Permanente implant registries benefit patient safety, quality improvement, cost-effectiveness. <i>Joint Commission Journal on Quality and Patient Safety</i> , 2013 , 39, 246-52	1.4	72
32	What Have We Learned from the Kaiser Permanente Anterior Cruciate Ligament Reconstruction Registry (KP ACLRR)? 2013 , 3-10		
31	Evaluation of total hip arthroplasty devices using a total joint replacement registry. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21 Suppl 2, 53-9	2.6	8
30	Pulmonary embolism prophylaxis in more than 30,000 total knee arthroplasty patients: is there a best choice?. <i>Journal of Arthroplasty</i> , 2012 , 27, 167-72	4.4	39
29	Risk of revision for fixed versus mobile-bearing primary total knee replacements. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012 , 94, 1929-35	5.6	36
28	Patient and surgeon characteristics associated with primary anterior cruciate ligament reconstruction graft selection. <i>American Journal of Sports Medicine</i> , 2012 , 40, 339-45	6.8	33
27	The Kaiser Permanente implant registries: effect on patient safety, quality improvement, cost effectiveness, and research opportunities 2012 , 16, 36-44		35
26	The role of registry data in the evaluation of mobile-bearing total knee arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93 Suppl 3, 48-50	5.6	13

25	Registries revolutionize care and outcomes. <i>Biomedical Instrumentation and Technology</i> , 2011 , 45, 126-9	0.4	
24	Stages and tools for multinational collaboration: the perspective from the coordinating center of the International Consortium of Orthopaedic Registries (ICOR). <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93 Suppl 3, 76-80	5.6	52
23	The International Consortium of Orthopaedic Registries: overview and summary. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93 Suppl 3, 1-12	5.6	51
22	Challenges in prosthesis classification. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93 Suppl 3, 72-5	5.6	13
21	Leveraging electronic medical records for surveillance of surgical site infection in a total joint replacement population. <i>Infection Control and Hospital Epidemiology</i> , 2011 , 32, 351-9	2	62
20	Comparison of the Norwegian knee arthroplasty register and a United States arthroplasty registry. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93 Suppl 3, 20-30	5.6	70
19	Prophylaxis against pulmonary embolism in patients undergoing total hip arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93, 1767-72	5.6	25
18	A prospective study of 80,000 total joint and 5000 anterior cruciate ligament reconstruction procedures in a community-based registry in the United States. <i>Journal of Bone and Joint Surgery - Series A</i> , 2010 , 92 Suppl 2, 117-32	5.6	115
17	Kaiser Permanente National Total Joint Replacement Registry: aligning operations with information technology. <i>Clinical Orthopaedics and Related Research</i> , 2010 , 468, 2646-63	2.2	108
16	Outcomes of routine use of antibiotic-loaded cement in primary total knee arthroplasty. <i>Journal of Arthroplasty</i> , 2009 , 24, 44-7	4.4	65
15	Does the use of fluoroscopy and isometry during anterior cruciate ligament reconstruction affect surgical decision making?. <i>Clinical Journal of Sport Medicine</i> , 2009 , 19, 46-8	3.2	12
14	Knee replacement: epidemiology, outcomes, and trends in Southern California: 17,080 replacements from 1995 through 2004. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2008 , 79, 812-9	4.3	86
13	The kaiser permanente national total joint replacement registry 2008 , 12, 12-6		65
12	Can the need for future surgery for acute traumatic anterior shoulder dislocation be predicted?. <i>Journal of Bone and Joint Surgery - Series A</i> , 2007 , 89, 1665-74	5.6	100
11	An analysis of the risk of hip dislocation with a contemporary total joint registry. <i>Clinical Orthopaedics and Related Research</i> , 2006 , 447, 19-23	2.2	162
10	Variation in anterior cruciate ligament scar pattern: does the scar pattern affect anterior laxity in anterior cruciate ligament-deficient knees?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2005 , 21, 19-24	5.4	196
9	Long-term results of lateral retinacular release. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2005 , 21, 526-31	5.4	88
8	Outcome instruments for patellofemoral arthroplasty. <i>Clinical Orthopaedics and Related Research</i> , 2005 , 66-70	2.2	20

7	Prospective trial of a treatment algorithm for the management of the anterior cruciate ligament-injured knee. <i>American Journal of Sports Medicine</i> , 2005 , 33, 335-46	6.8	276
6	Indications in the treatment of patellar instability. <i>Journal of Knee Surgery</i> , 2004 , 17, 47-56	2.4	115
5	Epidemiology and natural history of acute patellar dislocation. <i>American Journal of Sports Medicine</i> , 2004 , 32, 1114-21	6.8	719
4	Lateral retinacular release: a survey of the International Patellofemoral Study Group. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2004 , 20, 463-8	5.4	100
3	The reliability and validity of knee-specific and general health instruments in assessing acute patellar dislocation outcomes. <i>American Journal of Sports Medicine</i> , 2003 , 31, 487-92	6.8	121
2	Sources of variation in readmission rates, length of stay, and operative time associated with rotator cuff surgery. <i>Journal of Bone and Joint Surgery - Series A</i> , 2003 , 85, 1784-9	5.6	30
1	The Case-Control Approach Can be More Powerful for Matched Pair Observational Studies When the Outcome is Rare. <i>American Statistician</i> , 1-29	5	