List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8111116/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The role of general practitioners in the work guidance of cancer patients: views of general practitioners and occupational physicians. Journal of Cancer Survivorship, 2023, 17, 416-424.	1.5	6
2	Workers' health surveillance targeting mental health: evaluation of a training. Occupational Medicine, 2022, 72, 244-247.	0.8	3
3	Work status and work ability of patients receiving kidney replacement therapy: results from a European survey. Nephrology Dialysis Transplantation, 2022, 37, 2022-2033.	0.4	7
4	Effects of a training program for occupational health professionals on the cognitions and perceptions of workers: a randomized controlled trial. International Archives of Occupational and Environmental Health, 2022, , 1.	1.1	1
5	Training on involving cognitions and perceptions in the occupational health management and work disability assessment of workers: development and evaluation. BMC Medical Education, 2022, 22, 20.	1.0	2
6	Impaired Quality of Working Life in Inflammatory Bowel Disease Patients. Digestive Diseases and Sciences, 2021, 66, 2916-2924.	1.1	13
7	High Disease Burden Drives Indirect Costs in Employed Inflammatory Bowel Disease Patients: The WORK-IBD Study. Inflammatory Bowel Diseases, 2021, 27, 352-363.	0.9	35
8	Response to Comment on "The Successful Return-To-Work Questionnaire for Cancer Survivors (I-RTW_CS): Development, Validity and Reproducibility― Patient, 2021, 14, 141-143.	1.1	1
9	The Use and Perceived Usefulness of an Online Toolbox Targeted at Employers (MiLES Intervention) for Enhancing Successful Return to Work of Cancer Survivors. Journal of Occupational Rehabilitation, 2021, 31, 393-404.	1.2	6
10	Effectiveness of a Tailored Work-Related Support Intervention for Patients Diagnosed with Gastrointestinal Cancer: A Multicenter Randomized Controlled Trial. Journal of Occupational Rehabilitation, 2021, 31, 323-338.	1.2	6
11	Supporting Occupational Physicians in the Implementation of Workers' Health Surveillance: Development of an Intervention Using the Behavior Change Wheel Framework. International Journal of Environmental Research and Public Health, 2021, 18, 1939.	1.2	5
12	Work ability and quality of working life in atopic dermatitis patients treated with dupilumab. Journal of Dermatology, 2021, 48, 1305-1314.	0.6	5
13	Determinants for the implementation of person-centered tools for workers with chronic health conditions: a mixed-method study using the Tailored Implementation for Chronic Diseases checklist. BMC Public Health, 2021, 21, 1091.	1.2	3
14	Loss of Paid Employment up to 4 Years after Colorectal Cancer Diagnosis—A Nationwide Register-Based Study with a Population-Based Reference Group. Cancers, 2021, 13, 2868.	1.7	10
15	A randomised feasibility trial of an employer-based intervention for enhancing successful return to work of cancer survivors (MiLES intervention). BMC Public Health, 2021, 21, 1433.	1.2	7
16	Family involvement on nursing wards and the role conflicts experienced by surgical nurses: A multicentre crossâ€sectional study. Scandinavian Journal of Caring Sciences, 2021, , .	1.0	3
17	Process evaluation of a tailored work-related support intervention for patients diagnosed with gastrointestinal cancer. Journal of Cancer Survivorship, 2020, 14, 59-71.	1.5	5
18	The challenge of return to work in workers with cancer: employer priorities despite variation in social policies related to work and health. Journal of Cancer Survivorship, 2020, 14, 188-199.	1.5	35

#	Article	IF	CITATIONS
19	Selfâ€efficacy and return to work in cancer survivors: Current knowledge and future prospects. European Journal of Cancer Care, 2020, 29, e13304.	0.7	6
20	The association of subjective fit perceptions, distress, emotional exhaustion, and work engagement, with work functioning problems: A cross-sectional study conducted among young construction project management professionals. Journal of Occupational Health, 2020, 62, e12174.	1.0	7
21	Long-term employment status and quality of life after cancer: A longitudinal prospective cohort study from diagnosis up to and including 5 years post diagnosis. Work, 2020, 66, 901-907.	0.6	16
22	Interventions on cognitions and perceptions that influence work participation of employees with chronic health problems: a scoping review. BMC Public Health, 2020, 20, 1610.	1.2	4
23	Is a tailored work-related support intervention feasible in everyday clinical practice? The experience of healthcare professionals and patients with cancer. Work, 2020, 66, 871-884.	0.6	2
24	The Successful Return-To-Work Questionnaire for Cancer Survivors (I-RTW_CS): Development, Validity and Reproducibility. Patient, 2020, 13, 567-582.	1.1	11
25	Long-term work retention after treatment for cancer: a systematic review and meta-analysis. Journal of Cancer Survivorship, 2020, 14, 135-150.	1.5	71
26	Introduction to special section on: current topics in cancer survivorship and work. Journal of Cancer Survivorship, 2020, 14, 101-105.	1.5	13
27	Proposal to extend the PROMIS® item bank v2.0 â€~Ability to Participate in Social Roles and Activities': item generation and content validity. Quality of Life Research, 2020, 29, 2851-2861.	1.5	4
28	Risk for unemployment at 10Âyears following cancer diagnosis among very long-term survivors: a population based study. Journal of Cancer Survivorship, 2020, 14, 151-157.	1.5	9
29	The MiLES intervention targeting employers to promote successful return to work of employees with cancer: design of a pilot randomised controlled trial. Trials, 2020, 21, 363.	0.7	8
30	Supporting employers to enhance the return to work of cancer survivors: development of a web-based intervention (MiLES intervention). Journal of Cancer Survivorship, 2020, 14, 200-210.	1.5	26
31	What Employer Actions Are Considered Most Important for the Return to Work of Employees with Cancer? A Delphi Study Among Employees and Employers. Journal of Occupational Rehabilitation, 2019, 29, 406-422.	1.2	24
32	Work-Related Outcomes in Self-Employed Cancer Survivors: A European Multi-country Study. Journal of Occupational Rehabilitation, 2019, 29, 361-374.	1.2	20
33	Obtaining person-related information from employees with chronic health problems: a focus group study. International Archives of Occupational and Environmental Health, 2019, 92, 1003-1012.	1.1	4
34	A qualitative study investigating the meaning of participation to improve the measurement of this construct. Quality of Life Research, 2019, 28, 2233-2246.	1.5	7
35	Factors associated with an adverse work outcome in breast cancer survivors 5–10Âyears after diagnosis: a cross-sectional study. Journal of Cancer Survivorship, 2019, 13, 108-116.	1.5	14
36	Work cessation after cancer diagnosis: a population-based study. Occupational Medicine, 2019, 69, 126-132.	0.8	5

#	Article	IF	CITATIONS
37	Barriers to and Facilitators of Implementing Programs for Return to Work (RTW) of Cancer Survivors in Four European Countries: A Qualitative Study. Journal of Occupational Rehabilitation, 2019, 29, 550-559.	1.2	15
38	Two-Year Follow-Up of a Multi-centre Randomized Controlled Trial to Study Effectiveness of a Hospital-Based Work Support Intervention for Cancer Patients. Journal of Occupational Rehabilitation, 2019, 29, 701-710.	1.2	11
39	The Implementation of Workers' Health Surveillance by Occupational Physicians. Journal of Occupational and Environmental Medicine, 2019, 61, e497-e502.	0.9	9
40	Employees Diagnosed with Cancer: Current Perspectives and Future Directions from an Employer's Point of View. Journal of Occupational Rehabilitation, 2019, 29, 472-474.	1.2	14
41	Longitudinal Associations Between Fatigue and Perceived Work Ability in Cancer Survivors. Journal of Occupational Rehabilitation, 2019, 29, 540-549.	1.2	20
42	The quality of working life questionnaire for cancer survivors (QWLQ-CS): factorial structure, internal consistency, construct validity and reproducibility. BMC Cancer, 2018, 18, 66.	1.1	21
43	The role of the general practitioner in return to work after cancer—a systematic review. Family Practice, 2018, 35, 531-541.	0.8	14
44	Feasibility of a multidisciplinary intervention to help cancer patients return to work. European Journal of Cancer Care, 2018, 27, e12690.	0.7	11
45	Perceived employerâ€related barriers and facilitators for work participation of cancer survivors: A systematic review of employers' and survivors' perspectives. Psycho-Oncology, 2018, 27, 725-733.	1.0	100
46	Predictors for earlier return to work of cancer patients. Journal of Cancer Survivorship, 2018, 12, 169-177.	1.5	65
47	Development of a tailored work-related support intervention for gastrointestinal cancer patients. European Journal of Cancer Care, 2018, 27, e12782.	0.7	6
48	254â€Quality of working life of cancer survivors: associations with health- and work-related variables. , 2018, , .		0
49	259â€Return to work of cancer patients after a multidisciplinary intervention including occupational counselling and physical exercise: a prospective study. , 2018, , .		0
50	371â€Employer-related barriers and facilitators for work participation of cancer survivors: a systematic review of qualitative studies. , 2018, , .		2
51	706â€What is the perceived importance of work and work ability of patients with gastrointestinal cancer shortly after diagnosis?. , 2018, , .		0
52	380â€Supporting employers during return to workof employees with cancer; development of an online intervention using the intervention mapping approach. , 2018, , .		0
53	702â€A tailored work- related support intervention for gastro-intestinal cancer patients: intervention protocol. , 2018, , .		0
54	1645câ€Quality of working life and value of work of cancer survivors. , 2018, , .		0

#	Article	IF	CITATIONS
55	The Quality of Working Life Questionnaire for Cancer Survivors: Sufficient responsiveness for use as a patient-reported outcome measurement. European Journal of Cancer Care, 2018, 27, e12910.	0.7	4
56	Higher incidence of screening-related cancers in the employed population. Occupational Medicine, 2018, 68, 273-278.	0.8	2
57	Chronic solvent-induced encephalopathy: course and prognostic factors of neuropsychological functioning. International Archives of Occupational and Environmental Health, 2018, 91, 843-858.	1.1	11
58	Employment status transitions in employees with and without chronic disease in the Netherlands. International Journal of Public Health, 2018, 63, 713-722.	1.0	36
59	Prognostic factors for return to work and work disability among colorectal cancer survivors; A systematic review. PLoS ONE, 2018, 13, e0200720.	1.1	36
60	Interventions to enhance return-to-work for cancer patients. The Cochrane Library, 2017, 2017, CD007569.	1.5	205
61	Supporting cancer patients with work-related problems through an oncological occupational physician: a feasibility study. European Journal of Cancer Care, 2017, 26, e12378.	0.7	15
62	Return to work of cancer patients after a multidisciplinary intervention including occupational counselling and physical exercise in cancer patients: a prospective study in the Netherlands. BMJ Open, 2017, 7, e014746.	0.8	55
63	Employers' experience of employees with cancer: trajectories of complex communication. Journal of Cancer Survivorship, 2017, 11, 562-577.	1.5	46
64	Cancer and its impact on work among the self-employed: A need to bridge the knowledge gap. European Journal of Cancer Care, 2017, 26, e12746.	0.7	19
65	Quality of Working Life of cancer survivors: associations with health- and work-related variables. Supportive Care in Cancer, 2017, 25, 1475-1484.	1.0	25
66	Unemployment risk 2Âyears and 4Âyears following gastric cancer diagnosis: a population-based study. Journal of Cancer Survivorship, 2017, 11, 119-125.	1.5	11
67	Adjustment between work demands and health needs: Development of the Work–Health Balance Questionnaire Rehabilitation Psychology, 2017, 62, 374-386.	0.7	28
68	The Quality of Working Life Questionnaire for Cancer Survivors (QWLQ-CS): a Pre-test Study. BMC Health Services Research, 2016, 16, 194.	0.9	7
69	Employment status, difficulties at work and quality of life in inflammatory bowel disease patients. European Journal of Gastroenterology and Hepatology, 2016, 28, 1130-1136.	0.8	55
70	Cancer@Work — a nurse-led, stepped-care, e-health intervention to enhance the return to work of patients with cancer: study protocol for a randomized controlled trial. Trials, 2016, 17, 453.	0.7	20
71	35P Unemployment risk among lung cancer survivors: A population based study. Journal of Thoracic Oncology, 2016, 11, S70.	0.5	0
72	Cancer in Europe: Death sentence or life sentence?. European Journal of Cancer, 2016, 65, 150-155.	1.3	17

#	Article	IF	CITATIONS
73	Unemployment Risk and Decreased Income Two and Four Years After Thyroid Cancer Diagnosis: A Population-Based Study. Thyroid, 2016, 26, 1251-1258.	2.4	9
74	Unemployment risk at 2 and 4 years following colorectal cancer diagnosis: a population based study. European Journal of Cancer, 2016, 69, 70-76.	1.3	13
75	Design of a multicentre randomized controlled trial to evaluate the effectiveness of a tailored clinical support intervention to enhance return to work for gastrointestinal cancer patients. BMC Cancer, 2016, 16, 303.	1.1	17
76	Employment and insurance outcomes and factors associated with employment among long-term thyroid cancer survivors: a population-based study from the PROFILES registry. Quality of Life Research, 2016, 25, 997-1005.	1.5	29
77	Employment and social benefits up to 10 years after breast cancer diagnosis: a population-based study. British Journal of Cancer, 2016, 114, 81-87.	2.9	69
78	Unemployment risk and income change after testicular cancer diagnosis: A population-based study. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 5.e27-5.e33.	0.8	8
79	Quality of working life of cancer survivors: development of a cancer-specific questionnaire. Journal of Cancer Survivorship, 2016, 10, 394-405.	1.5	22
80	Improving Return to Work in Cancer Survivors. Handbooks in Health, Work, and Disability, 2016, , 481-503.	0.0	1
81	Enhancing the Return to Work of Cancer Survivors: Development and Feasibility of the Nurse-Led eHealth Intervention Cancer@Work. JMIR Research Protocols, 2016, 5, e118.	0.5	16
82	Return-to-work intervention for cancer survivors: budget impact and allocation of costs and returns in the Netherlands and six major EU-countries. BMC Cancer, 2015, 15, 899.	1.1	15
83	Quality of Working Life Issues of Employees with a Chronic Physical Disease: A Systematic Review. Journal of Occupational Rehabilitation, 2015, 25, 182-196.	1.2	62
84	Measurement properties of the Work Limitations Questionnaire were sufficient among cancer survivors. Quality of Life Research, 2014, 23, 515-525.	1.5	28
85	The European Cancer and Work Network: CANWON. Journal of Occupational Rehabilitation, 2014, 24, 393-398.	1.2	54
86	Beyond treatment $\hat{a} \in $ Psychosocial and behavioural issues in cancer survivorship research and practice. European Journal of Cancer, Supplement, 2014, 12, 54-64.	2.2	177
87	Work Adjustments in a Representative Sample of Employees with a Chronic Disease in the Netherlands. Journal of Occupational Rehabilitation, 2013, 23, 200-208.	1.2	37
88	Employment challenges for cancer survivors. Cancer, 2013, 119, 2151-2159.	2.0	244
89	Physical exercise and return to work: cancer survivors' experiences. Journal of Cancer Survivorship, 2013, 7, 237-246.	1.5	53
90	A work-directed intervention to enhance the return to work of employees with cancer: A case study. Work, 2013, 46, 477-485.	0.6	7

#	Article	IF	CITATIONS
91	Effectiveness of a Hospital-Based Work Support Intervention for Female Cancer Patients – A Multi-Centre Randomised Controlled Trial. PLoS ONE, 2013, 8, e63271.	1.1	65
92	The Coping with Attention and Memory Complaints Questionnaire (CAMQ): Psychometric evaluation of an instrument in suspected chronic solvent-induced encephalopathy (CSE). Neuropsychological Rehabilitation, 2012, 22, 794-808.	1.0	0
93	A multidisciplinary intervention to facilitate return to work in cancer patients: intervention protocol and design of a feasibility study. BMJ Open, 2012, 2, e001321.	0.8	18
94	A Hospital-Based Work Support Intervention to Enhance the Return to Work of Cancer Patients: A Process Evaluation. Journal of Occupational Rehabilitation, 2012, 22, 565-578.	1.2	38
95	Rehabilitation Using High-Intensity Physical Training and Long-Term Return-to-Work in Cancer Survivors. Journal of Occupational Rehabilitation, 2012, 22, 220-229.	1.2	44
96	Breast cancer survivors' views of factors that influence the return-to-work process – a qualitative study. Scandinavian Journal of Work, Environment and Health, 2012, 38, 144-154.	1.7	156
97	Prevalence of psychiatric disorders in patients with chronic solvent induced encephalopathy (CSE). NeuroToxicology, 2011, 32, 916-922.	1.4	17
98	Employment status and work-related problems of gastrointestinal cancer patients at diagnosis: a cross-sectional study. BMJ Open, 2011, 1, e000190-e000190.	0.8	18
99	Interventions to enhance return-to-work for cancer patients. , 2011, , CD007569.		83
100	Work-related upper extremity disorders: one-year follow-up in an occupational diseases registry. International Archives of Occupational and Environmental Health, 2011, 84, 789-796.	1.1	9
101	Fatigue and its correlates in cancer patients who had returned to work—a cohort study. Psycho-Oncology, 2011, 20, 1236-1241.	1.0	32
102	Effect of job maintenance training program for employees with chronic disease – a randomized controlled trial on self-efficacy, job satisfaction, and fatigue. Scandinavian Journal of Work, Environment and Health, 2011, 37, 288-297.	1.7	43
103	Preoperative and Early Postoperative Quality of Life Predict Survival in Potentially Curable Patients with Esophageal Cancer. Annals of Surgical Oncology, 2010, 17, 23-30.	0.7	54
104	Irrational Beliefs in Employees with an Adjustment, a Depressive, or an Anxiety Disorder: a Prospective Cohort Study. Journal of Rational - Emotive and Cognitive - Behavior Therapy, 2010, 28, 57-72.	1.0	18
105	Enhancing return-to-work in cancer patients, development of an intervention and design of a randomised controlled trial. BMC Cancer, 2010, 10, 345.	1.1	38
106	Evaluation of occupational disease surveillance in six EU countries. Occupational Medicine, 2010, 60, 509-516.	0.8	35
107	Return-to-work interventions integrated into cancer care: a systematic review. Occupational and Environmental Medicine, 2010, 67, 639-648.	1.3	120
108	Developing guidelines for good practice in the economic evaluation of occupational safety and health interventions. Scandinavian Journal of Work, Environment and Health, 2010, 36, 313-318.	1.7	26

#	Article	IF	CITATIONS
109	Determinants of work ability and its predictive value for disability. Occupational Medicine, 2009, 59, 32-37.	0.8	183
110	Employment Status Among Cancer Survivors—Reply. JAMA - Journal of the American Medical Association, 2009, 302, 32.	3.8	0
111	Employment and the common cancers: return to work of cancer survivors. Occupational Medicine, 2009, 59, 378-380.	0.8	34
112	Cancer Survivors and Unemployment. JAMA - Journal of the American Medical Association, 2009, 301, 753.	3.8	664
113	Characteristics of national registries for occupational diseases: international development and validation of an audit tool (ODIT). BMC Health Services Research, 2009, 9, 194.	0.9	8
114	Factors that Promote or Hinder Young Disabled People in Work Participation: A Systematic Review. Journal of Occupational Rehabilitation, 2009, 19, 129-141.	1.2	85
115	The role of neuropsychological functioning in cancer survivors' return to work one year after diagnosis. Psycho-Oncology, 2009, 18, 589-597.	1.0	38
116	Young Survivors of Childhood Cancer. , 2009, , 163-188.		2
117	Primary and Occupational Health Care Providers. , 2009, , 191-209.		4
118	Sentinel surveillance of occupational diseases: A quality improvement project. American Journal of Industrial Medicine, 2008, 51, 834-842.	1.0	14
119	Cerebral impairment in chronic solventâ€induced encephalopathy. Annals of Neurology, 2008, 63, 572-580.	2.8	44
120	Work ability and return-to-work in cancer patients. British Journal of Cancer, 2008, 98, 1342-1347.	2.9	262
121	Diagnosing and reporting of occupational diseases: a quality improvement study. Occupational Medicine, 2008, 58, 115-121.	0.8	14
122	The effectiveness of an educational programme on occupational disease reporting. Occupational Medicine, 2008, 58, 373-375.	0.8	15
123	The effect of individual counselling and education on work ability and disability pension: a prospective intervention study in the construction industry. Occupational and Environmental Medicine, 2007, 64, 792-797.	1.3	40
124	Effectiveness and efficiency of a literature search strategy to answer questions on the etiology of occupational diseases: a controlled trial. International Archives of Occupational and Environmental Health, 2007, 80, 239-247.	1.1	19
125	Enhancing evidence-based advice of occupational health physicians. Scandinavian Journal of Work, Environment and Health, 2007, 33, 368-378.	1.7	27
126	Effects of prolonged intensive care unit stay on quality of life and long-term survival after transthoracic esophageal resection. Critical Care Medicine, 2006, 34, 354-362.	0.4	24

#	Article	IF	CITATIONS
127	Occupational physicians: what are their questions in daily practice? An observation study. Occupational Medicine, 2006, 56, 191-198.	0.8	20
128	Predicting the duration of sickness absence for patients with common mental disorders in occupational health care. Scandinavian Journal of Work, Environment and Health, 2006, 32, 67-74.	1.7	154
129	Validation of Performance Indicators for Rehabilitation of Workers With Mental Health Problems. Medical Care, 2005, 43, 1034-1042.	1.1	23
130	Validity of utilities of patients with esophageal cancer. International Journal of Technology Assessment in Health Care, 2005, 21, 113-118.	0.2	2
131	An occupational health intervention programme for workers at risk for early retirement; a randomised controlled trial. Occupational and Environmental Medicine, 2004, 61, 924-929.	1.3	68
132	Supervisory behaviour as a predictor of return to work in employees absent from work due to mental health problems. Occupational and Environmental Medicine, 2004, 61, 817-823.	1.3	145
133	Quality of Life After Transhiatal Compared With Extended Transthoracic Resection for Adenocarcinoma of the Esophagus. Journal of Clinical Oncology, 2004, 22, 4202-4208.	0.8	160
134	ls a single-item visual analogue scale as valid, reliable and responsive as multi-item scales in measuring quality of life?. Quality of Life Research, 2004, 13, 311-320.	1.5	561
135	Quality of life after colon interposition by necessity for esophageal cancer replacement. Journal of Surgical Oncology, 2004, 88, 32-38.	0.8	60
136	The Depression Anxiety Stress Scales (DASS): detecting anxiety disorder and depression in employees absent from work because of mental health problems. Occupational and Environmental Medicine, 2003, 60, 77i-82.	1.3	159
137	Extended Transthoracic Resection Compared with Limited Transhiatal Resection for Adenocarcinoma of the Esophagus. New England Journal of Medicine, 2002, 347, 1662-1669.	13.9	1,522
138	Quality of life in long-term survivors after curative transhiatal oesophagectomy for oesophageal carcinoma. British Journal of Surgery, 2002, 87, 1716-1721.	0.1	88
139	Transhiatal vs extended transthoracic resection in oesophageal carcinoma: patients' utilities and treatment preferences. British Journal of Cancer, 2002, 86, 851-857.	2.9	40
140	A FALLACY OF THE MULTIPLICATIVE QALY MODEL FOR LOW-QUALITY WEIGHTS IN STUDENTS AND PATIENTS JUDGING HYPOTHETICAL HEALTH STATES. International Journal of Technology Assessment in Health Care, 2001, 17, 488-496.	0.2	33
141	Predictors of health care use in patients with Parkinson's disease: A longitudinal study. Movement Disorders, 1999, 14, 772-779.	2.2	27
142	Disease-specific quality of life: is it one construct?. Quality of Life Research, 1998, 7, 135-142.	1.5	23
143	Predictors of health care utilization in patients with inflammatory bowel disease. European Journal of Gastroenterology and Hepatology, 1998, 10, 783-790.	0.8	69
144	Predictors of health care utilization in the chronically ill: a review of the literature. Health Policy, 1997, 42, 101-115.	1.4	159

#	Article	IF	CITATIONS
145	Inflammatory Bowel Disease Questionnaire: cross-cultural adaptation and further validation. European Journal of Gastroenterology and Hepatology, 1995, 7, 1043-1050.	0.8	81