

Christos Yapijakis

List of Publications by Citations

Source: <https://exaly.com/author-pdf/811131/christos-yapijakis-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

1,843
citations

24
h-index

39
g-index

123
ext. papers

2,021
ext. citations

3
avg, IF

4.3
L-index

#	Paper	IF	Citations
120	DNA examination of ancient dental pulp incriminates typhoid fever as a probable cause of the Plague of Athens. <i>International Journal of Infectious Diseases</i> , 2006 , 10, 206-14	10.5	122
119	Clinical and genetic heterogeneity in benign hereditary chorea. <i>Neurology</i> , 2002 , 59, 579-84	6.5	89
118	Isolation of temperature-sensitive mutants of 16 S rRNA in Escherichia coli. <i>Journal of Molecular Biology</i> , 1989 , 209, 645-53	6.5	80
117	The hamster model of sequential oral oncogenesis. <i>Oral Oncology</i> , 2008 , 44, 315-24	4.4	77
116	Predictive DNA-testing for Huntington ^Q disease and reproductive decision making: a European collaborative study. <i>European Journal of Human Genetics</i> , 2002 , 10, 167-76	5.3	68
115	Association of oestrogen receptor alpha polymorphisms and androgen receptor CAG trinucleotide repeats with male infertility: a study in 109 Greek infertile men. <i>Journal of Developmental and Physical Disabilities</i> , 2002 , 25, 149-52		66
114	Gene expression polymorphisms of interleukins-1 beta, -4, -6, -8, -10, and tumor necrosis factors-alpha, -beta: regression analysis of their effect upon oral squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 821-32	4.9	57
113	The interleukin-8 (-251A/T) polymorphism is associated with increased risk for oral squamous cell carcinoma. <i>European Journal of Surgical Oncology</i> , 2007 , 33, 504-7	3.6	54
112	Gene polymorphisms related to angiogenesis, inflammation and thrombosis that influence risk for oral cancer. <i>Oral Oncology</i> , 2009 , 45, 247-53	4.4	46
111	Genetic association of cytokine DNA polymorphisms with head and neck cancer. <i>Oral Oncology</i> , 2008 , 44, 1093-9	4.4	46
110	The low VEGF production allele of the +936C/T polymorphism is strongly associated with increased risk for oral cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007 , 133, 787-91	4.9	45
109	Hippocrates of Kos, the father of clinical medicine, and Asclepiades of Bithynia, the father of molecular medicine. Review. <i>In Vivo</i> , 2009 , 23, 507-14	2.3	45
108	A metalloproteinase-9 polymorphism which affects its expression is associated with increased risk for oral squamous cell carcinoma. <i>European Journal of Surgical Oncology</i> , 2008 , 34, 450-5	3.6	42
107	Methylenetetrahydrofolate reductase polymorphism and minor increase of risk for oral cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006 , 132, 219-22	4.9	41
106	Prenatal testing for Huntington ^Q disease: a European collaborative study. <i>European Journal of Human Genetics</i> , 2002 , 10, 689-93	5.3	40
105	The interleukin-10 (-1082A/G) polymorphism is strongly associated with increased risk for oral squamous cell carcinoma. <i>Anticancer Research</i> , 2008 , 28, 309-14	2.3	37
104	Association of leptin -2548G/A and leptin receptor Q223R polymorphisms with increased risk for oral cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009 , 135, 603-12	4.9	31

103	Strong association of the tissue inhibitor of metalloproteinase-2 polymorphism with an increased risk of oral squamous cell carcinoma in Europeans. <i>Oncology Reports</i> , 2007 , 17, 963-8	3.5	30
102	Plasminogen activator inhibitor-1 polymorphism is associated with increased risk for oral cancer. <i>Oral Oncology</i> , 2006 , 42, 888-92	4.4	29
101	High gene expression of matrix metalloproteinase-7 is associated with early stages of oral cancer. <i>Anticancer Research</i> , 2007 , 27, 2493-8	2.3	29
100	Association of polymorphisms in Tumor Necrosis Factor Alpha and Beta genes with increased risk for oral cancer. <i>Anticancer Research</i> , 2009 , 29, 2379-86	2.3	28
99	Association of matrix metalloproteinase-1 (-1607 1G/2G) polymorphism with increased risk for oral squamous cell carcinoma. <i>Anticancer Research</i> , 2007 , 27, 459-64	2.3	27
98	Cell proliferation and apoptosis culminate in early stages of oral oncogenesis. <i>Oral Oncology</i> , 2006 , 42, 540-50	4.4	25
97	Association of angiotensin-converting enzyme gene insertion/deletion polymorphism with increased risk for oral cancer. <i>Acta Oncologica</i> , 2007 , 46, 1097-102	3.2	24
96	A simple and effective approach for detecting maternal cell contamination in molecular prenatal diagnosis. <i>Prenatal Diagnosis</i> , 2002 , 22, 425-9	3.2	24
95	Diabetes and oral oncogenesis. <i>Anticancer Research</i> , 2007 , 27, 4185-93	2.3	24
94	A DNA polymorphism of stromal-derived factor-1 is associated with advanced stages of oral cancer. <i>Anticancer Research</i> , 2008 , 28, 271-5	2.3	24
93	Diabetes may increase risk for oral cancer through the insulin receptor substrate-1 and focal adhesion kinase pathway. <i>Oral Oncology</i> , 2007 , 43, 165-73	4.4	23
92	Are factor V and prothrombin mutations associated with increased risk of oral cancer?. <i>Anticancer Research</i> , 2005 , 25, 2561-5	2.3	22
91	Prevalence of human papillomavirus in saliva and cervix of sexually active women. <i>Gynecologic Oncology</i> , 2013 , 129, 395-400	4.9	21
90	Strong association of interleukin-4 (-590 C/T) polymorphism with increased risk for oral squamous cell carcinoma in Europeans. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2007 , 104, 796-802		21
89	Strong association of interleukin-6 -174 G>C promoter polymorphism with increased risk of oral cancer. <i>International Journal of Biological Markers</i> , 2006 , 21, 246-50	2.8	21
88	Loss of tumour suppressor p16 expression in initial stages of oral oncogenesis. <i>Anticancer Research</i> , 2007 , 27, 979-84	2.3	19
87	HPV detection rate in saliva may depend on the immune system efficiency. <i>In Vivo</i> , 2008 , 22, 599-602	2.3	19
86	Association of platelet glycoprotein Ia polymorphism with minor increase of risk for oral cancer. <i>European Journal of Surgical Oncology</i> , 2006 , 32, 455-7	3.6	18

85	The interleukin-18 -607A/C polymorphism is not associated with risk for oral cancer. <i>Anticancer Research</i> , 2007 , 27, 4011-4	2.3	17
84	Ancient typhoid epidemic reveals possible ancestral strain of Salmonella enterica serovar Typhi. <i>Infection, Genetics and Evolution</i> , 2007 , 7, 126-7	4.5	14
83	Salivary gland manifestations of sarcoidosis: report of three cases. <i>Journal of Oral and Maxillofacial Surgery</i> , 2005 , 63, 1016-21	1.8	14
82	Linkage disequilibrium between the expanded (CAG) _n repeat and an allele of the adjacent (CCG) _n repeat in Huntington's disease patients of Greek origin. <i>European Journal of Human Genetics</i> , 1995 , 3, 228-34	5.3	14
81	The co-expression of c-myc and p53 increases and reaches a plateau early in oral oncogenesis. <i>Anticancer Research</i> , 2006 , 26, 2957-62	2.3	14
80	FGFR-2 and -3 play an important role in initial stages of oral oncogenesis. <i>Anticancer Research</i> , 2006 , 26, 4217-21	2.3	14
79	Increased risk for oral cancer is associated with coagulation factor XIII but not with factor XII. <i>Oncology Reports</i> , 2007 , 18, 1537-43	3.5	14
78	Effect of thrombosis-related gene polymorphisms upon oral cancer: a regression analysis. <i>Anticancer Research</i> , 2013 , 33, 4033-9	2.3	14
77	Bisphosphonate-induced avascular osteonecrosis of the mandible associated with a common thrombophilic mutation in the prothrombin gene. <i>Journal of Oral and Maxillofacial Surgery</i> , 2009 , 67, 2009-12	1.8	12
76	Prenatal diagnosis of X-linked spinal and bulbar muscular atrophy in a Greek family. <i>Prenatal Diagnosis</i> , 1996 , 16, 262-5	3.2	12
75	Association of -1171 promoter polymorphism of matrix metalloproteinase-3 with increased risk for oral cancer. <i>Anticancer Research</i> , 2007 , 27, 4095-100	2.3	12
74	The interplay between hemostasis and malignancy: the oral cancer paradigm. <i>Anticancer Research</i> , 2012 , 32, 1791-800	2.3	12
73	Hereditary neuropathy with liability to pressure palsies: the same molecular defect can result in diverse clinical presentation. <i>Journal of Neurology</i> , 1996 , 243, 225-30	5.5	11
72	A metalloproteinase-13 polymorphism affecting its gene expression is associated with advanced stages of oral cancer. <i>Anticancer Research</i> , 2007 , 27, 4027-30	2.3	10
71	Comparison of cytology, colposcopy, HPV typing and biomarker analysis in cervical neoplasia. <i>Anticancer Research</i> , 2009 , 29, 3401-9	2.3	10
70	The 1040C/T polymorphism influencing thermal stability and activity of thrombin activatable fibrinolysis inhibitor is associated with risk for oral cancer. <i>American Journal of Hematology</i> , 2007 , 82, 1010-2	7.1	9
69	Expression of ets-1 is not affected by N-ras or H-ras during oral oncogenesis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007 , 133, 227-33	4.9	9
68	H-ras and c-fos exhibit similar expression patterns during most stages of oral oncogenesis. <i>In Vivo</i> , 2008 , 22, 621-8	2.3	9

67	Association of angiotensin-converting enzyme gene insertion/deletion polymorphism with decreased risk for basal cell carcinoma. <i>Archives of Dermatological Research</i> , 2013 , 305, 333-9	3.3	8
66	Insufficient phylogenetic analysis may not exclude candidacy of typhoid fever as a probable cause of the Plague of Athens (reply to Shapiro et al.). <i>International Journal of Infectious Diseases</i> , 2006 , 10, 335-336	10.5	8
65	Use of truncated pyramid representation methodology in three-dimensional reconstruction: an example. <i>Journal of Microscopy</i> , 2004 , 214, 70-5	1.9	8
64	Regulatory Role of MicroRNAs in Brain Development and Function. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1195, 237-247	3.6	8
63	Diabetes alters expression of p53 and c-myc in different stages of oral oncogenesis. <i>Anticancer Research</i> , 2007 , 27, 1465-73	2.3	8
62	History of sanitation and hygiene technologies in the Hellenic world. <i>Journal of Water Sanitation and Hygiene for Development</i> , 2017 , 7, 163-180	1.5	7
61	Diabetes enhances cell proliferation but not Bax/Bcl-2-mediated apoptosis during oral oncogenesis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2008 , 37, 60-5	2.9	7
60	Immunological and molecular detection of human immunodeficiency virus in saliva, and comparison with blood testing. <i>European Journal of Oral Sciences</i> , 2006 , 114, 175-9	2.3	7
59	The interleukin-1 beta gene polymorphism +3953 C/T is not associated with risk for oral cancer. <i>Anticancer Research</i> , 2007 , 27, 3981-6	2.3	7
58	Angiotensinogen polymorphism is associated with risk for malignancy but not for oral cancer. <i>Anticancer Research</i> , 2008 , 28, 1675-9	2.3	7
57	The Hamster Model of Sequential Oral Carcinogenesis: An Update. <i>In Vivo</i> , 2019 , 33, 1751-1755	2.3	6
56	Thyroid gland neurofibroma in a NF1 patient. <i>Acta Neurologica Scandinavica</i> , 2002 , 106, 58-61	3.8	6
55	Mutation Screening of Her-2, N-ras and Nf1 Genes in Brain Tumor Biopsies. <i>Anticancer Research</i> , 2016 , 36, 4607-11	2.3	6
54	History of Hygiene Focusing on the Crucial Role of Water in the Hellenic Asclepieia (i.e., Ancient Hospitals). <i>Water (Switzerland)</i> , 2020 , 12, 754	3	6
53	Prevalence of thrombosis-related DNA polymorphisms in a healthy Greek population. <i>In Vivo</i> , 2012 , 26, 1095-101	2.3	6
52	Increased risk for oral cancer is associated with coagulation factor XIII but not with factor XII. <i>Oncology Reports</i> , 2007 , 18, 1537	3.5	5
51	Typhoid Fever Epidemic in Ancient Athens 2008 , 161-173		5
50	Diabetes increases both N-ras and ets-1 expression during rat oral oncogenesis resulting in enhanced cell proliferation and metastatic potential. <i>In Vivo</i> , 2007 , 21, 615-21	2.3	5

49	Prevalence of HPV types in a cohort of Greeks with clinical indication of infection. <i>Anticancer Research</i> , 2008 , 28, 2233-7	2.3	5
48	Potential prevention of thromboembolism by genetic counseling and testing for two common thrombophilia mutations. <i>In Vivo</i> , 2012 , 26, 165-72	2.3	5
47	Huntington Disease: Genetics, Prevention, and Therapy Approaches. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 987, 55-65	3.6	4
46	Neurofibromatosis-Noonan Syndrome: A Possible Paradigm of the Combination of Genetic and Epigenetic Factors. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 987, 151-159	3.6	4
45	Association of Polymorphisms in the Genes of Angiotensinogen and Angiotensin Receptors With Risk for Basal Cell Carcinoma. <i>Anticancer Research</i> , 2019 , 39, 5525-5530	2.3	4
44	Enhancement of erbB2 and erbB3 expression during oral oncogenesis in diabetic rats. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 337-44	4.9	4
43	The Angiotensin-converting Enzyme Insertion/Deletion Polymorphism as a Common Risk Factor for Major Pregnancy Complications. <i>In Vivo</i> , 2021 , 35, 95-103	2.3	4
42	Is Neurofibromatosis Type 1-Noonan Syndrome a Phenotypic Result of Combined Genetic and Epigenetic Factors?. <i>In Vivo</i> , 2016 , 30, 315-20	2.3	4
41	Cerebral Thrombosis: A Neurogenetic Approach. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 987, 13-21	3.6	3
40	Homocysteinemia-associated anetoderma, in a young woman with anorexia nervosa history. <i>International Journal of Dermatology</i> , 2011 , 50, 343-5	1.7	3
39	Screening for Familial Mediterranean Fever M694V and V726A mutations in the Greek population. <i>Genetic Testing and Molecular Biomarkers</i> , 2009 , 13, 291-3	1.6	3
38	Exclusion mapping of the benign hereditary chorea gene from the Huntington ^Q disease locus: report of a family. <i>Clinical Genetics</i> , 1995 , 47, 133-8	4	3
37	Mutations of Two Major Coagulation Factors Are Not Associated with Male Infertility. <i>In Vivo</i> , 2016 , 30, 927-930	2.3	3
36	Genetic Counseling for Adult-Onset Spinal and Bulbar Muscular Atrophy (Kennedy Syndrome): Multiple Cases of Prenatal Testing in a Family. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1195, 199-204	3.6	3
35	EGFR and c-Jun exhibit the same pattern of expression and increase gradually during the progress of oral oncogenesis. <i>In Vivo</i> , 2007 , 21, 791-6	2.3	3
34	Cerebrovascular Aneurysms May Be Associated with Thrombophilia-predisposing Mutations in Patients with Familial Risk. <i>In Vivo</i> , 2015 , 29, 395-8	2.3	3
33	Effect of Olmesartan on the Level of Oral Cancer Risk Factor PAI1. <i>Anticancer Research</i> , 2016 , 36, 6093-6096	2	2
32	Gene Variant Causing High Blood Pressure May Be Associated With Medication-related Jaw Osteonecrosis. <i>In Vivo</i> , 2019 , 33, 559-562	2.3	2

31	The platelet glycoprotein Ibalpha VNTR polymorphism is associated with risk for oral cancer. <i>Anticancer Research</i> , 2007 , 27, 4121-5	2.3	2
30	A common 9 bp deletion in the ataxia-telangiectasia-mutated gene is not associated with oral cancer. <i>Anticancer Research</i> , 2009 , 29, 3191-3	2.3	2
29	The Impact of and Gene Polymorphisms in Pulmonary Diseases Including COVID-19.. <i>In Vivo</i> , 2022 , 36, 13-29	2.3	2
28	Ancestral Concepts of Human Genetics and Molecular Medicine in Epicurean Philosophy 2017 , 41-57		1
27	High frequency of TTTY2-like gene-related deletions in patients with idiopathic oligozoospermia and azoospermia. <i>Andrologia</i> , 2015 , 47, 536-44	2.4	1
26	Cerebral autosomal dominant arteriopathy with subcortical infarcts and leucoencephalopathy presenting with postpartum psychosis and late-onset stroke. <i>Future Neurology</i> , 2016 , 11, 207-213	1.5	1
25	Common Gene Polymorphisms Associated with Thrombophilia 2015 ,		1
24	Increased risk of oral cancer in diabetic animals is not associated with c-jun activation pathway. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2007 , 35, 382-7	3.6	1
23	Strong association of the tissue inhibitor of metalloproteinase-2 polymorphism with an increased risk of oral squamous cell carcinoma in Europeans. <i>Oncology Reports</i> , 2007 ,	3.5	1
22	Real-time PCR analysis of trinucleotide repeat allele expansions in the androgen receptor gene. <i>Molecular Diagnosis and Therapy</i> , 2005 , 9, 217-9		1
21	Distribution of Two X-Linked Trinucleotide Polymorphisms in Greece. <i>Public Health Genomics</i> , 2001 , 4, 125-128		1
20	Craniofacial and Neurological Phenotype in a Patient with De Novo 18q Microdeletion and 18p Microduplication. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1195, 163-166	3.6	1
19	Hot cross bun sign and prominent cerebellar peduncle involvement in a patient with oculodentodigital dysplasia. <i>Neurological Sciences</i> , 2021 , 42, 343-345	3.5	1
18	Association study indicates combined effect of interleukin-10 and angiotensin-converting enzyme in basal cell carcinoma development. <i>Archives of Dermatological Research</i> , 2021 , 313, 373-380	3.3	1
17	Increased Incidence of Stress-related Tic Habit Cough in Children During the Recent Greek Financial Crisis. <i>In Vivo</i> , 2021 , 35, 1811-1820	2.3	1
16	Lack of Association Between the G8790A Gene Variation and Risk for Basal Cell Carcinoma. <i>Anticancer Research</i> , 2021 , 41, 4021-4026	2.3	1
15	Coagulation-related factors, thrombomodulin and protein Z, are not associated with risk for oral cancer. <i>Anticancer Research</i> , 2007 , 27, 2449-51	2.3	1
14	Expression of cell cycle regulator p16 is not affected by diabetes during oral oncogenesis. <i>In Vivo</i> , 2007 , 21, 745-50	2.3	1

13	Evaluation of apoptosis in nasal and buccal cells of septic patients. <i>In Vivo</i> , 2007 , 21, 901-4	2.3	1
12	Juvenile myoclonic epilepsy is not associated with the DRPLA gene in a European population. <i>In Vivo</i> , 2014 , 28, 1193-6	2.3	1
11	Recognition of Cerebral Autosomal Dominant Arteriopathy with Subcortical Infarcts and Leukoencephalopathy (CADASIL) in Two Oligosymptomatic Sisters with Low CADASIL Scale Scores and a Venous Dysplasia: Report of a Novel Greek Family. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2018 , 27, e191-e195	2.8	0
10	Prenatal Genetic Testing for X-Linked Hypohidrotic Ectodermal Dysplasia.. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1339, 337-340	3.6	0
9	Preimplantation Genetic Testing for Spastic Paraplegia Type 3.. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1339, 341-345	3.6	0
8	Novel PANK2 mutation in the first Greek compound heterozygote patient with pantothenate-kinase-associated neurodegeneration. <i>SAGE Open Medical Case Reports</i> , 2017 , 5, 2050313X17720101	0.7	0
7	An unusual phenocopy of the HANAC syndrome without genetic involvement of COL4A1/COL4A2. <i>Acta Neurologica Belgica</i> , 2018 , 118, 135-136	1.5	
6	The Role of MicroRNAs in Thrombosis.. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1339, 409-414	3.6	
5	Craniofacial and Neurological Phenotype in a Case of Oculodentodigital Syndrome.. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1339, 325-329	3.6	
4	Phenotype and Genotype Study in a Case of Frontometaphyseal Dysplasia 1.. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1339, 319-323	3.6	
3	Clinical and Molecular Study of Common Thrombophilia Mutation Prothrombin G20210A.. <i>Advances in Experimental Medicine and Biology</i> , 2021 , 1339, 331-336	3.6	
2	Diabetes does not influence oral oncogenesis through fibroblast growth factor receptors. <i>In Vivo</i> , 2007 , 21, 623-8	2.3	
1	Oral carcinogenesis is not achieved in different carcinogen-treated PAI-1 transgenic and wild-type mouse models. <i>In Vivo</i> , 2012 , 26, 1001-5	2.3	