

Haijun Gong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8111652/publications.pdf>

Version: 2024-02-01

10
papers

167
citations

1478505

6
h-index

1372567

10
g-index

10
all docs

10
docs citations

10
times ranked

228
citing authors

#	ARTICLE	IF	CITATIONS
1	Gut microbiota compositional profile and serum metabolic phenotype in patients with primary open-angle glaucoma. <i>Experimental Eye Research</i> , 2020, 191, 107921.	2.6	65
2	High glucose-induced epithelial-mesenchymal transition contributes to the upregulation of fibrogenic factors in retinal pigment epithelial cells. <i>International Journal of Molecular Medicine</i> , 2016, 38, 1815-1822.	4.0	34
3	Mesenchymal marker expression is elevated in M μ ller cells exposed to high glucose and in animal models of diabetic retinopathy. <i>Oncotarget</i> , 2017, 8, 4582-4594.	1.8	27
4	Efficient delivery of NF- κ B siRNA to human retinal pigment epithelial cells with hyperbranched cationic polysaccharide derivative-based nanoparticles. <i>International Journal of Nanomedicine</i> , 2015, 10, 2735.	6.7	12
5	The profile of gut microbiota and central carbon-related metabolites in primary angle-closure glaucoma patients. <i>International Ophthalmology</i> , 2022, 42, 1927-1938.	1.4	10
6	Recurrent corneal melting in the paraneoplastic pemphigus associated with Castleman's disease. <i>BMC Ophthalmology</i> , 2016, 16, 106.	1.4	8
7	Hyperbranched Cationic Glycogen Derivative-Mediated β Gene Silencing Regulates the Uveoscleral Outflow Pathway in Rats. <i>BioMed Research International</i> , 2020, 2020, 1-17.	1.9	5
8	Evaluation of early changes of macular function and morphology by multifocal electroretinograms in patients with nasopharyngeal carcinoma after radiotherapy. <i>Documenta Ophthalmologica</i> , 2019, 138, 137-145.	2.2	3
9	Predictive Equation for Angle Opening Distance at 750 μ m After Laser Peripheral Iridotomy in Primary Angle Closure Suspects. <i>Frontiers in Medicine</i> , 2021, 8, 715747.	2.6	2
10	Ultrasound Biomicroscopy Might Predict the Outcome of Phacoemulsification-Visco Dissection in Medically Controlled Primary Angle-Closure Glaucoma Eye With Extensive Peripheral Anterior Synechia. <i>Frontiers in Medicine</i> , 2021, 8, 705864.	2.6	1