Naoki Itoh

List of Publications by Year
in descending order

27	323	840776 11	888059 17
papers	citations	h-index	g-index

28	28	28	288
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	In Vivo Administration of Scallop GnRH-Like Peptide Influences on Gonad Development in the Yesso Scallop, Patinopecten yessoensis. PLoS ONE, 2015, 10, e0129571.	2.5	42
2	Marteilia spp. parasites in bivalves: A revision of recent studies. Journal of Invertebrate Pathology, 2015, 131, 43-57.	3.2	38
3	Characterization of GnRH-like peptides from the nerve ganglia of Yesso scallop, Patinopecten yessoensis. Peptides, 2015, 71, 202-210.	2.4	29
4	Endoparasitic Dinoflagellate of the Genus Ichthyodinium Infecting Fertilized Eggs and Hatched Larvae Observed in the Seed Production of Leopard Coral Grouper Plectropomus leopardus. Fish Pathology, 2007, 42, 49-57.	0.7	23
5	Early developmental stages of a protozoan parasite, Marteilioides chungmuensis (Paramyxea), the causative agent of the ovary enlargement disease in the Pacific oyster, Crassostrea gigas. International Journal for Parasitology, 2004, 34, 1129-1135.	3.1	19
6	Seasonal Fluctuations in the Occurrence of Abnormal Enlargement of the Ovary of Pacific Oyster Crassostrea gigas at Gokasho Bay, Mie, Japan.. Fish Pathology, 2001, 36, 83-91.	0.7	17
7	Isolation and 18S ribosomal DNA gene sequences of Marteilioides chungmuensis (Paramyxea), an ovarian parasite of the Pacific oyster Crassostrea gigas. Diseases of Aquatic Organisms, 2003, 54, 163-169.	1.0	15
8	First report of three protozoan parasites (a haplosporidian, Marteilia sp. and Marteilioides sp.) from the Manila clam, Venerupis (=Ruditapes) philippinarum in Japan. Journal of Invertebrate Pathology, 2005, 88, 201-206.	3.2	14
9	<i>Francisella halioticida</i>, Identified as the Most Probable Cause of Adductor Muscle Lesions in Yesso scallops <i>Patinopecten yessoensis</i> Cultured in Southern Hokkaido, Japan. Fish Pathology, 2018, 53, 78-85.	0.7	14
10	New insights into the entrance of Perkinsus olseni in the Manila clam, Ruditapes philippinarum. Journal of Invertebrate Pathology, 2018, 153, 117-121.	3.2	13
11	A Novel Paramyxean Parasite, Marteilia granula sp. nov. (Cercozoa), from the Digestive Gland of Manila Clam Ruditapes philippinarum in Japan. Fish Pathology, 2014, 49, 181-193.	0.7	12
12	Anisakis spp. in fishery products from Japanese waters: Updated insights on host prevalence and human infection risk factors. Parasitology International, 2020, 78, 102137.	1.3	11
13	First discovery of Perkinsus beihaiensis in Mediterranean mussels (Mytilus galloprovincialis) in Tokyo Bay, Japan. Journal of Invertebrate Pathology, 2019, 166, 107226.	3.2	10
14	Control of the Daily Rhythms by Photoperiods in Protomont Detachment and Theront Excystment of the Parasitic Ciliate <i>Cryptocaryon irritans</i>. Fish Pathology, 2020, 55, 38-41.	0.7	9
15	Development of the Macronucleus of <i>Cryptocaryon irritans,</i> a Parasitic Ciliate of Marine Teleosts, and its Ingestion and Digestion of Host Cells. Fish Pathology, 2016, 51, 112-120.	0.7	8
16	Stable and quantitative small-scale laboratory propagation of Cryptocaryon irritans. MethodsX, 2020, 7, 101000.	1.6	8
17	Anisakis spp. in toothed and baleen whales from Japanese waters with notes on their potential role as biological tags. Parasitology International, 2021, 80, 102228.	1.3	8
18	A novel paramyxean parasite, Marteilia tapetis sp. nov. (Cercozoa) infecting the digestive gland of Manila clam Ruditapes philippinarum from the southeast coast of Korea. Journal of Invertebrate Pathology, 2019, 163, 86-93.	3.2	7

#	Article	IF	Citations
19	A new myxosporean species, Henneguya lata n. sp. (Myxozoa: Myxobolidae), from the gills of yellowfin seabream Acanthopagrus latus (Perciformes: Sparidae) in the Gulf of Tonkin, Vietnam. Parasitology Research, 2021, 120, 877-885.	1.6	7
20	The effects of environmental and nutritional conditions on the development of Perkinsus olseni prezoosporangia. Experimental Parasitology, 2020, 209, 107827.	1.2	6
21	A novel dimorphic microsporidian Ameson iseebi sp. nov. infecting muscle of the Japanese spiny lobster, Panulirus japonicus, in western Japan. Journal of Invertebrate Pathology, 2020, 176, 107472.	3.2	6
22	Development of a simple host-free medium for efficient prezoosporulation of Perkinsus olseni trophozoites cultured in vitro. Parasitology International, 2021, 80, 102186.	1.3	3
23	Supplementation with lipids enhances zoosporulation of Perkinsus species. Journal of Invertebrate Pathology, 2022, 187, 107705.	3.2	2
24	Emendation of the genus Neoheterobothrium and a proposal of a new genus Paraheterobothrium (Monogenea: Diclidophoridae) for five species of diclidophorids from Pleuronectiform fishes. Systematic Parasitology, 2021, 98, 515-533.	1.1	1
25	Five new and two known species of Heterobothrium (Monogenea: Diclidophoridae) infecting puffers of the genus Takifugu from Japanese waters. Systematic Parasitology, 2022, 99, 317-340.	1.1	1
26	â…¡-8. Evaluation of carrying capacity for scallop farming and perspective of artificial seed production of bivalves. Nippon Suisan Gakkaishi, 2016, 82, 151-151.	0.1	0
27	5. Interaction between protozoan parasites and physiology in bivalves. Nippon Suisan Gakkaishi, 2017, 83, 833-833.	0.1	0