

Hugues Brisset

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8112134/hugues-brisset-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

1,619
citations

22
h-index

36
g-index

100
ext. papers

1,717
ext. citations

4.8
avg. IF

4.03
L-index

#	Paper	IF	Citations
87	Development, Optimization, Biological Assays, and In Situ Field Immersion of a Transparent Piezoelectric Vibrating System for Antifouling Applications. <i>Actuators</i> , 2022 , 11, 47	2.4	0
86	Uncovering the behavior of screen-printed carbon electrodes modified with polymers molecularly imprinted with lipopolysaccharide. <i>Electrochemistry Communications</i> , 2021 , 124, 106965	5.1	4
85	Bioinspiration and Microtopography As Nontoxic Strategies for Marine Bioadhesion Control. <i>Advanced Materials Interfaces</i> , 2021 , 8, 2100994	4.6	1
84	Electrochemical molecularly imprinted polymers in microelectrode devices. <i>MRS Communications</i> , 2020 , 10, 324-331	2.7	4
83	Control of the optical properties upon a reversible [2+2] cycloaddition of 3-(4-N,N-dibutylamino)-styryl)-3E[dicyanovinyl)-bithiophene. <i>Tetrahedron</i> , 2020 , 76, 131384	2.4	
82	Advanced Electrochemical Molecularly Imprinted Polymer as Sensor Interfaces. <i>Proceedings (mdpi)</i> , 2019 , 15, 22	0.3	2
81	Evaluation of Molecularly Imprinted Thin Films for Ephedrine Recognition 2019 , 56, 865-874		4
80	Detection of Bisphenol A in aqueous medium by screen printed carbon electrodes incorporating electrochemical molecularly imprinted polymers. <i>Biosensors and Bioelectronics</i> , 2018 , 112, 156-161	11.8	50
79	96X Screen-Printed Gold Electrode Platform to Evaluate Electroactive Polymers as Marine Antifouling Coatings. <i>Analytical Chemistry</i> , 2018 , 90, 4978-4981	7.8	13
78	One-step preparation of molecularly imprinted hollow beads for pseudohypericin separation from <i>Hypericum perforatum</i> L. extracts. <i>European Polymer Journal</i> , 2018 , 100, 48-56	5.2	9
77	Application of unusual on/off electrochemical properties of a molecularly imprinted polymer based on an EDOTbithiophene precursor for the detection of ephedrine. <i>Electrochemistry Communications</i> , 2018 , 94, 45-48	5.1	9
76	Electrochemical molecularly imprinted polymers as material for pollutant detection. <i>Materials Today Communications</i> , 2018 , 17, 458-465	2.5	16
75	Bacterial anti-adhesion activity based on the electrochemical properties of polymethacrylates bearing ferrocenyl pendant groups. <i>Biofouling</i> , 2018 , 34, 1055-1063	3.3	3
74	Electroactive polyacrylates bearing linear conjugated systems based on EDOT moieties. <i>Polymer</i> , 2017 , 117, 17-24	3.9	4
73	The effect of air exposure on the crystal structure of oligo-thiophene thin films investigated using in situ X-ray diffraction. <i>Journal of Crystal Growth</i> , 2017 , 468, 816-820	1.6	1
72	Numerical and Experimental Investigation of Surface Plasmon Resonance Excitation Using Whispering Gallery Modes in Bent Metal-Clad Single-Mode Optical Fiber. <i>Journal of Lightwave Technology</i> , 2017 , 35, 5425-5431	4	8
71	D/A cruciform bithiophene chromophores as potential molecular scaffolds for optoelectronic applications. <i>Tetrahedron</i> , 2016 , 72, 1381-1386	2.4	8

70	RAFT-synthesized polymers based on new ferrocenyl methacrylates and electrochemical properties. <i>RSC Advances</i> , 2015 , 5, 77019-77026	3.7	6
69	Effect of template ion-ligand complex stoichiometry on selectivity of ion-imprinted polymers. <i>Talanta</i> , 2015 , 134, 538-545	6.2	18
68	Assessment and modelling of Ni(II) retention by an ion-imprinted polymer: application in natural samples. <i>Journal of Colloid and Interface Science</i> , 2015 , 448, 473-81	9.3	21
67	Dibutylamino end-capped benzo[2,1-b:3,4-b']dithiophene-4,5-dione and benzo[2,1-b:3,4-b']dithiophene versus non modified analogues: contribution of amino groups. <i>Tetrahedron</i> , 2015 , 71, 4079-4083	2.4	3
66	A versatile electrochemical sensing receptor based on a molecularly imprinted polymer. <i>Chemical Communications</i> , 2014 , 50, 7488-91	5.8	40
65	Crystal structure of oligothiophene thin films characterized by two-dimensional grazing incidence X-ray diffraction. <i>Japanese Journal of Applied Physics</i> , 2014 , 53, 01AD01	1.4	6
64	Highly specific and reversible fluoride sensor based on an organic semiconductor. <i>Analytical Chemistry</i> , 2013 , 85, 9968-74	7.8	33
63	Toward n-channel organic thin film transistors based on a distyryl-bithiophene derivatives. <i>Tetrahedron</i> , 2012 , 68, 4664-4671	2.4	5
62	Perfluoroarene units in distyryl-oligothiophene analogues: An efficient electron density confinement preventing n-type transport in organic thin film transistors. <i>Synthetic Metals</i> , 2012 , 162, 857-861	3.6	5
61	Structure properties relationships of liquid crystal bent core organic semiconductors based on benzo[2,1-b:3,4-b']dithiophene-4,5-dione. <i>Journal of Materials Chemistry</i> , 2012 , 22, 23159		19
60	Co-grafting of porphyrins and fullerenes on ZnO nanorods: towards supramolecular donor-acceptor assembly. <i>Journal of Colloid and Interface Science</i> , 2012 , 386, 268-76	9.3	15
59	In situ Structural Study of Organic Semiconductor Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 2012 , 1402, 54		1
58	Organic Thin Film Transistors Based on Distyryl-Oligothiophenes: Role of AFM Images in Analyses of Charge Transport Properties. <i>Open Journal of Applied Sciences</i> , 2012 , 02, 283-293	0.3	1
57	A New Active Organic Component for Flexible Ammonia Gas Sensors. <i>Procedia Engineering</i> , 2011 , 25, 1069-1072		3
56	Hybrid Heterojunction Nanorods for Nanoscale Controlled Morphology in Bulk Heterojunction Solar Cells. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 10881-10888	3.8	28
55	Functionalization of π -shaped styryl end-capped benzodithiophene with ketone groups: synthesis, characterization and properties. <i>Tetrahedron</i> , 2011 , 67, 1628-1632	2.4	8
54	Acetylenic spacers in phenylene end-substituted oligothiophene core for highly air-stable organic field-effect transistors. <i>Physical Chemistry Chemical Physics</i> , 2010 , 12, 3845-51	3.6	16
53	Comparison of p-channel transistors based on π -hexyl-distyryl-bithiophene prepared using various film deposition methods. <i>Thin Solid Films</i> , 2010 , 518, 5311-5320	2.2	8

52	Core-cyanated distyryl-bithiophene: Synthesis and impact on charge transport in field-effect transistors. <i>Thin Solid Films</i> , 2010 , 519, 578-586	2.2	9
51	All solution processed flexible ammonia gas and light sensors based on hexyl-distyrylbithiophene films. <i>Sensors and Actuators B: Chemical</i> , 2010 , 151, 77-82	8.5	14
50	Novel crown-containing 3-styryl derivatives of oligothiophenes: synthesis, structure, and optical and electrochemical characteristics. <i>Russian Chemical Bulletin</i> , 2009 , 58, 1509-1515	1.7	7
49	Design, synthesis and electrochemical properties of a thiophene derivative functionalized with a siderophore-like chelator. <i>Journal of Electroanalytical Chemistry</i> , 2009 , 626, 42-46	4.1	8
48	p-Type and n-type quaterthiophene based semiconductors for thin film transistors operating in air?. <i>Current Applied Physics</i> , 2009 , 9, 26-33	2.6	12
47	Liquid Crystal Hexyl-Distyryl-Bithiophene: Morphology and Charge Transport Properties in Organic Thin Film Transistors. <i>Molecular Crystals and Liquid Crystals</i> , 2009 , 507, 178-187	0.5	4
46	Influence of Phenyl Perfluorination on Charge Transport Properties of Distyryl-Oligothiophenes in Organic Field-Effect Transistors. <i>Journal of Physical Chemistry C</i> , 2009 , 113, 1567-1574	3.8	22
45	A thermodynamic study of ferrocene modified hairpin oligonucleotides upon duplex formation: applications to the electrochemical detection of DNA. <i>New Journal of Chemistry</i> , 2009 , 33, 1139	3.6	11
44	A "kite" shaped styryl end-capped benzo[2,1-b:3,4-b']dithiophene with high electrical performances in organic thin film transistors. <i>Journal of the American Chemical Society</i> , 2008 , 130, 17681-3	16.4	39
43	Inkjet printing of new photosensitive sensors based on organic thin films 2008 ,		1
42	Internally referenced analysis of charge-transfer reactions in a new ferrocenyl bithiophenic conducting polymer through cyclic voltammetry. <i>Chemical Communications</i> , 2008 , 6606-8	5.8	24
41	Solution Growth and Structures of Semiconducting Distyryl-Oligothiophene. <i>Molecular Crystals and Liquid Crystals</i> , 2008 , 491, 264-269	0.5	4
40	Synthesis of electrochemical probes for nucleic acid detection. <i>Sensors and Actuators B: Chemical</i> , 2008 , 132, 439-442	8.5	10
39	Effect of end-substitutions of distyryl-oligothiophenes by hexyl chains on environmental stability in organic thin film transistors. <i>Organic Electronics</i> , 2008 , 9, 591-601	3.5	20
38	Efficient synthesis of substituted dihydrotetraazapentacenes. <i>Organic Letters</i> , 2008 , 10, 4013-6	6.2	44
37	Thin-film structure of semiconducting end-capped oligothiophenes. <i>Journal of Physics: Conference Series</i> , 2007 , 83, 012026	0.3	1
36	Characterization of in-plane structures of vapor deposited thin-films of distyryl-oligothiophenes by grazing incidence x-ray diffractometry. <i>Crystal Research and Technology</i> , 2007 , 42, 1228-1231	1.3	3
35	Synthesis, structures, and optical and electrochemical characteristics of novel crown-containing polythiophene systems. <i>Russian Chemical Bulletin</i> , 2007 , 56, 967-974	1.7	3

34	Electrosynthesis of a functional conducting polymer incorporating ferrocene unit from an EDOT-based bithiophenic precursor. <i>Journal of Electroanalytical Chemistry</i> , 2007 , 603, 149-154	4.1	14
33	Investigation of crown-containing styrylthiophene derivatives which are optically and electrochemically sensitive to the presence of metal cations. <i>Synthetic Metals</i> , 2007 , 157, 885-893	3.6	10
32	Synthesis and thin film electronic properties of two pyrene-substituted oligothiophene derivatives. <i>Journal of Materials Chemistry</i> , 2006 , 16, 2380		42
31	Water-compatible electrogenerated poly(thiophenes) derived from linked EDOT-based bithiophenic precursors. <i>Electrochemistry Communications</i> , 2006 , 8, 533-538	5.1	10
30	Environmentally stable organic thin-film transistors: Terminal styryl vs central divinyl benzene building blocks for p-type oligothiophene semiconductors. <i>Organic Electronics</i> , 2006 , 7, 465-473	3.5	36
29	Design, synthesis and redox properties of two ferrocene-containing iron chelators. <i>Tetrahedron Letters</i> , 2006 , 47, 3371-3374	2	10
28	Synthesis and first characterization of N-alkyldiaminoresorcinols. <i>Tetrahedron Letters</i> , 2006 , 47, 5727-5731		11
27	The first automated synthesis of ferrocene-labelled phosphorothioate DNA probe: a new potential tool for the fabrication of DNA microarrays. <i>Biotechnology Journal</i> , 2006 , 1, 95-8	5.6	14
26	Alpha,omega-distyryl oligothiophenes: high mobility semiconductors for environmentally stable organic thin film transistors. <i>Journal of the American Chemical Society</i> , 2005 , 127, 16346-7	16.4	119
25	Synthesis, electrochemical and photochromic behaviour of a series of (1,4-dithiafulven-6-yl)substituted 3H-naphtho[2,1-b]pyran derivatives. <i>Tetrahedron</i> , 2005 , 61, 423-428	2.4	16
24	Characterization of PEDOT film functionalized with a series of automated synthesis ferrocenyl-containing oligonucleotides. <i>Tetrahedron</i> , 2005 , 61, 3947-3952	2.4	18
23	Automated synthesis of new ferrocenyl-modified oligonucleotides: study of their properties in solution. <i>Nucleic Acids Research</i> , 2004 , 32, 5310-9	20.1	33
22	Electrogenerated conjugated polymers incorporating a ferrocene-derivatized-(3,4-ethylenedioxythiophene). <i>Electrochemistry Communications</i> , 2004 , 6, 249-253	5.1	38
21	Supported synthesis of ferrocene modified oligonucleotides as new electroactive DNA probes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004 , 14, 2439-41	2.9	19
20	Chemical instability and methods for measurement of cisplatin adducts formed by interactions with cysteine and glutathione. <i>International Journal of Clinical Pharmacology and Therapeutics</i> , 2001 , 39, 344-9		14
19	Proquinoid acceptors as building blocks for the design of efficient π -conjugated fluorophores with high electron affinity. <i>Chemical Communications</i> , 2000 , 939-940	5.8	138
18	Highly photoluminescent and stable bridged dithienylhexatrienes. <i>Synthetic Metals</i> , 1999 , 102, 1162	3.6	
17	Super-bridged thiophene-based conjugated systems with enhanced π -electron delocalization, photoluminescence efficiency and stability. <i>New Journal of Chemistry</i> , 1998 , 22, 547-549	3.6	5

16	Bridged 1,6-Dithienylhexa-1,3,5-trienes as Highly Photoluminescent and Stable Thiophene-Based π -Conjugated Systems. <i>Journal of Organic Chemistry</i> , 1998 , 63, 8310-8319	4.2	21
15	Nouveaux systèmes conjugués à états redox multiples. <i>Journal De Chimie Physique Et De Physico-Chimie Biologique</i> , 1998 , 95, 1234-1237		3
14	Polydithiényléthylènes solubles dérivés de précurseurs à structure pontée. <i>Journal De Chimie Physique Et De Physico-Chimie Biologique</i> , 1998 , 95, 1274-1277		4
13	Linearly extended hybrid tetrathiafulvalene analogues with bridged dithienylethylene-conjugating spacers. <i>Journal of Materials Chemistry</i> , 1997 , 7, 2027-2032		18
12	Bridged Dithienylethylenes as Precursors of Small Bandgap Electrogenerated Conjugated Polymers. <i>Journal of Organic Chemistry</i> , 1997 , 62, 2401-2408	4.2	50
11	Bandgap control through reduction of bond length alternation in bridged poly(dithienylethylene)s. <i>Chemical Communications</i> , 1997 , 569-570	5.8	16
10	Thiophene-based conjugated oligomers and polymers with high electron affinity. <i>Advanced Materials</i> , 1996 , 8, 990-994	24	43
9	Electro-oxidation of tetra(terthienyl)silanes: Towards 3D electroactive π -conjugated systems. <i>Journal of Electroanalytical Chemistry</i> , 1995 , 381, 257-260	4.1	25
8	Electrogenerated small bandgap π -conjugated polymers derived from substituted dithienylethylenes. <i>Journal of the Chemical Society Chemical Communications</i> , 1995 , 2309-2310		30
7	La rigidification : une stratégie efficace d'accès à des polymères et oligomères conjugués à faible bande interdite. <i>Journal De Chimie Physique Et De Physico-Chimie Biologique</i> , 1995 , 92, 767-770		4
6	Polymères conjugués à faible bande interdite dérivés de bithiophènes rigidifiés. <i>Journal De Chimie Physique Et De Physico-Chimie Biologique</i> , 1995 , 92, 771-774		7
5	The Rigidification of the π -Conjugated System: An Efficient New Strategy Towards Small Bandgap Semi-Conductors. <i>Phosphorus, Sulfur and Silicon and the Related Elements</i> , 1994 , 95, 513-514	1	
4	Effects of structure on the optical and redox properties of the oligothiophene-tetrathiafulvalene hybrid system. <i>Advanced Materials</i> , 1994 , 6, 841-845	24	33
3	Novel narrow bandgap polymers from sp ³ carbon-bridged bithienyls: poly(4,4-ethylenedioxy-4H-cyclopenta[2,1-b;3,4-b']dithiophene). <i>Journal of the Chemical Society Chemical Communications</i> , 1994 , 1305-1306		44
2	Small bandgap molecular semiconductors based on rigidified tetrathiafulvalene-bithiophene hybrid conjugated systems. <i>Journal of the Chemical Society Chemical Communications</i> , 1994 , 1765-1766		39
1	Phosphine-borane complexes; direct use in asymmetric catalysis. <i>Tetrahedron Letters</i> , 1993 , 34, 4523-4526		125