

Ali H Alnahdi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8112731/publications.pdf>

Version: 2024-02-01

29
papers

580
citations

759233

12
h-index

610901

24
g-index

31
all docs

31
docs citations

31
times ranked

742
citing authors

#	ARTICLE	IF	CITATIONS
1	Cross-cultural adaptation and validation of the Arabic version of the Pain Self-Efficacy Questionnaire in Arab people with chronic low back pain. <i>Physiotherapy Theory and Practice</i> , 2023, 39, 182-192.	1.3	3
2	The Arabic version of the ABILOCO-Kids scale is valid and reliable in children with cerebral palsy. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 173-181.	1.3	0
3	Cross-cultural adaptation and measurement properties of the Arabic version of the Patient-Specific Functional Scale in patients with lower extremity musculoskeletal disorders. <i>Disability and Rehabilitation</i> , 2022, 44, 4104-4110.	1.8	6
4	Cross-cultural adaptation and validation of the Arabic version of the upper extremity functional index. <i>Disability and Rehabilitation</i> , 2022, 44, 5656-5662.	1.8	11
5	Psychometric properties of the Arabic version of Duke Activity Status Index in patients with chronic obstructive pulmonary disease. <i>Disability and Rehabilitation</i> , 2022, , 1-6.	1.8	1
6	Validity and reliability of the Arabic quick disabilities of the arm, Shoulder and Hand (QuickDASH-Arabic). <i>Musculoskeletal Science and Practice</i> , 2021, 53, 102372.	1.3	6
7	The Upper Extremity Functional Index: Reliability and Validity in Patients with Chronic Obstructive Pulmonary Disease. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10608.	2.6	3
8	Psychometric properties of the Arabic version of the anxiety inventory for respiratory disease in patients with COPD. <i>Disability and Rehabilitation</i> , 2021, , 1-7.	1.8	1
9	Structural validity of the Arabic version of the disabilities of the Arm, Shoulder and Hand (DASH) using Rasch measurement model. <i>Journal of Patient-Reported Outcomes</i> , 2021, 5, 119.	1.9	2
10	The Arabic version of the Lower Extremity Functional Scale is a reliable and valid measure of activity limitation in people with chronic obstructive pulmonary disease. <i>Disability and Rehabilitation</i> , 2021, , 1-6.	1.8	1
11	Cross-cultural adaptation and measurement properties of the Arabic version of the ABILHAND-Kids scale. <i>Disability and Rehabilitation</i> , 2020, 42, 2224-2231.	1.8	6
12	Influence of different jaw positions on dynamic balance using Yâ€balance test. <i>Brain and Behavior</i> , 2020, 10, e01507.	2.2	8
13	Association of affected lower limb flexor muscle strength with swing phase duration and gait speed in elderly post-stroke patients. <i>NeuroRehabilitation</i> , 2020, 47, 443-450.	1.3	0
14	Measurement properties of the 15-item Arabic lower extremity functional scale. <i>Disability and Rehabilitation</i> , 2020, , 1-6.	1.8	8
15	Rasch validation of the Arabic version of the lower extremity functional scale. <i>Disability and Rehabilitation</i> , 2018, 40, 353-359.	1.8	15
16	Cross-cultural adaptation and validation of the Saudi Arabic version of the Knee Injury and Osteoarthritis Outcome Score (KOOS). <i>Rheumatology International</i> , 2018, 38, 1547-1555.	3.0	23
17	Validation of an Arabic version of Fatigue Severity Scale. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2016, 37, 73-78.	1.1	40
18	Cross-Cultural Adaptation and Validation of the Back Beliefs Questionnaire to the Arabic Language. <i>Spine</i> , 2016, 41, E681-E686.	2.0	15

#	ARTICLE	IF	CITATIONS
19	Confirmatory factor analysis of the Arabic version of the Lower Extremity Functional Scale. International Journal of Rehabilitation Research, 2016, 39, 36-41.	1.3	6
20	Cross-cultural adaptation, validity and reliability of the Arabic version of the Lower Extremity Functional Scale. Disability and Rehabilitation, 2016, 38, 897-904.	1.8	29
21	Quadriceps strength asymmetry predicts loading asymmetry during sit-to-stand task in patients with unilateral total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 2587-2594.	4.2	32
22	Reference values for the Y Balance Test and the lower extremity functional scale in young healthy adults. Journal of Physical Therapy Science, 2015, 27, 3917-3921.	0.6	40
23	Saudi practical guidelines on biologic treatment of psoriasis. Journal of Dermatological Treatment, 2015, 26, 223-229.	2.2	16
24	Outcome measures capturing ICF domains in patient with total knee arthroplasty. International Journal of Rehabilitation Research, 2014, 37, 281-289.	1.3	13
25	Hip Abductor Strength Reliability and Association With Physical Function After Unilateral Total Knee Arthroplasty: A Cross-Sectional Study. Physical Therapy, 2014, 94, 1154-1162.	2.4	49
26	The validity of plantarflexor strength measures obtained through hand-held dynamometry measurements of force. International Journal of Sports Physical Therapy, 2013, 8, 820-7.	1.3	21
27	Muscle Impairments in Patients With Knee Osteoarthritis. Sports Health, 2012, 4, 284-292.	2.7	125
28	The effect of progressive strengthening programs on function and gait mechanics after unilateral total knee arthroplasty: a randomized clinical trial. Osteoarthritis and Cartilage, 2012, 20, S104-S105.	1.3	1
29	Gait after unilateral total knee arthroplasty: Frontal plane analysis. Journal of Orthopaedic Research, 2011, 29, 647-652.	2.3	89