Li-Kuei Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8112924/publications.pdf

Version: 2024-02-01

840776 713466 31 447 11 21 citations h-index g-index papers 32 32 32 537 all docs docs citations times ranked citing authors

#	Article	IF	Citations
1	A case of congenital long QT syndrome, type 8, undergoing laparoscopic hysterectomy with general anesthesia. Taiwanese Journal of Obstetrics and Gynecology, 2019, 58, 552-556.	1.3	3
2	Evidence-based prophylaxis strategies for postoperative nausea and vomiting when considering ethnicity factor. Taiwanese Journal of Obstetrics and Gynecology, 2019, 58, 465-470.	1.3	1
3	Next Chapter of the Taiwan Biobank: Sustainability and Perspectives. Biopreservation and Biobanking, 2019, 17, 189-197.	1.0	16
4	Effects of systemic and neuraxial morphine on the immune system. Medicine (United States), 2019, 98, e15375.	1.0	11
5	Pharmacogenetic study of pruritus induced by epidural morphine for post cesarean section analgesia. Taiwanese Journal of Obstetrics and Gynecology, 2018, 57, 89-94.	1.3	5
6	Prospective observational pharmacogenetic study of side effects induced by intravenous morphine for postoperative analgesia. Medicine (United States), 2017, 96, e7009.	1.0	5
7	The use of tenoxicam to prevent symptoms of discomfort induced by vagotonia during uterus manipulation in cesarean sections. Medicine (United States), 2017, 96, e7624.	1.0	O
8	Myomectomy of a massive uterine myoma during cesarean section under regional anesthesia. Taiwanese Journal of Obstetrics and Gynecology, 2015, 54, 196-197.	1.3	7
9	Patient-Controlled Epidural Levobupivacaine with or without Fentanyl for Post-Cesarean Section Pain Relief. BioMed Research International, 2014, 2014, 1-5.	1.9	13
10	The effects of different epidural analgesia formulas on labor and mode of delivery in nulliparous women. Taiwanese Journal of Obstetrics and Gynecology, 2014, 53, 8-11.	1.3	12
11	Ultralow dose combined spinal–epidural anesthesia for cesarean section in ritodrine-related severe pulmonary hypertension. Taiwanese Journal of Obstetrics and Gynecology, 2013, 52, 617.	1.3	3
12	Polymorphism of $\hat{l}^{1}\!\!/4$ -Opioid Receptor Gene (OPRM1:c.118A>G) Might Not Protect against or Enhance Morphine-Induced Nausea or Vomiting. Pain Research and Treatment, 2013, 2013, 1-7.	1.7	7
13	Health care utilization and health outcomes: a population study of Taiwan. Health Policy and Planning, 2012, 27, 590-599.	2.7	31
14	Risk Factors for Progressive Deterioration of Semen Quality in Patients With Varicocele. Urology, 2012, 79, 128-132.	1.0	36
15	Patient -controlled epidural ropivacaine as a post-Cesarean analgesia: AÂcomparison with epidural morphine. Taiwanese Journal of Obstetrics and Gynecology, 2011, 50, 441-446.	1.3	8
16	Impact of anesthetic methods on neonatal outcome in women receiving temporary balloon occlusion of the common iliac artery during cesarean section for placenta accreta. Taiwanese Journal of Obstetrics and Gynecology, 2011, 50, 515-517.	1.3	8
17	Doppler Measurement of the Changes of Fetal Umbilical and Middle Cerebral Artery Velocimetric Indices During Continuous Epidural Labor Analgesia. Regional Anesthesia and Pain Medicine, 2011, 36, 249-255.	2.3	5
18	Predictive Factors of Successful Varicocelectomy in Infertile Patients. Urologia Internationalis, 2011, 86, 320-324.	1.3	32

#	Article	IF	CITATIONS
19	Investigation of the Effects of Continuous Low-Dose Epidural Analgesia on the Autonomic Nervous System Using Hilbert Huang Transform. Journal of Healthcare Engineering, 2010, 1, 13-26.	1.9	1
20	Cost-Effectiveness of Treating Ureteral Stones in a Taipei City Hospital: Shock Wave Lithotripsy versus Ureteroscopy plus Lithoclast. Urologia Internationalis, 2009, 83, 410-415.	1.3	14
21	The impact on neonatal mortality of shifting childbirth services among levels of hospitals: Taiwan's experience. BMC Health Services Research, 2009, 9, 94.	2.2	5
22	Comparison of two different running models for the shock wave lithotripsy machine in Taipei City Hospital: self-support versus outsourcing cooperation. Urological Research, 2009, 37, 247-251.	1.5	3
23	Alteration of Capnogram as the First Sign of Pneumothorax in an Infant Who Underwent Bronchoscopy with Jet Ventilation. Acta Anaesthesiologica Taiwanica, 2009, 47, 92-94.	1.0	1
24	Optimizing Epidural Fentanyl Loading Dose for Early Labor Pain. Acta Anaesthesiologica Taiwanica, 2009, 47, 167-172.	1.0	1
25	Polymorphisms in the Endothelial Nitric Oxide Synthase Gene May Be Protective Against Preeclampsia in a Chinese Population. Reproductive Sciences, 2007, 14, 175-181.	2.5	29
26	Effective Epidural Blood Patch Volumes for Postdural Puncture Headache in Taiwanese Women. Journal of the Formosan Medical Association, 2007, 106, 134-140.	1.7	27
27	Effect of Availability of a Parturient-elective Regional Labor Pain Relief Service on the Mode of Delivery. Journal of the Formosan Medical Association, 2006, 105, 722-730.	1.7	2
28	Reversal of Morphine with Naloxone Precipitates Haloperidol-Induced Extrapyramidal Side Effects. Journal of Pain and Symptom Management, 2006, 31, 391-392.	1.2	7
29	Chimeric DNA Vaccine Reverses Morphine-Induced Immunosuppression and Tumorigenesis. Molecular Therapy, 2006, 13, 203-210.	8.2	22
30	Differential Analgesic Effect of Tenoxicam on the Wound Pain and Uterine Cramping Pain After Cesarean Section. Clinical Journal of Pain, 2003, 19, 55-58.	1.9	30
31	Prophylactic Intravenous Ondansetron Reduces the Incidence of Intrathecal Morphine-Induced Pruritus in Patients Undergoing Cesarean Delivery. Anesthesia and Analgesia, 2000, 91, 172-175.	2.2	102