

Yong Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8113137/publications.pdf>

Version: 2024-02-01

14
papers

370
citations

933447

10
h-index

1058476

14
g-index

14
all docs

14
docs citations

14
times ranked

472
citing authors

#	ARTICLE	IF	CITATIONS
1	SNHG1 promotes MPP ⁺ -induced cytotoxicity by regulating PTEN/AKT/mTOR signaling pathway in SH-SY5Y cells via sponging miR-153-3p. <i>Biological Research</i> , 2020, 53, 1.	3.4	58
2	miR-124-3p attenuates MPP ⁺ -induced neuronal injury by targeting STAT3 in SH-SY5Y cells. <i>Experimental Biology and Medicine</i> , 2017, 242, 1757-1764.	2.4	51
3	Inhibition of miR-128 Abates A β ² -Mediated Cytotoxicity by Targeting PPAR- β via NF- κ B Inactivation in Primary Mouse Cortical Neurons and Neuro2a Cells. <i>Yonsei Medical Journal</i> , 2018, 59, 1096.	2.2	51
4	miR-494-3p modulates the progression of in vitro and in vivo Parkinson's disease models by targeting SIRT3. <i>Neuroscience Letters</i> , 2018, 675, 23-30.	2.1	48
5	Deficiency of NEAT1 prevented MPP ⁺ -induced inflammatory response, oxidative stress and apoptosis in dopaminergic SK-N-SH neuroblastoma cells via miR-1277-5p/ARHGAP26 axis. <i>Brain Research</i> , 2021, 1750, 147156.	2.2	33
6	CircRNA ITCH increases bortezomib sensitivity through regulating the miR-615-3p/PRKCD axis in multiple myeloma. <i>Life Sciences</i> , 2020, 262, 118506.	4.3	32
7	Long non-coding RNA NORAD functions as a microRNA-204a-5p sponge to repress the progression of Parkinson's disease in vitro by increasing the solute carrier family 5 member 3 expression. <i>IUBMB Life</i> , 2020, 72, 2045-2055.	3.4	23
8	Knockdown of SNHG14 Alleviates MPP ⁺ -Induced Injury in the Cell Model of Parkinson's Disease by Targeting the miR-214-3p/KLF4 Axis. <i>Frontiers in Neuroscience</i> , 2020, 14, 930.	2.8	17
9	Tangeretin protects human brain microvascular endothelial cells against oxygen-glucose deprivation-induced injury. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 4883-4891.	2.6	16
10	Tanshinone IIA attenuates A β ² -induced neurotoxicity by down-regulating COX-2 expression and PGE2 synthesis via inactivation of NF- κ B pathway in SH-SY5Y cells. <i>Journal of Biological Research</i> , 2019, 26, 15.	2.1	12
11	Study on the behavioral changes of a post-stroke depression rat model. <i>Experimental and Therapeutic Medicine</i> , 2015, 10, 159-163.	1.8	11
12	Mucosal loss as a critical factor in esophageal stricture formation after mucosal resection: a pilot experiment in a porcine model. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2020, 34, 551-556.	2.4	11
13	Scoparone protects neuronal cells from oxygen glucose deprivation/reoxygenation injury. <i>RSC Advances</i> , 2019, 9, 2302-2308.	3.6	4
14	Endoscopic Mediastinal Lymph Node Identification and Resection Using Carbon Nanoparticles in a Porcine Model. <i>Gastroenterology</i> , 2019, 156, 1250-1252.e1.	1.3	3