Elzbieta Kociolek-Balawejder

List of Publications by Citations

Source:

https://exaly.com/author-pdf/811537/elzbieta-kociolek-balawejder-publications-by-citations.pdf **Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58 605 13 22 g-index

64 688 4.7 4.36 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
58	Water treatment residuals containing iron and manganese oxides for arsenic removal from water Characterization of physicochemical properties and adsorption studies. <i>Chemical Engineering Journal</i> , 2016 , 294, 210-221	14.7	141
57	Alginate beads containing water treatment residuals for arsenic removal from water-formation and adsorption studies. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 24527-24539	5.1	41
56	Synthesis and Evaluation of a Novel Hybrid Polymer Containing Manganese and Iron Oxides as a Sorbent for As(III) and As(V) Removal. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 6453-6	469	28
55	Evaluation of hybrid anion exchanger containing cupric oxide for As(III) removal from water. <i>Journal of Hazardous Materials</i> , 2019 , 370, 117-125	12.8	27
54	Iron and aluminium oxides containing industrial wastes as adsorbents of heavy metals: Application possibilities and limitations. <i>Waste Management and Research</i> , 2015 , 33, 612-29	4	25
53	Evaluation of hybrid polymer containing iron oxides as As(III) and As(V) sorbent for drinking water purification. <i>Reactive and Functional Polymers</i> , 2014 , 83, 24-32	4.6	23
52	Synthesis and characterization of CuO-loaded macroreticular anion exchange hybrid polymer. <i>Reactive and Functional Polymers</i> , 2016 , 100, 107-115	4.6	16
51	Studies on a macromolecular dichloroamine [the N,N-dichloro poly(styrene-co-divinylbenzene) sulphonamide. <i>Angewandte Makromolekulare Chemie</i> , 1989 , 169, 119-135		16
50	Synthesis and characterization of hybrid materials containing iron oxide for removal of sulfides from water. <i>Journal of Colloid and Interface Science</i> , 2015 , 460, 154-63	9.3	15
49	Cu(II)-Fe(III) oxide doped anion exchangers - Multifunctional composites for arsenite removal from water via As(III) adsorption and oxidation. <i>Journal of Hazardous Materials</i> , 2020 , 394, 122527	12.8	15
48	A macromolecular N-chlorosulfonamide as oxidant for thiocyanates. <i>Reactive and Functional Polymers</i> , 1999 , 41, 227-233	4.6	14
47	Iron(III) (hydr)oxide loaded anion exchange hybrid polymers obtained via tetrachloroferrate ionic formBynthesis optimization and characterization. <i>Journal of Environmental Chemical Engineering</i> , 2017 , 5, 3354-3361	6.8	13
46	A macromolecular N,N-dichlorosulfonamide as oxidant for thiocyanates. <i>European Polymer Journal</i> , 2000 , 36, 1137-1143	5.2	13
45	CuO-Loaded Macroreticular Anion Exchange Hybrid Polymers Obtained via Tetrachlorocuprate(II) Ionic Form. <i>International Journal of Polymer Science</i> , 2017 , 2017, 1-6	2.4	11
44	Oxidation and adsorption of arsenic species by means of hybrid polymer containing manganese oxides. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	10
43	A macromolecular N,N-dichlorosulfonamide as oxidant for cyanides. <i>European Polymer Journal</i> , 2000 , 36, 295-302	5.2	10
42	N-bromo-poly(styrene-co-divinylbenzene) sulphonamide metal salts. Synthesis and basic properties. <i>Angewandte Makromolekulare Chemie</i> , 1991 , 188, 85-96		10

(2020-2018)

41	Hybrid polymers containing brochantite/tenorite obtained using gel type anion exchanger. <i>Reactive and Functional Polymers</i> , 2018 , 124, 12-19	4.6	9
40	A redox copolymer having N-chlorosulfonamide groups for cyanide ion decomposition in dilute aqueous solutions. <i>Reactive and Functional Polymers</i> , 1997 , 33, 159-165	4.6	9
39	A copolymer with N-chlorosulfonamide pendant groups as oxidant for residual sulfides. <i>Reactive and Functional Polymers</i> , 2002 , 52, 89-97	4.6	9
38	Removal of sulfides from water using a hybrid ion exchanger containing manganese(IV) oxide. <i>Separation and Purification Technology</i> , 2020 , 231, 115882	8.3	9
37	CuO and Cu2(OH)3Cl loaded gel-type anion exchange hybrid polymers obtained via tetrachlorocuprate ionic form. <i>Journal of Environmental Chemical Engineering</i> , 2017 , 5, 5668-5676	6.8	8
36	Oxidation of As(III) in aqueous solutions by means of macroporous redox copolymers with N-chlorosulfonamide pendant groups. <i>Journal of Hazardous Materials</i> , 2011 , 189, 794-800	12.8	8
35	Macromolecular N-Chlorosulfonamide as an Oxidant for Residual Nitrites in Aqueous Media. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 8530-8534	3.9	8
34	Potentiometric studies of oxidationEeduction reactions with redox copolymers. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 2190-2195	2.9	7
33	A macromolecular N,N-dichlorosulfonamide as oxidant for residual sulfides. <i>European Polymer Journal</i> , 2002 , 38, 953-959	5.2	7
32	Evaluation of ferromagnetic hybrid polymers obtained using cation exchangers. <i>Materials Chemistry and Physics</i> , 2015 , 161, 107-115	4.4	6
31	Using macroporous N-chlorosulfonamide S/DVB copolymer as an aid to iron removal from water. <i>Pure and Applied Chemistry</i> , 2007 , 79, 1491-1503	2.1	6
30	Freeze-drying as the post-processing technique improving adsorptive properties of waste Fe/Mn oxides entrapped in polymer beads towards As(III) and As(V). <i>Separation Science and Technology</i> , 2020 , 55, 487-500	2.5	6
29	Freeze dried and thermally dried anion exchanger doped with iron(III) (hydr)oxide [] Thermogravimetric studies. <i>Thermochimica Acta</i> , 2019 , 680, 178359	2.9	5
28	Cu2O doped gel-type anion exchanger obtained by reduction of brochantite deposit and its antimicrobial activity. <i>Reactive and Functional Polymers</i> , 2019 , 141, 42-49	4.6	5
27	Synthesis and characterization of polymer-based hybrid materials via oxidation of Mn(II) using N-chlorosulphonamide polymers. <i>Materials Chemistry and Physics</i> , 2012 , 132, 870-879	4.4	5
26	A Crosslinked Copolymer with N-Bromosulfonamide Pendant Groups as Oxidant for Residual Sulfides in Alkaline Media. <i>Macromolecular Materials and Engineering</i> , 2002 , 287, 604-610	3.9	5
25	Synthesis of polymer-based hybrid materials via Mn(II) oxidation with N-bromosulphonamide polymer and their characterization. <i>Journal of Materials Science</i> , 2015 , 50, 4300-4311	4.3	4
24	Deposition of spherical and bracelet-like Cu2O nanoparticles within the matrix of anion exchangers via reduction of tetrachlorocuprate anions. <i>Journal of Environmental Chemical Engineering</i> , 2020 , 8, 103	3722	4

23	Hybrid ion exchangers containing Fe(III)-Cu(II) binary oxides obtained using macroreticular anion exchanger. <i>Reactive and Functional Polymers</i> , 2018 , 127, 129-138	4.6	4
22	A macromolecular oxidant, the N,N-dichlorosulfonamide for removal of residual nitrites from aqueous media. <i>Reactive and Functional Polymers</i> , 2006 , 66, 609-617	4.6	4
21	A redox copolymer containing active bromine as oxidant for thiocyanates. <i>Angewandte Makromolekulare Chemie</i> , 1999 , 268, 46-51		4
20	Thermal analysis of macromolecular Haloamines [] Journal of Thermal Analysis, 1988, 33, 1109-1117		4
19	Investigations on the styrene - divinylbenzene methylenethiol ion exchangers. <i>Polimery</i> , 1985 , 30, 439-4	14354	4
18	Hybrid polymer containing ferric oxides obtained using a redox polymer. Part I. Synthesis and characterization. <i>Polimery</i> , 2014 , 59, 131-135	3.4	4
17	Cuprite-doped macroreticular anion exchanger obtained by reduction of the Cu(OH)2 deposit. <i>Journal of Environmental Chemical Engineering</i> , 2019 , 7, 103198	6.8	3
16	Antimicrobial activity of anion exchangers containing cupric compounds against Enterococcus faecalis. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 576, 103-109	5.1	3
15	Oxidation of arsenite in aqueous solutions by redox copolymer with N-bromosulfonamide functional groups. <i>Reactive and Functional Polymers</i> , 2013 , 73, 108-113	4.6	3
14	Redox copolymer with N-bromosulfonamide groups for the decomposition of cyanide ions in dilute aqueous solutions. <i>Angewandte Makromolekulare Chemie</i> , 1997 , 251, 117-130		3
13	Infrared spectra of uniformly chlorosulfonyl-substituted styrene-divinylbenzene resins. <i>Reactive Polymers, Ion Exchangers, Sorbents</i> , 1987 , 7, 57-62		3
12	Size-Controlled Transformation of CuO into Zero Valent Copper within the Matrix of Anion Exchangers via Green Chemical Reduction. <i>Polymers</i> , 2020 , 12,	4.5	3
11	Synthesis and main properties of uniformly chlorosulfonyl-substituted styrene-divinylbenzene resins. <i>Reactive Polymers, Ion Exchangers, Sorbents</i> , 1986 , 4, 311-316		2
10	Poly(styrene-divinylbenzene) copolymers with N-chlorosulfonamide functional groups as oxidants for arsenite ions in aqueous media Iredox studies. <i>Polimery</i> , 2012 , 57, 101-105	3.4	2
9	Adsorptive-Oxidative Removal of Sulfides from Water by MnO-Loaded Carboxylic Cation Exchangers. <i>Materials</i> , 2020 , 13,	3.5	2
8	Effect of the kind of cupric compound deposit on thermal decomposition of anion exchangers. <i>Thermochimica Acta</i> , 2021 , 695, 178812	2.9	2
7	A macromolecular N-bromosulphonamide as a heterogeneous oxidant in acidic media. <i>Polymer Bulletin</i> , 2016 , 73, 1909-1920	2.4	1
6	Redox polymer with N,N-dichlorosulfonamide functional groups as arsenite oxidant in aqueous solutions. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	1

LIST OF PUBLICATIONS

5	Synthesis and basic characterization of a macromolecular dibromoamine: N,N-dibromo-poly(styrene-co-divinylbenzene)sulfonamide. <i>Polymer</i> , 1993 , 34, 2883-2888	3.9	1
4	Anomalous effect of Cu2O and CuO deposit on the porosity of a macroreticular anion exchanger. Journal of Nanoparticle Research, 2021 , 23, 1	2.3	1
3	Weakly Hydrated Anion Exchangers Doped with CuO and Cu Particles-Thermogravimetric Studies. <i>Materials</i> , 2021 , 14,	3.5	1
2	Photocatalytically-assisted oxidative adsorption of As(III) using sustainable multifunctional composite material - CuO doped anion exchanger <i>Journal of Hazardous Materials</i> , 2022 , 431, 128529	12.8	1
1	Main characteristic of N-bromo poly(styrene-co-divinylbenzene) sulphonamide acid: a cation exchanger and redox polymer. <i>Polymer Bulletin</i> , 2017 , 74, 1849-1861	2.4	