## Elzbieta Kociolek-Balawejder

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/811537/elzbieta-kociolek-balawejder-publications-by-year.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

605 58 13 22 h-index g-index citations papers 688 4.36 64 4.7 avg, IF L-index ext. papers ext. citations

#	Paper	IF	Citations
58	Photocatalytically-assisted oxidative adsorption of As(III) using sustainable multifunctional composite material - CuO doped anion exchanger <i>Journal of Hazardous Materials</i> , <b>2022</b> , 431, 128529	12.8	1
57	Anomalous effect of Cu2O and CuO deposit on the porosity of a macroreticular anion exchanger. Journal of Nanoparticle Research, <b>2021</b> , 23, 1	2.3	1
56	Effect of the kind of cupric compound deposit on thermal decomposition of anion exchangers. <i>Thermochimica Acta</i> , <b>2021</b> , 695, 178812	2.9	2
55	Weakly Hydrated Anion Exchangers Doped with CuO and Cu Particles-Thermogravimetric Studies. <i>Materials</i> , <b>2021</b> , 14,	3.5	1
54	Cu(II)-Fe(III) oxide doped anion exchangers - Multifunctional composites for arsenite removal from water via As(III) adsorption and oxidation. <i>Journal of Hazardous Materials</i> , <b>2020</b> , 394, 122527	12.8	15
53	Deposition of spherical and bracelet-like Cu2O nanoparticles within the matrix of anion exchangers via reduction of tetrachlorocuprate anions. <i>Journal of Environmental Chemical Engineering</i> , <b>2020</b> , 8, 103	7 <u>6.8</u>	4
52	Size-Controlled Transformation of CuO into Zero Valent Copper within the Matrix of Anion Exchangers via Green Chemical Reduction. <i>Polymers</i> , <b>2020</b> , 12,	4.5	3
51	Adsorptive-Oxidative Removal of Sulfides from Water by MnO-Loaded Carboxylic Cation Exchangers. <i>Materials</i> , <b>2020</b> , 13,	3.5	2
50	Freeze-drying as the post-processing technique improving adsorptive properties of waste Fe/Mn oxides entrapped in polymer beads towards As(III) and As(V). <i>Separation Science and Technology</i> , <b>2020</b> , 55, 487-500	2.5	6
49	Removal of sulfides from water using a hybrid ion exchanger containing manganese(IV) oxide. <i>Separation and Purification Technology</i> , <b>2020</b> , 231, 115882	8.3	9
48	Freeze dried and thermally dried anion exchanger doped with iron(III) (hydr)oxide [] Thermogravimetric studies. <i>Thermochimica Acta</i> , <b>2019</b> , 680, 178359	2.9	5
47	Cuprite-doped macroreticular anion exchanger obtained by reduction of the Cu(OH)2 deposit. Journal of Environmental Chemical Engineering, 2019, 7, 103198	6.8	3
46	Cu2O doped gel-type anion exchanger obtained by reduction of brochantite deposit and its antimicrobial activity. <i>Reactive and Functional Polymers</i> , <b>2019</b> , 141, 42-49	4.6	5
45	Antimicrobial activity of anion exchangers containing cupric compounds against Enterococcus faecalis. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2019</b> , 576, 103-109	5.1	3
44	Evaluation of hybrid anion exchanger containing cupric oxide for As(III) removal from water. <i>Journal of Hazardous Materials</i> , <b>2019</b> , 370, 117-125	12.8	27
43	Hybrid polymers containing brochantite/tenorite obtained using gel type anion exchanger. <i>Reactive and Functional Polymers</i> , <b>2018</b> , 124, 12-19	4.6	9
42	Hybrid ion exchangers containing Fe(III)-Cu(II) binary oxides obtained using macroreticular anion exchanger. <i>Reactive and Functional Polymers</i> , <b>2018</b> , 127, 129-138	4.6	4

## (2013-2017)

Main characteristic of N-bromo poly(styrene-co-divinylbenzene) sulphonamide acid: a cation exchanger and redox polymer. <i>Polymer Bulletin</i> , <b>2017</b> , 74, 1849-1861	2.4	
CuO and Cu2(OH)3Cl loaded gel-type anion exchange hybrid polymers obtained via tetrachlorocuprate ionic form. <i>Journal of Environmental Chemical Engineering</i> , <b>2017</b> , 5, 5668-5676	6.8	8
Iron(III) (hydr)oxide loaded anion exchange hybrid polymers obtained via tetrachloroferrate ionic formBynthesis optimization and characterization. <i>Journal of Environmental Chemical Engineering</i> , <b>2017</b> , 5, 3354-3361	6.8	13
CuO-Loaded Macroreticular Anion Exchange Hybrid Polymers Obtained via Tetrachlorocuprate(II) Ionic Form. <i>International Journal of Polymer Science</i> , <b>2017</b> , 2017, 1-6	2.4	11
A macromolecular N-bromosulphonamide as a heterogeneous oxidant in acidic media. <i>Polymer Bulletin</i> , <b>2016</b> , 73, 1909-1920	2.4	1
Synthesis and characterization of CuO-loaded macroreticular anion exchange hybrid polymer. <i>Reactive and Functional Polymers</i> , <b>2016</b> , 100, 107-115	4.6	16
Water treatment residuals containing iron and manganese oxides for arsenic removal from water  Characterization of physicochemical properties and adsorption studies. <i>Chemical Engineering Journal</i> , <b>2016</b> , 294, 210-221	14.7	141
Alginate beads containing water treatment residuals for arsenic removal from water-formation and adsorption studies. <i>Environmental Science and Pollution Research</i> , <b>2016</b> , 23, 24527-24539	5.1	41
Synthesis of polymer-based hybrid materials via Mn(II) oxidation with N-bromosulphonamide polymer and their characterization. <i>Journal of Materials Science</i> , <b>2015</b> , 50, 4300-4311	4.3	4
Evaluation of ferromagnetic hybrid polymers obtained using cation exchangers. <i>Materials Chemistry and Physics</i> , <b>2015</b> , 161, 107-115	4.4	6
Synthesis and characterization of hybrid materials containing iron oxide for removal of sulfides from water. <i>Journal of Colloid and Interface Science</i> , <b>2015</b> , 460, 154-63	9.3	15
Redox polymer with N,N-dichlorosulfonamide functional groups as arsenite oxidant in aqueous solutions. <i>Journal of Applied Polymer Science</i> , <b>2015</b> , 132, n/a-n/a	2.9	1
Iron and aluminium oxides containing industrial wastes as adsorbents of heavy metals: Application possibilities and limitations. <i>Waste Management and Research</i> , <b>2015</b> , 33, 612-29	4	25
Evaluation of hybrid polymer containing iron oxides as As(III) and As(V) sorbent for drinking water purification. <i>Reactive and Functional Polymers</i> , <b>2014</b> , 83, 24-32	4.6	23
Oxidation and adsorption of arsenic species by means of hybrid polymer containing manganese oxides. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	10
Hybrid polymer containing ferric oxides obtained using a redox polymer. Part I. Synthesis and characterization. <i>Polimery</i> , <b>2014</b> , 59, 131-135	3.4	4
Synthesis and Evaluation of a Novel Hybrid Polymer Containing Manganese and Iron Oxides as a Sorbent for As(III) and As(V) Removal. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2013</b> , 52, 6453-6	469	28
Oxidation of arsenite in aqueous solutions by redox copolymer with N-bromosulfonamide functional groups. <i>Reactive and Functional Polymers</i> , <b>2013</b> , 73, 108-113	4.6	3
	exchanger and redox polymer. <i>Polymer Bulletin</i> , 2017, 74, 1849-1861  CuO and Cu2(OH)3Cl loaded gel-type anion exchange hybrid polymers obtained via tetrachlorocuprate ionic form. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 5668-5676  Iron(III) (hydr)oxide loaded anion exchange hybrid polymers obtained via tetrachlorocuprate ionic formSynthesis optimization and characterization. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 3354-3361  CuO-Loaded Macroreticular Anion Exchange Hybrid Polymers Obtained via Tetrachlorocuprate(III) Ionic Form. <i>International Journal of Polymer Science</i> , 2017, 2017, 1-6  A macromolecular N-bromosulphonamide as a heterogeneous oxidant in acidic media. <i>Polymer Bulletin</i> , 2016, 73, 1909-1920  Synthesis and characterization of CuO-loaded macroreticular anion exchange hybrid polymer. <i>Reactive and Functional Polymers</i> , 2016, 100, 107-115  Water treatment residuals containing iron and manganese oxides for arsenic removal from water ID Characterization of physicochemical properties and adsorption studies. <i>Chemical Engineering Journal</i> , 2016, 294, 210-221  Alginate beads containing water treatment residuals for arsenic removal from water-formation and adsorption studies. <i>Environmental Science and Pollution Research</i> , 2016, 23, 24527-24539  Synthesis of polymer-based hybrid materials via Mn(II) oxidation with N-bromosulphonamide polymer and their characterization. <i>Journal of Materials Science</i> , 2015, 50, 4300-4311  Evaluation of ferromagnetic hybrid polymers obtained using cation exchangers. <i>Materials Chemistry and Physics</i> , 2015, 161, 107-115  Synthesis and characterization of hybrid materials containing iron oxide for removal of sulfides from water. <i>Journal of Colloid and Interface Science</i> , 2015, 460, 154-63  Redox polymer with N-edichlorosulfonamide functional groups as arsenite oxidant in aqueous solutions. <i>Journal of Applied Polymer Science</i> , 2015, 132, n/a-n/a  Iron and aluminium oxides containing industrial wastes as adsorbents of heavy metals: Applica	exchanger and redox polymer. <i>Polymer Bulletin</i> , 2017, 74, 1849-1861  CuO and Cu2(OH)3Cl loaded gel-type anion exchange hybrid polymers obtained via tetrachlorocuprate ionic form. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 5668-5676  Iron(III) (hydr)oxide loaded anion exchange hybrid polymers obtained via tetrachloroferrate ionic formBynthesis optimization and characterization. <i>Journal of Environmental Chemical Engineering</i> , 2017, 5, 3354-3361  CuO-Loaded Macroretizular Anion Exchange Hybrid Polymers Obtained via Tetrachlorocuprate(II) lonic Form. <i>International Journal of Polymer Science</i> , 2017, 2017, 1-6  A macromolecular N-bromosulphonamide as a heterogeneous oxidant in acidic media. <i>Polymer Bulletin</i> , 2016, 73, 1909-1920  Synthesis and characterization of CuO-loaded macroreticular anion exchange hybrid polymer. <i>Reactive and Functional Polymers</i> , 2016, 100, 107-115  Water treatment residuals containing iron and manganese oxides for arsenic removal from water II Characterization of physicochemical properties and adsorption studies. <i>Chemical Engineering Journal</i> , 2016, 294, 210-221  Alginate beads containing water treatment residuals for arsenic removal from water-formation and adsorption studies. <i>Environmental Science and Pollution Research</i> , 2016, 23, 24527-24539  Synthesis of polymer-based hybrid materials via Mn(II) oxidation with N-bromosulphonamide polymer and their characterization. <i>Journal of Materials Science</i> , 2015, 50, 4300-4311  Evaluation of ferromagnetic hybrid polymers obtained using cation exchangers. <i>Materials Chemistry and Physics</i> , 2015, 161, 107-115  Synthesis and characterization of hybrid materials containing iron oxide for removal of sulfides from water. <i>Journal of Colloid and Interface Science</i> , 2015, 460, 154-63  Redox polymer with N,N-dichlorosulfonamide functional groups as arsenite oxidant in aqueous solutions. <i>Journal of Applied Polymer Science</i> , 2015, 132, n/a-n/a  Iron and aluminium oxides containing indoustrial wastes as adsorbents of heavy metals: Applic

23	Synthesis and characterization of polymer-based hybrid materials via oxidation of Mn(II) using N-chlorosulphonamide polymers. <i>Materials Chemistry and Physics</i> , <b>2012</b> , 132, 870-879	4.4	5
22	Poly(styrene-divinylbenzene) copolymers with N-chlorosulfonamide functional groups as oxidants for arsenite ions in aqueous media Iredox studies. <i>Polimery</i> , <b>2012</b> , 57, 101-105	3.4	2
21	Oxidation of As(III) in aqueous solutions by means of macroporous redox copolymers with N-chlorosulfonamide pendant groups. <i>Journal of Hazardous Materials</i> , <b>2011</b> , 189, 794-800	12.8	8
20	Potentiometric studies of oxidationEeduction reactions with redox copolymers. <i>Journal of Applied Polymer Science</i> , <b>2008</b> , 107, 2190-2195	2.9	7
19	Using macroporous N-chlorosulfonamide S/DVB copolymer as an aid to iron removal from water. <i>Pure and Applied Chemistry</i> , <b>2007</b> , 79, 1491-1503	2.1	6
18	A macromolecular oxidant, the N,N-dichlorosulfonamide for removal of residual nitrites from aqueous media. <i>Reactive and Functional Polymers</i> , <b>2006</b> , 66, 609-617	4.6	4
17	Macromolecular N-Chlorosulfonamide as an Oxidant for Residual Nitrites in Aqueous Media. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2005</b> , 44, 8530-8534	3.9	8
16	A Crosslinked Copolymer with N-Bromosulfonamide Pendant Groups as Oxidant for Residual Sulfides in Alkaline Media. <i>Macromolecular Materials and Engineering</i> , <b>2002</b> , 287, 604-610	3.9	5
15	A copolymer with N-chlorosulfonamide pendant groups as oxidant for residual sulfides. <i>Reactive and Functional Polymers</i> , <b>2002</b> , 52, 89-97	4.6	9
14	A macromolecular N,N-dichlorosulfonamide as oxidant for residual sulfides. <i>European Polymer Journal</i> , <b>2002</b> , 38, 953-959	5.2	7
13	A macromolecular N,N-dichlorosulfonamide as oxidant for cyanides. <i>European Polymer Journal</i> , <b>2000</b> , 36, 295-302	5.2	10
12	A macromolecular N,N-dichlorosulfonamide as oxidant for thiocyanates. <i>European Polymer Journal</i> , <b>2000</b> , 36, 1137-1143	5.2	13
11	A macromolecular N-chlorosulfonamide as oxidant for thiocyanates. <i>Reactive and Functional Polymers</i> , <b>1999</b> , 41, 227-233	4.6	14
10	A redox copolymer containing active bromine as oxidant for thiocyanates. <i>Angewandte Makromolekulare Chemie</i> , <b>1999</b> , 268, 46-51		4
9	A redox copolymer having N-chlorosulfonamide groups for cyanide ion decomposition in dilute aqueous solutions. <i>Reactive and Functional Polymers</i> , <b>1997</b> , 33, 159-165	4.6	9
8	Redox copolymer with N-bromosulfonamide groups for the decomposition of cyanide ions in dilute aqueous solutions. <i>Angewandte Makromolekulare Chemie</i> , <b>1997</b> , 251, 117-130		3
7	Synthesis and basic characterization of a macromolecular dibromoamine: N,N-dibromo-poly(styrene-co-divinylbenzene)sulfonamide. <i>Polymer</i> , <b>1993</b> , 34, 2883-2888	3.9	1
6	N-bromo-poly(styrene-co-divinylbenzene) sulphonamide metal salts. Synthesis and basic properties. <i>Angewandte Makromolekulare Chemie</i> , <b>1991</b> , 188, 85-96		10

## LIST OF PUBLICATIONS

5	Studies on a macromolecular dichloroamine Ithe N,N-dichloro poly(styrene-co-divinylbenzene) sulphonamide. <i>Angewandte Makromolekulare Chemie</i> , <b>1989</b> , 169, 119-135	16
4	Thermal analysis of macromolecular Haloamines Journal of Thermal Analysis, 1988, 33, 1109-1117	4
3	Infrared spectra of uniformly chlorosulfonyl-substituted styrene-divinylbenzene resins. <i>Reactive Polymers, Ion Exchangers, Sorbents</i> , <b>1987</b> , 7, 57-62	3
2	Synthesis and main properties of uniformly chlorosulfonyl-substituted styrene-divinylbenzene resins. <i>Reactive Polymers, Ion Exchangers, Sorbents</i> , <b>1986</b> , 4, 311-316	2
1	Investigations on the styrene - divinylbenzene methylenethiol ion exchangers. <i>Polimery</i> , <b>1985</b> , 30, 439-4454	4