Xin-Ting Sang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8115612/publications.pdf

Version: 2024-02-01

236925 265206 2,516 114 25 42 citations h-index g-index papers 125 125 125 3616 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Identification of prognostic biomarkers in hepatitis B virus-related hepatocellular carcinoma and stratification by integrative multi-omics analysis. Journal of Hepatology, 2014, 61, 840-849. | 3.7 | 131 |
| 2 | Intraductal papillary neoplasm of the bile duct. World Journal of Gastroenterology, 2013, 19, 8595. | 3.3 | 126 |
| 3 | Comprehensive analysis of a ceRNA network reveals potential prognostic cytoplasmic lncRNAs involved in HCC progression. Journal of Cellular Physiology, 2019, 234, 18837-18848. | 4.1 | 103 |
| 4 | Gut microbiome is associated with the clinical response to anti-PD-1 based immunotherapy in hepatobiliary cancers., 2021, 9, e003334. | | 101 |
| 5 | DNA methylation-driven genes for constructing diagnostic, prognostic, and recurrence models for hepatocellular carcinoma. Theranostics, 2019, 9, 7251-7267. | 10.0 | 99 |
| 6 | Pembrolizumab combined with lenvatinib as non-first-line therapy in patients with refractory biliary tract carcinoma. Hepatobiliary Surgery and Nutrition, 2020, 9, 414-424. | 1.5 | 93 |
| 7 | Aberrant lipid metabolism in hepatocellular carcinoma cells as well as immune microenvironment: A review. Cell Proliferation, 2020, 53, e12772. | 5.3 | 80 |
| 8 | Long non-coding RNA expression profiles of hepatitis C virus-related dysplasia and hepatocellular carcinoma. Oncotarget, 2015, 6, 43770-43778. | 1.8 | 79 |
| 9 | Alterations in DNA Damage Repair Genes in Primary Liver Cancer. Clinical Cancer Research, 2019, 25, 4701-4711. | 7.0 | 74 |
| 10 | Whole-exome sequencing reveals the origin and evolution of hepato-cholangiocarcinoma. Nature Communications, 2018, 9, 894. | 12.8 | 67 |
| 11 | Coffee and cancer risk: A meta-analysis of prospective observational studies. Scientific Reports, 2016, 6, 33711. | 3.3 | 66 |
| 12 | Mps1/TTK: a novel target and biomarker for cancer. Journal of Drug Targeting, 2017, 25, 112-118. | 4.4 | 59 |
| 13 | Combination regimens with PD-1/PD-L1 immune checkpoint inhibitors for gastrointestinal malignancies. Journal of Hematology and Oncology, 2019, 12, 42. | 17.0 | 58 |
| 14 | Prognostic significance of the fibrinogen-to-albumin ratio in gallbladder cancer patients. World Journal of Gastroenterology, 2018, 24, 3281-3292. | 3.3 | 56 |
| 15 | Hepatobiliary cystadenomas and cystadenocarcinomas: a report of 33 cases. Liver International, 2011, 31, 1337-1344. | 3.9 | 53 |
| 16 | Transcriptional landscape of cholangiocarcinoma revealed by weighted gene coexpression network analysis. Briefings in Bioinformatics, 2021, 22, . | 6.5 | 46 |
| 17 | Combination treatment including targeted therapy for advanced hepatocellular carcinoma. Oncotarget, 2016, 7, 71036-71051. | 1.8 | 44 |
| 18 | Classification of gallbladder cancer by assessment of CD8+ TIL and PD-L1 expression. BMC Cancer, 2018, 18, 766. | 2.6 | 42 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | Construction of a lipid metabolismâ€related and immuneâ€associated prognostic signature for hepatocellular carcinoma. Cancer Medicine, 2020, 9, 7646-7662. | 2.8 | 42 |
| 20 | Combined hepatocellular cholangiocarcinoma: Controversies to be addressed. World Journal of Gastroenterology, 2016, 22, 4459. | 3.3 | 42 |
| 21 | Mutational spectrum and precision oncology for biliary tract carcinoma. Theranostics, 2021, 11, 4585-4598. | 10.0 | 39 |
| 22 | Prognostic significance of combined preoperative fibrinogen and CA199 in gallbladder cancer patients. World Journal of Gastroenterology, 2018, 24, 1451-1463. | 3.3 | 35 |
| 23 | Time-restricted feeding causes irreversible metabolic disorders and gut microbiota shift in pediatric mice. Pediatric Research, 2019, 85, 518-526. | 2.3 | 32 |
| 24 | Identification of NOTCH4 mutation as a response biomarker for immune checkpoint inhibitor therapy. BMC Medicine, 2021, 19, 154. | 5.5 | 32 |
| 25 | <p>Development and Verification of the Hypoxia-Related and Immune-Associated Prognosis Signature for Hepatocellular Carcinoma</p> . Journal of Hepatocellular Carcinoma, 2020, Volume 7, 315-330. | 3.7 | 31 |
| 26 | Magnesium isoglycyrrhizinate inhibits inflammatory response through STAT3 pathway to protect remnant liver function. World Journal of Gastroenterology, 2015, 21, 12370. | 3.3 | 31 |
| 27 | Alteration in gut microbiota caused by timeâ€restricted feeding alleviate hepatic ischaemia reperfusion injury in mice. Journal of Cellular and Molecular Medicine, 2019, 23, 1714-1722. | 3.6 | 30 |
| 28 | Downstaging and resection of hepatocellular carcinoma in patients with extrahepatic metastases after stereotactic therapy. Hepatobiliary Surgery and Nutrition, 2021, 10, 434-442. | 1.5 | 28 |
| 29 | Liver graft rejection following immune checkpoint inhibitors treatment: a review. Medical Oncology, 2019, 36, 94. | 2.5 | 27 |
| 30 | N6-methyladenosine associated prognostic model in hepatocellular carcinoma. Annals of Translational Medicine, 2020, 8, 633-633. | 1.7 | 27 |
| 31 | CeRNA regulatory network-based analysis to study the roles of noncoding RNAs in the pathogenesis of intrahepatic cholangiocellular carcinoma. Aging, 2020, 12, 1047-1086. | 3.1 | 27 |
| 32 | Development of an immune-related prognostic index associated with hepatocellular carcinoma. Aging, 2020, 12, 5010-5030. | 3.1 | 26 |
| 33 | A mutation-based gene set predicts survival benefit after immunotherapy across multiple cancers and reveals the immune response landscape. Genome Medicine, 2022, 14, 20. | 8.2 | 26 |
| 34 | Hepatitis B virus infection and the risk of nonalcoholic fatty liver disease: a meta-analysis. Oncotarget, 2017, 8, 107295-107302. | 1.8 | 25 |
| 35 | Response of <i>BRCA1</i> -mutated gallbladder cancer to olaparib: A case report. World Journal of Gastroenterology, 2016, 22, 10254. | 3.3 | 24 |
| 36 | Precision oncology for gallbladder cancer: insights from genetic alterations and clinical practice. Annals of Translational Medicine, 2019, 7, 467-467. | 1.7 | 24 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 37 | The roles of mutated SWI/SNF complexes in the initiation and development of hepatocellular carcinoma and its regulatory effect on the immune system: A review. Cell Proliferation, 2020, 53, e12791. | 5.3 | 23 |
| 38 | The Efficacy and Safety of Apatinib Plus Camrelizumab in Patients With Previously Treated Advanced Biliary Tract Cancer: A Prospective Clinical Study. Frontiers in Oncology, 2021, 11, 646979. | 2.8 | 23 |
| 39 | Prognostic impact of the red cell distribution width in esophageal cancer patients: A systematic review and meta-analysis. World Journal of Gastroenterology, 2018, 24, 2120-2129. | 3.3 | 23 |
| 40 | Cell-free DNA copy number variations predict efficacy of immune checkpoint inhibitor-based therapy in hepatobiliary cancers., 2021, 9, e001942. | | 22 |
| 41 | LncRNA CYTOR affects the proliferation, cell cycle and apoptosis of hepatocellular carcinoma cells by regulating the miR-125b-5p/KIAA1522 axis. Aging, 2021, 13, 2626-2639. | 3.1 | 22 |
| 42 | Distinct hepatitis B virus integration patterns in hepatocellular carcinoma and adjacent normal liver tissue. International Journal of Cancer, 2017, 140, 1324-1330. | 5.1 | 19 |
| 43 | GTSE1, CDC20, PCNA, and MCM6 Synergistically Affect Regulations in Cell Cycle and Indicate Poor Prognosis in Liver Cancer. Analytical Cellular Pathology, 2019, 2019, 1-13. | 1.4 | 19 |
| 44 | Tea consumption and the risk of biliary tract cancer: a systematic review and dose-response meta-analysis of observational studies. Oncotarget, 2017, 8, 39649-39657. | 1.8 | 17 |
| 45 | Safety, feasibility, and efficacy of associating liver partition and portal vein ligation for staged hepatectomy in treating hepatocellular carcinoma: a systematic review. Annals of Translational Medicine, 2020, 8, 1246-1246. | 1.7 | 17 |
| 46 | Comprehensive analysis of tumour mutation burden and the immune microenvironment in hepatocellular carcinoma. International Immunopharmacology, 2020, 89, 107135. | 3.8 | 17 |
| 47 | Feature Learning Based Random Walk for Liver Segmentation. PLoS ONE, 2016, 11, e0164098. | 2.5 | 16 |
| 48 | The diagnostic and prognostic role of RhoA in hepatocellular carcinoma. Aging, 2019, 11, 5158-5172. | 3.1 | 16 |
| 49 | Dr.VIS v2.0: an updated database of human disease-related viral integration sites in the era of high-throughput deep sequencing. Nucleic Acids Research, 2015, 43, D887-D892. | 14.5 | 15 |
| 50 | Continuous Pringle maneuver does not affect outcomes of patients with hepatocellular carcinoma after curative resection. Asia-Pacific Journal of Clinical Oncology, 2017, 13, e321-e330. | 1.1 | 15 |
| 51 | Liver segmentation from CT images using a sparse priori statistical shape model (SP-SSM). PLoS ONE, 2017, 12, e0185249. | 2.5 | 15 |
| 52 | Molecular subtypes based on immune-related genes predict the prognosis for hepatocellular carcinoma patients. International Immunopharmacology, 2021, 90, 107164. | 3.8 | 15 |
| 53 | Edmondson grade predicts survival of patients with primary clear cell carcinoma of liver after curative resection: A retrospective study with longâ€ŧerm followâ€up. Asia-Pacific Journal of Clinical Oncology, 2017, 13, e312-e320. | 1.1 | 14 |
| 54 | Reassessment of different criteria for diagnosing post-hepatectomy liver failure: a single-center study of 1683 hepatectomy. Oncotarget, 2017, 8, 89269-89277. | 1.8 | 14 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 55 | <p>Preoperative neutrophil–lymphocyte and platelet–lymphocyte ratios as independent predictors of T stages in hilar cholangiocarcinoma</p> . Cancer Management and Research, 2019, Volume 11, 5157-5162. | 1.9 | 14 |
| 56 | Systematic review and meta-analysis: cholecystectomy and the risk of cholangiocarcinoma. Oncotarget, 2017, 8, 59648-59657. | 1.8 | 13 |
| 57 | Severe adult ileosigmoid intussusception prolapsing from the rectum: A case report. Cases Journal, 2008, 1, 198. | 0.4 | 12 |
| 58 | Genomic characterization of co-existing neoplasia and carcinoma lesions reveals distinct evolutionary paths of gallbladder cancer. Nature Communications, 2021, 12, 4753. | 12.8 | 12 |
| 59 | Gallbladder papillary neoplasms share pathological features with intraductal papillary neoplasm of the bile duct. Oncotarget, 2017, 8, 31532-31539. | 1.8 | 12 |
| 60 | The fusion landscape of hepatocellular carcinoma. Molecular Oncology, 2019, 13, 1214-1225. | 4.6 | 11 |
| 61 | The application of single-cell sequencing technology in the diagnosis and treatment of hepatocellular carcinoma. Annals of Translational Medicine, 2019, 7, 790-790. | 1.7 | 11 |
| 62 | Peripheral primitive neuroectodermal tumors arising in the pancreas: the first case report in Asia and a review of the 14 total reported cases in the world. Hepatobiliary Surgery and Nutrition, 2013, 2, 51-60. | 1.5 | 11 |
| 63 | Diagnosis and treatment of hepatic angiomyolipoma. Hepatobiliary Surgery and Nutrition, 2012, 1, 19-24. | 1.5 | 10 |
| 64 | Complete or partial split in associating liver partition and portal vein ligation for staged hepatectomy: A systematic review and meta-analysis. World Journal of Gastroenterology, 2019, 25, 6016-6024. | 3.3 | 9 |
| 65 | A new avenue for obtaining insight into the functional characteristics of long noncoding RNAs associated with estrogen receptor signaling. Scientific Reports, 2016, 6, 31716. | 3.3 | 8 |
| 66 | The Prognostic Value of Systemic Inflammation Response Index in Cholangiocarcinoma Patients. Cancer Management and Research, 2021, Volume 13, 6263-6277. | 1.9 | 8 |
| 67 | Identification of hub genes involved in the development of hepatocellular carcinoma by transcriptome sequencing. Oncotarget, 2017, 8, 60358-60367. | 1.8 | 8 |
| 68 | T lymphocytes in hepatocellular carcinoma immune microenvironment: insights into human immunology and immunotherapy. American Journal of Cancer Research, 2020, 10, 4585-4606. | 1.4 | 8 |
| 69 | A real-world study of the efficacy and safety of anti-PD-1 antibodies plus lenvatinib in patients with advanced gallbladder cancer. Cancer Immunology, Immunotherapy, 2022, , 1. | 4.2 | 8 |
| 70 | Prediction and identification of tumor-specific noncoding RNAs from human UniGene. Medical Oncology, 2010, 27, 894-898. | 2.5 | 7 |
| 71 | <p>Prognostic Nomogram That Predicts Overall Survival of Patients with Distal Cholangiocarcinoma After Pancreatoduodenectomy</p> . Cancer Management and Research, 2020, Volume 12, 10303-10310. | 1.9 | 7 |
| 72 | Association of a novel PKHD1 mutation in a family with autosomal dominant polycystic liver disease. Annals of Translational Medicine, 2021, 9, 120-120. | 1.7 | 7 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Comparative microbial antibiotic resistome between urban and deep forest environments. Environmental Microbiology Reports, 2021, 13, 503-508. | 2.4 | 7 |
| 74 | Apatinib as non-first-line treatment in patients with Intrahepatic Cholangiocarcinoma. Journal of Cancer, 2021, 12, 1555-1562. | 2.5 | 7 |
| 75 | Management of intrahepatic recurrence after resection for hepatocellular carcinoma exceeding the barcelona clinic liver cancer criteria. Oncotarget, 2017, 8, 110406-110414. | 1.8 | 7 |
| 76 | Lenvatinib Beyond First-Line Therapy in Patients With Advanced Biliary Tract Carcinoma. Frontiers in Oncology, 2022, 12, 785535. | 2.8 | 6 |
| 77 | Acute kidney injury after associating liver partition and portal vein ligation for staged hepatectomy for hepatocellular carcinoma: two case reports and a literature review. Annals of Translational Medicine, 2019, 7, 795-795. | 1.7 | 5 |
| 78 | Prognostic Significance of the Preoperative Lymphocyte to Monocyte Ratio in Patients with Gallbladder Carcinoma. Cancer Management and Research, 2020, Volume 12, 3271-3283. | 1.9 | 5 |
| 79 | Targeted Next-Generation Sequencing Combined With Circulating-Free DNA Deciphers Spatial Heterogeneity of Resected Multifocal Hepatocellular Carcinoma. Frontiers in Immunology, 2021, 12, 673248. | 4.8 | 4 |
| 80 | CMTTdb: the cancer molecular targeted therapy database. Annals of Translational Medicine, 2019, 7, 667-667. | 1.7 | 4 |
| 81 | Prognostic value and underlying mechanism of KIAA0101 in hepatocellular carcinoma: database mining and co-expression analysis. Aging, 2020, 12, 16420-16436. | 3.1 | 4 |
| 82 | \hat{I}^3 -glutamyl transferase-to-platelet ratio based nomogram predicting overall survival of gallbladder carcinoma. World Journal of Gastrointestinal Oncology, 2020, 12, 1014-1030. | 2.0 | 4 |
| 83 | MetastamiRs: A promising choice for antihepatocellular carcinoma nucleic acid drug development. Hepatology Research, 2017, 47, 80-94. | 3.4 | 3 |
| 84 | <p>Preoperative Bilirubin-Adjusted Carbohydrate Antigen 19-9 as a Prognostic Factor for Extrahepatic Cholangiocarcinoma Patients at a Single Center</p> . Cancer Management and Research, 2020, Volume 12, 411-417. | 1.9 | 3 |
| 85 | A Nomogram to Predict Individual Survival of Patients with Liver-Limited Metastases from Gastroenteropancreatic Neuroendocrine Neoplasms: A US Population-Based Cohort Analysis and Chinese Multicenter Cohort Validation Study. Neuroendocrinology, 2022, 112, 263-275. | 2.5 | 3 |
| 86 | Construction and validation of a prognostic signature using CNV-driven genes for hepatocellular carcinoma. Annals of Translational Medicine, 2021, 9, 765-765. | 1.7 | 3 |
| 87 | Genomics and translational precision oncology for 803 patients with biliary tract cancer Journal of Clinical Oncology, 2020, 38, 4589-4589. | 1.6 | 3 |
| 88 | Signature based on molecular subtypes of deoxyribonucleic acid methylation predicts overall survival in gastric cancer. World Journal of Gastroenterology, 2020, 26, 6414-6430. | 3.3 | 3 |
| 89 | <p>Preoperative Immune Prognostic Index Can Predict the Clinical Outcomes of Patients with Gallbladder Cancer: Single-Center Experience</p> . Cancer Management and Research, 2020, Volume 12, 12137-12150. | 1.9 | 2 |
| 90 | Novel nomograms based on immune and stromal scores for predicting the diseaseâ€free and overall survival of patients with hepatocellular carcinoma undergoing radical surgery. Journal of Surgical Oncology, 2020, 122, 1569-1579. | 1.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Hepatobiliary case report and literature review of hepatic reactive lymphoid hyperplasia with positive anti-smooth muscle antibody and anti-nuclear antibody tests. Translational Cancer Research, 2019, 8, 1001-1005. | 1.0 | 2 |
| 92 | Identification of WDFY3 Neoantigens as Prognostic Markers in Longterm Survivors of Extrahepatic Cholangiocarcinoma. Current Cancer Drug Targets, 2020, 20, 875-886. | 1.6 | 2 |
| 93 | Conversion therapy of stage IVb unresectable gallbladder carcinoma. Hepatobiliary Surgery and Nutrition, 2022, 11, 335-337. | 1.5 | 2 |
| 94 | CK20 and lymph node involvement predict adverse outcome of malignant intraductal papillary neoplasm of the bile duct. Histology and Histopathology, 2020, 35, 449-456. | 0.7 | 2 |
| 95 | Lenvatinib plus PD-1 inhibitors in 378 unresectable hepatocellular carcinoma: A large real-world study from two centers Journal of Clinical Oncology, 2022, 40, e16155-e16155. | 1.6 | 2 |
| 96 | Multidisciplinary management of hepatobiliary tumors in the era of precision medicine. Hepatobiliary and Pancreatic Diseases International, 2018, 17, 381-382. | 1.3 | 1 |
| 97 | Paraneoplastic leukemoid reaction in a patient with sarcomatoid hepatocellular carcinoma: A case report. World Journal of Clinical Cases, 2019, 7, 1330-1336. | 0.8 | 1 |
| 98 | Association of chronic liver disease with the prognosis of COVID-19 patients. Journal of Hepatology, $2021, , .$ | 3.7 | 1 |
| 99 | Diagnosis and treatment of a diaphragmatic pheochromocytoma: A case report. International Journal of Surgery Case Reports, 2020, 71, 78-81. | 0.6 | 1 |
| 100 | Threonine and tyrosine kinase may serve as a prognostic biomarker for gallbladder cancer. World Journal of Gastroenterology, 2017, 23, 5787. | 3.3 | 1 |
| 101 | Laparoscopic hepatectomy for patients who received enterostomy. Journal of Minimal Access Surgery, 2019, 15, 325. | 0.7 | 1 |
| 102 | A call for scientific integrity. Hepatobiliary Surgery and Nutrition, 2017, "1/4–, 205-206. | 1.5 | 0 |
| 103 | Construction of a new immuneâ€related signature based on three lncRNAs as the factor for prognosis prediction of hepatocellular carcinoma. Clinical and Translational Medicine, 2020, 10, e101. | 4.0 | 0 |
| 104 | Letter to the Editor: Is Aspirin a Drug or Just a Marker for Biliary Cancer?. Hepatology, 2021, 74, 2924-2924. | 7.3 | 0 |
| 105 | Racial/Ethnic Differences in the 21-Gene Recurrence Score Assay Among Women With Breast Cancer. JAMA Oncology, 2021, 7, 1248. | 7.1 | 0 |
| 106 | Potential application of neogalactosylalbumin in positron emission tomography evaluation of liver function. World Journal of Gastroenterology, 2017, 23, 4278. | 3.3 | 0 |
| 107 | Gallbladder carcinoma post gallbladder-preserving cholecystolithotomy: a case report. Hepatobiliary Surgery and Nutrition, 2012, 1, 61-3. | 1.5 | 0 |
| 108 | Twenty-eight years of repeated relapse of gastrointestinal stromal tumor. Hepatobiliary Surgery and Nutrition, 2013, 2, 232-3. | 1.5 | 0 |

| # | ARTICLE | IF | CITATION |
|-----|--|-----|----------|
| 109 | Multiple liver lesions with dormant submandibular gland nodule. Hepatobiliary Surgery and Nutrition, 2013, 2, 284-5. | 1.5 | 0 |
| 110 | Large liver mass in a patient with latent colon cancer. Hepatobiliary Surgery and Nutrition, 2014, 3, 50-1. | 1.5 | 0 |
| 111 | Identification of TMB, CD8 Tâ€cell abundance, and homologous repair pathway mutation frequency as predictors of the benefit–toxicity ratio of antiâ€PDâ€1/PDâ€L1 therapy. Clinical and Translational Medicine, 2021, 11, e598. | 4.0 | 0 |
| 112 | Letter to the editor: The role of aquaporin 9 in modeling of ornithine transcarbamylase deficiency. Hepatology, 2022, 75, 1058-1059. | 7.3 | 0 |
| 113 | Ultrasound-Guided Continuous Thoracic Paravertebral Block Improves Patient's Quality of Recovery After Open Hepatectomy: A Randomized, Double-Blind, Placebo-Controlled Trial. Chinese Medical Sciences Journal, 2022, 37, 15. | 0.4 | 0 |
| 114 | Genomic characterization and translational immunotherapy of microsatellite instability-high (MSI-H) in cholangiocarcinoma Journal of Clinical Oncology, 2022, 40, 4101-4101. | 1.6 | 0 |