

# Bhupinder Pal Singh

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8116033/publications.pdf>

Version: 2024-02-01

119  
papers

10,013  
citations

53660

45  
h-index

35952

97  
g-index

122  
all docs

122  
docs citations

122  
times ranked

7944  
citing authors

#	ARTICLE	IF	CITATIONS
1	An investigation into the reactions of biochar in soil. <i>Soil Research</i> , 2010, 48, 501.	0.6	840
2	Characterisation and evaluation of biochars for their application as a soil amendment. <i>Soil Research</i> , 2010, 48, 516.	0.6	763
3	Biochar's role in mitigating soil nitrous oxide emissions: A review and meta-analysis. <i>Agriculture, Ecosystems and Environment</i> , 2014, 191, 5-16.	2.5	746
4	Influence of Biochars on Nitrous Oxide Emission and Nitrogen Leaching from Two Contrasting Soils. <i>Journal of Environmental Quality</i> , 2010, 39, 1224-1235.	1.0	630
5	Biochar Carbon Stability in a Clayey Soil As a Function of Feedstock and Pyrolysis Temperature. <i>Environmental Science &amp; Technology</i> , 2012, 46, 11770-11778.	4.6	456
6	Influence of biochar application to soil on the availability of As, Cd, Cu, Pb, and Zn to maize ( <i>Zea mays</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.6	317
7	Microbial utilisation of biochar-derived carbon. <i>Science of the Total Environment</i> , 2013, 465, 288-297.	3.9	292
8	Interactive Priming of Biochar and Labile Organic Matter Mineralization in a Smectite-Rich Soil. <i>Environmental Science &amp; Technology</i> , 2011, 45, 9611-9618.	4.6	282
9	Tree root and soil heterotrophic respiration as revealed by girdling of boreal Scots pine forest: extending observations beyond the first year. <i>Plant, Cell and Environment</i> , 2003, 26, 1287-1296.	2.8	281
10	Multifunctional applications of biochar beyond carbon storage. <i>International Materials Reviews</i> , 2022, 67, 150-200.	9.4	245
11	Long-term influence of biochar on native organic carbon mineralisation in a low-carbon clayey soil. <i>Scientific Reports</i> , 2014, 4, 3687.	1.6	244
12	Biochar built soil carbon over a decade by stabilizing rhizodeposits. <i>Nature Climate Change</i> , 2017, 7, 371-376.	8.1	232
13	Challenges and opportunities for mitigating nitrous oxide emissions from fertilized cropping systems. <i>Frontiers in Ecology and the Environment</i> , 2012, 10, 562-570.	1.9	220
14	Microbial mechanisms of carbon priming effects revealed during the interaction of crop residue and nutrient inputs in contrasting soils. <i>Global Change Biology</i> , 2018, 24, 2775-2790.	4.2	201
15	Biochar carbon stability in four contrasting soils. <i>European Journal of Soil Science</i> , 2014, 65, 60-71.	1.8	190
16	Soil aggregation and associated microbial communities modify the impact of agricultural management on carbon content. <i>Environmental Microbiology</i> , 2017, 19, 3070-3086.	1.8	180
17	An incubation study investigating the mechanisms that impact N <sub>2</sub> O flux from soil following biochar application. <i>Agriculture, Ecosystems and Environment</i> , 2014, 191, 53-62.	2.5	170
18	Effect of temperature on biochar priming effects and its stability in soils. <i>Soil Biology and Biochemistry</i> , 2015, 80, 136-145.	4.2	161

#	ARTICLE	IF	CITATIONS
19	A scientometric review of biochar research in the past 20 years (1998–2018). <i>Biochar</i> , 2019, 1, 23-43.	6.2	160
20	Biochar lowers ammonia emission and improves nitrogen retention in poultry litter composting. <i>Waste Management</i> , 2017, 61, 129-137.	3.7	155
21	Soil physical properties and their relations to organic carbon pools as affected by land use in an alpine pastureland. <i>Geoderma</i> , 2007, 139, 98-105.	2.3	126
22	Biochar increases nitrogen retention and lowers greenhouse gas emissions when added to composting poultry litter. <i>Waste Management</i> , 2017, 61, 138-149.	3.7	119
23	Agricultural management practices impacted carbon and nutrient concentrations in soil aggregates, with minimal influence on aggregate stability and total carbon and nutrient stocks in contrasting soils. <i>Soil and Tillage Research</i> , 2018, 178, 209-223.	2.6	118
24	Soil Health Indicators Under Climate Change: A Review of Current Knowledge. <i>Soil Biology</i> , 2011, , 25-45.	0.6	96
25	Oil mallee biochar improves soil structural properties—A study with x-ray micro-CT. <i>Agriculture, Ecosystems and Environment</i> , 2014, 191, 142-149.	2.5	94
26	The impact of crop residue biochars on silicon and nutrient cycles in croplands. <i>Science of the Total Environment</i> , 2019, 659, 673-680.	3.9	94
27	Carbon and nutrient mineralisation dynamics in aggregate-size classes from different tillage systems after input of canola and wheat residues. <i>Soil Biology and Biochemistry</i> , 2018, 116, 22-38.	4.2	88
28	Designing advanced biochar products for maximizing greenhouse gas mitigation potential. <i>Critical Reviews in Environmental Science and Technology</i> , 2016, 46, 1367-1401.	6.6	86
29	Temperature sensitivity of biochar and native carbon mineralisation in biochar-amended soils. <i>Agriculture, Ecosystems and Environment</i> , 2014, 191, 158-167.	2.5	83
30	Impact of agricultural management practices on the nutrient supply potential of soil organic matter under long-term farming systems. <i>Soil and Tillage Research</i> , 2018, 175, 71-81.	2.6	80
31	Plant-biochar interactions drive the negative priming of soil organic carbon in an annual ryegrass field system. <i>Soil Biology and Biochemistry</i> , 2015, 90, 111-121.	4.2	75
32	Characterization of an enriched biochar. <i>Journal of Analytical and Applied Pyrolysis</i> , 2014, 108, 26-34.	2.6	74
33	Responses of soil greenhouse gas emissions to different application rates of biochar in a subtropical Chinese chestnut plantation. <i>Agricultural and Forest Meteorology</i> , 2019, 271, 168-179.	1.9	74
34	Rusty sink of rhizodeposits and associated keystone microbiomes. <i>Soil Biology and Biochemistry</i> , 2020, 147, 107840.	4.2	73
35	Partitioning of soil respiration into its autotrophic and heterotrophic components by means of tree-girdling in old boreal spruce forest. <i>Forest Ecology and Management</i> , 2009, 257, 1764-1767.	1.4	70
36	Distribution, sources, and decomposition of soil organic matter along a salinity gradient in estuarine wetlands characterized by C:N ratio, $13 < \sup > C \hat{=} < sup > 15 < /sup > N$ , and lignin biomarker. <i>Global Change Biology</i> , 2021, 27, 417-434.	4.2	63

#	ARTICLE	IF	CITATIONS
37	Influence of soil texture and mineralogy on organic matter content and composition in physically separated fractions soils of Thailand. <i>Geoderma</i> , 2013, 195-196, 207-219.	2.3	62
38	NosZ clade II rather than clade I determine in situ N <sub>2</sub> O emissions with different fertilizer types under simulated climate change and its legacy. <i>Soil Biology and Biochemistry</i> , 2020, 150, 107974.	4.2	62
39	Carbon, nitrogen and sulphur cycling following incorporation of canola residue of different sizes into a nutrient-poor sandy soil. <i>Soil Biology and Biochemistry</i> , 2006, 38, 32-42.	4.2	61
40	Pyrolysing poultry litter reduces N <sub>2</sub> O and CO <sub>2</sub> fluxes. <i>Science of the Total Environment</i> , 2013, 465, 279-287.	3.9	57
41	Nutrient supply enhanced wheat residue-carbon mineralization, microbial growth, and microbial carbon-use efficiency when residues were supplied at high rate in contrasting soils. <i>Soil Biology and Biochemistry</i> , 2018, 126, 168-178.	4.2	57
42	Nutrient stoichiometry and labile carbon content of organic amendments control microbial biomass and carbon-use efficiency in a poorly structured sodic-subsoil. <i>Biology and Fertility of Soils</i> , 2020, 56, 219-233.	2.3	52
43	Biochar increased field soil inorganic carbon content five years after application. <i>Soil and Tillage Research</i> , 2019, 186, 36-41.	2.6	51
44	Sewage sludge-derived hydrochar that inhibits ammonia volatilization, improves soil nitrogen retention and rice nitrogen utilization. <i>Chemosphere</i> , 2020, 245, 125558.	4.2	51
45	Determination of carbonate-C in biochars. <i>Soil Research</i> , 2014, 52, 495.	0.6	49
46	Biochar application constrained native soil organic carbon accumulation from wheat residue inputs in a long-term wheat-maize cropping system. <i>Agriculture, Ecosystems and Environment</i> , 2018, 252, 200-207.	2.5	49
47	Organic matter chemistry and bacterial community structure regulate decomposition processes in post-fire forest soils. <i>Soil Biology and Biochemistry</i> , 2021, 160, 108311.	4.2	49
48	In Situ Persistence and Migration of Biochar Carbon and Its Impact on Native Carbon Emission in Contrasting Soils under Managed Temperate Pastures. <i>PLoS ONE</i> , 2015, 10, e0141560.	1.1	45
49	Temperature sensitivity and priming of organic matter with different stabilities in a Vertisol with aged biochar. <i>Soil Biology and Biochemistry</i> , 2017, 115, 346-356.	4.2	44
50	Increase in pH stimulates mineralization of "native" organic carbon and nitrogen in naturally salt-affected sandy soils. <i>Plant and Soil</i> , 2007, 290, 269-282.	1.8	43
51	Uncertainties in static closed chamber measurements of the carbon isotopic ratio of soil-respired CO <sub>2</sub> . <i>Soil Biology and Biochemistry</i> , 2005, 37, 2273-2276.	4.2	41
52	Effect of crop residue addition on soil organic carbon priming as influenced by temperature and soil properties. <i>Geoderma</i> , 2019, 347, 70-79.	2.3	39
53	Nitrous oxide and methane emissions from soil are reduced following afforestation of pasture lands in three contrasting climatic zones. <i>Soil Research</i> , 2009, 47, 443.	0.6	38
54	Tillage history and crop residue input enhanced native carbon mineralisation and nutrient supply in contrasting soils under long-term farming systems. <i>Soil and Tillage Research</i> , 2019, 193, 71-84.	2.6	38

#	ARTICLE	IF	CITATIONS
55	Effects of nitrogen-enriched biochar on rice growth and yield, iron dynamics, and soil carbon storage and emissions: A tool to improve sustainable rice cultivation. <i>Environmental Pollution</i> , 2021, 287, 117565.	3.7	36
56	Biochar carbon dynamics in physically separated fractions and microbial use efficiency in contrasting soils under temperate pastures. <i>Soil Biology and Biochemistry</i> , 2018, 116, 399-409.	4.2	35
57	Balancing nutrient stoichiometry facilitates the fate of wheat residue's carbon in physically defined soil organic matter fractions. <i>Geoderma</i> , 2019, 354, 113883.	2.3	35
58	Decomposition of maize straw in saline soil. <i>Biology and Fertility of Soils</i> , 2006, 42, 366-370.	2.3	34
59	Dynamics of soil organic carbon and nitrogen associated with physically separated fractions in a grassland-cultivation sequence in the Qinghai-Tibetan plateau. <i>Biology and Fertility of Soils</i> , 2010, 46, 103-111.	2.3	33
60	Priming of soil organic carbon induced by sugarcane residues and its biochar control the source of nitrogen for plant uptake: A dual <sup>13</sup> C and <sup>15</sup> N isotope three-source-partitioning study. <i>Soil Biology and Biochemistry</i> , 2020, 146, 107792.	4.2	31
61	Steel slag and biochar amendments decreased CO <sub>2</sub> emissions by altering soil chemical properties and bacterial community structure over two-year in a subtropical paddy field. <i>Science of the Total Environment</i> , 2020, 740, 140403.	3.9	30
62	Gain in carbon: Deciphering the abiotic and biotic mechanisms of biochar-induced negative priming effects in contrasting soils. <i>Science of the Total Environment</i> , 2020, 746, 141057.	3.9	29
63	In situ assessment of new carbon and nitrogen assimilation and allocation in contrastingly managed dryland wheat crop's soil systems. <i>Agriculture, Ecosystems and Environment</i> , 2016, 235, 80-90.	2.5	27
64	Biochar has little effect on soil dissolved organic carbon pool 5 years after biochar application under field condition. <i>Soil Use and Management</i> , 2019, 35, 466-477.	2.6	27
65	Balanced nutrient stoichiometry of organic amendments enhances carbon priming in a poorly structured sodic subsoil. <i>Soil Biology and Biochemistry</i> , 2020, 145, 107800.	4.2	26
66	Tillage and nitrogen fertilization enhanced belowground carbon allocation and plant nitrogen uptake in a semi-arid canola crop's soil system. <i>Scientific Reports</i> , 2017, 7, 10726.	1.6	25
67	Effects of contrasting biochars on the leaching of inorganic nitrogen from soil. <i>Journal of Soils and Sediments</i> , 2020, 20, 3017-3026.	1.5	24
68	The accumulation of rhizodeposits in organo-mineral fractions promoted biochar-induced negative priming of native soil organic carbon in Ferralsol. <i>Soil Biology and Biochemistry</i> , 2018, 118, 91-96.	4.2	23
69	Assessment of radon and potentially toxic metals in agricultural soils of Punjab, India. <i>Microchemical Journal</i> , 2019, 146, 444-454.	2.3	23
70	Biochar accelerates soil organic carbon mineralization via rhizodeposit-activated Actinobacteria. <i>Biology and Fertility of Soils</i> , 2022, 58, 565-577.	2.3	22
71	Compatible package-based agriculture systems: an urgent need for agro-ecological balance and climate change adaptation. <i>Soil Ecology Letters</i> , 2022, 4, 187-212.	2.4	21
72	Is sustainability certification for biochar the answer to environmental risks?. <i>Pesquisa Agropecuaria Brasileira</i> , 2012, 47, 637-648.	0.9	20

#	ARTICLE	IF	CITATIONS
73	Discrimination in Degradability of Soil Pyrogenic Organic Matter Follows a Return-On-Energy-Investment Principle. <i>Environmental Science &amp; Technology</i> , 2016, 50, 8578-8585.	4.6	20
74	Nitrilotriacetic acid modified bamboo charcoal (NTA-MBC): An effective adsorbent for the removal of Cr (III) and Cr (VI) from aqueous solution. <i>Journal of Environmental Chemical Engineering</i> , 2018, 6, 2965-2974.	3.3	20
75	Soil organic matter turnover depending on land use change: Coupling C/N ratios, $\delta^{13}C$ and lignin biomarkers. <i>Land Degradation and Development</i> , 2021, 32, 1591-1605.	1.8	19
76	Biochar in Soil for Climate Change Mitigation and Adaptation. <i>Soil Biology</i> , 2011, , 345-368.	0.6	19
77	Interactive effects of rice-residue biochar and N-fertilizer on soil functions and crop biomass in contrasting soils. <i>Journal of Soil Science and Plant Nutrition</i> , 2018, , 0-0.	1.7	18
78	Contrasting short-term responses of soil heterotrophic and autotrophic respiration to biochar-based and chemical fertilizers in a subtropical Moso bamboo plantation. <i>Applied Soil Ecology</i> , 2021, 157, 103758.	2.1	18
79	Rhizosphere microbiome modulated effects of biochar on ryegrass $^{15}N$ uptake and rhizodeposited $^{13}C$ allocation in soil. <i>Plant and Soil</i> , 2021, 463, 359-377.	1.8	17
80	Assessing Biochar Stability Indices Using near Infrared Spectroscopy. <i>Journal of Near Infrared Spectroscopy</i> , 2014, 22, 313-328.	0.8	15
81	Rice-residue biochar influences phosphorus availability in soil with contrasting P status. <i>Archives of Agronomy and Soil Science</i> , 2020, 66, 778-791.	1.3	15
82	Silicon Effects on Biomass Carbon and Phytolith-Occcluded Carbon in Grasslands Under High-Salinity Conditions. <i>Frontiers in Plant Science</i> , 2020, 11, 657.	1.7	15
83	The response of soil multi-functionality to agricultural management practices can be predicted by key soil abiotic and biotic properties. <i>Agriculture, Ecosystems and Environment</i> , 2021, 307, 107206.	2.5	15
84	Biochar decreased rhizodeposits stabilization via opposite effects on bacteria and fungi: diminished fungi-promoted aggregation and enhanced bacterial mineralization. <i>Biology and Fertility of Soils</i> , 2021, 57, 533-546.	2.3	15
85	Amino-functionalized mesoporous MCM-41: an efficient adsorbent for the removal of chromium (III) ions from aqueous solution. <i>Journal of Water Supply: Research and Technology - AQUA</i> , 2016, 65, 480-493.	0.6	14
86	Resource stoichiometric and fertility in soil. <i>Biology and Fertility of Soils</i> , 2020, 56, 1091-1092.	2.3	14
87	Biochar protects hydrophilic dissolved organic matter against mineralization and enhances its microbial carbon use efficiency. <i>Science of the Total Environment</i> , 2021, 795, 148793.	3.9	14
88	Additive effects of organic and inorganic amendments can significantly improve structural stability of a sodic dispersive subsoil. <i>Geoderma</i> , 2021, 404, 115281.	2.3	13
89	Characterization of recently $^{14}C$ pulse-labelled carbon from roots by fractionation of soil organic matter. <i>European Journal of Soil Science</i> , 2005, 56, 329-341.	1.8	12
90	Fabrication and characterization of Ti-Nb-HA alloy by mechanical alloying and spark plasma sintering for hard tissue replacements. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 225, 012051.	0.3	12

#	ARTICLE	IF	CITATIONS
91	Multiple trade-offs between maximizing yield and minimizing greenhouse gas production in Chinese rice croplands. <i>Land Degradation and Development</i> , 2020, 31, 1287-1299.	1.8	12
92	Effects of slag and biochar amendments on microorganisms and fractions of soil organic carbon during flooding in a paddy field after two years in southeastern China. <i>Science of the Total Environment</i> , 2022, 824, 153783.	3.9	12
93	Long-term saline water irrigation decreased soil organic carbon and inorganic carbon contents. <i>Agricultural Water Management</i> , 2022, 270, 107760.	2.4	11
94	Combined slag and biochar amendments to subtropical paddy soils lead to a short-term change of bacteria community structure and rise of soil organic carbon. <i>Applied Soil Ecology</i> , 2022, 179, 104593.	2.1	11
95	Soil Organic Matter, Soil Health and Climate Change. <i>Soil Biology</i> , 2011, , 87-106.	0.6	9
96	Unexpected increases in soil carbon eventually fell in low rainfall farming systems. <i>Journal of Environmental Management</i> , 2020, 261, 110192.	3.8	9
97	Nitrous oxide emissions from cow urine patches in an intensively managed grassland: Influence of nitrogen loading under contrasting soil moisture. <i>Science of the Total Environment</i> , 2021, 757, 143790.	3.9	9
98	Plant productivity is a key driver of soil respiration response to climate change in a nutrient-limited soil.. <i>Basic and Applied Ecology</i> , 2021, 50, 155-168.	1.2	8
99	Characterization of halophyte biochar and its effects on water and salt contents in saline soil. <i>Environmental Science and Pollution Research</i> , 2022, 29, 11831-11842.	2.7	8
100	In situ dynamics of recently allocated <sup>14</sup> C in pasture soil and soil solution collected with Rhizon Soil Moisture Samplers. <i>Soil Research</i> , 2005, 43, 659.	0.6	7
101	Nutrients addition regulates temperature sensitivity of maize straw mineralization. <i>Journal of Soils and Sediments</i> , 2021, 21, 2778-2790.	1.5	7
102	Fabrication of Biodegradable Low Elastic Porous Mg-Zn-Mn-HA Alloy by Spark Plasma Sintering for Orthopaedic Applications. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017, 225, 012050.	0.3	6
103	Yak dung pat fragmentation decreases yield-scaled growing-season nitrous oxide emissions in an alpine steppe on the Qinghai-Tibetan Plateau. <i>Biology and Fertility of Soils</i> , 2021, 57, 1103-1115.	2.3	6
104	A quantitative size-density separation method to recover and characterise decomposing crop residues added to soil. <i>Biology and Fertility of Soils</i> , 2009, 45, 423-434.	2.3	5
105	Defluoridation of water using micelle templated MCM-41: adsorption and RSM studies. <i>Journal of Water Supply: Research and Technology - AQUA</i> , 2019, 68, 282-294.	0.6	5
106	Wheat-derived soil organic carbon accumulates more than its maize counterpart in a wheat-maize cropping system after 21 years. <i>European Journal of Soil Science</i> , 2020, 71, 695-705.	1.8	5
107	The benefit of leafy vegetable as catch crop to mitigate N and P leaching losses in intensive plastic-shed production system. <i>Journal of Soils and Sediments</i> , 2021, 21, 2253-2261.	1.5	5
108	Biostimulants decreased nitrogen leaching and NH <sub>3</sub> volatilization but increased N <sub>2</sub> O emission from plastic-shed greenhouse vegetable soil. <i>Environmental Science and Pollution Research</i> , 2022, 29, 6093-6102.	2.7	4

#	ARTICLE	IF	CITATIONS
109	Soil Respiration in Future Global Change Scenarios. <i>Soil Biology</i> , 2011, , 131-153.	0.6	3
110	Regional Considerations for Targeted Use of Biochar in Agriculture and Remediation in Australia. <i>SSSA Special Publication Series</i> , 0, , 445-474.	0.2	2
111	Comparative Performance Evaluation of Axial Flow and Tangential Axial Flow Threshing System for Basmati Rice ( <i>Oryza sativa</i> ). <i>Agricultural Research</i> , 2015, 4, 303-308.	0.9	2
112	4-Formylphenyl boronic acid grafted amino MCM-41 for efficient adsorption of Cu(II) ions in aqueous medium: isotherm, kinetic and optimization studies. <i>Toxin Reviews</i> , 2022, 41, 551-563.	1.5	2
113	Nitrous oxide emission factors in conventionally and naturally simulated cattle urine patches. <i>Nutrient Cycling in Agroecosystems</i> , 2021, 121, 129-147.	1.1	2
114	Evaluation of proximal sensing technologies for mapping bovine urine patches under grazing pastures. <i>Computers and Electronics in Agriculture</i> , 2021, 188, 106309.	3.7	2
115	Tillage and Crop Stubble Management and Soil Health in a Changing Climate. <i>Soil Biology</i> , 2011, , 181-206.	0.6	2
116	Soil health and climate change: a critical nexus. <i>Burleigh Dodds Series in Agricultural Science</i> , 2018, , 39-68.	0.1	2
117	Intensive management of a bamboo forest significantly enhanced soil nutrient concentrations but decreased soil microbial biomass and enzyme activity: a long-term chronosequence study. <i>Journal of Soils and Sediments</i> , 2022, 22, 2640-2653.	1.5	2
118	The impact of biochar on nutrient supplies in agricultural ecosystems. , 2022, , 193-201.		1
119	Decomposition of substrates with recalcitrance gradient, primed CO <sub>2</sub> , and its relations with soil microbial diversity in post-fire forest soils. <i>Journal of Soils and Sediments</i> , 2021, 21, 3007-3017.	1.5	0